

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
 Data File : VX043927.D
 Acq On : 21 Nov 2024 10:37
 Operator : JC/MD
 Sample : VSTDICC020
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VSTDICC020

Quant Time: Nov 21 11:27:10 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 21 11:25:29 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By : John Carlone 11/22/2024
 Supervised By : Mahesh Dadoda 11/22/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.550	168	137617	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.757	114	247844	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	217871	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.024	152	98477	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.952	65	48239	22.821	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery =	45.640%#		
35) Dibromofluoromethane	5.385	113	35015	21.040	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery =	42.080%#		
50) Toluene-d8	8.647	98	122646	22.060	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery =	44.120%#		
62) 4-Bromofluorobenzene	11.079	95	41087	22.365	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery =	44.720%#		
Target Compounds					Qvalue	
2) Dichlorodifluoromethane	1.167	85	35268	25.327	ug/l	98
3) Chloromethane	1.295	50	39622	22.767	ug/l	93
4) Vinyl Chloride	1.374	62	40173	22.975	ug/l	95
5) Bromomethane	1.593	94	24112	30.357	ug/l	98
6) Chloroethane	1.666	64	22213	26.595	ug/l	97
7) Trichlorofluoromethane	1.868	101	73464	29.469	ug/l	99
8) Diethyl Ether	2.136	74	25875	27.531	ug/l	99
9) 1,1,2-Trichlorotrifluo...	2.319	101	33284	22.561	ug/l	96
10) Methyl Iodide	2.441	142	43047	20.733	ug/l	94
11) Tert butyl alcohol	3.002	59	36554	108.748	ug/l	100
12) 1,1-Dichloroethene	2.307	96	32180	22.474	ug/l	96
13) Acrolein	2.240	56	35249	93.505	ug/l	99
14) Allyl chloride	2.660	41	53053	22.853	ug/l #	88
15) Acrylonitrile	3.069	53	94417	109.118	ug/l	99
16) Acetone	2.386	43	110373	130.004	ug/l	89
17) Carbon Disulfide	2.502	76	59349	18.983	ug/l	98
18) Methyl Acetate	2.709	43	50136	21.564	ug/l	99
19) Methyl tert-butyl Ether	3.117	73	121776	23.009	ug/l	100
20) Methylene Chloride	2.788	84	37633	21.177	ug/l	97
21) trans-1,2-Dichloroethene	3.087	96	33545	21.489	ug/l	100
22) Diisopropyl ether	3.764	45	119475	23.557	ug/l	91
23) Vinyl Acetate	3.721	43	504408	122.699	ug/l	98
24) 1,1-Dichloroethane	3.599	63	67233	22.540	ug/l	99
25) 2-Butanone	4.568	43	148152	124.741	ug/l	97
26) 2,2-Dichloropropane	4.471	77	58444	23.843	ug/l	96
27) cis-1,2-Dichloroethene	4.483	96	41866	21.551	ug/l	94
28) Bromochloromethane	4.891	49	26507	21.119	ug/l	90
29) Tetrahydrofuran	5.013	42	87736	114.321	ug/l	98
30) Chloroform	5.087	83	72049	23.172	ug/l	97
31) Cyclohexane	5.458	56	53731	22.225	ug/l	97
32) 1,1,1-Trichloroethane	5.379	97	62394	23.474	ug/l	98
36) 1,1-Dichloropropene	5.684	75	44465	21.438	ug/l	99
37) Ethyl Acetate	4.715	43	54426	23.316	ug/l	97
38) Carbon Tetrachloride	5.672	117	48701	22.179	ug/l	99
39) Methylcyclohexane	7.379	83	55958	21.551	ug/l	99
40) Benzene	6.025	78	144401	22.144	ug/l	100

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
 Data File : VX043927.D
 Acq On : 21 Nov 2024 10:37
 Operator : JC/MD
 Sample : VSTDICC020
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VSTDICC020

Quant Time: Nov 21 11:27:10 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 21 11:25:29 2024
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By : John Carlone 11/22/2024
 Supervised By : Mahesh Dadoda 11/22/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	4.922	41	28938	23.789	ug/l	95
42) 1,2-Dichloroethane	6.086	62	57981	24.487	ug/l	98
43) Isopropyl Acetate	6.349	43	88577	24.054	ug/l	94
44) Trichloroethene	7.117	130	36440	20.270	ug/l	95
45) 1,2-Dichloropropane	7.428	63	35791	22.394	ug/l	97
46) Dibromomethane	7.580	93	27799	23.082	ug/l	96
47) Bromodichloromethane	7.818	83	49665	23.471	ug/l #	94
48) Methyl methacrylate	7.690	41	41962	22.991	ug/l #	87
49) 1,4-Dioxane	7.665	88	12071	310.503	ug/l #	62
51) 4-Methyl-2-Pentanone	8.574	43	278479	121.285	ug/l	95
52) Toluene	8.714	92	87569	23.277	ug/l	99
53) t-1,3-Dichloropropene	8.976	75	50294	23.425	ug/l	99
54) cis-1,3-Dichloropropene	8.366	75	56407	23.184	ug/l #	91
55) 1,1,2-Trichloroethane	9.153	97	37148	25.308	ug/l	96
56) Ethyl methacrylate	9.116	69	56585	24.347	ug/l #	88
57) 1,3-Dichloropropane	9.305	76	61420	24.976	ug/l	99
58) 2-Chloroethyl Vinyl ether	8.238	63	136842	112.277	ug/l	96
59) 2-Hexanone	9.433	43	213629	131.869	ug/l	93
60) Dibromochloromethane	9.519	129	34133	23.864	ug/l	100
61) 1,2-Dibromoethane	9.610	107	36985	24.156	ug/l	99
64) Tetrachloroethene	9.269	164	29274	20.948	ug/l	98
65) Chlorobenzene	10.080	112	96469	21.197	ug/l	97
66) 1,1,1,2-Tetrachloroethane	10.159	131	32353	21.360	ug/l	98
67) Ethyl Benzene	10.189	91	166435	21.731	ug/l	98
68) m/p-Xylenes	10.299	106	122658	42.997	ug/l	95
69) o-Xylene	10.640	106	60254	21.648	ug/l	94
70) Styrene	10.653	104	102329	22.308	ug/l	97
71) Bromoform	10.799	173	19329	19.555	ug/l #	97
73) Isopropylbenzene	10.964	105	157405	22.393	ug/l	99
74) N-amyl acetate	10.842	43	73525	23.459	ug/l	93
75) 1,1,2,2-Tetrachloroethane	11.213	83	54158	22.787	ug/l	99
76) 1,2,3-Trichloropropane	11.238	75	45423m	22.601	ug/l	
77) Bromobenzene	11.195	156	37631	21.843	ug/l	97
78) n-propylbenzene	11.305	91	176034	22.696	ug/l	98
79) 2-Chlorotoluene	11.360	91	112986	22.894	ug/l	99
80) 1,3,5-Trimethylbenzene	11.451	105	132041	22.662	ug/l	97
81) trans-1,4-Dichloro-2-b...	11.018	75	14743	20.654	ug/l	88
82) 4-Chlorotoluene	11.451	91	125521	22.085	ug/l	99
83) tert-Butylbenzene	11.713	119	128636	21.582	ug/l	97
84) 1,2,4-Trimethylbenzene	11.750	105	132595	22.408	ug/l	99
85) sec-Butylbenzene	11.890	105	156312	21.962	ug/l	98
86) p-Isopropyltoluene	12.006	119	130605	21.854	ug/l	98
87) 1,3-Dichlorobenzene	11.969	146	67003	20.986	ug/l	99
88) 1,4-Dichlorobenzene	12.043	146	67195	20.527	ug/l	98
89) n-Butylbenzene	12.329	91	110491	21.698	ug/l	98
90) Hexachloroethane	12.536	117	19547	19.432	ug/l	95
91) 1,2-Dichlorobenzene	12.335	146	67852	20.298	ug/l	98
92) 1,2-Dibromo-3-Chloropr...	12.945	75	9939	20.259	ug/l	93
93) 1,2,4-Trichlorobenzene	13.591	180	38866	19.894	ug/l	100
94) Hexachlorobutadiene	13.725	225	14818	18.508	ug/l	91
95) Naphthalene	13.774	128	145678	19.999	ug/l	99
96) 1,2,3-Trichlorobenzene	13.963	180	41554	20.415	ug/l	97

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
Data File : VX043927.D
Acq On : 21 Nov 2024 10:37
Operator : JC/MD
Sample : VSTDICC020
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VSTDICC020

Manual Integrations
APPROVED

Reviewed By :John Carlone 11/22/2024
Supervised By :Mahesh Dadoda 11/22/2024

Quant Time: Nov 21 11:27:10 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112024W.M
Quant Title : SW846 8260
QLast Update : Thu Nov 21 11:25:29 2024
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
Data File : VX043927.D
Acq On : 21 Nov 2024 10:37
Operator : JC/MD
Sample : VSTDICC020
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VSTDICC020

Quant Time: Nov 21 11:27:10 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112024W.M
Quant Title : SW846 8260
QLast Update : Thu Nov 21 11:25:29 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :John Carlone 11/22/2024
Supervised By :Mahesh Dadoda 11/22/2024

