

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: **PSEG** Date Collected: 11/15/24 13:40 Project: Defective Pole Replacement Date Received: 11/15/24 Client Sample ID: #72-11930 SDG No.: P4889 Lab Sample ID: P4889-05 Matrix: **SOIL** % Solid: 93.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigl	nt) Prep Date	Date Ana.	Ana Met.
Cyanide	0.19	J	1	0.047	0.27	mg/Kg	11/18/24 08:30	11/18/24 13:25	9012B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		11/18/24 17:35	9095B

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits