

Report of Analysis

Client:	PSEG	Date Collected:	11/15/24 09:37
Project:	Secaucus HQ	Date Received:	11/15/24
Client Sample ID:	D3617	SDG No.:	P4890
Lab Sample ID:	P4890-02	Matrix:	Water
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Flash Point	>212		1	0	0	o F		11/18/24 13:00	1010B
pH	7.01	H	1	0	0	pH		11/15/24 17:52	9040C
Reactive Cyanide	0.0050	U	1	0.00099	0.0050	mg/L	11/18/24 10:30	11/18/24 14:31	9012B
Reactive Sulfide	1.00	U	1	0.43	1.00	mg/L	11/18/24 16:35	11/19/24 10:13	9034

Comments: Other method reference for flash point : Pensky-Martens Closed Cup Flash Point ASTM D 93 - IP 34, pH result reported at temperature

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits