

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#1

Block ID : MC-1,MC-2

Weigh By : RM

Start Digest Date: 11/18/2024 Time : 14:50 Temp : N/A

End Digest Date: 11/18/2024 Time : 16:20 Temp : N/A

Digestion tube ID : M5595

Block Thermometer ID : N/A

Filter paper ID : N/A

Prep Technician Signature: RM

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP108780
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

11/18/2024 RM

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
P4833-04	MH-731	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4833-04DUP	MH-731DUP	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4833-08	TP-2	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4848-02	TP-1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4849-02	RR-1	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4870-13	TP-1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4870-14	MH-735	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4870-15	MH-736	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4870-16	TP-15	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
P4887-02	MH-739	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4887-06	MH-760	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4890-06	D3721	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4892-03	WB-310-BOT	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4893-04	MH-763	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4893-08	MH-762	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
PB164985BL	PBS985	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A