

## Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	11/15/24
Project:	Amtrak Sawtooth Bridges 2024	Date Received:	11/15/24
Client Sample ID:	WB-310-TOP	SDG No.:	P4892
Lab Sample ID:	P4892-01	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	59.8
Sample Wt/Vol:	30.06	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PCB
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO108097.D	1	11/19/24 08:25	11/19/24 14:40	PB165082

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	5.70	U	5.70	28.4	ug/kg
11104-28-2	Aroclor-1221	10.7	U	10.7	28.4	ug/kg
11141-16-5	Aroclor-1232	5.70	U	5.70	28.4	ug/kg
53469-21-9	Aroclor-1242	5.70	U	5.70	28.4	ug/kg
12672-29-6	Aroclor-1248	13.2	U	13.2	28.4	ug/kg
11097-69-1	Aroclor-1254	4.60	U	4.60	28.4	ug/kg
37324-23-5	Aroclor-1262	7.60	U	7.60	28.4	ug/kg
11100-14-4	Aroclor-1268	5.70	U	5.70	28.4	ug/kg
11096-82-5	Aroclor-1260	4.90	U	4.90	28.4	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	14.7		30 (32) - 150 (144)	74%	SPK: 20
2051-24-3	Decachlorobiphenyl	14.8		30 (32) - 150 (175)	74%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit