

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112124\
 Data File : PL093193.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Nov 2024 09:51
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 21 23:28:28 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.774	124.5E6	139.5E6	50.811	51.269
28)	SA Decachlor...	9.057	7.915	87337270	139.1E6	45.381	50.966
Target Compounds							
2)	A alpha-BHC	3.993	3.277	173.0E6	208.8E6	51.001	52.319
3)	MA gamma-BHC...	4.326	3.607	162.7E6	202.3E6	49.918	52.429
4)	MA Heptachlor	4.914	3.946	142.6E6	191.9E6	47.487	50.858
5)	MB Aldrin	5.256	4.225	143.0E6	193.2E6	47.633	52.781
6)	B beta-BHC	4.524	3.907	70043021	84228266	48.457	51.164
7)	B delta-BHC	4.771	4.136	154.8E6	201.8E6	49.472	52.507
8)	B Heptachlo...	5.683	4.728	130.2E6	175.0E6	47.141	52.370
9)	A Endosulfan I	6.068	5.098	117.1E6	153.0E6	46.813	50.127
10)	B gamma-Chl...	5.939	4.979	123.1E6	177.3E6	46.263	52.755
11)	B alpha-Chl...	6.018	5.043	123.5E6	174.3E6	46.620	52.394
12)	B 4,4'-DDE	6.192	5.232	112.9E6	172.8E6	47.638	53.650
13)	MA Dieldrin	6.344	5.363	123.4E6	177.6E6	46.807	53.156
14)	MA Endrin	6.573	5.638	100.6E6	145.0E6	44.189	50.121
15)	B Endosulfa...	6.794	5.934	106.3E6	147.9E6	44.601	52.214
16)	A 4,4'-DDD	6.710	5.787	92681210	141.7E6	48.283	56.922
17)	MA 4,4'-DDT	7.023	6.037	88722468	128.7E6	42.866	47.973
18)	B Endrin al...	6.923	6.113	88163169	122.1E6	46.946	52.913
19)	B Endosulfa...	7.158	6.336	98633851	142.3E6	45.446	52.751
20)	A Methoxychlor	7.500	6.613	47650399	68529624	41.799	47.989
21)	B Endrin ke...	7.644	6.842	112.6E6	166.4E6	46.462	54.229
22)	Mirex	8.118	7.022	87245595	133.7E6	44.026	51.259
23)	Chlordane-1	0.000	3.787	0	38713	N.D.	0.365 #
24)	Chlordane-2	5.256f	4.365	143.0E6	5062180	1247.412	40.872 #
25)	Chlordane-3	5.939	4.979	123.1E6	177.3E6	315.356	488.980 #
26)	Chlordane-4	6.018	5.043	123.5E6	174.3E6	258.276	498.157 #
27)	Chlordane-5	0.000	5.934	0	147.9E6	N.D.	1166.624 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112124\
Data File : PL093193.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Nov 2024 09:51
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 21 23:28:28 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: -0.003 min
Response: 124500165
Conc: 50.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.774 min
Delta R.T.: -0.004 min
Response: 139511667
Conc: 51.27 ng/ml




#2 alpha-BHC

R.T.: 3.993 min
Delta R.T.: -0.003 min
Response: 172974510
Conc: 51.00 ng/ml



#2 alpha-BHC


R.T.: 3.277 min
Delta R.T.: -0.004 min
Response: 208759782
Conc: 52.32 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.326 min
Delta R.T.: -0.002 min
Response: 162712456
Conc: 49.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.607 min
Delta R.T.: -0.004 min
Response: 202345992
Conc: 52.43 ng/ml




#4 Heptachlor

R.T.: 4.914 min
Delta R.T.: -0.002 min
Response: 142607532
Conc: 47.49 ng/ml



#4 Heptachlor


R.T.: 3.946 min
Delta R.T.: -0.003 min
Response: 191935351
Conc: 50.86 ng/ml



#5 Aldrin


R.T.: 5.256 min
Delta R.T.: -0.002 min
Response: 142970632
Conc: 47.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.225 min
Delta R.T.: -0.004 min
Response: 193189422
Conc: 52.78 ng/ml




#6 beta-BHC

R.T.: 4.524 min
Delta R.T.: -0.002 min
Response: 70043021
Conc: 48.46 ng/ml



#6 beta-BHC


R.T.: 3.907 min
Delta R.T.: -0.003 min
Response: 84228266
Conc: 51.16 ng/ml



#7 delta-BHC


R.T.: 4.771 min
Delta R.T.: -0.001 min
Response: 154840156
Conc: 49.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.136 min
Delta R.T.: -0.004 min
Response: 201793606
Conc: 52.51 ng/ml




#8 Heptachlor epoxide

R.T.: 5.683 min
Delta R.T.: -0.002 min
Response: 130176567
Conc: 47.14 ng/ml



#8 Heptachlor epoxide


R.T.: 4.728 min
Delta R.T.: -0.003 min
Response: 174989879
Conc: 52.37 ng/ml



#9 Endosulfan I


R.T.: 6.068 min
Delta R.T.: -0.001 min
Response: 117097167
Conc: 46.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.098 min
Delta R.T.: -0.004 min
Response: 153043600
Conc: 50.13 ng/ml




#10 gamma-Chlordane

R.T.: 5.939 min
Delta R.T.: -0.001 min
Response: 123088258
Conc: 46.26 ng/ml



#10 gamma-Chlordane


R.T.: 4.979 min
Delta R.T.: -0.003 min
Response: 177344557
Conc: 52.75 ng/ml



#11 alpha-Chlordane


R.T.: 6.018 min
Delta R.T.: 0.000 min
Response: 123457430
Conc: 46.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.043 min
Delta R.T.: -0.003 min
Response: 174262240
Conc: 52.39 ng/ml




#12 4,4'-DDE

R.T.: 6.192 min
Delta R.T.: -0.001 min
Response: 112864490
Conc: 47.64 ng/ml



#12 4,4'-DDE


R.T.: 5.232 min
Delta R.T.: -0.003 min
Response: 172840518
Conc: 53.65 ng/ml



#13 Dieldrin


R.T.: 6.344 min
Delta R.T.: -0.001 min
Response: 123358018
Conc: 46.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.363 min
Delta R.T.: -0.003 min
Response: 177555622
Conc: 53.16 ng/ml




#14 Endrin

R.T.: 6.573 min
Delta R.T.: 0.000 min
Response: 100603183
Conc: 44.19 ng/ml



#14 Endrin


R.T.: 5.638 min
Delta R.T.: -0.003 min
Response: 145000854
Conc: 50.12 ng/ml



#15 Endosulfan II


R.T.: 6.794 min
Delta R.T.: 0.000 min
Response: 106320908
Conc: 44.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.934 min
Delta R.T.: -0.002 min
Response: 147937292
Conc: 52.21 ng/ml




#16 4,4'-DDD

R.T.: 6.710 min
Delta R.T.: 0.000 min
Response: 92681210
Conc: 48.28 ng/ml



#16 4,4'-DDD


R.T.: 5.787 min
Delta R.T.: -0.002 min
Response: 141739631
Conc: 56.92 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: 0.000 min
Response: 88722468
Conc: 42.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.037 min
Delta R.T.: -0.003 min
Response: 128675766
Conc: 47.97 ng/ml




#18 Endrin aldehyde

R.T.: 6.923 min
Delta R.T.: 0.000 min
Response: 88163169
Conc: 46.95 ng/ml



#18 Endrin aldehyde


R.T.: 6.113 min
Delta R.T.: -0.002 min
Response: 122085882
Conc: 52.91 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.158 min
Delta R.T.: 0.000 min
Response: 98633851
Conc: 45.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.336 min
Delta R.T.: -0.002 min
Response: 142263395
Conc: 52.75 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 47650399
Conc: 41.80 ng/ml



#20 Methoxychlor


R.T.: 6.613 min
Delta R.T.: -0.002 min
Response: 68529624
Conc: 47.99 ng/ml



#21 Endrin ketone


R.T.: 7.644 min
Delta R.T.: 0.000 min
Response: 112568136
Conc: 46.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.842 min
Delta R.T.: -0.002 min
Response: 166417473
Conc: 54.23 ng/ml




#22 Mirex

R.T.: 8.118 min
Delta R.T.: 0.001 min
Response: 87245595
Conc: 44.03 ng/ml



#22 Mirex


R.T.: 7.022 min
Delta R.T.: -0.003 min
Response: 133738054
Conc: 51.26 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.702 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.787 min
Delta R.T.: 0.011 min
Response: 38713
Conc: 0.36 ng/ml




#24 Chlordane-2

R.T.: 5.256 min
Delta R.T.: 0.025 min
Response: 142970632
Conc: 1247.41 ng/ml



#24 Chlordane-2


R.T.: 4.365 min
Delta R.T.: 0.013 min
Response: 5062180
Conc: 40.87 ng/ml



#25 Chlordane-3


R.T.: 5.939 min
Delta R.T.: -0.002 min
Response: 123088258
Conc: 315.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.979 min
Delta R.T.: -0.003 min
Response: 177344557
Conc: 488.98 ng/ml




#26 Chlordane-4

R.T.: 6.018 min
Delta R.T.: -0.005 min
Response: 123457430
Conc: 258.28 ng/ml



#26 Chlordane-4


R.T.: 5.043 min
Delta R.T.: -0.002 min
Response: 174262240
Conc: 498.16 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.872 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.934 min
Delta R.T.: -0.007 min
Response: 147937292
Conc: 1166.62 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.057 min
Delta R.T.: 0.003 min
Response: 87337270
Conc: 45.38 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.915 min
Delta R.T.: -0.001 min
Response: 139098747
Conc: 50.97 ng/ml