

FORM 4 - IN
ICP INTERFERENCE CHECK SAMPLE

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51879 MA No. : SDG No.: MBHHG2
 Analytical Method: ICP-AES ICSA Source: EPA-1211
 Instrument ID: P5 ICSB Source: EPA-0710
 Run Batch: LB133566
 Concentration Units: ug/L

Analyte	True		Found			
	ICSA	ICSAB	ICSA	%R	ICSAB	%R
Aluminum	255000	247000	230000	91	240000	98
Antimony	0	618	4.2		540	88
Arsenic	0	104	1.3		110	108
Barium	6	537	5.4	91	530	98
Beryllium	0	495	0.031		510	104
Cadmium	1	972	1.6	159	1000	105
Calcium	245000	235000	240000	97	250000	105
Chromium	52	542	49	95	590	108
Cobalt	0	476	-4.0		510	106
Copper	2	511	-3.2	-159	470	93
Iron	101000	99300	98000	97	100000	103
Lead	0	49	-6.3		44	89
Magnesium	255000	248000	230000	90	240000	96
Manganese	7	507	10	147	520	103
Nickel	2	954	3.0	150	1000	107
Potassium	0	0	-200		-380	
Selenium	0	46	8.2		57	124
Silver	0	201	3.3		190	93
Sodium	0	0	-190		290	
Thallium	0	108	-3.0		100	95
Vanadium	0	491	4.1		520	105
Zinc	0	952	12		910	96