

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: **PSEG** Date Collected: 11/18/24 16:30 Project: PSEG 14th-Harts Tice LN UG Date Received: 11/19/24 Client Sample ID: TP-3-WC SDG No.: P4916 Lab Sample ID: P4916-09 Matrix: SOIL % Solid: 89.7

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigl	ıt) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.44	U	1	0.087	0.44	mg/Kg	11/21/24 10:00	11/21/24 14:15	7196A
Ignitability	NO		1	0	0	oC		11/20/24 10:52	1030
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		11/20/24 09:32	9095B

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits