

FORM 4 - IN
ICP INTERFERENCE CHECK SAMPLE

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51882 MA No. : SDG No.: MX1007
 Analytical Method: ICP-AES ICSA Source: EPA-1211
 Instrument ID: P5 ICSB Source: EPA-0710
 Run Batch: LB133698
 Concentration Units: ug/L

Analyte	True		Found			
	ICSA	ICSAB	ICSA	%R	ICSAB	%R
Aluminum	255000	247000	240000	94	240000	99
Antimony	0	618	3.4		560	90
Arsenic	0	104	8.1		110	106
Barium	6	537	4.7	77	530	99
Beryllium	0	495	0.1		530	106
Cadmium	1	972	2.5	247	1100	109
Calcium	245000	235000	250000	100	250000	106
Chromium	52	542	50	96	610	113
Cobalt	0	476	2.0		520	110
Copper	2	511	-1.8	-90	480	94
Iron	101000	99300	100000	100	100000	103
Lead	0	49	-3.6		45	91
Magnesium	255000	248000	240000	93	240000	97
Manganese	7	507	14	192	530	105
Nickel	2	954	4.0	199	1100	110
Potassium	0	0	-850		-970	
Selenium	0	46	-2.2		43	93
Silver	0	201	3.5		190	95
Sodium	0	0	640		720	
Thallium	0	108	-9.9		96	89
Vanadium	0	491	-3.6		540	109
Zinc	0	952	12		920	97