

CASE NARRATIVE

ATC Group Services LLC

Project Name: P.S. 11 Queens

Project # N/A

Chemtech Project # P4919

Test Name: PCB Group1

A. Number of Samples and Date of Receipt:

3 Solid samples were received on 11/19/2024.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: PCB Group1. This data package contains results for PCB Group1.

C. Analytical Techniques:

The analyses were performed on instrument GCECD_P. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analysis of PCB Group1s was based on method 8082A and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

Sample ROOF-1-BLACK was dark black brown in color, therefore as precautionary measure lab has analyzed this sample with straight 10x dilution. Due to sample nature, it was not plausible to run this sample undiluted.

E. Additional Comments:

The temperature of the samples at the time of receipt was 20.6°C.

All samples received as Caulk matrix, therefore less volume was taken at the time of extraction.

No MSMSD performed as samples are caulk matrix.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____