

## **DATA PACKAGE**

GC SEMI-VOLATILES

**PROJECT NAME : P.S. 11 QUEENS**

**ATC GROUP SERVICES LLC**

**104 East 25th Street**

**New York, NY - 10010**

**Phone No: 212-353-8280**

**ORDER ID : P4919**

**ATTENTION : Olga Seldinas**



**Laboratory Certification ID # 20012**



|                                 |    |
|---------------------------------|----|
| 1) Signature Page               | 3  |
| 2) Case Narrative               | 4  |
| 2.1) PCB Group1- Case Narrative | 4  |
| 3) Qualifier Page               | 6  |
| 4) QA Checklist                 | 7  |
| 5) PCB Group1 Data              | 8  |
| 6) Shipping Document            | 14 |
| 6.1) CHAIN OF CUSTODY           | 15 |
| 6.2) Lab Certificate            | 17 |

|   |
|---|
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
| 6 |

## Cover Page

**Order ID :** P4919

**Project ID :** P.S. 11 Queens

**Client :** ATC Group Services LLC

**Lab Sample Number**

P4919-01  
P4919-02  
P4919-03

**Client Sample Number**

ROOF-1-OFF-WHITE  
ROOF-1-BLACK  
ROOF-11

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 12/2/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## **CASE NARRATIVE**

**ATC Group Services LLC**

**Project Name: P.S. 11 Queens**

**Project # N/A**

**Chemtech Project # P4919**

**Test Name: PCB Group1**

### **A. Number of Samples and Date of Receipt:**

3 Solid samples were received on 11/19/2024.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested:  
PCB Group1. This data package contains results for PCB Group1.

### **C. Analytical Techniques:**

The analyses were performed on instrument GCECD\_P. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analysis of PCB Group1s was based on method 8082A and extraction was done based on method 3541.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

Sample ROOF-1-BLACK was dark black brown in color, therefore as precautionary measure lab has analyzed this sample with straight 10x dilution. Due to sample nature, it was not plausible to run this sample undiluted.

### **E. Additional Comments:**

The temperature of the samples at the time of receipt was 20.6°C.

All samples received as Caulk matrix, therefore less volume was taken at the time of extraction.

No MSMSD performed as samples are caulk matrix.

### **F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

|       |   |
|-------|---|
| Value | If the result is a value greater than or equal to the detection limit, report the value   |
| U     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.   |
| ND    | Indicates the analyte was analyzed for, but not detected  |
| J     | Indicates an estimated value. This flag is used:<br>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)<br>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others. |
| B     | Indicates the analyte was found in the blank as well as the sample report as “12 B”.  |
| E     | Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.   |
| D     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.  |
| P     | This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.  |
| N     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.  |
| A     | This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.   |
| Q     | Indicates the LCS did not meet the control limits requirements  |

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: P4919

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 12/02/2024

**Hit Summary Sheet**  
SW-846

**SDG No.:** P4919

**Order ID:** P4919

**Client:** ATC Group Services LLC

**Project ID:** P.S. 11 Queens

| Sample ID                   | Client ID | Matrix | Parameter    | Concentration  | C | MDL  | RDL | Units |
|-----------------------------|-----------|--------|--------------|----------------|---|------|-----|-------|
| <b>Client ID : ROOF-11</b>  |           |        |              |                |   |      |     |       |
| P4919-03                    | ROOF-11   | CAULK  | Aroclor-1254 | 183            | J | 57.3 | 357 | ug/kg |
| <b>Total Concentration:</b> |           |        |              | <b>183.000</b> |   |      |     |       |

A

B

C

D





# SAMPLE DATA

## Report of Analysis

|                    |                        |          |                    |            |           |
|--------------------|------------------------|----------|--------------------|------------|-----------|
| Client:            | ATC Group Services LLC |          | Date Collected:    | 11/19/24   |           |
| Project:           | P.S. 11 Queens         |          | Date Received:     | 11/19/24   |           |
| Client Sample ID:  | ROOF-1-OFF-WHITE       |          | SDG No.:           | P4919      |           |
| Lab Sample ID:     | P4919-01               |          | Matrix:            | CAULK      |           |
| Analytical Method: | SW8082A                |          | % Solid:           | 100        | Decanted: |
| Sample Wt/Vol:     | 2.63                   | Units: g | Final Vol:         | 10000      | uL        |
| Soil Aliquot Vol:  |                        | uL       | Test:              | PCB Group1 |           |
| Extraction Type:   |                        |          | Injection Volume : |            |           |
| GPC Factor :       | 1.0                    | PH :     |                    |            |           |
| Prep Method :      | SW3541B                |          |                    |            |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PP068629.D        | 1         | 11/20/24 08:22 | 11/20/24 15:20 | PB165124      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |          |            |         |
| 12674-11-2        | Aroclor-1016         | 38.7  | U         | 38.7     | 194        | ug/kg   |
| 11104-28-2        | Aroclor-1221         | 73.1  | U         | 73.1     | 194        | ug/kg   |
| 11141-16-5        | Aroclor-1232         | 38.8  | U         | 38.8     | 194        | ug/kg   |
| 53469-21-9        | Aroclor-1242         | 38.7  | U         | 38.7     | 194        | ug/kg   |
| 12672-29-6        | Aroclor-1248         | 90.0  | U         | 90.0     | 194        | ug/kg   |
| 11097-69-1        | Aroclor-1254         | 31.1  | U         | 31.1     | 194        | ug/kg   |
| 37324-23-5        | Aroclor-1262         | 52.1  | U         | 52.1     | 194        | ug/kg   |
| 11100-14-4        | Aroclor-1268         | 39.1  | U         | 39.1     | 194        | ug/kg   |
| 11096-82-5        | Aroclor-1260         | 33.2  | U         | 33.2     | 194        | ug/kg   |
| Total PCBs        | Total PCBs           | 90.0  | U         | 90.0     | 194        | ug/kg   |
| <b>SURROGATES</b> |                      |       |           |          |            |         |
| 877-09-8          | Tetrachloro-m-xylene | 20.8  |           | 32 - 144 | 104%       | SPK: 20 |
| 2051-24-3         | Decachlorobiphenyl   | 21.7  |           | 32 - 175 | 108%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                        |          |                    |            |           |
|--------------------|------------------------|----------|--------------------|------------|-----------|
| Client:            | ATC Group Services LLC |          | Date Collected:    | 11/19/24   |           |
| Project:           | P.S. 11 Queens         |          | Date Received:     | 11/19/24   |           |
| Client Sample ID:  | ROOF-1-BLACK           |          | SDG No.:           | P4919      |           |
| Lab Sample ID:     | P4919-02               |          | Matrix:            | CAULK      |           |
| Analytical Method: | SW8082A                |          | % Solid:           | 100        | Decanted: |
| Sample Wt/Vol:     | 1.29                   | Units: g | Final Vol:         | 10000      | uL        |
| Soil Aliquot Vol:  |                        | uL       | Test:              | PCB Group1 |           |
| Extraction Type:   |                        |          | Injection Volume : |            |           |
| GPC Factor :       | 1.0                    | PH :     |                    |            |           |
| Prep Method :      | SW3541B                |          |                    |            |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PP068637.D        | 10        | 11/20/24 08:22 | 11/20/24 17:41 | PB165124      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |          |            |         |
| 12674-11-2        | Aroclor-1016         | 788   | U         | 788      | 4000       | ug/kg   |
| 11104-28-2        | Aroclor-1221         | 1500  | U         | 1500     | 4000       | ug/kg   |
| 11141-16-5        | Aroclor-1232         | 791   | U         | 791      | 4000       | ug/kg   |
| 53469-21-9        | Aroclor-1242         | 788   | U         | 788      | 4000       | ug/kg   |
| 12672-29-6        | Aroclor-1248         | 1800  | U         | 1800     | 4000       | ug/kg   |
| 11097-69-1        | Aroclor-1254         | 635   | U         | 635      | 4000       | ug/kg   |
| 37324-23-5        | Aroclor-1262         | 1100  | U         | 1100     | 4000       | ug/kg   |
| 11100-14-4        | Aroclor-1268         | 798   | U         | 798      | 4000       | ug/kg   |
| 11096-82-5        | Aroclor-1260         | 677   | U         | 677      | 4000       | ug/kg   |
| Total PCBs        | Total PCBs           | 1800  | U         | 1800     | 4000       | ug/kg   |
| <b>SURROGATES</b> |                      |       |           |          |            |         |
| 877-09-8          | Tetrachloro-m-xylene | 19.6  |           | 32 - 144 | 98%        | SPK: 20 |
| 2051-24-3         | Decachlorobiphenyl   | 26.0  |           | 32 - 175 | 130%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                        |          |                    |            |           |
|--------------------|------------------------|----------|--------------------|------------|-----------|
| Client:            | ATC Group Services LLC |          | Date Collected:    | 11/19/24   |           |
| Project:           | P.S. 11 Queens         |          | Date Received:     | 11/19/24   |           |
| Client Sample ID:  | ROOF-11                |          | SDG No.:           | P4919      |           |
| Lab Sample ID:     | P4919-03               |          | Matrix:            | CAULK      |           |
| Analytical Method: | SW8082A                |          | % Solid:           | 100        | Decanted: |
| Sample Wt/Vol:     | 1.43                   | Units: g | Final Vol:         | 10000      | uL        |
| Soil Aliquot Vol:  |                        | uL       | Test:              | PCB Group1 |           |
| Extraction Type:   |                        |          | Injection Volume : |            |           |
| GPC Factor :       | 1.0                    | PH :     |                    |            |           |
| Prep Method :      | SW3541B                |          |                    |            |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PP068630.D        | 1         | 11/20/24 08:22 | 11/20/24 15:36 | PB165124      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |          |            |         |
| 12674-11-2        | Aroclor-1016         | 71.1  | U         | 71.1     | 357        | ug/kg   |
| 11104-28-2        | Aroclor-1221         | 134   | U         | 134      | 357        | ug/kg   |
| 11141-16-5        | Aroclor-1232         | 71.3  | U         | 71.3     | 357        | ug/kg   |
| 53469-21-9        | Aroclor-1242         | 71.1  | U         | 71.1     | 357        | ug/kg   |
| 12672-29-6        | Aroclor-1248         | 166   | U         | 166      | 357        | ug/kg   |
| 11097-69-1        | Aroclor-1254         | 183   | J         | 57.3     | 357        | ug/kg   |
| 37324-23-5        | Aroclor-1262         | 95.9  | U         | 95.9     | 357        | ug/kg   |
| 11100-14-4        | Aroclor-1268         | 72.0  | U         | 72.0     | 357        | ug/kg   |
| 11096-82-5        | Aroclor-1260         | 61.0  | U         | 61.0     | 357        | ug/kg   |
| Total PCBs        | Total PCBs           | 183   | J         | 57.3     | 357        | ug/kg   |
| <b>SURROGATES</b> |                      |       |           |          |            |         |
| 877-09-8          | Tetrachloro-m-xylene | 19.6  |           | 32 - 144 | 98%        | SPK: 20 |
| 2051-24-3         | Decachlorobiphenyl   | 20.4  |           | 32 - 175 | 102%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## LAB CHRONICLE

|                 |                        |                   |                        |
|-----------------|------------------------|-------------------|------------------------|
| <b>OrderID:</b> | P4919                  | <b>OrderDate:</b> | 11/19/2024 11:09:22 AM |
| <b>Client:</b>  | ATC Group Services LLC | <b>Project:</b>   | P.S. 11 Queens         |
| <b>Contact:</b> | Olga Seldinas          | <b>Location:</b>  | L31                    |

| LabID           | ClientID                | Matrix       | Test       | Method | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|-------------------------|--------------|------------|--------|-----------------|-----------|-----------|-----------------|
| <b>P4919-01</b> | <b>ROOF-1-OFF-WHITE</b> | <b>CAULK</b> | PCB Group1 | 8082A  | <b>11/19/24</b> | 11/20/24  | 11/20/24  | <b>11/19/24</b> |
| <b>P4919-02</b> | <b>ROOF-1-BLACK</b>     | <b>CAULK</b> | PCB Group1 | 8082A  | <b>11/19/24</b> | 11/20/24  | 11/20/24  | <b>11/19/24</b> |
| <b>P4919-03</b> | <b>ROOF-11</b>          | <b>CAULK</b> | PCB Group1 | 8082A  | <b>11/19/24</b> | 11/20/24  | 11/20/24  | <b>11/19/24</b> |



# SHIPPING DOCUMENTS

# CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092  
(908) 789-8900 Fax: (908) 78-8922  
www.chemtech.net

Chemtech Project Number:

P4919

COC Number:

## CLIENT INFORMATION

COMPANY: *AtE Group Services*  
ADDRESS: *104 East 25th Street*  
CITY: *NEW YORK* STATE: *NY* ZIP: *10010*  
ATTENTION: *Dga Seldin*  
PHONE: *(212) 284-0619* FAX:

## PROJECT INFORMATION

PROJECT NAME: *PS 11 - Queens*  
PROJECT #: *2022SCA 401* LOCATION: *Queens*  
PROJECT MANAGER: *Dga Seldin*  
E-MAIL: *dga.seldin@oneatlantic.com*  
PHONE: *(212) 284-0619* FAX:

## BILLING INFORMATION

BILL TO: PO#  
ADDRESS:  
CITY: STATE: ZIP:  
ATTENTION: PHONE:

## ANALYSIS

TOTAL PCB

## DATA TURNAROUND INFORMATION

FAX: *5 days* DAYS\*  
HARD COPY: DAYS\*  
EDD: DAYS\*  
\* TO BE APPROVED BY CHEMTECH  
STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

## DATA DELIVERABLE INFORMATION

- ☐ RESULTS ONLY (L1) ☐ US EPA CLP (L4)  
☐ RESULTS + QC (L2) ☐ NYS ASP "A" (L2)  
☐ NJ REDUCED (L3) ☐ NYS ASP "B" (L4)  
☐ NJ FULL (L4) ☐ Other \_\_\_\_\_  
☐ EDD Format

## PRESERVATIVES

## COMMENTS

<-- Specify Preservatives  
A-HCl B-HNO3  
C-H2SO4 D-NaOH  
E-ICE F-Other

| CHEMTECH<br>SAMPLE<br>ID | PROJECT<br>SAMPLE IDENTIFICATION   | SAMPLE<br>MATRIX | SAMPLE<br>TYPE |      | SAMPLE<br>COLLECTION |              | # of Bottles |   |   |   |   |   |   |   |   |   |  |
|--------------------------|--|------------------|----------------|------|----------------------|--------------|--------------|---|---|---|---|---|---|---|---|---|--|
|                          |  |                  | COMP           | GRAB | DATE                 | TIME         |              | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |  |
| 1.                       | <i>100/ #1 off n/a wall<br/>under near bulkhead for canek</i>              |                  | ✓              |      | <i>11/15/24</i>      | <i>15:00</i> |              |   |   |   |   |   |   |   |   |   |  |
| 2.                       | <i>100/ #1 black canek<br/>at wall, cap, flange &amp; near again canek</i> |                  | ✓              |      | <i>11/15/24</i>      | <i>15:20</i> |              |   |   |   |   |   |   |   |   |   |  |
| 3.                       | <i>100/ #1 black 1kg right canek</i>                                       |                  | ✓              |      | <i>11/15/24</i>      | <i>15:40</i> |              |   |   |   |   |   |   |   |   |   |  |
| 4.                       |  |                  |                |      |                      |              |              |   |   |   |   |   |   |   |   |   |  |
| 5.                       |  |                  |                |      |                      |              |              |   |   |   |   |   |   |   |   |   |  |
| 6.                       |  |                  |                |      |                      |              |              |   |   |   |   |   |   |   |   |   |  |
| 7.                       |  |                  |                |      |                      |              |              |   |   |   |   |   |   |   |   |   |  |
| 8.                       |  |                  |                |      |                      |              |              |   |   |   |   |   |   |   |   |   |  |
| 9.                       |  |                  |                |      |                      |              |              |   |   |   |   |   |   |   |   |   |  |
| 10.                      |  |                  |                |      |                      |              |              |   |   |   |   |   |   |   |   |   |  |

## SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE PROSESSION INCLUDING COURIER DELIVERY

|  |                              |                                   |  |
|--|------------------------------|-----------------------------------|--|
| RELINQUISHED BY SAMPLER<br><i>Dga Seldin</i>   | DATE/TIME<br><i>11/18/24</i> | RECEIVED BY<br><i>[Signature]</i> | Conditions of bottles or coolers at receipt: <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant <input type="checkbox"/> Cooler Temp <i>20.6</i><br>MeOH extraction requires an additional 4oz. Jar for percent solid <input type="checkbox"/> Ice in Cooler? <i>no</i><br>Comments:<br><div style="text-align: right;"><i>JL Gantz</i></div> |
| RELINQUISHED BY  | DATE/TIME<br><i>11-19-24</i> | RECEIVED BY<br><i>[Signature]</i> |  |
| RELINQUISHED BY  | DATE/TIME                    | RECEIVED FOR LAB BY               |  |
| SHIPPED VIA: CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Overnight<br>CHEMTECH: <input type="checkbox"/> Picked Up <input type="checkbox"/> Overnight |                              |                                   | Shipment Complete<br><input type="checkbox"/> YES <input type="checkbox"/> NO  |

WHITE - CHEMTECH COPY FOR RETURN TO CLIENT

YELLOW - CHEMTECH COPY

PINK - SAMPLER COPY

## Laboratory Composite Sample log

Chemtech Project number: P4919Date: 11-19-24Client Name: A.T.CClient Project Name: P.S. 11 QUEENSInstructions: Composite Samples (3:1)Sample Custodian: C.P.

| Client Sample ID | Weight / Volume used | New ID           | Sample Description | Sample Composite time | Comments             |
|------------------|----------------------|------------------|--------------------|-----------------------|----------------------|
| Roof-1-OFF-white | 0.85g                | Roof-1-off-white | Grey Caulk         | 11:41                 | Total weight (2.60g) |
| ↓                | 0.87g                | ↓                | ↓                  | ↓                     | ↓                    |
|                  | 0.86g                |                  |                    |                       |                      |
| Roof-1-Black     | 0.45g                | Roof-1-Black     | Black Caulk        | 11:45                 | Total weight (1.35g) |
| ↓                | 0.43g                | ↓                | ↓                  | ↓                     | ↓                    |
|                  | 0.47g                |                  |                    |                       |                      |
| Roof-11          | 0.50g                | Roof-11          | Grey Caulk         | 11:50                 | Total weight (1.51g) |
| ↓                | 0.52g                | ↓                | ↓                  | ↓                     | ↓                    |
|                  | 0.49g                |                  |                    |                       |                      |
|                  |                      |                  |                    |                       |                      |
|                  |                      |                  |                    |                       |                      |
|                  |                      |                  |                    |                       |                      |



**Laboratory Certification**

| Certified By         | License No.      |
|----------------------|------------------|
|                      |                  |
| CAS EPA CLP Contract | 68HERH20D0011    |
|                      |                  |
| Connecticut          | PH-0830          |
|                      |                  |
| DOD ELAP (ANAB)      | L2219            |
|                      |                  |
| Maine                | 2024021          |
|                      |                  |
| Maryland             | 296              |
|                      |                  |
| New Hampshire        | 255424 Rev 1     |
|                      |                  |
| New Jersey           | 20012            |
|                      |                  |
| New York             | 11376            |
|                      |                  |
| Pennsylvania         | 68-00548         |
|                      |                  |
| Soil Permit          | 525-24-234-08441 |
|                      |                  |
| Texas                | T104704488       |