

Hit Summary Sheet SW-846

SDG No.: P4920 **Order ID:** P4920
Client: Agape Family Worship Center **Project ID:** Drinking Water Analysis

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : 1ST-FLOOR-MAN-BATHROOM-A								
P4920-01	1ST-FLOOR-MAN-BATHROOM	Water	Copper	84.4		0.79	2.00	ug/L
P4920-01	1ST-FLOOR-MAN-BATHROOM	Water	Lead	0.42	J	0.27	1.00	ug/L
Client ID : 1ST-FLOOR-MAN-BATHROOM-B								
P4920-02	1ST-FLOOR-MAN-BATHROOM	Water	Copper	70.2		0.79	2.00	ug/L
P4920-02	1ST-FLOOR-MAN-BATHROOM	Water	Lead	0.41	J	0.27	1.00	ug/L
Client ID : 1ST-FLOOR-WOMAN-BATHROOM-A								
P4920-03	1ST-FLOOR-WOMAN-BATHROOM	Water	Copper	268		0.79	2.00	ug/L
P4920-03	1ST-FLOOR-WOMAN-BATHROOM	Water	Lead	0.47	J	0.27	1.00	ug/L
Client ID : 1ST-FLOOR-WOMAN-BATHROOM-B								
P4920-04	1ST-FLOOR-WOMAN-BATHROOM	Water	Copper	184		0.79	2.00	ug/L
P4920-04	1ST-FLOOR-WOMAN-BATHROOM	Water	Lead	0.52	J	0.27	1.00	ug/L
Client ID : 2ND-FLOOR-MAN-BATHROOM-A								
P4920-05	2ND-FLOOR-MAN-BATHROOM	Water	Copper	345		0.79	2.00	ug/L
P4920-05	2ND-FLOOR-MAN-BATHROOM	Water	Lead	0.85	J	0.27	1.00	ug/L
Client ID : 2ND-FLOOR-MAN-BATHROOM-B								
P4920-06	2ND-FLOOR-MAN-BATHROOM	Water	Copper	265		0.79	2.00	ug/L
P4920-06	2ND-FLOOR-MAN-BATHROOM	Water	Lead	0.52	J	0.27	1.00	ug/L
Client ID : 2ND-FLOOR-WOMAN-BATHROOM-A								
P4920-07	2ND-FLOOR-WOMAN-BATHROOM	Water	Copper	304		0.79	2.00	ug/L
P4920-07	2ND-FLOOR-WOMAN-BATHROOM	Water	Lead	0.57	J	0.27	1.00	ug/L
Client ID : 2ND-FLOOR-WOMAN-BATHROOM-B								
P4920-08	2ND-FLOOR-WOMAN-BATHROOM	Water	Copper	139		0.79	2.00	ug/L
P4920-08	2ND-FLOOR-WOMAN-BATHROOM	Water	Lead	0.47	J	0.27	1.00	ug/L
Client ID : ALPHA-107-A								
P4920-09	ALPHA-107-A	Water	Copper	276		0.79	2.00	ug/L
P4920-09	ALPHA-107-A	Water	Lead	0.81	J	0.27	1.00	ug/L
Client ID : ALPHA-107-B								
P4920-10	ALPHA-107-B	Water	Copper	284		0.79	2.00	ug/L
P4920-10	ALPHA-107-B	Water	Lead	1.02		0.27	1.00	ug/L
Client ID : OMEGA-108-A								
P4920-11	OMEGA-108-A	Water	Copper	312		0.79	2.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: P4920

Order ID: P4920

Client: Agape Family Worship Center

Project ID: Drinking Water Analysis

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P4920-11	OMEGA-108-A	Water	Lead	0.63	J	0.27	1.00	ug/L
Client ID : OMEGA-108-B								
P4920-12	OMEGA-108-B	Water	Copper	348		0.79	2.00	ug/L
P4920-12	OMEGA-108-B	Water	Lead	0.49	J	0.27	1.00	ug/L
Client ID : PEACE-106-A								
P4920-13	PEACE-106-A	Water	Copper	246		0.79	2.00	ug/L
P4920-13	PEACE-106-A	Water	Lead	0.85	J	0.27	1.00	ug/L
Client ID : PEACE-106-B								
P4920-14	PEACE-106-B	Water	Copper	380		0.79	2.00	ug/L
P4920-14	PEACE-106-B	Water	Lead	0.66	J	0.27	1.00	ug/L
Client ID : KITCHEN-A								
P4920-15	KITCHEN-A	Water	Copper	88.1		0.79	2.00	ug/L
P4920-15	KITCHEN-A	Water	Lead	0.56	J	0.27	1.00	ug/L
Client ID : KITCHEN-B								
P4920-16	KITCHEN-B	Water	Copper	99.3		0.79	2.00	ug/L
P4920-16	KITCHEN-B	Water	Lead	0.40	J	0.27	1.00	ug/L
Client ID : KITCHEN-C								
P4920-17	KITCHEN-C	Water	Copper	50.7		0.79	2.00	ug/L
P4920-17	KITCHEN-C	Water	Lead	0.61	J	0.27	1.00	ug/L
Client ID : KITCHEN-D								
P4920-18	KITCHEN-D	Water	Copper	8.72		0.79	2.00	ug/L
P4920-18	KITCHEN-D	Water	Lead	0.70	J	0.27	1.00	ug/L
Client ID : FB-11-19-24								
P4920-19	FB-11-19-24	Water	Copper	0.79	J	0.79	2.00	ug/L
P4920-19	FB-11-19-24	Water	Lead	0.68	J	0.27	1.00	ug/L
Client ID : CHURCH-BATHROOM-A								
P4920-21	CHURCH-BATHROOM-A	Water	Copper	205		0.79	2.00	ug/L
P4920-21	CHURCH-BATHROOM-A	Water	Lead	0.76	J	0.27	1.00	ug/L
Client ID : CHURCH-BATHROOM-B								
P4920-22	CHURCH-BATHROOM-B	Water	Copper	119		0.79	2.00	ug/L
P4920-22	CHURCH-BATHROOM-B	Water	Lead	0.46	J	0.27	1.00	ug/L

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	1ST-FLOOR-MAN-BATHROOM-A	SDG No.:	P4920
Lab Sample ID:	P4920-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	84.4	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 18:24	200.8	
7439-92-1	Lead	0.42	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 18:24	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	1ST-FLOOR-MAN-BATHROOM-B	SDG No.:	P4920
Lab Sample ID:	P4920-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	70.2	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 18:26	200.8	
7439-92-1	Lead	0.41	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 18:26	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	1ST-FLOOR-WOMAN-BATHROOM-A	SDG No.:	P4920
Lab Sample ID:	P4920-03	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	268	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 18:29	200.8	
7439-92-1	Lead	0.47	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 18:29	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	1ST-FLOOR-WOMAN-BATHROOM-B	SDG No.:	P4920
Lab Sample ID:	P4920-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	184	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 18:32	200.8	
7439-92-1	Lead	0.52	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 18:32	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	2ND-FLOOR-MAN-BATHROOM-A	SDG No.:	P4920
Lab Sample ID:	P4920-05	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	345	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 18:34	200.8	
7439-92-1	Lead	0.85	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 18:34	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	2ND-FLOOR-MAN-BATHROOM-B	SDG No.:	P4920
Lab Sample ID:	P4920-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	265	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 18:37	200.8	
7439-92-1	Lead	0.52	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 18:37	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	2ND-FLOOR-WOMAN-BATHROOM-A	SDG No.:	P4920
Lab Sample ID:	P4920-07	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	304	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 18:40	200.8	
7439-92-1	Lead	0.57	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 18:40	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	2ND-FLOOR-WOMAN-BATHROOM-B	SDG No.:	P4920
Lab Sample ID:	P4920-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	139	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 18:47	200.8	
7439-92-1	Lead	0.47	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 18:47	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	ALPHA-107-A	SDG No.:	P4920
Lab Sample ID:	P4920-09	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	276	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 18:50	200.8	
7439-92-1	Lead	0.81	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 18:50	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	ALPHA-107-B	SDG No.:	P4920
Lab Sample ID:	P4920-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	284	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 18:53	200.8	
7439-92-1	Lead	1.02	N	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 18:53	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	OMEGA-108-A	SDG No.:	P4920
Lab Sample ID:	P4920-11	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	312	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 18:55	200.8	
7439-92-1	Lead	0.63	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 18:55	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	OMEGA-108-B	SDG No.:	P4920
Lab Sample ID:	P4920-12	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	348	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 18:58	200.8	
7439-92-1	Lead	0.49	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 18:58	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	PEACE-106-A	SDG No.:	P4920
Lab Sample ID:	P4920-13	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	246	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 19:01	200.8	
7439-92-1	Lead	0.85	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 19:01	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	PEACE-106-B	SDG No.:	P4920
Lab Sample ID:	P4920-14	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	380	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 19:03	200.8	
7439-92-1	Lead	0.66	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 19:03	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	KITCHEN-A	SDG No.:	P4920
Lab Sample ID:	P4920-15	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	88.1	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 19:06	200.8	
7439-92-1	Lead	0.56	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 19:06	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	KITCHEN-B	SDG No.:	P4920
Lab Sample ID:	P4920-16	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	99.3	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 19:09	200.8	
7439-92-1	Lead	0.40	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 19:09	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	KITCHEN-C	SDG No.:	P4920
Lab Sample ID:	P4920-17	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	50.7	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 19:11	200.8	
7439-92-1	Lead	0.61	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 19:11	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	KITCHEN-D	SDG No.:	P4920
Lab Sample ID:	P4920-18	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	8.72	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 19:24	200.8	
7439-92-1	Lead	0.70	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 19:24	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	FB-11-19-24	SDG No.:	P4920
Lab Sample ID:	P4920-19	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	0.79	JN	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 19:27	200.8	
7439-92-1	Lead	0.68	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 19:27	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	CHURCH-BATHROOM-A	SDG No.:	P4920
Lab Sample ID:	P4920-21	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	205	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 19:30	200.8	
7439-92-1	Lead	0.76	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 19:30	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Agape Family Worship Center	Date Collected:	11/19/24
Project:	Drinking Water Analysis	Date Received:	11/19/24
Client Sample ID:	CHURCH-BATHROOM-B	SDG No.:	P4920
Lab Sample ID:	P4920-22	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	119	N	1	0.79	2.00	ug/L	11/20/24 09:40	12/02/24 19:32	200.8	
7439-92-1	Lead	0.46	JN	1	0.27	1.00	ug/L	11/20/24 09:40	12/02/24 19:32	200.8	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P4920	OrderDate:	11/19/2024 12:35:07 PM
Client:	Agape Family Worship Center	Project:	Drinking Water Analysis
Contact:	Ceal Figueroa	Location:	M11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P4920-01	1ST-FLOOR-MAN-BAT HROOM-A	Water			11/19/24			11/19/24
			Metals Group3	200.8		11/20/24	12/02/24	
P4920-02	1ST-FLOOR-MAN-BAT HROOM-B	Water			11/19/24			11/19/24
			Metals Group3	200.8		11/20/24	12/02/24	
P4920-03	1ST-FLOOR-WOMAN-B ATHROOM-A	Water			11/19/24			11/19/24
			Metals Group3	200.8		11/20/24	12/02/24	
P4920-04	1ST-FLOOR-WOMAN-B ATHROOM-B	Water			11/19/24			11/19/24
			Metals Group3	200.8		11/20/24	12/02/24	
P4920-05	2ND-FLOOR-MAN-BAT HROOM-A	Water			11/19/24			11/19/24
			Metals Group3	200.8		11/20/24	12/02/24	
P4920-06	2ND-FLOOR-MAN-BAT HROOM-B	Water			11/19/24			11/19/24
			Metals Group3	200.8		11/20/24	12/02/24	
P4920-07	2ND-FLOOR-WOMAN- BATHROOM-A	Water			11/19/24			11/19/24
			Metals Group3	200.8		11/20/24	12/02/24	
P4920-08	2ND-FLOOR-WOMAN- BATHROOM-B	Water			11/19/24			11/19/24
			Metals Group3	200.8		11/20/24	12/02/24	
P4920-09	ALPHA-107-A	Water			11/19/24			11/19/24
			Metals Group3	200.8		11/20/24	12/02/24	

LAB CHRONICLE

P4920-10	ALPHA-107-B	Water			11/19/24		11/19/24
			Metals Group3	200.8		11/20/24	12/02/24
P4920-11	OMEGA-108-A	Water			11/19/24		11/19/24
			Metals Group3	200.8		11/20/24	12/02/24
P4920-12	OMEGA-108-B	Water			11/19/24		11/19/24
			Metals Group3	200.8		11/20/24	12/02/24
P4920-13	PEACE-106-A	Water			11/19/24		11/19/24
			Metals Group3	200.8		11/20/24	12/02/24
P4920-14	PEACE-106-B	Water			11/19/24		11/19/24
			Metals Group3	200.8		11/20/24	12/02/24
P4920-15	KITCHEN-A	Water			11/19/24		11/19/24
			Metals Group3	200.8		11/20/24	12/02/24
P4920-16	KITCHEN-B	Water			11/19/24		11/19/24
			Metals Group3	200.8		11/20/24	12/02/24
P4920-17	KITCHEN-C	Water			11/19/24		11/19/24
			Metals Group3	200.8		11/20/24	12/02/24
P4920-18	KITCHEN-D	Water			11/19/24		11/19/24
			Metals Group3	200.8		11/20/24	12/02/24
P4920-19	FB-11-19-24	Water			11/19/24		11/19/24
			Metals Group3	200.8		11/20/24	12/02/24
P4920-21	CHURCH-BATHROOM-A	Water			11/19/24		11/19/24
			Metals Group3	200.8		11/20/24	12/02/24
P4920-22	CHURCH-BATHROOM-B	Water			11/19/24		11/19/24
			Metals Group3	200.8		11/20/24	12/02/24