



SDG NARRATIVE

LAB NAME: Alliance Technical Group, LLC

CASE: 51762

SDG: C0TD1

CONTRACT: 68HERH20D0011

LAB CODE: ACE

LAB ORDER ID: P4943

MODIFICATION REF. NUMBER: NA

Sample ID	EPA Sample ID	pH
P4943-01	C0TD1	
P4943-02	C0TD2	
P4943-03	C0TD6	
P4943-04	C0TD7	
P4943-05	C0TE1	
P4943-06	C0TF9	
P4943-07	C0TG0	

07 Soil samples were delivered to the laboratory intact on 11/21/2024.

Test requested on the Chain of Custody was Semivolatile Organic by Method SFAM01.1.

The temperature of the samples was measured using an I R Gun. The samples temperature was 2.1 degree Celsius for the samples received on 11/21/2024.

Semivolatiles:

The samples were analyzed on instrument BNA_G using GC Column ZB-GR Semi Volatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA.

Semis volatile Organic for soil sample was extracted by Method SFAM01.1 on 11/21/2024, The analysis of SVOC-SFAM was based on method SFAM01.1_SVOC.

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The Blank Spike for {PB165173BS} recoveries met the requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Tuning criteria met the requirements.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

Concentration of SOIL Sample:

Concentration ug/Kg,

$$(\text{dry weight basis}) = \frac{(A_x) (I_s) (V_t) (DF) (GPC)}{(A_{is}) (RRF) (V_i) (W_t) (D)}$$

Where,

A_x = Area of the characteristic ion for the compound to be measured.

A_{is} = Area of the characteristic ion for the internal standard.

I_s = Amount of internal standard injected in ng.

V_i = Volume of extract injected in microliters (uL)

V_t = Volume of concentrated extract in microliters (uL)

W_t = Weight of the original sample extracted in g

D_f = Dilution factor

RRF = Mean Relative Response Factor determined from the initial calibration standard.

$GPC = V_{in} = GPC \text{ factor}$ (If no GPC is performed, $GPC=1$)

V_{out} = Volume of extract collected after GPC cleanup.

$D = 100 - \% \text{moisture}$

$$\frac{\text{-----}}{100}$$

No positive target compounds were detected in the samples.

RRF Calculation of standard 20 ppb for Naphthalene with G instrument for method 11/20/2024.

$$RRF = \frac{\text{Area of compound}}{\text{Area of Internal Standard}} \times \frac{\text{Conc. of Internal Standard}}{\text{Conc. of Compound}}$$

$$= 473946/423472 \times 20/20$$

$$= 1.119 \text{ (Reported RRF)}$$

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature _____ Name: Nimisha Pandya.

Date: _____ Title: Document Control Officer.