

## SDG COVER PAGE

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011  
 Lab Code: ACE Case No.: 51822 MA No.: 3105.0 SDG No.: MH2GQ3  
 SOW No. : SFAM01.1

| EPA Sample No. | Lab Sample Id | ICP-AES | Analysis Method |         |         |
|----------------|---------------|---------|-----------------|---------|---------|
|                |               |         | ICP-MS          | Mercury | Cyanide |
| MH2GQ3         | P4957-01      |         | X               |         |         |
| MH2GQ3D        | P4957-02      |         | X               |         |         |
| MH2GQ3S        | P4957-03      |         | X               |         |         |
| MH2GS3         | P4957-04      |         | X               |         |         |
| MH2GS4         | P4957-05      |         | X               |         |         |
| MH2GS5         | P4957-06      |         | X               |         |         |
| MH2GS6         | P4957-07      |         | X               |         |         |
| MH2GS7         | P4957-08      |         | X               |         |         |
| MH2GS8         | P4957-09      |         | X               |         |         |
| MH2GS9         | P4957-10      |         | X               |         |         |
| MH2GT0         | P4957-11      |         | X               |         |         |
| MH2GT1         | P4957-12      |         | X               |         |         |
| MH2GT2         | P4957-13      |         | X               |         |         |
| MH2GT3         | P4957-14      |         | X               |         |         |
| MH2GT4         | P4957-15      |         | X               |         |         |
| MH2GT5         | P4957-16      |         | X               |         |         |

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the SDG Narrative. All edits and manual integrations have been peer-reviewed. Release of the data contained in this hardcopy Complete SDG File and in the electronic data submitted has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: \_\_\_\_\_ Name: \_\_\_\_\_  
 Date: \_\_\_\_\_ Title: \_\_\_\_\_

## USEPA CLP Inorganics COC (LAB COPY)

Date Shipped: 11/21/2024

Carrier Name: FedEx

Airbill No: 7707 3347 7550

68HERH20D0011  
CHAIN OF CUSTODY RECORDCase #: 51822  
Cooler #: 2

SDG # MH2GQ3

No: 8-112124-133954-0600

Lab: Alliance Technical Group LLC

Lab Contact: Sohli Jodhani

Lab Phone: 908-789-8900

| Sample Identifier | CLP Sample No. | Matrix/Sampler | Coll. Method | Analysis/Turnaround (Days) | Tag/Preservative/Bottles | Location | Collection Date/Time | For Lab Use Only |
|-------------------|----------------|----------------|--------------|----------------------------|--------------------------|----------|----------------------|------------------|
| S-LABQC-2024-703  | MH2GQ2         | Soil/ SH, LP   | Subsample    | ICP/MS(14)                 | 24429 (None) (3)         | XX       | 11/15/2024 10:48     | ✓                |
| S-LABQC-2024-704  | MH2GQ3         | Soil/ SH, LP   | Subsample    | ICP/MS(14)                 | 24430 (None) (3)         | XX       | 11/15/2024 10:32     | ①                |
| S2556-APS-0001-01 | MH2GQ4         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24431 (None) (1)         | APS-2556 | 11/15/2024 11:18     | ✓                |
| S2556-APS-0106-01 | MH2GQ5         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24432 (None) (1)         | APS-2556 | 11/15/2024 11:20     | ✓                |
| S2556-APS-0612-01 | MH2GQ6         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24433 (None) (1)         | APS-2556 | 11/15/2024 11:22     | ✓                |
| S2556-APS-1218-01 | MH2GQ7         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24434 (None) (1)         | APS-2556 | 11/15/2024 11:24     | ✓                |
| S2556-APW-0001-01 | MH2GQ8         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24435 (None) (1)         | APW-2556 | 11/15/2024 10:46     | ✓                |
| S2556-APW-0106-01 | MH2GQ9         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24436 (None) (1)         | APW-2556 | 11/15/2024 10:48     | ✓                |
| S2556-APW-0612-01 | MH2GR0         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24437 (None) (1)         | APW-2556 | 11/15/2024 10:50     | ✓                |
| S2556-APW-1218-01 | MH2GR1         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24438 (None) (1)         | APW-2556 | 11/15/2024 10:52     | ✓                |

Sample(s) to be used for Lab QC: S-LABQC-2024-703 Tag 24429, S-LABQC-2024-704 Tag 24430 - Special Instructions:  
Analyze per MA 3105

Shipment for Case Complete? N

Samples Transferred From Chain of Custody #

Analysis Key: ICP/MS=CLP TAL Total Metals ICP/MS

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time        | Received by (Signature and Organization) | Date/Time        | Sample Condition Upon Receipt |
|--------------|----------------------------------------------|------------------|------------------------------------------|------------------|-------------------------------|
| Samples      | <i>John F. FWT</i>                           | 11/21/24<br>1429 | <i>ASV</i>                               | 11-22-24<br>0745 | 2-2-2<br>TL QW #1             |
|              |                                              |                  |                                          |                  | custody seals intact          |
|              |                                              |                  |                                          |                  | Temp. stable, preserved       |

USEPA CLP Inorganics COC (LAB COPY)

Date Shipped: 11/21/2024

Carrier Name: FedEx

Airbill No: 7707 3347 7550

CHAIN OF CUSTODY RECORD

Case #: 51822

Cooler #: 2

68HERH20D0011

SDG # MH2GQ3

No: 8-112124-133954-0600

Lab: Alliance Technical Group LLC

Lab Contact: Sofi Jodhani

Lab Phone: 908-789-8900

| Sample Identifier | CLP Sample No. | Matrix/Sampler | Coll. Method | Analysis/Turnaround (Days) | Tag/Preservative/Bottles | Location | Collection Date/Time | For Lab Use Only |
|-------------------|----------------|----------------|--------------|----------------------------|--------------------------|----------|----------------------|------------------|
| S2556-FY-0612-01  | MH2GS2         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24449 (None) (1)         | FY-2556  | 11/15/2024 11:14     |                  |
| S2556-FY-1218-01  | MH2GS3         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24450 (None) (1)         | FY-2556  | 11/15/2024 11:16     | 2                |
| S2556-LRS-0001-01 | MH2GS4         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24451 (None) (1)         | LRS-2556 | 11/15/2024 11:26     | 3                |
| S2556-LRS-0106-01 | MH2GS5         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24452 (None) (1)         | LRS-2556 | 11/15/2024 11:28     | 4                |
| S2556-LRS-0612-01 | MH2GS6         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24453 (None) (1)         | LRS-2556 | 11/15/2024 11:30     | 5                |
| S2556-LRS-1218-01 | MH2GS7         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24454 (None) (1)         | LRS-2556 | 11/15/2024 11:32     | 6                |
| S2556-SYE-0001-01 | MH2GS8         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24455 (None) (1)         | SYE-2556 | 11/15/2024 11:02     | 7                |
| S2556-SYE-0106-01 | MH2GS9         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24456 (None) (1)         | SYE-2556 | 11/15/2024 11:04     | 8                |
| S2556-SYE-0612-01 | MH2GT0         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24457 (None) (1)         | SYE-2556 | 11/15/2024 11:06     | 9                |
| S2556-SYE-1218-01 | MH2GT1         | Soil/ SH, LP   | Composite    | ICP/MS(14)                 | 24458 (None) (1)         | SYE-2556 | 11/15/2024 11:08     | 10               |

Special Instructions: Analyze per MA 3105

Analysis Key: ICP/MS=CLP TAL Total Metals ICP/MS

Shipment for Case Complete? N

Samples Transferred From Chain of Custody #

| Items/Reason | Relinquished by (Signature and Organization) | Date/Time     | Received by (Signature and Organization) | Date/Time     | Sample Condition Upon Receipt |
|--------------|----------------------------------------------|---------------|------------------------------------------|---------------|-------------------------------|
| Samples      | John Petri PWT                               | 11/21/24 1430 | SA                                       | 11-22-24 0745 | 2-2°C ZL Green #1             |
|              |                                              |               |                                          |               | custody seals intact          |
|              |                                              |               |                                          |               | Temp Btl: present             |

## CHAIN OF CUSTODY RECORD

SDG # MH2G03

No: 8-112124-133954-0600

**Lab: Alliance Technical Group LLC**

Case #: 51822

Cooler #: 2

Lab Contact: Sohil Jodhani  
Lab Phone: 908-789-8900


[illegible]Shipment for Case Complete? N  
Samples Transferred From Chain of Custody #

Analysis Key: ICP/MS=CLP TAL Total Metals ICP/MS

| Items/Reason | Relinquished by (Signature and Organization)                                          | Date/Time        | Received by (Signature and Organization)                                            | Date/Time        | Sample Condition Upon Receipt |
|--------------|---------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------|------------------|-------------------------------|
| Samples      |  PWT | 11/21/24<br>1430 |  | 11-22-24<br>0345 | 2.2°C<br>IL RU, #1            |
|              |                                                                                       |                  |                                                                                     |                  | custody seals intact          |
|              |                                                                                       |                  |                                                                                     |                  | Temp 21K. 415561              |



FORM DC-1  
SAMPLE LOG-IN SHEET

|                                                                                                           |                       |                               |
|-----------------------------------------------------------------------------------------------------------|-----------------------|-------------------------------|
| Lab Name : Alliance Technical Group, LLC                                                                  |                       | Page <u>1</u> of <u>1</u>     |
| Received By (Print Name) <u>Gorge Nelson</u>                                                              |                       | Log-in Date <b>11/22/2024</b> |
| Received By (Signature)  |                       |                               |
| Case Number <b>51822</b>                                                                                  | SDG No. <b>MH2GQ3</b> | MA No. <b>3105.0</b>          |

|                                                                                          |                                    |
|------------------------------------------------------------------------------------------|------------------------------------|
| Remarks:                                                                                 |                                    |
| 1. Custody Seal (s)                                                                      | Present, Intact                    |
| 2. Custody Seal Nos.                                                                     | <u>n/a</u>                         |
| 3. Traffic Reports/Chain Of Custody Records                                              | Present                            |
| 4. Airbill                                                                               | Present                            |
| 5. Airbill No. and Shipping Container ID No.                                             | <u>770133477550</u><br><u>1</u>    |
| 6. Shipping Container Temperature Indicator Bottle                                       | Present                            |
| 7. Shipping Container Temperature                                                        | <u>2.2</u> Degree C                |
| 8. Sample Condition                                                                      | Intact                             |
| 9. Sample Tags<br>Sample Tag Numbers                                                     | Absent<br>Listed on Traffic Report |
| 10. Does information on Traffic Reports/Chain of Custody Records and Sample Tags agree ? | Yes                                |
| 11. Date Received at Lab                                                                 | <u>11/22/2024</u>                  |
| 12. Time Received                                                                        | <u>07:45</u>                       |

|    | EPA Sample # | Aqueous/<br>Water Sample pH | Corresponding |                | Remarks:<br>Condition of Sample Shipment, etc. |
|----|--------------|-----------------------------|---------------|----------------|------------------------------------------------|
|    |              |                             | Sample Tag #  | Assigned Lab # |                                                |
| 1  | MH2GQ3       | N/A                         | 24430         | P4957-01       | Intact                                         |
| 2  | MH2GQ3D      | N/A                         | 24430         | P4957-02       | Intact                                         |
| 3  | MH2GQ3S      | N/A                         | 24430         | P4957-03       | Intact                                         |
| 4  | MH2GS3       | N/A                         | 24450         | P4957-04       | Intact                                         |
| 5  | MH2GS4       | N/A                         | 24451         | P4957-05       | Intact                                         |
| 6  | MH2GS5       | N/A                         | 24452         | P4957-06       | Intact                                         |
| 7  | MH2GS6       | N/A                         | 24453         | P4957-07       | Intact                                         |
| 8  | MH2GS7       | N/A                         | 24454         | P4957-08       | Intact                                         |
| 9  | MH2GS8       | N/A                         | 24455         | P4957-09       | Intact                                         |
| 10 | MH2GS9       | N/A                         | 24456         | P4957-10       | Intact                                         |
| 11 | MH2GT0       | N/A                         | 24457         | P4957-11       | Intact                                         |
| 12 | MH2GT1       | N/A                         | 24458         | P4957-12       | Intact                                         |
| 13 | MH2GT2       | N/A                         | 24459         | P4957-13       | Intact                                         |
| 14 | MH2GT3       | N/A                         | 24460         | P4957-14       | Intact                                         |
| 15 | MH2GT4       | N/A                         | 24461         | P4957-15       | Intact                                         |
| 16 | MH2GT5       | N/A                         | 24462         | P4957-16       | Intact                                         |
| 17 | N/A          | N/A                         | N/A           | N/A            | N/A                                            |
| 18 | N/A          | N/A                         | N/A           | N/A            | N/A                                            |
| 19 | N/A          | N/A                         | N/A           | N/A            | N/A                                            |
| 20 | N/A          | N/A                         | N/A           | N/A            | N/A                                            |
| 21 | N/A          | N/A                         | N/A           | N/A            | N/A                                            |
| 22 | N/A          | N/A                         | N/A           | N/A            | N/A                                            |
| 23 | N/A          | N/A                         | N/A           | N/A            | N/A                                            |

\* Contact SMO and attach record of resolution

|                                                                                                 |                             |
|-------------------------------------------------------------------------------------------------|-----------------------------|
| Reviewed By  | Logbook No. <b>N/A</b>      |
| Date <u>11/22/24</u>                                                                            | Logbook Page No. <b>N/A</b> |

FORM DC-2  
COMPLETE SDG FILE (CSF) INVENTORY SHEET

|              |                               |         |          |
|--------------|-------------------------------|---------|----------|
| LAB NAME     | Alliance Technical Group, LLC |         |          |
| LAB CODE     | ACE                           |         |          |
| CONTRACT NO. | 68HERH20D0011                 |         |          |
| CASE NO.     | 51822                         | SDG NO. | MH2GQ3   |
| MA NO.       | 3105.0                        | SOW NO. | SFAM01.1 |

All documents delivered in the Complete SDG File must be original documents where possible.  
(Reference - Exhibit B Section 2.4)

|                                                                                                                         | PAGE NOS: |     | CHECK |        |
|-------------------------------------------------------------------------------------------------------------------------|-----------|-----|-------|--------|
|                                                                                                                         | FROM      | TO  | LAB   | REGION |
| 1. SDG Cover Page                                                                                                       | 1         | 1   | ✓     |        |
| 2. Traffic Report/Chain of Custody Record(s)                                                                            | 2         | 4   | ✓     |        |
| 3. Sample Log-In Sheet (DC-1)                                                                                           | 5         | 5   | ✓     |        |
| 4. CSF Inventory Sheet (DC-2)                                                                                           | 6         | 8   | ✓     |        |
| 5. SDG Narrative                                                                                                        | 9         | 12  | ✓     |        |
| 6. Communication Logs                                                                                                   | NA        | NA  | ✓     |        |
| 7. Percent Solids Log                                                                                                   | NA        | NA  | ✓     |        |
| <b>Analysis Forms and Data (ICP-AES)</b>                                                                                |           |     |       |        |
| 8. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable  | NA        | NA  | ✓     |        |
| 9. Instrument raw data by instrument in analysis order                                                                  | NA        | NA  | ✓     |        |
| <b>Other Data</b>                                                                                                       |           |     |       |        |
| 10. Standard and Reagent Preparation Logs                                                                               | NA        | NA  | ✓     |        |
| 11. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks                                | NA        | NA  | ✓     |        |
| 12. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks                              | NA        | NA  | ✓     |        |
| 13. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions                                            | NA        | NA  | ✓     |        |
| 14. Extraction Logs for TCLP and SPLP                                                                                   | NA        | NA  | ✓     |        |
| 15. Raw GPC Data                                                                                                        | NA        | NA  | ✓     |        |
| 16. Raw Florisil Data                                                                                                   | NA        | NA  | ✓     |        |
| <b>Analysis Forms and Data (ICP-MS)</b>                                                                                 |           |     |       |        |
| 17. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable | 13        | 26  | ✓     |        |
| 18. Instrument raw data by instrument in analysis order                                                                 | 27        | 491 | ✓     |        |
| <b>Other Data</b>                                                                                                       |           |     |       |        |
| 19. Standard and Reagent Preparation Logs                                                                               | 492       | 629 | ✓     |        |
| 20. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks                                | 630       | 631 | ✓     |        |
| 21. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks                              | 632       | 636 | ✓     |        |
| 22. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions                                            | NA        | NA  | ✓     |        |

- 23 . Extraction Logs for TCLP and SPLP
- 24 . Raw GPC Data
- 25 . Raw Florisil Data

| PAGE NOS: |    | CHECK |        |
|-----------|----|-------|--------|
| FROM      | TO | LAB   | REGION |
| NA        | NA | ✓     |        |
| NA        | NA | ✓     |        |
| NA        | NA | ✓     |        |

#### Analysis Forms and Data (Mercury)

- 26 . Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable
- 27 . Instrument raw data by instrument in analysis order

|    |    |   |  |
|----|----|---|--|
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |

#### Other Data

- 28 . Standard and Reagent Preparation Logs
- 29 . Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks
- 30 . Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks
- 31 . Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions
- 32 . Extraction Logs for TCLP and SPLP
- 33 . Raw GPC Data
- 34 . Raw Florisil Data

|    |    |   |  |
|----|----|---|--|
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |

#### Analysis Forms and Data (Cyanide)

- 35 . Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable
- 36 . Instrument raw data by instrument in analysis order

|    |    |   |  |
|----|----|---|--|
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |

#### Other Data

- 37 . Standard and Reagent Preparation Logs
- 38 . Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks
- 39 . Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks
- 40 . Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions
- 41 . Extraction Logs for TCLP and SPLP
- 42 . Raw GPC Data
- 43 . Raw Florisil Data

|    |    |   |  |
|----|----|---|--|
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |
| NA | NA | ✓ |  |

**Additional**

## 44. EPA Shipping/Receiving Documents

Airbill (No. of Shipments 1)

Sample Tags

Sample Log-In Sheet (Lab)

## 45. Misc. Shipping/Receiving Records (list all individual records)

46. Internal Lab Sample Transfer Records and Tracking Sheets  
(describe or list)47. Other Records and related Communication Logs  
(describe or list)

## 48. Comments:

Completed by:  
(CLP Lab)Audited by:  
(EPA)

Nimisha Pandya, Document Control Officer

(Signature)

(Print Name &amp; Title)

(Date)

(Signature)

(Print Name &amp; Title)

(Date)

| PAGE NOs: |     | CHECK |        |
|-----------|-----|-------|--------|
| FROM      | TO  | LAB   | REGION |
| 637       | 637 | ✓     |        |
| NA        | NA  | ✓     |        |
| 638       | 639 | ✓     |        |
| NA        | NA  | ✓     |        |
|           |     |       |        |
|           |     |       |        |
| 640       | 640 | ✓     |        |
|           |     |       |        |
|           |     |       |        |
| NA        | NA  | ✓     |        |
|           |     |       |        |
|           |     |       |        |



**284 Sheffield Street  
Mountainside, NJ 07092**

## **SDG NARRATIVE**

**USEPA**

**SDG # MH2GQ3**

**CASE # 51822**

**CONTRACT # 68HERH20D0011**

**SOW# SFAM01.1**

**LAB NAME: Alliance Technical Group, LLC**

**LAB CODE: ACE**

**LAB ORDER ID # P4957**

**MODIFIED ANALYSIS #3105.0**

### **A. Number of Samples and Date of Receipt**

14 Soil samples were delivered to the laboratory intact on 11/22/2024

### **B. Parameters**

Test requested for Metals CLP MS FULL = Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Nickel, Selenium, Silver, Thallium, Vanadium, Zinc.

### **C. Cooler Temp**

Indicator Bottle: Presence/Absence

Cooler: 2.2°C

### **D. Detail Documentation (related to Sample Handling Shipping, Analytical Problem, Temp of Cooler etc):**

Issue 1 : A "P" or "M" prefix was listed at the beginning of a CLP sample ID.

### **E. Corrective Action taken for above:**

Resolution 1 : To maintain COC integrity, ASB requests no changes to the Sample IDs. The laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

### **F. Analytical Techniques:**

All analyses were based on CLP Methodology by method SFAM01.1.

### **G. Calculation:**

**Calculation for ICP-MS Soil Sample:**



**284 Sheffield Street  
Mountainside, NJ 07092**

Conversion of Results from  $\mu\text{g/L}$  or ppb to  $\text{mg/kg}$  :

$$\text{Concentration (mg/kg)} = C \times \frac{V_f}{W \times S} \times \text{DF} / 1000$$

Where,

C = Instrument value in ppb (The average of all replicate integrations)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

#### **Example Calculation For Sample MH2GQ3 For Antimony:**

If C = 1.54 ppb

Vf = 500 ml

W = 2.25 g

S = 1.0(100/100)

DF = 1

$$\text{Concentration (mg/kg)} = 1.54 \times \frac{500}{2.25 \times 1.0} \times 1 / 1000$$

$$= 0.34222 \text{ mg/kg}$$

$$= 0.34 \text{ mg/kg (Reported Result with Signification)}$$

#### **H. QA/ QC**

Calibrations met requirements. Interference check met requirements. Blank analyses did not indicate any presence of contamination. Laboratory Control sample was within control limits. Spike sample did meet requirements. Duplicate sample did meet. Serial Dilution did meet requirements.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

Internal Standard Association for ICP-MS analysis.

| Target Analyte | Associated Internal Standard |
|----------------|------------------------------|
| Antimony       | 159Tb                        |
| Arsenic        | 89Y                          |
| Barium         | 159Tb                        |



**284 Sheffield Street  
Mountainside, NJ 07092**

|           |       |
|-----------|-------|
| Beryllium | 6Li   |
| Cadmium   | 159Tb |
| Chromium  | 45Sc  |
| Cobalt    | 45Sc  |
| Copper    | 45Sc  |
| Lead      | 209Bi |
| Manganese | 45Sc  |
| Nickel    | 45Sc  |
| Selenium  | 89Y   |
| Silver    | 159Tb |
| Thallium  | 209Bi |
| Vanadium  | 45Sc  |
| Zinc      | 45Sc  |

I certify that the data package is in compliance with the terms and conditions of the contract both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature.

Signature\_\_\_\_\_

Name: Nimisha Pandya

Date \_\_\_\_\_

Title: Document Control Officer

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                       |                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------------------------------------|
| <b>Date:</b> 06/25/2021                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>MA:</b> 3105.0     | <b>Title:</b> ICP-MS Analysis with Increased Sample Mass |
| <b>Method Source:</b> SFAM01.1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>Method:</b> ICP-MS |                                                          |
| <b>Matrix:</b> Soil/Sediment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                       |                                                          |
| <b>Summary of Modification</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                       |                                                          |
| <p>The purpose of this modified analysis is to analyze dried, composited, and sieved soil/sediment samples by ICP-MS (processed by Incremental Sampling Methodology). Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                       |                                                          |
| <b>I. Analyte Modifications</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>Not applicable</b> | <input checked="" type="checkbox"/>                      |
| <b>II. Calibration and QC Requirements</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>Not applicable</b> | <input checked="" type="checkbox"/>                      |
| <b>III. Preparation and Method Modifications</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Not applicable</b> | <input type="checkbox"/>                                 |
| <p>The Laboratory shall:</p> <ul style="list-style-type: none"> <li>• Calculate and report results for the samples on the basis of 100% solids. The Laboratory is not required to determine the Percent (%) Solids for the samples.</li> <li>• Receive the composited samples dried and sieved prior to shipment to the Laboratory. The samples will be received in plastic baggies as individual aliquots with approximately 2 grams each. The aliquots shall not be re-combined and/or subsampled at the Laboratory.</li> <li>• Not increase the amount of acid reagents added to the sample to account for the increase in mass.</li> <li>• Store the samples at ambient temperature from the time of receipt until preparation. Do not refrigerate.</li> <li>• Remove and weigh the entire content within each baggie followed by digesting the entire sample per the SOW.</li> <li>• Prepare and analyze Matrix Spikes and Duplicates if additional aliquots were provided for these analyses.</li> </ul> |                       |                                                          |
| <b>IV. Special Reporting Requirements</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>Not applicable</b> | <input type="checkbox"/>                                 |
| <ul style="list-style-type: none"> <li>• Report 100.0 on Form 1 for % Solids.</li> <li>• Ensure that the SDG Narrative is updated as stated in the SOW, including any technical and administrative problems encountered and the corrective action taken. These problems may include interference problems encountered during analysis, dilutions, re-analyses or re-preparations performed, and problems with the analysis of samples. Also include a discussion of any SOW Modified Analysis including a copy of the approved modification with the SDG Narrative.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                 |                       |                                                          |



FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GQ3

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-01

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.34          | J | 11/27/2024    | 1923          |
| 7440-38-2 | Arsenic   | 4.8           |   | 11/27/2024    | 1923          |
| 7440-39-3 | Barium    | 180           |   | 11/27/2024    | 1923          |
| 7440-41-7 | Beryllium | 0.40          |   | 11/27/2024    | 1923          |
| 7440-43-9 | Cadmium   | 2.6           |   | 11/27/2024    | 1923          |
| 7440-47-3 | Chromium  | 4.0           |   | 11/27/2024    | 1923          |
| 7440-48-4 | Cobalt    | 2.8           |   | 11/27/2024    | 1923          |
| 7440-50-8 | Copper    | 36            |   | 11/27/2024    | 1923          |
| 7439-92-1 | Lead      | 260           |   | 11/27/2024    | 1923          |
| 7439-96-5 | Manganese | 240           |   | 11/27/2024    | 1923          |
| 7440-02-0 | Nickel    | 5.1           |   | 11/27/2024    | 1923          |
| 7782-49-2 | Selenium  | 0.20          | J | 11/27/2024    | 1923          |
| 7440-22-4 | Silver    | 0.68          |   | 11/27/2024    | 1923          |
| 7440-28-0 | Thallium  | 0.082         | J | 11/27/2024    | 1923          |
| 7440-62-2 | Vanadium  | 11            |   | 11/27/2024    | 1923          |
| 7440-66-6 | Zinc      | 250           |   | 11/27/2024    | 1923          |

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GS3

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-04

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units ( $\mu\text{g/L}$ ,  $\text{mg/L}$ ,  $\text{mg/kg}$  dry weight,  $\mu\text{g}$ , or  $\mu\text{g/cm}^2$ ): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.15          | J | 11/27/2024    | 1935          |
| 7440-38-2 | Arsenic   | 3.8           |   | 11/27/2024    | 1935          |
| 7440-39-3 | Barium    | 170           |   | 11/27/2024    | 1935          |
| 7440-41-7 | Beryllium | 0.32          |   | 11/27/2024    | 1935          |
| 7440-43-9 | Cadmium   | 1.3           |   | 11/27/2024    | 1935          |
| 7440-47-3 | Chromium  | 3.4           |   | 11/27/2024    | 1935          |
| 7440-48-4 | Cobalt    | 2.9           |   | 11/27/2024    | 1935          |
| 7440-50-8 | Copper    | 16            |   | 11/27/2024    | 1935          |
| 7439-92-1 | Lead      | 78            |   | 11/27/2024    | 1935          |
| 7439-96-5 | Manganese | 150           |   | 11/27/2024    | 1935          |
| 7440-02-0 | Nickel    | 6.9           |   | 11/27/2024    | 1935          |
| 7782-49-2 | Selenium  | 0.14          | J | 11/27/2024    | 1935          |
| 7440-22-4 | Silver    | 0.25          |   | 11/27/2024    | 1935          |
| 7440-28-0 | Thallium  | 0.098         | J | 11/27/2024    | 1935          |
| 7440-62-2 | Vanadium  | 15            |   | 11/27/2024    | 1935          |
| 7440-66-6 | Zinc      | 87            |   | 11/27/2024    | 1935          |

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GS4

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-05

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.27          | J | 11/27/2024    | 1938          |
| 7440-38-2 | Arsenic   | 3.1           |   | 11/27/2024    | 1938          |
| 7440-39-3 | Barium    | 130           |   | 11/27/2024    | 1938          |
| 7440-41-7 | Beryllium | 0.35          |   | 11/27/2024    | 1938          |
| 7440-43-9 | Cadmium   | 2.1           |   | 11/27/2024    | 1938          |
| 7440-47-3 | Chromium  | 6.4           |   | 11/27/2024    | 1938          |
| 7440-48-4 | Cobalt    | 2.4           |   | 11/27/2024    | 1938          |
| 7440-50-8 | Copper    | 26            |   | 11/27/2024    | 1938          |
| 7439-92-1 | Lead      | 170           |   | 11/27/2024    | 1938          |
| 7439-96-5 | Manganese | 280           |   | 11/27/2024    | 1938          |
| 7440-02-0 | Nickel    | 4.6           |   | 11/27/2024    | 1938          |
| 7782-49-2 | Selenium  | 0.18          | J | 11/27/2024    | 1938          |
| 7440-22-4 | Silver    | 0.46          |   | 11/27/2024    | 1938          |
| 7440-28-0 | Thallium  | 0.078         | J | 11/27/2024    | 1938          |
| 7440-62-2 | Vanadium  | 9.4           |   | 11/27/2024    | 1938          |
| 7440-66-6 | Zinc      | 370           |   | 11/27/2024    | 1938          |

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GS5

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-06

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units ( $\mu\text{g/L}$ ,  $\text{mg/L}$ ,  $\text{mg/kg}$  dry weight,  $\mu\text{g}$ , or  $\mu\text{g/cm}^2$ ): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.26          | J | 11/27/2024    | 1941          |
| 7440-38-2 | Arsenic   | 5.9           |   | 11/27/2024    | 1941          |
| 7440-39-3 | Barium    | 120           |   | 11/27/2024    | 1941          |
| 7440-41-7 | Beryllium | 0.32          |   | 11/27/2024    | 1941          |
| 7440-43-9 | Cadmium   | 2.5           |   | 11/27/2024    | 1941          |
| 7440-47-3 | Chromium  | 3.3           |   | 11/27/2024    | 1941          |
| 7440-48-4 | Cobalt    | 2.4           |   | 11/27/2024    | 1941          |
| 7440-50-8 | Copper    | 34            |   | 11/27/2024    | 1941          |
| 7439-92-1 | Lead      | 160           |   | 11/27/2024    | 1941          |
| 7439-96-5 | Manganese | 200           |   | 11/27/2024    | 1941          |
| 7440-02-0 | Nickel    | 5.0           |   | 11/27/2024    | 1941          |
| 7782-49-2 | Selenium  | 0.22          | J | 11/27/2024    | 1941          |
| 7440-22-4 | Silver    | 0.57          |   | 11/27/2024    | 1941          |
| 7440-28-0 | Thallium  | 0.081         | J | 11/27/2024    | 1941          |
| 7440-62-2 | Vanadium  | 9.3           |   | 11/27/2024    | 1941          |
| 7440-66-6 | Zinc      | 190           |   | 11/27/2024    | 1941          |

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GS6

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-07

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units ( $\mu\text{g/L}$ ,  $\text{mg/L}$ ,  $\text{mg/kg}$  dry weight,  $\mu\text{g}$ , or  $\mu\text{g/cm}^2$ ): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.21          | J | 11/27/2024    | 1944          |
| 7440-38-2 | Arsenic   | 4.3           |   | 11/27/2024    | 1944          |
| 7440-39-3 | Barium    | 120           |   | 11/27/2024    | 1944          |
| 7440-41-7 | Beryllium | 0.28          |   | 11/27/2024    | 1944          |
| 7440-43-9 | Cadmium   | 1.2           |   | 11/27/2024    | 1944          |
| 7440-47-3 | Chromium  | 3.4           |   | 11/27/2024    | 1944          |
| 7440-48-4 | Cobalt    | 2.7           |   | 11/27/2024    | 1944          |
| 7440-50-8 | Copper    | 18            |   | 11/27/2024    | 1944          |
| 7439-92-1 | Lead      | 51            |   | 11/27/2024    | 1944          |
| 7439-96-5 | Manganese | 150           |   | 11/27/2024    | 1944          |
| 7440-02-0 | Nickel    | 6.6           |   | 11/27/2024    | 1944          |
| 7782-49-2 | Selenium  | 0.19          | J | 11/27/2024    | 1944          |
| 7440-22-4 | Silver    | 0.23          |   | 11/27/2024    | 1944          |
| 7440-28-0 | Thallium  | 0.072         | J | 11/27/2024    | 1944          |
| 7440-62-2 | Vanadium  | 12            |   | 11/27/2024    | 1944          |
| 7440-66-6 | Zinc      | 61            |   | 11/27/2024    | 1944          |

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GS7

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-08

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.097         | J | 11/27/2024    | 1947          |
| 7440-38-2 | Arsenic   | 2.1           |   | 11/27/2024    | 1947          |
| 7440-39-3 | Barium    | 170           |   | 11/27/2024    | 1947          |
| 7440-41-7 | Beryllium | 0.29          |   | 11/27/2024    | 1947          |
| 7440-43-9 | Cadmium   | 0.89          |   | 11/27/2024    | 1947          |
| 7440-47-3 | Chromium  | 2.9           |   | 11/27/2024    | 1947          |
| 7440-48-4 | Cobalt    | 2.7           |   | 11/27/2024    | 1947          |
| 7440-50-8 | Copper    | 8.2           |   | 11/27/2024    | 1947          |
| 7439-92-1 | Lead      | 16            |   | 11/27/2024    | 1947          |
| 7439-96-5 | Manganese | 110           |   | 11/27/2024    | 1947          |
| 7440-02-0 | Nickel    | 9.5           |   | 11/27/2024    | 1947          |
| 7782-49-2 | Selenium  | 0.14          | J | 11/27/2024    | 1947          |
| 7440-22-4 | Silver    | 0.084         | J | 11/27/2024    | 1947          |
| 7440-28-0 | Thallium  | 0.081         | J | 11/27/2024    | 1947          |
| 7440-62-2 | Vanadium  | 16            |   | 11/27/2024    | 1947          |
| 7440-66-6 | Zinc      | 22            |   | 11/27/2024    | 1947          |

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GS8

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-09

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units ( $\mu\text{g/L}$ ,  $\text{mg/L}$ ,  $\text{mg/kg}$  dry weight,  $\mu\text{g}$ , or  $\mu\text{g/cm}^2$ ): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.10          | J | 11/27/2024    | 1950          |
| 7440-38-2 | Arsenic   | 2.5           |   | 11/27/2024    | 1950          |
| 7440-39-3 | Barium    | 100           |   | 11/27/2024    | 1950          |
| 7440-41-7 | Beryllium | 0.38          |   | 11/27/2024    | 1950          |
| 7440-43-9 | Cadmium   | 1.0           |   | 11/27/2024    | 1950          |
| 7440-47-3 | Chromium  | 3.4           |   | 11/27/2024    | 1950          |
| 7440-48-4 | Cobalt    | 3.1           |   | 11/27/2024    | 1950          |
| 7440-50-8 | Copper    | 12            |   | 11/27/2024    | 1950          |
| 7439-92-1 | Lead      | 85            |   | 11/27/2024    | 1950          |
| 7439-96-5 | Manganese | 240           |   | 11/27/2024    | 1950          |
| 7440-02-0 | Nickel    | 7.4           |   | 11/27/2024    | 1950          |
| 7782-49-2 | Selenium  | 0.17          | J | 11/27/2024    | 1950          |
| 7440-22-4 | Silver    | 0.26          |   | 11/27/2024    | 1950          |
| 7440-28-0 | Thallium  | 0.043         | J | 11/27/2024    | 1950          |
| 7440-62-2 | Vanadium  | 13            |   | 11/27/2024    | 1950          |
| 7440-66-6 | Zinc      | 89            |   | 11/27/2024    | 1950          |

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GS9

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-10

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.33          | J | 11/27/2024    | 1953          |
| 7440-38-2 | Arsenic   | 5.9           |   | 11/27/2024    | 1953          |
| 7440-39-3 | Barium    | 180           |   | 11/27/2024    | 1953          |
| 7440-41-7 | Beryllium | 0.42          |   | 11/27/2024    | 1953          |
| 7440-43-9 | Cadmium   | 3.2           |   | 11/27/2024    | 1953          |
| 7440-47-3 | Chromium  | 4.3           |   | 11/27/2024    | 1953          |
| 7440-48-4 | Cobalt    | 2.9           |   | 11/27/2024    | 1953          |
| 7440-50-8 | Copper    | 35            |   | 11/27/2024    | 1953          |
| 7439-92-1 | Lead      | 280           |   | 11/27/2024    | 1953          |
| 7439-96-5 | Manganese | 230           |   | 11/27/2024    | 1953          |
| 7440-02-0 | Nickel    | 5.4           |   | 11/27/2024    | 1953          |
| 7782-49-2 | Selenium  | 0.22          | J | 11/27/2024    | 1953          |
| 7440-22-4 | Silver    | 1.1           |   | 11/27/2024    | 1953          |
| 7440-28-0 | Thallium  | 0.093         | J | 11/27/2024    | 1953          |
| 7440-62-2 | Vanadium  | 11            |   | 11/27/2024    | 1953          |
| 7440-66-6 | Zinc      | 270           |   | 11/27/2024    | 1953          |

NOTE: Hardness (total) is reported in mg/L

Comments:



FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GT0

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-11

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.28          | J | 11/27/2024    | 1956          |
| 7440-38-2 | Arsenic   | 5.7           |   | 11/27/2024    | 1956          |
| 7440-39-3 | Barium    | 170           |   | 11/27/2024    | 1956          |
| 7440-41-7 | Beryllium | 0.36          |   | 11/27/2024    | 1956          |
| 7440-43-9 | Cadmium   | 2.0           |   | 11/27/2024    | 1956          |
| 7440-47-3 | Chromium  | 4.2           |   | 11/27/2024    | 1956          |
| 7440-48-4 | Cobalt    | 3.1           |   | 11/27/2024    | 1956          |
| 7440-50-8 | Copper    | 24            |   | 11/27/2024    | 1956          |
| 7439-92-1 | Lead      | 150           |   | 11/27/2024    | 1956          |
| 7439-96-5 | Manganese | 180           |   | 11/27/2024    | 1956          |
| 7440-02-0 | Nickel    | 6.1           |   | 11/27/2024    | 1956          |
| 7782-49-2 | Selenium  | 0.16          | J | 11/27/2024    | 1956          |
| 7440-22-4 | Silver    | 0.65          |   | 11/27/2024    | 1956          |
| 7440-28-0 | Thallium  | 0.11          | J | 11/27/2024    | 1956          |
| 7440-62-2 | Vanadium  | 14            |   | 11/27/2024    | 1956          |
| 7440-66-6 | Zinc      | 160           |   | 11/27/2024    | 1956          |

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GT1

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-12

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.17          | J | 11/27/2024    | 1959          |
| 7440-38-2 | Arsenic   | 4.9           |   | 11/27/2024    | 1959          |
| 7440-39-3 | Barium    | 220           |   | 11/27/2024    | 1959          |
| 7440-41-7 | Beryllium | 0.35          |   | 11/27/2024    | 1959          |
| 7440-43-9 | Cadmium   | 1.1           |   | 11/27/2024    | 1959          |
| 7440-47-3 | Chromium  | 3.8           |   | 11/27/2024    | 1959          |
| 7440-48-4 | Cobalt    | 3.2           |   | 11/27/2024    | 1959          |
| 7440-50-8 | Copper    | 14            |   | 11/27/2024    | 1959          |
| 7439-92-1 | Lead      | 51            |   | 11/27/2024    | 1959          |
| 7439-96-5 | Manganese | 140           |   | 11/27/2024    | 1959          |
| 7440-02-0 | Nickel    | 8.8           |   | 11/27/2024    | 1959          |
| 7782-49-2 | Selenium  | 0.22          | J | 11/27/2024    | 1959          |
| 7440-22-4 | Silver    | 0.33          |   | 11/27/2024    | 1959          |
| 7440-28-0 | Thallium  | 0.11          | J | 11/27/2024    | 1959          |
| 7440-62-2 | Vanadium  | 17            |   | 11/27/2024    | 1959          |
| 7440-66-6 | Zinc      | 64            |   | 11/27/2024    | 1959          |

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GT2

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-13

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units ( $\mu\text{g/L}$ ,  $\text{mg/L}$ ,  $\text{mg/kg}$  dry weight,  $\mu\text{g}$ , or  $\mu\text{g/cm}^2$ ): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.20          | J | 11/27/2024    | 2015          |
| 7440-38-2 | Arsenic   | 3.2           |   | 11/27/2024    | 2015          |
| 7440-39-3 | Barium    | 160           |   | 11/27/2024    | 2015          |
| 7440-41-7 | Beryllium | 0.38          |   | 11/27/2024    | 2015          |
| 7440-43-9 | Cadmium   | 2.4           |   | 11/27/2024    | 2015          |
| 7440-47-3 | Chromium  | 6.8           |   | 11/27/2024    | 2015          |
| 7440-48-4 | Cobalt    | 2.9           |   | 11/27/2024    | 2015          |
| 7440-50-8 | Copper    | 28            |   | 11/27/2024    | 2015          |
| 7439-92-1 | Lead      | 240           |   | 11/27/2024    | 2015          |
| 7439-96-5 | Manganese | 260           |   | 11/27/2024    | 2015          |
| 7440-02-0 | Nickel    | 6.0           |   | 11/27/2024    | 2015          |
| 7782-49-2 | Selenium  | 0.19          | J | 11/27/2024    | 2015          |
| 7440-22-4 | Silver    | 0.61          |   | 11/27/2024    | 2015          |
| 7440-28-0 | Thallium  | 0.086         | J | 11/27/2024    | 2015          |
| 7440-62-2 | Vanadium  | 10            |   | 11/27/2024    | 2015          |
| 7440-66-6 | Zinc      | 370           |   | 11/27/2024    | 2015          |

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GT3

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-14

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units ( $\mu\text{g/L}$ ,  $\text{mg/L}$ ,  $\text{mg/kg}$  dry weight,  $\mu\text{g}$ , or  $\mu\text{g/cm}^2$ ): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.16          | J | 11/27/2024    | 2018          |
| 7440-38-2 | Arsenic   | 3.2           |   | 11/27/2024    | 2018          |
| 7440-39-3 | Barium    | 170           |   | 11/27/2024    | 2018          |
| 7440-41-7 | Beryllium | 0.36          |   | 11/27/2024    | 2018          |
| 7440-43-9 | Cadmium   | 2.7           |   | 11/27/2024    | 2018          |
| 7440-47-3 | Chromium  | 3.4           |   | 11/27/2024    | 2018          |
| 7440-48-4 | Cobalt    | 2.4           |   | 11/27/2024    | 2018          |
| 7440-50-8 | Copper    | 30            |   | 11/27/2024    | 2018          |
| 7439-92-1 | Lead      | 260           |   | 11/27/2024    | 2018          |
| 7439-96-5 | Manganese | 230           |   | 11/27/2024    | 2018          |
| 7440-02-0 | Nickel    | 5.0           |   | 11/27/2024    | 2018          |
| 7782-49-2 | Selenium  | 0.16          | J | 11/27/2024    | 2018          |
| 7440-22-4 | Silver    | 0.37          |   | 11/27/2024    | 2018          |
| 7440-28-0 | Thallium  | 0.062         | J | 11/27/2024    | 2018          |
| 7440-62-2 | Vanadium  | 7.6           |   | 11/27/2024    | 2018          |
| 7440-66-6 | Zinc      | 280           |   | 11/27/2024    | 2018          |

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GT4

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-15

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.15          | J | 11/27/2024    | 2009          |
| 7440-38-2 | Arsenic   | 3.4           |   | 11/27/2024    | 2009          |
| 7440-39-3 | Barium    | 120           |   | 11/27/2024    | 2009          |
| 7440-41-7 | Beryllium | 0.26          |   | 11/27/2024    | 2009          |
| 7440-43-9 | Cadmium   | 1.4           |   | 11/27/2024    | 2009          |
| 7440-47-3 | Chromium  | 2.0           |   | 11/27/2024    | 2009          |
| 7440-48-4 | Cobalt    | 2.0           |   | 11/27/2024    | 2009          |
| 7440-50-8 | Copper    | 17            |   | 11/27/2024    | 2009          |
| 7439-92-1 | Lead      | 120           |   | 11/27/2024    | 2009          |
| 7439-96-5 | Manganese | 150           |   | 11/27/2024    | 2009          |
| 7440-02-0 | Nickel    | 3.3           |   | 11/27/2024    | 2009          |
| 7782-49-2 | Selenium  | 1.1           | U | 11/27/2024    | 2009          |
| 7440-22-4 | Silver    | 0.20          | J | 11/27/2024    | 2009          |
| 7440-28-0 | Thallium  | 0.043         | J | 11/27/2024    | 2009          |
| 7440-62-2 | Vanadium  | 6.3           |   | 11/27/2024    | 2009          |
| 7440-66-6 | Zinc      | 110           |   | 11/27/2024    | 2009          |

NOTE: Hardness (total) is reported in mg/L

Comments:

FORM 1 - IN  
INORGANIC ANALYSIS DATA SHEET

MH2GT5

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011

Lab Code: ACE Case No.: 51822 MA No. : 3105.0 SDG No.: MH2GQ3

Matrix: SOIL Lab Sample ID: P4957-16

% Solids: 100 Date Received: 11/22/2024

Analytical Method: ICP\_MS

Concentration Units (µg/L, mg/L, mg/kg dry weight, µg, or µg/cm²): mg/kg

| CAS No.   | Analyte   | Concentration | Q | Date Analyzed | Time Analyzed |
|-----------|-----------|---------------|---|---------------|---------------|
| 7440-36-0 | Antimony  | 0.14          | J | 11/27/2024    | 2012          |
| 7440-38-2 | Arsenic   | 4.1           |   | 11/27/2024    | 2012          |
| 7440-39-3 | Barium    | 130           |   | 11/27/2024    | 2012          |
| 7440-41-7 | Beryllium | 0.23          |   | 11/27/2024    | 2012          |
| 7440-43-9 | Cadmium   | 0.98          |   | 11/27/2024    | 2012          |
| 7440-47-3 | Chromium  | 1.7           |   | 11/27/2024    | 2012          |
| 7440-48-4 | Cobalt    | 1.8           |   | 11/27/2024    | 2012          |
| 7440-50-8 | Copper    | 12            |   | 11/27/2024    | 2012          |
| 7439-92-1 | Lead      | 86            |   | 11/27/2024    | 2012          |
| 7439-96-5 | Manganese | 140           |   | 11/27/2024    | 2012          |
| 7440-02-0 | Nickel    | 6.4           |   | 11/27/2024    | 2012          |
| 7782-49-2 | Selenium  | 1.2           | U | 11/27/2024    | 2012          |
| 7440-22-4 | Silver    | 0.13          | J | 11/27/2024    | 2012          |
| 7440-28-0 | Thallium  | 0.028         | J | 11/27/2024    | 2012          |
| 7440-62-2 | Vanadium  | 6.5           |   | 11/27/2024    | 2012          |
| 7440-66-6 | Zinc      | 62            |   | 11/27/2024    | 2012          |


NOTE: Hardness (total) is reported in mg/L

Comments:

Batch Folder: D:\Agilent\ICPMH\1\DATA\P7112724-MS3.b\  
Analysis File: P7112724-MS3.batch.bin  
DA Date-Time: 2024-12-02 14:12:30  
Calibration Title:  
Calibration Method: External Calibration  
VIS Interpolation Fit:

| Level | Standard Data File | Sample Name | Acq. Date-Time      |
|-------|--------------------|-------------|---------------------|
| 1     | 006CALB.d          | S00         | 2024-11-27 16:10:16 |
| 2     | 008CALS.d          | S02         | 2024-11-27 16:16:54 |
| 3     | 009CALS.d          | S03         | 2024-11-27 16:20:12 |
| 4     | 010CALS.d          | S04         | 2024-11-27 16:23:11 |
| 5     | 011CALS.d          | S05         | 2024-11-27 16:25:58 |
| 6     | 012CALS.d          | S06         | 2024-11-27 16:28:44 |
| 7     | 013CALS.d          | S07         | 2024-11-27 16:31:28 |
| 8     | 014CALS.d          | S08         | 2024-11-27 16:34:14 |

9 Be [No Gas] ISTD:6 Li [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS        | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 109.26     | 0.0000 | P   | 5.1 |
| 2 | <input type="checkbox"/> | 1.000    | 1.075      | 2707.69    | 0.0011 | P   | 2.4 |
| 3 | <input type="checkbox"/> | 50.000   | 52.337     | 122127.53  | 0.0526 | P   | 0.6 |
| 4 | <input type="checkbox"/> | 125.000  | 124.473    | 306712.85  | 0.1250 | P   | 0.8 |
| 5 | <input type="checkbox"/> | 250.000  | 242.484    | 583002.85  | 0.2434 | P   | 0.9 |
| 6 | <input type="checkbox"/> | 500.000  | 509.637    | 1223903.74 | 0.5115 | A   | 0.2 |
| 7 | <input type="checkbox"/> | 1000.000 | 997.010    | 2400511.28 | 1.0007 | A   | 0.3 |
| 8 | <input type="checkbox"/> |          |            | 488.90     | 0.0002 | P   | 5.9 |

$y = 0.0010 * x + 4.6273E-005$

$R = 0.9999$


$DL = 0.007029$

$BEC = 0.0461$

Weight: <None>

Min Conc: 0


12 C [No Gas] No available calibration points



|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS | Ratio | Det | RSD |
|---|--------------------------|-------|------------|-----|-------|-----|-----|
| 1 | <input type="checkbox"/> |       |            |     |       |     |     |
| 2 | <input type="checkbox"/> |       |            |     |       |     |     |
| 3 | <input type="checkbox"/> |       |            |     |       |     |     |
| 4 | <input type="checkbox"/> |       |            |     |       |     |     |
| 5 | <input type="checkbox"/> |       |            |     |       |     |     |
| 6 | <input type="checkbox"/> |       |            |     |       |     |     |
| 7 | <input type="checkbox"/> |       |            |     |       |     |     |
| 8 | <input type="checkbox"/> |       |            |     |       |     |     |




12 C [He] No available calibration points



|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS | Ratio | Det | RSD |
|---|--------------------------|-------|------------|-----|-------|-----|-----|
| 1 | <input type="checkbox"/> |       |            |     |       |     |     |
| 2 | <input type="checkbox"/> |       |            |     |       |     |     |
| 3 | <input type="checkbox"/> |       |            |     |       |     |     |
| 4 | <input type="checkbox"/> |       |            |     |       |     |     |
| 5 | <input type="checkbox"/> |       |            |     |       |     |     |
| 6 | <input type="checkbox"/> |       |            |     |       |     |     |
| 7 | <input type="checkbox"/> |       |            |     |       |     |     |
| 8 | <input type="checkbox"/> |       |            |     |       |     |     |

23 Na [He] ISTD:45 Sc [He]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS          | Ratio    | Det | RSD |
|---|--------------------------|-----------|------------|--------------|----------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 38704.07     | 0.0379   | P   | 0.8 |
| 2 | <input type="checkbox"/> | 500.000   | 479.011    | 701564.18    | 0.6958   | P   | 0.5 |
| 3 | <input type="checkbox"/> | 5000.000  | 5346.215   | 6911791.91   | 7.3812   | A   | 1.2 |
| 4 | <input type="checkbox"/> | 12500.000 | 12963.505  | 16340927.67  | 17.8439  | A   | 1.1 |
| 5 | <input type="checkbox"/> | 25000.000 | 25763.167  | 30455878.43  | 35.4249  | A   | 0.6 |
| 6 | <input type="checkbox"/> | 50000.000 | 52494.208  | 62376571.29  | 72.1414  | A   | 0.3 |
| 7 | <input type="checkbox"/> | 100000.00 | 102971.65  | 125650572.57 | 141.4747 | A   | 0.4 |
| 8 | <input type="checkbox"/> | 500000.00 | 499103.06  | 637917141.60 | 685.5814 | A   | 0.2 |

$y = 0.0014 * x + 0.0379$


$R = 1.0000$

$DL = 0.7003$

$BEC = 27.59$

Weight: <None>

Min Conc: 0



|   | R <sub>j</sub><br>ct     | Conc.     | Calc Conc. | CPS          | Ratio    | Det | RSD |
|---|--------------------------|-----------|------------|--------------|----------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 2149.78      | 0.0021   | P   | 2.4 |
| 2 | <input type="checkbox"/> | 500.000   | 487.941    | 434532.28    | 0.4310   | P   | 0.6 |
| 3 | <input type="checkbox"/> | 5000.000  | 5296.450   | 4361423.21   | 4.6575   | A   | 1.0 |
| 4 | <input type="checkbox"/> | 12500.000 | 12758.809  | 10271737.81  | 11.2166  | A   | 0.7 |
| 5 | <input type="checkbox"/> | 25000.000 | 25623.015  | 19364173.92  | 22.5236  | A   | 0.4 |
| 6 | <input type="checkbox"/> | 50000.000 | 51459.950  | 39110257.83  | 45.2332  | A   | 0.1 |
| 7 | <input type="checkbox"/> | 100000.00 | 103542.30  | 80832729.84  | 91.0114  | A   | 0.6 |
| 8 | <input type="checkbox"/> | 500000.00 | 499104.97  | 408195452.60 | 438.6941 | A   | 1.0 |

$$y = 8.7896E-004 * x + 0.0021$$


R = 1.0000

DL = 0.175

BEC = 2.395

Weight: <None>

Min Conc: 0



|   | R <sub>j</sub><br>ct     | Conc.     | Calc Conc. | CPS         | Ratio   | Det | RSD |
|---|--------------------------|-----------|------------|-------------|---------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 256.67      | 0.0003  | P   | 3.7 |
| 2 | <input type="checkbox"/> | 20.000    | 18.686     | 10066.72    | 0.0100  | P   | 0.7 |
| 3 | <input type="checkbox"/> | 1000.000  | 1033.204   | 504194.61   | 0.5384  | P   | 0.6 |
| 4 | <input type="checkbox"/> | 2500.000  | 2542.788   | 1213109.58  | 1.3247  | A   | 1.1 |
| 5 | <input type="checkbox"/> | 5000.000  | 5080.032   | 2275041.20  | 2.6463  | A   | 0.5 |
| 6 | <input type="checkbox"/> | 10000.000 | 10193.627  | 4590909.20  | 5.3097  | A   | 0.7 |
| 7 | <input type="checkbox"/> | 20000.000 | 20127.610  | 9311461.60  | 10.4840 | A   | 0.5 |
| 8 | <input type="checkbox"/> | 100000.00 | 99949.712  | 48440981.50 | 52.0603 | A   | 1.2 |

$$y = 5.2086E-004 * x + 2.5131E-004$$

R = 1.0000


DL = 0.0534

BEC = 0.4825

Weight: <None>

Min Conc: 0

28 Si [No Gas] ISTD : 45 Sc [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS         | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|-------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 1266023.27  | 0.1070 | A   | 1.2 |
| 2 | <input type="checkbox"/> | 10.000   | 0.652      | 1304339.18  | 0.1109 | A   | 2.6 |
| 3 | <input type="checkbox"/> | 50.000   | 47.817     | 4272630.42  | 0.3912 | A   | 0.9 |
| 4 | <input type="checkbox"/> | 125.000  | 112.306    | 8396253.55  | 0.7745 | A   | 1.4 |
| 5 | <input type="checkbox"/> | 250.000  | 225.674    | 14507237.98 | 1.4483 | A   | 0.4 |
| 6 | <input type="checkbox"/> | 500.000  | 448.477    | 27635895.14 | 2.7725 | A   | 0.4 |
| 7 | <input type="checkbox"/> | 1000.000 | 1033.632   | 63824711.27 | 6.2504 | A   | 0.5 |
| 8 | <input type="checkbox"/> |          |            | 1279268.00  | 0.1234 | A   | 2.0 |

$$y = 0.0059 * x + 0.1070$$

$$R = 0.9979$$


$$DL = 0.6487$$

$$BEC = 18.01$$

Weight: <None>

Min Conc: 0

31 P [He] ISTD : 45 Sc [He]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS       | Ratio  | Det | RSD  |
|---|--------------------------|-----------|------------|-----------|--------|-----|------|
| 1 | <input type="checkbox"/> | 0.000     | -16.979    | 301.12    | 0.0003 | P   | 8.0  |
| 2 | <input type="checkbox"/> | 0.000     | 16.979     | 1141.17   | 0.0011 | P   | 3.8  |
| 3 | <input type="checkbox"/> | 1000.000  | 1065.030   | 25245.32  | 0.0270 | P   | 2.4  |
| 4 | <input type="checkbox"/> | 2500.000  | 2518.113   | 57488.50  | 0.0628 | P   | 1.3  |
| 5 | <input type="checkbox"/> | 5000.000  | 4933.428   | 105151.07 | 0.1223 | P   | 0.3  |
| 6 | <input type="checkbox"/> | 10000.000 | 10077.897  | 215377.61 | 0.2491 | P   | 0.5  |
| 7 | <input type="checkbox"/> | 20000.000 | 19972.179  | 437818.11 | 0.4930 | P   | 0.7  |
| 8 | <input type="checkbox"/> |           |            | 508.90    | 0.0005 | P   | 10.1 |

$$y = 2.4647E-005 * x + 7.1327E-004$$

$$R = 1.0000$$


$$DL = 4.08$$

$$BEC = 28.94$$

Weight: <None>

Min Conc: 0

34 S [No Gas] ISTD:45 Sc [No Gas]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS        | Ratio  | Det | RSD |
|---|--------------------------|-----------|------------|------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | -67.978    | 294278.35  | 0.0249 | P   | 0.2 |
| 2 | <input type="checkbox"/> | 0.000     | 67.978     | 305104.55  | 0.0259 | P   | 1.5 |
| 3 | <input type="checkbox"/> | 1000.000  | 1134.759   | 374012.55  | 0.0342 | P   | 1.1 |
| 4 | <input type="checkbox"/> | 2500.000  | 2331.418   | 472281.14  | 0.0436 | P   | 1.3 |
| 5 | <input type="checkbox"/> | 5000.000  | 4683.455   | 619825.63  | 0.0619 | P   | 0.8 |
| 6 | <input type="checkbox"/> | 10000.000 | 9588.770   | 997520.86  | 0.1001 | P   | 0.3 |
| 7 | <input type="checkbox"/> | 20000.000 | 20299.086  | 1873515.01 | 0.1835 | A   | 1.4 |
| 8 | <input type="checkbox"/> |           |            | 230165.04  | 0.0222 | P   | 3.1 |

$y = 7.7864E-006 * x + 0.0254$

$R = 0.9994$


$DL = 83.69$

$BEC = 3264$

Weight: <None>


Min Conc: 0

35 Cl [No Gas] No available calibration points




|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS | Ratio | Det | RSD |
|---|--------------------------|-------|------------|-----|-------|-----|-----|
| 1 | <input type="checkbox"/> |       |            |     |       |     |     |
| 2 | <input type="checkbox"/> |       |            |     |       |     |     |
| 3 | <input type="checkbox"/> |       |            |     |       |     |     |
| 4 | <input type="checkbox"/> |       |            |     |       |     |     |
| 5 | <input type="checkbox"/> |       |            |     |       |     |     |
| 6 | <input type="checkbox"/> |       |            |     |       |     |     |
| 7 | <input type="checkbox"/> |       |            |     |       |     |     |
| 8 | <input type="checkbox"/> |       |            |     |       |     |     |

35 Cl [ He ] No available calibration points



|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS | Ratio | Det | RSD |
|---|--------------------------|-------|------------|-----|-------|-----|-----|
| 1 | <input type="checkbox"/> |       |            |     |       |     |     |
| 2 | <input type="checkbox"/> |       |            |     |       |     |     |
| 3 | <input type="checkbox"/> |       |            |     |       |     |     |
| 4 | <input type="checkbox"/> |       |            |     |       |     |     |
| 5 | <input type="checkbox"/> |       |            |     |       |     |     |
| 6 | <input type="checkbox"/> |       |            |     |       |     |     |
| 7 | <input type="checkbox"/> |       |            |     |       |     |     |
| 8 | <input type="checkbox"/> |       |            |     |       |     |     |

39 K [ He ] ISTD :45 Sc [ He ]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS          | Ratio    | Det | RSD |
|---|--------------------------|-----------|------------|--------------|----------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 71224.40     | 0.0697   | P   | 1.0 |
| 2 | <input type="checkbox"/> | 500.000   | 516.745    | 607819.70    | 0.6029   | P   | 0.2 |
| 3 | <input type="checkbox"/> | 2500.000  | 2652.820   | 2628351.75   | 2.8066   | A   | 1.3 |
| 4 | <input type="checkbox"/> | 6250.000  | 6410.381   | 6120304.56   | 6.6832   | A   | 0.8 |
| 5 | <input type="checkbox"/> | 12500.000 | 12613.028  | 11247612.33  | 13.0824  | A   | 0.6 |
| 6 | <input type="checkbox"/> | 25000.000 | 25481.407  | 22790143.55  | 26.3586  | A   | 0.7 |
| 7 | <input type="checkbox"/> | 50000.000 | 50442.619  | 46282325.98  | 52.1107  | A   | 0.3 |
| 8 | <input type="checkbox"/> | 250000.00 | 249852.11  | 239912918.65 | 257.8388 | A   | 0.2 |

$y = 0.0010 * x + 0.0697$

$R = 1.0000$


$DL = 2.065$

$BEC = 67.59$

Weight: <None>

Min Conc: 0

43 Ca [No Gas] ISTD:45 Sc [No Gas]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS         | Ratio  | Det | RSD |
|---|--------------------------|-----------|------------|-------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 997.82      | 0.0001 | P   | 2.2 |
| 2 | <input type="checkbox"/> | 500.000   | 524.302    | 33540.38    | 0.0029 | P   | 1.1 |
| 3 | <input type="checkbox"/> | 5000.000  | 5570.149   | 321986.46   | 0.0295 | P   | 0.5 |
| 4 | <input type="checkbox"/> | 12500.000 | 13379.662  | 766408.25   | 0.0707 | P   | 1.8 |
| 5 | <input type="checkbox"/> | 25000.000 | 26004.689  | 1375528.64  | 0.1373 | A   | 1.6 |
| 6 | <input type="checkbox"/> | 50000.000 | 52713.307  | 2774065.86  | 0.2783 | A   | 0.8 |
| 7 | <input type="checkbox"/> | 100000.00 | 104548.56  | 5635497.00  | 0.5519 | A   | 0.3 |
| 8 | <input type="checkbox"/> | 500000.00 | 498741.00  | 27288730.98 | 2.6325 | A   | 0.3 |

$$y = 5.2780E-006 * x + 8.4370E-005$$

R = 1.0000


DL = 1.047

BEC = 15.99

Weight: <None>

Min Conc: 0

44 Ca [No Gas] ISTD:45 Sc [No Gas]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS          | Ratio   | Det | RSD |
|---|--------------------------|-----------|------------|--------------|---------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 27667.80     | 0.0023  | P   | 1.1 |
| 2 | <input type="checkbox"/> | 500.000   | 522.646    | 555948.90    | 0.0473  | P   | 1.3 |
| 3 | <input type="checkbox"/> | 5000.000  | 5318.891   | 5018906.35   | 0.4596  | A   | 1.4 |
| 4 | <input type="checkbox"/> | 12500.000 | 12729.869  | 11888197.05  | 1.0967  | A   | 1.3 |
| 5 | <input type="checkbox"/> | 25000.000 | 25711.274  | 22162138.00  | 2.2126  | A   | 0.5 |
| 6 | <input type="checkbox"/> | 50000.000 | 52632.239  | 45122633.77  | 4.5269  | A   | 0.3 |
| 7 | <input type="checkbox"/> | 100000.00 | 103949.26  | 91270891.97  | 8.9383  | A   | 0.2 |
| 8 | <input type="checkbox"/> | 500000.00 | 498902.40  | 444611002.26 | 42.8903 | A   | 0.4 |

$$y = 8.5965E-005 * x + 0.0023$$

R = 1.0000


DL = 0.8815

BEC = 27.22

Weight: <None>

Min Conc: 0

47 Ti [No Gas] ISTD :45 Sc [No Gas]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS         | Ratio  | Det | RSD  |
|---|--------------------------|-----------|------------|-------------|--------|-----|------|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 173.34      | 0.0000 | P   | 21.2 |
| 2 | <input type="checkbox"/> | 5.000     | 4.866      | 15346.75    | 0.0013 | P   | 2.4  |
| 3 | <input type="checkbox"/> | 500.000   | 510.404    | 1478033.94  | 0.1353 | A   | 0.1  |
| 4 | <input type="checkbox"/> | 1250.000  | 1232.228   | 3541598.52  | 0.3267 | A   | 1.8  |
| 5 | <input type="checkbox"/> | 2500.000  | 2477.704   | 6580336.92  | 0.6569 | A   | 0.3  |
| 6 | <input type="checkbox"/> | 5000.000  | 5065.304   | 13386469.24 | 1.3430 | A   | 0.6  |
| 7 | <input type="checkbox"/> | 10000.000 | 9974.623   | 27003967.10 | 2.6446 | A   | 0.9  |
| 8 | <input type="checkbox"/> |           |            | 4293.99     | 0.0004 | P   | 6.5  |

$$y = 2.6513E-004 * x + 1.4676E-005$$

$$R = 1.0000$$


$$DL = 0.03519$$

$$BEC = 0.05535$$

Weight: <None>

Min Conc: 0

51 V [He] ISTD :45 Sc [He]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS        | Ratio  | Det | RSD  |
|---|--------------------------|----------|------------|------------|--------|-----|------|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 24.45      | 0.0000 | P   | 44.1 |
| 2 | <input type="checkbox"/> | 5.000    | 4.897      | 42960.97   | 0.0426 | P   | 0.8  |
| 3 | <input type="checkbox"/> | 50.000   | 51.220     | 417142.10  | 0.4455 | P   | 1.2  |
| 4 | <input type="checkbox"/> | 125.000  | 123.356    | 982464.50  | 1.0728 | P   | 1.0  |
| 5 | <input type="checkbox"/> | 250.000  | 249.804    | 1867794.89 | 2.1725 | A   | 0.5  |
| 6 | <input type="checkbox"/> | 500.000  | 502.980    | 3782247.69 | 4.3743 | A   | 0.3  |
| 7 | <input type="checkbox"/> | 1000.000 | 998.704    | 7713926.20 | 8.6856 | A   | 0.9  |
| 8 | <input type="checkbox"/> |          |            | 2374.65    | 0.0026 | P   | 3.6  |

$$y = 0.0087 * x + 2.3950E-005$$

$$R = 1.0000$$


$$DL = 0.003647$$

$$BEC = 0.002754$$

Weight: <None>

Min Conc: 0

52 Cr [He] ISTD:45 Sc [He]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS        | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 2622.48    | 0.0026 | P   | 3.8 |
| 2 | <input type="checkbox"/> | 2.000    | 1.981      | 22598.14   | 0.0224 | P   | 0.8 |
| 3 | <input type="checkbox"/> | 50.000   | 51.796     | 488209.49  | 0.5214 | P   | 1.5 |
| 4 | <input type="checkbox"/> | 125.000  | 124.653    | 1145744.24 | 1.2511 | P   | 0.3 |
| 5 | <input type="checkbox"/> | 250.000  | 250.536    | 2159654.92 | 2.5120 | A   | 0.8 |
| 6 | <input type="checkbox"/> | 500.000  | 506.066    | 4384939.52 | 5.0715 | A   | 0.4 |
| 7 | <input type="checkbox"/> | 1000.000 | 996.786    | 8869877.51 | 9.9867 | A   | 0.4 |
| 8 | <input type="checkbox"/> |          |            | 15927.87   | 0.0171 | P   | 7.2 |

$$y = 0.0100 * x + 0.0026$$

$$R = 1.0000$$


$$DL = 0.02949$$

$$BEC = 0.2563$$

Weight: <None>

Min Conc: 0

54 Fe [He] ISTD:45 Sc [He]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS          | Ratio    | Det | RSD |
|---|--------------------------|-----------|------------|--------------|----------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 3428.20      | 0.0034   | P   | 2.5 |
| 2 | <input type="checkbox"/> | 50.000    | 56.810     | 30182.47     | 0.0299   | P   | 1.5 |
| 3 | <input type="checkbox"/> | 2500.000  | 2941.554   | 1291859.24   | 1.3795   | P   | 0.8 |
| 4 | <input type="checkbox"/> | 6250.000  | 6922.177   | 2968796.66   | 3.2419   | A   | 0.7 |
| 5 | <input type="checkbox"/> | 12500.000 | 13861.588  | 5578130.34   | 6.4884   | A   | 1.1 |
| 6 | <input type="checkbox"/> | 25000.000 | 28017.651  | 11336479.00  | 13.1113  | A   | 0.1 |
| 7 | <input type="checkbox"/> | 50000.000 | 54629.182  | 22701923.27  | 25.5613  | A   | 0.8 |
| 8 | <input type="checkbox"/> | 250000.00 | 248683.09  | 108259333.94 | 116.3485 | A   | 0.5 |

$$y = 4.6785E-004 * x + 0.0034$$

$$R = 0.9998$$


$$DL = 0.5478$$

$$BEC = 7.174$$

Weight: <None>

Min Conc: 0





|   | R <sub>ct</sub>          | Conc.     | Calc Conc. | CPS         | Ratio   | Det. | RSD |
|---|--------------------------|-----------|------------|-------------|---------|------|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 1805.69     | 0.0018  | P    | 3.4 |
| 2 | <input type="checkbox"/> | 1.000     | 0.968      | 9490.85     | 0.0094  | P    | 1.4 |
| 3 | <input type="checkbox"/> | 500.000   | 511.750    | 3787216.64  | 4.0443  | A    | 0.9 |
| 4 | <input type="checkbox"/> | 1250.000  | 1241.549   | 8983015.84  | 9.8093  | A    | 0.8 |
| 5 | <input type="checkbox"/> | 2500.000  | 2499.674   | 16977799.33 | 19.7478 | A    | 0.4 |
| 6 | <input type="checkbox"/> | 5000.000  | 5093.748   | 34791701.15 | 40.2396 | A    | 0.8 |
| 7 | <input type="checkbox"/> | 10000.000 | 9953.677   | 69836144.52 | 78.6304 | A    | 0.2 |
| 8 | <input type="checkbox"/> |           |            | 39204.24    | 0.0421  | P    | 0.4 |

$$y = 0.0079 * x + 0.0018$$


$$R = 0.9999$$

$$DL = 0.02284$$

$$BEC = 0.2238$$

Weight: &lt;None&gt;

Min Conc: 0



|   | R <sub>ct</sub>          | Conc.     | Calc Conc. | CPS          | Ratio     | Det. | RSD |
|---|--------------------------|-----------|------------|--------------|-----------|------|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 28221.01     | 0.0276    | P    | 0.3 |
| 2 | <input type="checkbox"/> | 50.000    | 54.514     | 503788.23    | 0.4997    | P    | 0.5 |
| 3 | <input type="checkbox"/> | 2500.000  | 2783.539   | 22596402.16  | 24.1310   | A    | 1.2 |
| 4 | <input type="checkbox"/> | 6250.000  | 6730.347   | 53396014.21  | 58.3074   | A    | 1.0 |
| 5 | <input type="checkbox"/> | 12500.000 | 13526.944  | 100727780.72 | 117.1608  | A    | 0.1 |
| 6 | <input type="checkbox"/> | 25000.000 | 27574.599  | 206474670.26 | 238.8030  | A    | 0.7 |
| 7 | <input type="checkbox"/> | 50000.000 | 53728.356  | 413240478.29 | 465.2750  | A    | 0.2 |
| 8 | <input type="checkbox"/> | 250000.00 | 248930.67  | 2005717410.1 | 2,155.581 | A    | 0.4 |

$$y = 0.0087 * x + 0.0276$$

$$R = 0.9999$$


$$DL = 0.02992$$

$$BEC = 3.191$$

Weight: &lt;None&gt;

Min Conc: 0

Calibration for 006CALB.d



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS         | Ratio   | Det | RSD |
|---|--------------------------|-----------|------------|-------------|---------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 1407.86     | 0.0014  | P   | 4.2 |
| 2 | <input type="checkbox"/> | 50.000    | 58.430     | 14167.88    | 0.0141  | P   | 2.9 |
| 3 | <input type="checkbox"/> | 2500.000  | 2874.828   | 585270.18   | 0.6250  | P   | 1.4 |
| 4 | <input type="checkbox"/> | 6250.000  | 6878.164   | 1367630.86  | 1.4934  | M   | 1.1 |
| 5 | <input type="checkbox"/> | 12500.000 | 13543.073  | 2527012.48  | 2.9392  | A   | 0.6 |
| 6 | <input type="checkbox"/> | 25000.000 | 27560.754  | 5170522.49  | 5.9800  | A   | 0.3 |
| 7 | <input type="checkbox"/> | 50000.000 | 53341.007  | 10278037.63 | 11.5724 | A   | 0.5 |
| 8 | <input type="checkbox"/> | 250000.00 | 249004.11  | 50261323.70 | 54.0168 | A   | 0.7 |

$$y = 2.1693E-004 * x + 0.0014$$


R = 0.9999

DL = 0.805

BEC = 6.354

Weight: <None>

Min Conc: 0



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS         | Ratio   | Det | RSD  |
|---|--------------------------|----------|------------|-------------|---------|-----|------|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 183.34      | 0.0002  | P   | 10.7 |
| 2 | <input type="checkbox"/> | 1.000    | 1.052      | 17218.86    | 0.0171  | P   | 0.6  |
| 3 | <input type="checkbox"/> | 50.000   | 52.173     | 784605.54   | 0.8379  | P   | 1.4  |
| 4 | <input type="checkbox"/> | 125.000  | 126.072    | 1853928.60  | 2.0245  | A   | 1.2  |
| 5 | <input type="checkbox"/> | 250.000  | 251.231    | 3468129.36  | 4.0341  | A   | 1.0  |
| 6 | <input type="checkbox"/> | 500.000  | 509.673    | 7076036.01  | 8.1838  | A   | 0.2  |
| 7 | <input type="checkbox"/> | 1000.000 | 994.613    | 14183881.60 | 15.9702 | A   | 0.5  |
| 8 | <input type="checkbox"/> |          |            | 36979.93    | 0.0397  | P   | 1.0  |

$$y = 0.0161 * x + 1.7957E-004$$

R = 0.9999


DL = 0.00358

BEC = 0.01118

Weight: <None>

Min Conc: 0

60 Ni [He] ISTD:45 Sc [He]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS        | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 1761.30    | 0.0017 | P   | 9.2 |
| 2 | <input type="checkbox"/> | 1.000    | 0.925      | 6905.05    | 0.0068 | P   | 0.5 |
| 3 | <input type="checkbox"/> | 50.000   | 52.458     | 273805.00  | 0.2924 | P   | 0.7 |
| 4 | <input type="checkbox"/> | 125.000  | 126.904    | 645510.37  | 0.7049 | P   | 0.7 |
| 5 | <input type="checkbox"/> | 250.000  | 251.054    | 1197394.30 | 1.3928 | P   | 0.9 |
| 6 | <input type="checkbox"/> | 500.000  | 513.121    | 2459803.51 | 2.8449 | A   | 0.5 |
| 7 | <input type="checkbox"/> | 1000.000 | 992.815    | 4887344.61 | 5.5028 | A   | 0.5 |
| 8 | <input type="checkbox"/> |          |            | 15134.97   | 0.0163 | P   | 1.2 |

$$y = 0.0055 * x + 0.0017$$

$$R = 0.9999$$


$$DL = 0.08582$$

$$BEC = 0.3112$$

Weight: <None>

Min Conc: 0

63 Cu [He] ISTD:45 Sc [He]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS          | Ratio    | Det | RSD |
|---|--------------------------|-----------|------------|--------------|----------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 1433.41      | 0.0014   | P   | 2.2 |
| 2 | <input type="checkbox"/> | 2.000     | 1.935      | 24488.95     | 0.0243   | P   | 1.3 |
| 3 | <input type="checkbox"/> | 500.000   | 529.240    | 5864256.23   | 6.2623   | A   | 0.9 |
| 4 | <input type="checkbox"/> | 1250.000  | 1279.116   | 13858596.60  | 15.1333  | A   | 0.5 |
| 5 | <input type="checkbox"/> | 2500.000  | 2538.196   | 25816129.89  | 30.0282  | A   | 0.7 |
| 6 | <input type="checkbox"/> | 5000.000  | 5147.985   | 52657526.99  | 60.9019  | A   | 0.6 |
| 7 | <input type="checkbox"/> | 10000.000 | 9911.357   | 104139906.23 | 117.2525 | A   | 0.3 |
| 8 | <input type="checkbox"/> |           |            | 22182.13     | 0.0238   | P   | 3.3 |

$$y = 0.0118 * x + 0.0014$$


$$R = 0.9998$$

$$DL = 0.007732$$

$$BEC = 0.1186$$

Weight: <None>

Min Conc: 0



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS         | Ratio   | Det | RSD |
|---|--------------------------|-----------|------------|-------------|---------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 1295.63     | 0.0013  | P   | 1.4 |
| 2 | <input type="checkbox"/> | 2.000     | 5.185      | 11225.40    | 0.0111  | P   | 1.6 |
| 3 | <input type="checkbox"/> | 500.000   | 523.984    | 934743.74   | 0.9982  | P   | 1.3 |
| 4 | <input type="checkbox"/> | 1250.000  | 1271.011   | 2215738.75  | 2.4196  | A   | 1.0 |
| 5 | <input type="checkbox"/> | 2500.000  | 2562.803   | 4193165.25  | 4.8774  | A   | 1.0 |
| 6 | <input type="checkbox"/> | 5000.000  | 5159.200   | 8488355.98  | 9.8175  | A   | 0.7 |
| 7 | <input type="checkbox"/> | 10000.000 | 9900.873   | 16732352.25 | 18.8392 | A   | 0.2 |
| 8 | <input type="checkbox"/> |           |            | 5664.45     | 0.0061  | P   | 2.3 |

$$y = 0.0019 * x + 0.0013$$


$$R = 0.9998$$

$$DL = 0.02891$$

$$BEC = 0.6667$$

Weight: <None>

Min Conc: 0



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS        | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 16.67      | 0.0000 | P   | 0.6 |
| 2 | <input type="checkbox"/> | 1.000    | 1.086      | 1388.97    | 0.0002 | P   | 3.5 |
| 3 | <input type="checkbox"/> | 50.000   | 52.023     | 61684.25   | 0.0102 | P   | 2.2 |
| 4 | <input type="checkbox"/> | 125.000  | 125.973    | 147914.73  | 0.0246 | P   | 0.5 |
| 5 | <input type="checkbox"/> | 250.000  | 247.062    | 278467.48  | 0.0483 | P   | 1.2 |
| 6 | <input type="checkbox"/> | 500.000  | 504.662    | 572161.82  | 0.0987 | P   | 0.9 |
| 7 | <input type="checkbox"/> | 1000.000 | 998.181    | 1154239.69 | 0.1951 | P   | 1.1 |
| 8 | <input type="checkbox"/> |          |            | 656.69     | 0.0001 | P   | 2.3 |

$$y = 1.9548E-004 * x + 2.5227E-006$$

$$R = 1.0000$$


$$DL = 0.0002425$$

$$BEC = 0.01291$$

Weight: <None>

Min Conc: 0

77 Se [He] ISTD:89 Y [He]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS      | Ratio  | Det | RSD  |
|---|--------------------------|----------|------------|----------|--------|-----|------|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 0.00     | 0.0000 | P   |      |
| 2 | <input type="checkbox"/> | 5.000    | 5.378      | 206.67   | 0.0000 | P   | 5.8  |
| 3 | <input type="checkbox"/> | 50.000   | 51.657     | 1863.47  | 0.0003 | P   | 4.2  |
| 4 | <input type="checkbox"/> | 125.000  | 127.773    | 4565.19  | 0.0008 | P   | 0.5  |
| 5 | <input type="checkbox"/> | 250.000  | 246.187    | 8442.47  | 0.0015 | P   | 3.9  |
| 6 | <input type="checkbox"/> | 500.000  | 497.631    | 17170.03 | 0.0030 | P   | 0.6  |
| 7 | <input type="checkbox"/> | 1000.000 | 1001.706   | 35247.33 | 0.0060 | P   | 1.9  |
| 8 | <input type="checkbox"/> |          |            | 10.00    | 0.0000 | P   | 88.1 |

$$y = 5.9487E-006 * x + 0.0000E+000$$

$$R = 1.0000$$


$$DL = 0$$

$$BEC = 0$$

Weight: <None>

Min Conc: 0

78 Se [He] ISTD:89 Y [He]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS       | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|-----------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 543.35    | 0.0001 | P   | 7.8 |
| 2 | <input type="checkbox"/> | 5.000    | 4.867      | 1151.17   | 0.0002 | P   | 7.8 |
| 3 | <input type="checkbox"/> | 50.000   | 52.413     | 6770.50   | 0.0011 | P   | 2.2 |
| 4 | <input type="checkbox"/> | 125.000  | 127.921    | 15649.49  | 0.0026 | P   | 1.3 |
| 5 | <input type="checkbox"/> | 250.000  | 249.431    | 28841.40  | 0.0050 | P   | 2.4 |
| 6 | <input type="checkbox"/> | 500.000  | 503.944    | 58132.33  | 0.0100 | P   | 1.0 |
| 7 | <input type="checkbox"/> | 1000.000 | 997.685    | 116907.94 | 0.0198 | P   | 0.9 |
| 8 | <input type="checkbox"/> |          |            | 498.90    | 0.0001 | P   | 6.9 |

$$y = 1.9727E-005 * x + 8.2203E-005$$

$$R = 1.0000$$


$$DL = 0.9745$$

$$BEC = 4.167$$

Weight: <None>


Min Conc: 0

81 Br [ No Gas ] No available calibration points




|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS      | Ratio | Det<br>. | RSD |
|---|--------------------------|-------|------------|----------|-------|----------|-----|
| 1 | <input type="checkbox"/> |       |            | 18807.69 |       | P        | 0.5 |
| 2 | <input type="checkbox"/> |       |            | 18677.45 |       | P        | 0.9 |
| 3 | <input type="checkbox"/> |       |            | 17520.51 |       | P        | 1.6 |
| 4 | <input type="checkbox"/> |       |            | 16158.94 |       | P        | 1.3 |
| 5 | <input type="checkbox"/> |       |            | 14948.80 |       | P        | 2.5 |
| 6 | <input type="checkbox"/> |       |            | 15098.93 |       | P        | 2.7 |
| 7 | <input type="checkbox"/> |       |            | 15859.74 |       | P        | 1.5 |
| 8 | <input type="checkbox"/> |       |            | 17517.15 |       | P        | 2.9 |

81 Br [ He ] No available calibration points



|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS    | Ratio | Det<br>. | RSD  |
|---|--------------------------|-------|------------|--------|-------|----------|------|
| 1 | <input type="checkbox"/> |       |            | 162.23 |       | P        | 15.1 |
| 2 | <input type="checkbox"/> |       |            | 101.11 |       | P        | 34.9 |
| 3 | <input type="checkbox"/> |       |            | 107.78 |       | P        | 14.6 |
| 4 | <input type="checkbox"/> |       |            | 67.78  |       | P        | 5.7  |
| 5 | <input type="checkbox"/> |       |            | 97.78  |       | P        | 7.9  |
| 6 | <input type="checkbox"/> |       |            | 100.00 |       | P        | 6.7  |
| 7 | <input type="checkbox"/> |       |            | 108.89 |       | P        | 22.6 |
| 8 | <input type="checkbox"/> |       |            | 146.67 |       | P        | 19.4 |

82 Se [No Gas] ISTD:89 Y [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS       | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|-----------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 891.58    | 0.0000 | P   | 1.3 |
| 2 | <input type="checkbox"/> | 5.000    | 5.314      | 2920.91   | 0.0001 | P   | 0.6 |
| 3 | <input type="checkbox"/> | 50.000   | 52.373     | 19568.24  | 0.0008 | P   | 0.7 |
| 4 | <input type="checkbox"/> | 125.000  | 125.214    | 46172.85  | 0.0019 | P   | 0.7 |
| 5 | <input type="checkbox"/> | 250.000  | 247.791    | 85969.18  | 0.0038 | P   | 0.6 |
| 6 | <input type="checkbox"/> | 500.000  | 501.793    | 173040.73 | 0.0076 | P   | 0.9 |
| 7 | <input type="checkbox"/> | 1000.000 | 999.509    | 350821.99 | 0.0152 | P   | 0.9 |
| 8 | <input type="checkbox"/> |          |            | 934.72    | 0.0000 | P   | 9.1 |

y = 1.5147E-005 \* x + 3.4802E-005

R = 1.0000


DL = 0.08954

BEC = 2.298

Weight: <None>

Min Conc: 0


83 Kr [No Gas] No available calibration points



|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS    | Ratio | Det | RSD  |
|---|--------------------------|-------|------------|--------|-------|-----|------|
| 1 | <input type="checkbox"/> |       |            | 297.78 |       | P   | 5.0  |
| 2 | <input type="checkbox"/> |       |            | 314.45 |       | P   | 5.3  |
| 3 | <input type="checkbox"/> |       |            | 294.45 |       | P   | 8.6  |
| 4 | <input type="checkbox"/> |       |            | 256.67 |       | P   | 10.6 |
| 5 | <input type="checkbox"/> |       |            | 282.23 |       | P   | 8.3  |
| 6 | <input type="checkbox"/> |       |            | 278.90 |       | P   | 6.6  |
| 7 | <input type="checkbox"/> |       |            | 307.79 |       | P   | 9.5  |
| 8 | <input type="checkbox"/> |       |            | 371.12 |       | P   | 1.0  |

Calibration for 006CALB.d

86 Sr [No Gas] ISTD : 89 Y [No Gas]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS        | Ratio  | Det | RSD |
|---|--------------------------|-----------|------------|------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 584.46     | 0.0000 | P   | 6.4 |
| 2 | <input type="checkbox"/> | 1.000     | 24.048     | 8239.04    | 0.0003 | P   | 0.5 |
| 3 | <input type="checkbox"/> | 1250.000  | 1278.044   | 380283.31  | 0.0161 | P   | 0.6 |
| 4 | <input type="checkbox"/> | 3125.000  | 3073.328   | 924421.33  | 0.0387 | P   | 0.6 |
| 5 | <input type="checkbox"/> | 6250.000  | 6163.482   | 1759448.39 | 0.0775 | A   | 0.0 |
| 6 | <input type="checkbox"/> | 12500.000 | 12596.375  | 3590191.02 | 0.1584 | A   | 1.2 |
| 7 | <input type="checkbox"/> | 25000.000 | 24978.498  | 7262389.34 | 0.3141 | A   | 0.7 |
| 8 | <input type="checkbox"/> |           |            | 24335.72   | 0.0011 | P   | 2.1 |

$$y = 1.2575E-005 * x + 2.2813E-005$$

R = 1.0000


DL = 0.3487

BEC = 1.814

Weight: <None>

Min Conc: 0

88 Sr [No Gas] ISTD : 89 Y [No Gas]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS         | Ratio  | Det | RSD |
|---|--------------------------|-----------|------------|-------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 657.80      | 0.0000 | P   | 8.5 |
| 2 | <input type="checkbox"/> | 1.000     | 24.466     | 68846.65    | 0.0027 | P   | 0.5 |
| 3 | <input type="checkbox"/> | 1250.000  | 1259.223   | 3274692.41  | 0.1386 | A   | 1.4 |
| 4 | <input type="checkbox"/> | 3125.000  | 3046.880   | 8014871.13  | 0.3353 | A   | 0.9 |
| 5 | <input type="checkbox"/> | 6250.000  | 6150.729   | 15359340.88 | 0.6768 | A   | 0.3 |
| 6 | <input type="checkbox"/> | 12500.000 | 12532.518  | 31251897.59 | 1.3789 | A   | 0.2 |
| 7 | <input type="checkbox"/> | 25000.000 | 25017.862  | 63641586.83 | 2.7527 | A   | 0.7 |
| 8 | <input type="checkbox"/> |           |            | 207952.42   | 0.0092 | P   | 0.7 |

$$y = 1.1003E-004 * x + 2.5677E-005$$

R = 1.0000

DL = 0.05945


BEC = 0.2334

Weight: <None>

Min Conc: 0



90 Zr [No Gas] ISTD : 89 Y [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS         | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|-------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 1166.72     | 0.0000 | P   | 8.4 |
| 2 | <input type="checkbox"/> | 1.000    | 0.942      | 42780.94    | 0.0017 | P   | 0.9 |
| 3 | <input type="checkbox"/> | 50.000   | 51.173     | 2109578.61  | 0.0893 | A   | 1.1 |
| 4 | <input type="checkbox"/> | 125.000  | 121.948    | 5084548.26  | 0.2127 | A   | 1.4 |
| 5 | <input type="checkbox"/> | 250.000  | 245.321    | 9709331.94  | 0.4278 | A   | 0.3 |
| 6 | <input type="checkbox"/> | 500.000  | 500.906    | 19796246.79 | 0.8735 | A   | 0.7 |
| 7 | <input type="checkbox"/> | 1000.000 | 1001.040   | 40358029.68 | 1.7456 | A   | 0.7 |
| 8 | <input type="checkbox"/> |          |            | 23357.55    | 0.0010 | P   | 2.0 |

$$y = 0.0017 * x + 4.5550E-005$$

$$R = 1.0000$$


$$DL = 0.00658$$

$$BEC = 0.02612$$

Weight: <None>

Min Conc: 0

91 Zr [No Gas] ISTD : 89 Y [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS        | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 225.56     | 0.0000 | P   | 7.9 |
| 2 | <input type="checkbox"/> | 1.000    | 0.948      | 9517.61    | 0.0004 | P   | 2.2 |
| 3 | <input type="checkbox"/> | 50.000   | 50.879     | 465524.07  | 0.0197 | P   | 0.4 |
| 4 | <input type="checkbox"/> | 125.000  | 122.969    | 1137971.89 | 0.0476 | P   | 0.8 |
| 5 | <input type="checkbox"/> | 250.000  | 245.722    | 2158559.29 | 0.0951 | A   | 0.3 |
| 6 | <input type="checkbox"/> | 500.000  | 501.033    | 4394963.10 | 0.1939 | A   | 0.8 |
| 7 | <input type="checkbox"/> | 1000.000 | 1000.763   | 8955195.07 | 0.3873 | A   | 0.7 |
| 8 | <input type="checkbox"/> |          |            | 5297.68    | 0.0002 | P   | 6.5 |

$$y = 3.8703E-004 * x + 8.8037E-006$$

$$R = 1.0000$$

$$DL = 0.005383$$


$$BEC = 0.02275$$

Weight: <None>

Min Conc: 0

Calibration for 006CALB.d

94 Mo [No Gas] ISTD:89 Y [No Gas]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS         | Ratio  | Det | RSD |
|---|--------------------------|-----------|------------|-------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 516.68      | 0.0000 | P   | 4.9 |
| 2 | <input type="checkbox"/> | 5.000     | 5.584      | 51065.35    | 0.0020 | P   | 1.3 |
| 3 | <input type="checkbox"/> | 500.000   | 509.326    | 4301014.79  | 0.1820 | A   | 0.9 |
| 4 | <input type="checkbox"/> | 1250.000  | 1228.923   | 10498464.91 | 0.4392 | A   | 0.5 |
| 5 | <input type="checkbox"/> | 2500.000  | 2454.098   | 19902008.31 | 0.8769 | A   | 0.2 |
| 6 | <input type="checkbox"/> | 5000.000  | 5037.571   | 40796598.56 | 1.8001 | A   | 0.3 |
| 7 | <input type="checkbox"/> | 10000.000 | 9994.858   | 82573163.21 | 3.5715 | A   | 0.6 |
| 8 | <input type="checkbox"/> |           |            | 23136.13    | 0.0010 | P   | 2.0 |

$$y = 3.5733E-004 * x + 2.0167E-005$$

$$R = 1.0000$$


$$DL = 0.008329$$

$$BEC = 0.05644$$

Weight: <None>

Min Conc: 0

95 Mo [No Gas] ISTD:89 Y [No Gas]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS          | Ratio  | Det | RSD |
|---|--------------------------|-----------|------------|--------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 275.56       | 0.0000 | P   | 7.7 |
| 2 | <input type="checkbox"/> | 5.000     | 4.744      | 62788.28     | 0.0025 | P   | 1.4 |
| 3 | <input type="checkbox"/> | 500.000   | 509.542    | 6263859.07   | 0.2651 | A   | 1.3 |
| 4 | <input type="checkbox"/> | 1250.000  | 1222.352   | 15201752.27  | 0.6359 | A   | 0.9 |
| 5 | <input type="checkbox"/> | 2500.000  | 2456.622   | 29003229.84  | 1.2780 | A   | 0.3 |
| 6 | <input type="checkbox"/> | 5000.000  | 5029.587   | 59297276.34  | 2.6165 | A   | 0.8 |
| 7 | <input type="checkbox"/> | 10000.000 | 9999.030   | 120262463.76 | 5.2016 | A   | 0.5 |
| 8 | <input type="checkbox"/> |           |            | 23906.30     | 0.0011 | P   | 1.8 |

$$y = 5.2021E-004 * x + 1.0757E-005$$

$$R = 1.0000$$


$$DL = 0.004779$$

$$BEC = 0.02068$$

Weight: <None>

Min Conc: 0

96 Mo [No Gas] ISTD:89 Y [No Gas]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS          | Ratio  | Det | RSD |
|---|--------------------------|-----------|------------|--------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 466.68       | 0.0000 | P   | 9.3 |
| 2 | <input type="checkbox"/> | 5.000     | 4.809      | 69459.33     | 0.0027 | P   | 1.6 |
| 3 | <input type="checkbox"/> | 500.000   | 508.967    | 6812992.95   | 0.2883 | A   | 1.1 |
| 4 | <input type="checkbox"/> | 1250.000  | 1226.196   | 16605048.64  | 0.6946 | A   | 1.2 |
| 5 | <input type="checkbox"/> | 2500.000  | 2452.128   | 31524076.47  | 1.3890 | A   | 0.4 |
| 6 | <input type="checkbox"/> | 5000.000  | 5005.701   | 64260324.60  | 2.8355 | A   | 1.2 |
| 7 | <input type="checkbox"/> | 10000.000 | 10011.645  | 131116253.60 | 5.6711 | A   | 0.6 |
| 8 | <input type="checkbox"/> |           |            | 42182.92     | 0.0019 | P   | 4.5 |

$$y = 5.6645E-004 * x + 1.8217E-005$$

R = 1.0000


DL = 0.008975

BEC = 0.03216

Weight: <None>

Min Conc: 0

97 Mo [No Gas] ISTD:89 Y [No Gas]



|   | Rj<br>ct                 | Conc.     | Calc Conc. | CPS         | Ratio  | Det | RSD |
|---|--------------------------|-----------|------------|-------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 196.67      | 0.0000 | P   | 4.9 |
| 2 | <input type="checkbox"/> | 5.000     | 4.683      | 38736.76    | 0.0015 | P   | 1.7 |
| 3 | <input type="checkbox"/> | 500.000   | 507.150    | 3893632.03  | 0.1648 | A   | 0.7 |
| 4 | <input type="checkbox"/> | 1250.000  | 1221.042   | 9484204.65  | 0.3967 | A   | 0.4 |
| 5 | <input type="checkbox"/> | 2500.000  | 2447.481   | 18046590.98 | 0.7952 | A   | 0.3 |
| 6 | <input type="checkbox"/> | 5000.000  | 4997.133   | 36795372.78 | 1.6236 | A   | 0.7 |
| 7 | <input type="checkbox"/> | 10000.000 | 10017.826  | 75247229.43 | 3.2548 | A   | 1.4 |
| 8 | <input type="checkbox"/> |           |            | 14983.32    | 0.0007 | P   | 1.6 |

$$y = 3.2490E-004 * x + 7.6782E-006$$

R = 1.0000


DL = 0.003482

BEC = 0.02363

Weight: <None>

Min Conc: 0

98 Mo [No Gas] ISTD:89 Y [No Gas]



|   | R <sub>j</sub><br>ct     | Conc.     | Calc Conc. | CPS          | Ratio  | Det | RSD |
|---|--------------------------|-----------|------------|--------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000     | 0.000      | 456.68       | 0.0000 | P   | 7.7 |
| 2 | <input type="checkbox"/> | 5.000     | 4.699      | 100886.27    | 0.0040 | P   | 1.6 |
| 3 | <input type="checkbox"/> | 500.000   | 508.864    | 10146921.10  | 0.4294 | A   | 0.1 |
| 4 | <input type="checkbox"/> | 1250.000  | 1221.461   | 24640399.35  | 1.0307 | A   | 0.9 |
| 5 | <input type="checkbox"/> | 2500.000  | 2452.929   | 46974718.19  | 2.0699 | A   | 0.7 |
| 6 | <input type="checkbox"/> | 5000.000  | 5016.496   | 95934204.13  | 4.2331 | A   | 0.9 |
| 7 | <input type="checkbox"/> | 10000.000 | 10006.644  | 195223314.87 | 8.4439 | A   | 0.6 |
| 8 | <input type="checkbox"/> |           |            | 37402.32     | 0.0016 | P   | 3.5 |

$$y = 8.4383E-004 * x + 1.7830E-005$$

$$R = 1.0000$$


$$DL = 0.004906$$

$$BEC = 0.02113$$

Weight: <None>

Min Conc: 0

106 Cd [No Gas] ISTD:159 Tb [No Gas]



|   | R <sub>j</sub><br>ct     | Conc.    | Calc Conc. | CPS       | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|-----------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 6999.52   | 0.0003 | P   | 0.4 |
| 2 | <input type="checkbox"/> | 1.000    | 1.393      | 7823.27   | 0.0003 | P   | 3.4 |
| 3 | <input type="checkbox"/> | 50.000   | 54.783     | 40767.09  | 0.0016 | P   | 0.8 |
| 4 | <input type="checkbox"/> | 125.000  | 128.814    | 89347.82  | 0.0034 | P   | 2.5 |
| 5 | <input type="checkbox"/> | 250.000  | 254.647    | 165008.35 | 0.0064 | P   | 1.3 |
| 6 | <input type="checkbox"/> | 500.000  | 501.491    | 325571.23 | 0.0123 | P   | 0.8 |
| 7 | <input type="checkbox"/> | 1000.000 | 997.376    | 648740.17 | 0.0242 | P   | 1.5 |
| 8 | <input type="checkbox"/> |          |            | 6756.08   | 0.0003 | P   | 2.2 |

$$y = 2.4049E-005 * x + 2.5556E-004$$

$$R = 1.0000$$


$$DL = 0.1393$$

$$BEC = 10.63$$

Weight: <None>

Min Conc: 0

107 Ag [No Gas] ISTD :159 Tb [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS         | Ratio  | Det | RSD  |
|---|--------------------------|----------|------------|-------------|--------|-----|------|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 134.45      | 0.0000 | P   | 10.6 |
| 2 | <input type="checkbox"/> | 1.000    | 1.051      | 33036.49    | 0.0012 | P   | 1.3  |
| 3 | <input type="checkbox"/> | 50.000   | 54.812     | 1643476.64  | 0.0634 | A   | 0.4  |
| 4 | <input type="checkbox"/> | 125.000  | 128.939    | 3975089.28  | 0.1492 | A   | 1.1  |
| 5 | <input type="checkbox"/> | 250.000  | 252.500    | 7555686.97  | 0.2921 | A   | 0.2  |
| 6 | <input type="checkbox"/> | 500.000  | 496.633    | 15188230.75 | 0.5745 | A   | 0.5  |
| 7 | <input type="checkbox"/> | 1000.000 | 1000.326   | 30970102.59 | 1.1572 | A   | 1.3  |
| 8 | <input type="checkbox"/> |          |            | 5767.88     | 0.0002 | P   | 12.9 |

$$y = 0.0012 * x + 4.9097E-006$$

$$R = 1.0000$$


$$DL = 0.001348$$

$$BEC = 0.004244$$

Weight: <None>

Min Conc: 0

108 Cd [No Gas] ISTD :159 Tb [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS       | Ratio  | Det | RSD  |
|---|--------------------------|----------|------------|-----------|--------|-----|------|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 16.67     | 0.0000 | P   | 34.8 |
| 2 | <input type="checkbox"/> | 1.000    | 1.050      | 505.57    | 0.0000 | P   | 10.4 |
| 3 | <input type="checkbox"/> | 50.000   | 54.872     | 24484.02  | 0.0009 | P   | 0.3  |
| 4 | <input type="checkbox"/> | 125.000  | 130.811    | 59992.18  | 0.0023 | P   | 1.3  |
| 5 | <input type="checkbox"/> | 250.000  | 255.572    | 113758.23 | 0.0044 | P   | 0.1  |
| 6 | <input type="checkbox"/> | 500.000  | 502.053    | 228370.39 | 0.0086 | P   | 0.8  |
| 7 | <input type="checkbox"/> | 1000.000 | 996.610    | 458940.44 | 0.0171 | P   | 0.8  |
| 8 | <input type="checkbox"/> |          |            | 225.56    | 0.0000 | P   | 12.0 |

$$y = 1.7206E-005 * x + 6.0883E-007$$

$$R = 1.0000$$


$$DL = 0.03694$$

$$BEC = 0.03538$$

Weight: <None>

Min Conc: 0

109 Ag [No Gas] ISTD : 159 Tb [No Gas]



|   | R <sub>j</sub><br>ct     | Conc.    | Calc Conc. | CPS         | Ratio  | Det | RSD  |
|---|--------------------------|----------|------------|-------------|--------|-----|------|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 52.22       | 0.0000 | P   | 20.5 |
| 2 | <input type="checkbox"/> | 1.000    | 1.035      | 31271.49    | 0.0012 | P   | 1.8  |
| 3 | <input type="checkbox"/> | 50.000   | 54.857     | 1584287.86  | 0.0611 | P   | 0.3  |
| 4 | <input type="checkbox"/> | 125.000  | 129.265    | 3838203.59  | 0.1440 | A   | 1.7  |
| 5 | <input type="checkbox"/> | 250.000  | 252.651    | 7282185.45  | 0.2815 | A   | 0.6  |
| 6 | <input type="checkbox"/> | 500.000  | 497.606    | 14658428.12 | 0.5545 | A   | 0.7  |
| 7 | <input type="checkbox"/> | 1000.000 | 999.758    | 29816130.95 | 1.1141 | A   | 0.7  |
| 8 | <input type="checkbox"/> |          |            | 5544.45     | 0.0002 | P   | 10.7 |

$$y = 0.0011 * x + 1.9067E-006$$

$$R = 1.0000$$


$$DL = 0.001052$$

$$BEC = 0.001711$$

Weight: <None>

Min Conc: 0

111 Cd [No Gas] ISTD : 159 Tb [No Gas]



|   | R <sub>j</sub><br>ct     | Conc.    | Calc Conc. | CPS        | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 4936.89    | 0.0002 | P   | 0.6 |
| 2 | <input type="checkbox"/> | 1.000    | 1.133      | 11914.04   | 0.0004 | P   | 1.7 |
| 3 | <input type="checkbox"/> | 50.000   | 54.670     | 329824.71  | 0.0127 | P   | 0.3 |
| 4 | <input type="checkbox"/> | 125.000  | 130.210    | 800992.23  | 0.0301 | P   | 2.3 |
| 5 | <input type="checkbox"/> | 250.000  | 255.026    | 1518483.97 | 0.0587 | P   | 0.6 |
| 6 | <input type="checkbox"/> | 500.000  | 508.861    | 3091859.26 | 0.1170 | A   | 0.6 |
| 7 | <input type="checkbox"/> | 1000.000 | 993.428    | 6106321.39 | 0.2282 | A   | 0.8 |
| 8 | <input type="checkbox"/> |          |            | 6047.01    | 0.0002 | P   | 0.5 |

$$y = 2.2949E-004 * x + 1.8025E-004$$

$$R = 0.9999$$


$$DL = 0.0135$$

$$BEC = 0.7854$$

Weight: <None>

Min Conc: 0

118 Sn [No Gas] ISTD : 159 Tb [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS         | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|-------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 5241.03     | 0.0002 | P   | 0.6 |
| 2 | <input type="checkbox"/> | 5.000    | 5.153      | 109514.32   | 0.0040 | P   | 0.2 |
| 3 | <input type="checkbox"/> | 50.000   | 53.300     | 1038407.67  | 0.0401 | P   | 1.0 |
| 4 | <input type="checkbox"/> | 125.000  | 127.781    | 2552383.69  | 0.0958 | A   | 2.0 |
| 5 | <input type="checkbox"/> | 250.000  | 251.567    | 4873180.03  | 0.1884 | A   | 1.0 |
| 6 | <input type="checkbox"/> | 500.000  | 504.269    | 9978231.66  | 0.3775 | A   | 1.1 |
| 7 | <input type="checkbox"/> | 1000.000 | 996.960    | 19967388.87 | 0.7461 | A   | 0.9 |
| 8 | <input type="checkbox"/> |          |            | 8923.96     | 0.0003 | P   | 3.8 |

$$y = 7.4817E-004 * x + 1.9136E-004$$

$$R = 1.0000$$


$$DL = 0.004723$$

$$BEC = 0.2558$$

Weight: <None>

Min Conc: 0

121 Sb [No Gas] ISTD : 159 Tb [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS         | Ratio  | Det | RSD  |
|---|--------------------------|----------|------------|-------------|--------|-----|------|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 53.33       | 0.0000 | P   | 10.6 |
| 2 | <input type="checkbox"/> | 2.000    | 2.057      | 49414.45    | 0.0018 | P   | 0.2  |
| 3 | <input type="checkbox"/> | 50.000   | 52.075     | 1196582.01  | 0.0462 | P   | 0.8  |
| 4 | <input type="checkbox"/> | 125.000  | 126.812    | 2995639.33  | 0.1124 | A   | 2.8  |
| 5 | <input type="checkbox"/> | 250.000  | 248.541    | 5699737.62  | 0.2204 | A   | 1.2  |
| 6 | <input type="checkbox"/> | 500.000  | 502.484    | 11776741.21 | 0.4455 | A   | 1.5  |
| 7 | <input type="checkbox"/> | 1000.000 | 998.792    | 23699664.93 | 0.8855 | A   | 0.9  |
| 8 | <input type="checkbox"/> |          |            | 12156.41    | 0.0005 | P   | 14.7 |

$$y = 8.8662E-004 * x + 1.9470E-006$$

$$R = 1.0000$$


$$DL = 0.0006983$$

$$BEC = 0.002196$$

Weight: <None>

Min Conc: 0

135 Ba [No Gas] ISTD : 159 Tb [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS         | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|-------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 120.01      | 0.0000 | P   | 9.4 |
| 2 | <input type="checkbox"/> | 10.000   | 10.012     | 61258.71    | 0.0023 | P   | 1.4 |
| 3 | <input type="checkbox"/> | 250.000  | 258.915    | 1514428.05  | 0.0584 | P   | 0.9 |
| 4 | <input type="checkbox"/> | 625.000  | 623.241    | 3748203.83  | 0.1407 | A   | 1.1 |
| 5 | <input type="checkbox"/> | 1250.000 | 1243.823   | 7260776.49  | 0.2807 | A   | 1.3 |
| 6 | <input type="checkbox"/> | 2500.000 | 2508.859   | 14968094.92 | 0.5662 | A   | 0.6 |
| 7 | <input type="checkbox"/> | 5000.000 | 4996.889   | 30180965.66 | 1.1277 | A   | 0.9 |
| 8 | <input type="checkbox"/> |          |            | 13009.36    | 0.0005 | P   | 3.9 |

$$y = 2.2569E-004 * x + 4.3810E-006$$

$$R = 1.0000$$


$$DL = 0.005472$$

$$BEC = 0.01941$$

Weight: <None>

Min Conc: 0

137 Ba [No Gas] ISTD : 159 Tb [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS         | Ratio  | Det | RSD  |
|---|--------------------------|----------|------------|-------------|--------|-----|------|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 180.00      | 0.0000 | P   | 14.9 |
| 2 | <input type="checkbox"/> | 10.000   | 9.925      | 105176.38   | 0.0039 | P   | 1.2  |
| 3 | <input type="checkbox"/> | 250.000  | 258.815    | 2622479.37  | 0.1012 | A   | 1.2  |
| 4 | <input type="checkbox"/> | 625.000  | 626.214    | 6523678.17  | 0.2448 | A   | 2.2  |
| 5 | <input type="checkbox"/> | 1250.000 | 1244.663   | 12587370.09 | 0.4866 | A   | 0.8  |
| 6 | <input type="checkbox"/> | 2500.000 | 2506.499   | 25906814.89 | 0.9800 | A   | 0.1  |
| 7 | <input type="checkbox"/> | 5000.000 | 4997.493   | 52289802.00 | 1.9539 | A   | 1.4  |
| 8 | <input type="checkbox"/> |          |            | 22529.01    | 0.0009 | P   | 0.6  |

$$y = 3.9097E-004 * x + 6.5737E-006$$

$$R = 1.0000$$

$$DL = 0.007527$$


$$BEC = 0.01681$$

Weight: <None>

Min Conc: 0




150 Nd [ No Gas ] No available calibration points




|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS     | Ratio | Det<br>. | RSD  |
|---|--------------------------|-------|------------|---------|-------|----------|------|
| 1 | <input type="checkbox"/> |       |            | 15.56   |       | P        | 61.9 |
| 2 | <input type="checkbox"/> |       |            | 20.00   |       | P        | 28.9 |
| 3 | <input type="checkbox"/> |       |            | 92.22   |       | P        | 12.7 |
| 4 | <input type="checkbox"/> |       |            | 225.56  |       | P        | 6.0  |
| 5 | <input type="checkbox"/> |       |            | 392.23  |       | P        | 5.2  |
| 6 | <input type="checkbox"/> |       |            | 784.47  |       | P        | 9.1  |
| 7 | <input type="checkbox"/> |       |            | 1552.32 |       | P        | 3.7  |
| 8 | <input type="checkbox"/> |       |            | 487.79  |       | P        | 5.5  |

150 Nd [ He ] No available calibration points




|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS    | Ratio | Det<br>. | RSD  |
|---|--------------------------|-------|------------|--------|-------|----------|------|
| 1 | <input type="checkbox"/> |       |            | 3.33   |       | P        | 0.0  |
| 2 | <input type="checkbox"/> |       |            | 6.67   |       | P        | 50.0 |
| 3 | <input type="checkbox"/> |       |            | 32.22  |       | P        | 36.3 |
| 4 | <input type="checkbox"/> |       |            | 41.11  |       | P        | 47.5 |
| 5 | <input type="checkbox"/> |       |            | 65.56  |       | P        | 7.8  |
| 6 | <input type="checkbox"/> |       |            | 153.34 |       | P        | 12.1 |
| 7 | <input type="checkbox"/> |       |            | 376.68 |       | P        | 6.1  |
| 8 | <input type="checkbox"/> |       |            | 287.78 |       | P        | 9.9  |

156 Dy [ No Gas ] No available calibration points




|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS    | Ratio | Det. | RSD  |
|---|--------------------------|-------|------------|--------|-------|------|------|
| 1 | <input type="checkbox"/> |       |            | 27.78  |       | P    | 34.6 |
| 2 | <input type="checkbox"/> |       |            | 33.33  |       | P    | 10.0 |
| 3 | <input type="checkbox"/> |       |            | 62.22  |       | P    | 21.7 |
| 4 | <input type="checkbox"/> |       |            | 116.67 |       | P    | 27.6 |
| 5 | <input type="checkbox"/> |       |            | 141.11 |       | P    | 17.9 |
| 6 | <input type="checkbox"/> |       |            | 295.56 |       | P    | 19.7 |
| 7 | <input type="checkbox"/> |       |            | 583.35 |       | P    | 11.5 |
| 8 | <input type="checkbox"/> |       |            | 945.60 |       | P    | 5.8  |

156 Dy [ He ] No available calibration points




|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS     | Ratio | Det. | RSD  |
|---|--------------------------|-------|------------|---------|-------|------|------|
| 1 | <input type="checkbox"/> |       |            | 4.44    |       | P    | 114. |
| 2 | <input type="checkbox"/> |       |            | 21.11   |       | P    | 81.0 |
| 3 | <input type="checkbox"/> |       |            | 104.45  |       | P    | 15.7 |
| 4 | <input type="checkbox"/> |       |            | 221.12  |       | P    | 19.7 |
| 5 | <input type="checkbox"/> |       |            | 362.23  |       | P    | 2.7  |
| 6 | <input type="checkbox"/> |       |            | 623.36  |       | P    | 12.5 |
| 7 | <input type="checkbox"/> |       |            | 1342.30 |       | P    | 4.3  |
| 8 | <input type="checkbox"/> |       |            | 746.70  |       | P    | 5.3  |

160 Gd [ No Gas ] Noavailable calibration poin...




|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS    | Ratio | Det<br>. | RSD  |
|---|--------------------------|-------|------------|--------|-------|----------|------|
| 1 | <input type="checkbox"/> |       |            | 122.22 |       | P        | 5.7  |
| 2 | <input type="checkbox"/> |       |            | 135.56 |       | P        | 5.1  |
| 3 | <input type="checkbox"/> |       |            | 142.23 |       | P        | 3.6  |
| 4 | <input type="checkbox"/> |       |            | 181.11 |       | P        | 6.5  |
| 5 | <input type="checkbox"/> |       |            | 176.67 |       | P        | 11.3 |
| 6 | <input type="checkbox"/> |       |            | 282.23 |       | P        | 10.7 |
| 7 | <input type="checkbox"/> |       |            | 411.12 |       | P        | 10.3 |
| 8 | <input type="checkbox"/> |       |            | 940.04 |       | P        | 5.8  |

160 Gd [ He ] No available calibration points




|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS     | Ratio | Det<br>. | RSD  |
|---|--------------------------|-------|------------|---------|-------|----------|------|
| 1 | <input type="checkbox"/> |       |            | 1086.72 |       | P        | 4.4  |
| 2 | <input type="checkbox"/> |       |            | 1045.61 |       | P        | 3.7  |
| 3 | <input type="checkbox"/> |       |            | 1013.38 |       | P        | 13.3 |
| 4 | <input type="checkbox"/> |       |            | 1086.72 |       | P        | 6.3  |
| 5 | <input type="checkbox"/> |       |            | 987.82  |       | P        | 4.1  |
| 6 | <input type="checkbox"/> |       |            | 1063.38 |       | P        | 4.6  |
| 7 | <input type="checkbox"/> |       |            | 1076.72 |       | P        | 4.6  |
| 8 | <input type="checkbox"/> |       |            | 1490.10 |       | P        | 4.3  |

164 Er [ No Gas ] No available calibration points




|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS     | Ratio | Det<br>. | RSD  |
|---|--------------------------|-------|------------|---------|-------|----------|------|
| 1 | <input type="checkbox"/> |       |            | 91.11   |       | P        | 18.8 |
| 2 | <input type="checkbox"/> |       |            | 101.11  |       | P        | 5.0  |
| 3 | <input type="checkbox"/> |       |            | 115.56  |       | P        | 15.9 |
| 4 | <input type="checkbox"/> |       |            | 134.45  |       | P        | 8.0  |
| 5 | <input type="checkbox"/> |       |            | 187.78  |       | P        | 17.8 |
| 6 | <input type="checkbox"/> |       |            | 313.34  |       | P        | 13.8 |
| 7 | <input type="checkbox"/> |       |            | 473.34  |       | P        | 4.9  |
| 8 | <input type="checkbox"/> |       |            | 1110.06 |       | P        | 2.6  |

164 Er [ He ] No available calibration points



|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS    | Ratio | Det<br>. | RSD  |
|---|--------------------------|-------|------------|--------|-------|----------|------|
| 1 | <input type="checkbox"/> |       |            | 75.56  |       | P        | 11.1 |
| 2 | <input type="checkbox"/> |       |            | 60.00  |       | P        | 44.5 |
| 3 | <input type="checkbox"/> |       |            | 80.00  |       | P        | 23.2 |
| 4 | <input type="checkbox"/> |       |            | 104.45 |       | P        | 10.3 |
| 5 | <input type="checkbox"/> |       |            | 125.56 |       | P        | 17.3 |
| 6 | <input type="checkbox"/> |       |            | 196.67 |       | P        | 10.2 |
| 7 | <input type="checkbox"/> |       |            | 325.56 |       | P        | 8.3  |
| 8 | <input type="checkbox"/> |       |            | 710.02 |       | P        | 4.5  |

203 TI [No Gas] ISTD :209 Bi [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS         | Ratio  | Det | RSD  |
|---|--------------------------|----------|------------|-------------|--------|-----|------|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 401.12      | 0.0000 | P   | 3.0  |
| 2 | <input type="checkbox"/> | 1.000    | 0.931      | 23202.02    | 0.0014 | P   | 1.9  |
| 3 | <input type="checkbox"/> | 50.000   | 50.005     | 1164955.78  | 0.0750 | P   | 0.6  |
| 4 | <input type="checkbox"/> | 125.000  | 122.058    | 2966687.49  | 0.1830 | A   | 0.8  |
| 5 | <input type="checkbox"/> | 250.000  | 244.778    | 5799753.80  | 0.3670 | A   | 0.4  |
| 6 | <input type="checkbox"/> | 500.000  | 501.120    | 12073626.07 | 0.7512 | A   | 1.7  |
| 7 | <input type="checkbox"/> | 1000.000 | 1001.113   | 24317744.64 | 1.5008 | A   | 0.1  |
| 8 | <input type="checkbox"/> |          |            | 3278.22     | 0.0002 | P   | 16.8 |

$$y = 0.0015 * x + 2.4273E-005$$

R = 1.0000


DL = 0.001438

BEC = 0.01619

Weight: <None>

Min Conc: 0

205 TI [No Gas] ISTD :209 Bi [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS         | Ratio  | Det | RSD  |
|---|--------------------------|----------|------------|-------------|--------|-----|------|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 912.26      | 0.0001 | P   | 3.1  |
| 2 | <input type="checkbox"/> | 1.000    | 0.940      | 55744.65    | 0.0034 | P   | 2.3  |
| 3 | <input type="checkbox"/> | 50.000   | 49.754     | 2760280.17  | 0.1777 | A   | 0.3  |
| 4 | <input type="checkbox"/> | 125.000  | 121.409    | 7027308.02  | 0.4335 | A   | 1.8  |
| 5 | <input type="checkbox"/> | 250.000  | 245.948    | 13877678.82 | 0.8781 | A   | 0.3  |
| 6 | <input type="checkbox"/> | 500.000  | 506.892    | 29083576.79 | 1.8096 | A   | 1.8  |
| 7 | <input type="checkbox"/> | 1000.000 | 998.028    | 57732582.47 | 3.5630 | A   | 0.4  |
| 8 | <input type="checkbox"/> |          |            | 8068.06     | 0.0006 | P   | 13.1 |

$$y = 0.0036 * x + 5.5226E-005$$

R = 1.0000


DL = 0.001453

BEC = 0.01547

Weight: <None>

Min Conc: 0

206 [Pb] [No Gas] ISTD :209 Bi [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS         | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|-------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 927.82      | 0.0001 | P   | 5.2 |
| 2 | <input type="checkbox"/> | 1.000    | 0.944      | 19219.23    | 0.0012 | P   | 0.8 |
| 3 | <input type="checkbox"/> | 250.000  | 251.108    | 4630088.61  | 0.2980 | A   | 0.8 |
| 4 | <input type="checkbox"/> | 625.000  | 609.315    | 11722572.46 | 0.7231 | A   | 1.3 |
| 5 | <input type="checkbox"/> | 1250.000 | 1234.523   | 23154620.49 | 1.4650 | A   | 0.1 |
| 6 | <input type="checkbox"/> | 2500.000 | 2523.716   | 48134263.17 | 2.9949 | A   | 1.5 |
| 7 | <input type="checkbox"/> | 5000.000 | 4993.917   | 96024246.35 | 5.9263 | A   | 1.0 |
| 8 | <input type="checkbox"/> |          |            | 16898.39    | 0.0012 | P   | 5.6 |

$$y = 0.0012 * x + 5.6151E-005$$

$$R = 1.0000$$


$$DL = 0.007332$$

$$BEC = 0.04732$$

Weight: <None>

Min Conc: 0

207 [Pb] [No Gas] ISTD :209 Bi [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS         | Ratio  | Det | RSD |
|---|--------------------------|----------|------------|-------------|--------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 831.15      | 0.0001 | P   | 7.2 |
| 2 | <input type="checkbox"/> | 1.000    | 0.941      | 16911.73    | 0.0010 | P   | 1.8 |
| 3 | <input type="checkbox"/> | 250.000  | 252.261    | 4101817.65  | 0.2640 | A   | 0.6 |
| 4 | <input type="checkbox"/> | 625.000  | 613.081    | 10400652.14 | 0.6416 | A   | 0.8 |
| 5 | <input type="checkbox"/> | 1250.000 | 1232.904   | 20390303.45 | 1.2901 | A   | 0.8 |
| 6 | <input type="checkbox"/> | 2500.000 | 2528.972   | 42532187.14 | 2.6463 | A   | 1.5 |
| 7 | <input type="checkbox"/> | 5000.000 | 4991.165   | 84625385.40 | 5.2227 | A   | 0.1 |
| 8 | <input type="checkbox"/> |          |            | 14945.00    | 0.0011 | P   | 5.0 |

$$y = 0.0010 * x + 5.0329E-005$$

$$R = 1.0000$$

$$DL = 0.01046$$


$$BEC = 0.0481$$

Weight: <None>

Min Conc: 0

Calibration for 006CALB.d

208 Pb [No Gas] ISTD :209 Bi [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS          | Ratio   | Det | RSD |
|---|--------------------------|----------|------------|--------------|---------|-----|-----|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 3742.47      | 0.0002  | P   | 1.9 |
| 2 | <input type="checkbox"/> | 1.000    | 0.945      | 77331.10     | 0.0047  | P   | 0.7 |
| 3 | <input type="checkbox"/> | 250.000  | 251.203    | 18605843.89  | 1.1976  | A   | 0.4 |
| 4 | <input type="checkbox"/> | 625.000  | 609.507    | 47102360.06  | 2.9055  | A   | 1.2 |
| 5 | <input type="checkbox"/> | 1250.000 | 1231.543   | 92782865.98  | 5.8706  | A   | 0.1 |
| 6 | <input type="checkbox"/> | 2500.000 | 2521.189   | 193154613.23 | 12.0179 | A   | 1.3 |
| 7 | <input type="checkbox"/> | 5000.000 | 4995.896   | 385866470.91 | 23.8140 | A   | 0.2 |
| 8 | <input type="checkbox"/> |          |            | 67652.79     | 0.0048  | P   | 4.5 |

$$y = 0.0048 * x + 2.2656E-004$$

$$R = 1.0000$$


$$DL = 0.00272$$

$$BEC = 0.04753$$

Weight: <None>

Min Conc: 0

238 U [No Gas] ISTD :209 Bi [No Gas]



|   | Rj<br>ct                 | Conc.    | Calc Conc. | CPS         | Ratio  | Det | RSD  |
|---|--------------------------|----------|------------|-------------|--------|-----|------|
| 1 | <input type="checkbox"/> | 0.000    | 0.000      | 42.22       | 0.0000 | P   | 26.9 |
| 2 | <input type="checkbox"/> | 1.000    | 0.853      | 67610.33    | 0.0041 | P   | 0.9  |
| 3 | <input type="checkbox"/> | 50.000   | 47.505     | 3577526.37  | 0.2303 | A   | 1.1  |
| 4 | <input type="checkbox"/> | 125.000  | 116.386    | 9146493.41  | 0.5642 | A   | 2.2  |
| 5 | <input type="checkbox"/> | 250.000  | 238.335    | 18261168.34 | 1.1554 | A   | 0.7  |
| 6 | <input type="checkbox"/> | 500.000  | 501.398    | 39066186.64 | 2.4307 | A   | 1.3  |
| 7 | <input type="checkbox"/> | 1000.000 | 1003.419   | 78819154.94 | 4.8644 | A   | 0.4  |
| 8 | <input type="checkbox"/> |          |            | 8298.23     | 0.0006 | P   | 11.1 |

$$y = 0.0048 * x + 2.5522E-006$$


$$R = 0.9999$$

$$DL = 0.0004248$$


$$BEC = 0.0005265$$

Weight: <None>

Min Conc: 0


**6 Li (ISTD) [No Gas]**

|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS        | Ratio | Det. | RSD |
|---|--------------------------|-------|------------|------------|-------|------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 2361268.25 |       | A    | 2.8 |
| 2 | <input type="checkbox"/> | 1.000 |            | 2406162.44 |       | A    | 1.7 |
| 3 | <input type="checkbox"/> | 1.000 |            | 2322968.43 |       | A    | 0.7 |
| 4 | <input type="checkbox"/> | 1.000 |            | 2454324.97 |       | A    | 1.1 |
| 5 | <input type="checkbox"/> | 1.000 |            | 2395311.37 |       | A    | 1.7 |
| 6 | <input type="checkbox"/> | 1.000 |            | 2392558.91 |       | A    | 0.8 |
| 7 | <input type="checkbox"/> | 1.000 |            | 2398799.76 |       | A    | 0.7 |
| 8 | <input type="checkbox"/> | 1.000 |            | 2264798.95 |       | A    | 0.7 |


**45 Sc (ISTD) [No Gas]**

|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS         | Ratio | Det. | RSD |
|---|--------------------------|-------|------------|-------------|-------|------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 11826825.38 |       | A    | 1.0 |
| 2 | <input type="checkbox"/> | 1.000 |            | 11762982.46 |       | A    | 1.6 |
| 3 | <input type="checkbox"/> | 1.000 |            | 10921035.25 |       | A    | 0.7 |
| 4 | <input type="checkbox"/> | 1.000 |            | 10841870.26 |       | A    | 1.5 |
| 5 | <input type="checkbox"/> | 1.000 |            | 10016651.24 |       | A    | 1.1 |
| 6 | <input type="checkbox"/> | 1.000 |            | 9967901.17  |       | A    | 0.6 |
| 7 | <input type="checkbox"/> | 1.000 |            | 10211244.78 |       | A    | 0.4 |
| 8 | <input type="checkbox"/> | 1.000 |            | 10366253.80 |       | A    | 0.1 |




**45 Sc (ISTD) [He]**


|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS        | Ratio | Det. | RSD |
|---|--------------------------|-------|------------|------------|-------|------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 1021417.29 |       | P    | 0.6 |
| 2 | <input type="checkbox"/> | 1.000 |            | 1008241.81 |       | P    | 0.5 |
| 3 | <input type="checkbox"/> | 1.000 |            | 936499.18  |       | P    | 1.3 |
| 4 | <input type="checkbox"/> | 1.000 |            | 915763.98  |       | P    | 0.1 |
| 5 | <input type="checkbox"/> | 1.000 |            | 859737.12  |       | P    | 0.6 |
| 6 | <input type="checkbox"/> | 1.000 |            | 864637.73  |       | P    | 0.5 |
| 7 | <input type="checkbox"/> | 1.000 |            | 888160.18  |       | P    | 0.5 |
| 8 | <input type="checkbox"/> | 1.000 |            | 930475.75  |       | P    | 0.0 |

**89 Y (ISTD) [No Gas]**


|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS         | Ratio | Det. | RSD |
|---|--------------------------|-------|------------|-------------|-------|------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 25617631.01 |       | A    | 0.5 |
| 2 | <input type="checkbox"/> | 1.000 |            | 25335084.62 |       | A    | 1.5 |
| 3 | <input type="checkbox"/> | 1.000 |            | 23629971.59 |       | A    | 0.7 |
| 4 | <input type="checkbox"/> | 1.000 |            | 23906388.26 |       | A    | 0.3 |
| 5 | <input type="checkbox"/> | 1.000 |            | 22694910.77 |       | A    | 0.6 |
| 6 | <input type="checkbox"/> | 1.000 |            | 22663735.22 |       | A    | 0.5 |
| 7 | <input type="checkbox"/> | 1.000 |            | 23120914.10 |       | A    | 0.9 |
| 8 | <input type="checkbox"/> | 1.000 |            | 22725476.88 |       | A    | 0.8 |

**89 Y (ISTD) [He]**


|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS        | Ratio | Det<br>. | RSD |
|---|--------------------------|-------|------------|------------|-------|----------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 6608059.14 |       | A        | 0.6 |
| 2 | <input type="checkbox"/> | 1.000 |            | 6463031.01 |       | A        | 1.5 |
| 3 | <input type="checkbox"/> | 1.000 |            | 6065593.73 |       | A        | 1.7 |
| 4 | <input type="checkbox"/> | 1.000 |            | 6005928.31 |       | A        | 1.0 |
| 5 | <input type="checkbox"/> | 1.000 |            | 5766191.23 |       | A        | 1.3 |
| 6 | <input type="checkbox"/> | 1.000 |            | 5799963.52 |       | A        | 0.8 |
| 7 | <input type="checkbox"/> | 1.000 |            | 5915859.77 |       | A        | 1.2 |
| 8 | <input type="checkbox"/> | 1.000 |            | 5994631.16 |       | A        | 0.6 |

**103 Rh (ISTD) [No Gas]**


|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS         | Ratio | Det<br>. | RSD |
|---|--------------------------|-------|------------|-------------|-------|----------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 21165831.35 |       | A        | 1.2 |
| 2 | <input type="checkbox"/> | 1.000 |            | 20955783.02 |       | A        | 1.4 |
| 3 | <input type="checkbox"/> | 1.000 |            | 19533415.13 |       | A        | 1.0 |
| 4 | <input type="checkbox"/> | 1.000 |            | 19496717.35 |       | A        | 0.4 |
| 5 | <input type="checkbox"/> | 1.000 |            | 18354058.20 |       | A        | 1.1 |
| 6 | <input type="checkbox"/> | 1.000 |            | 18138342.37 |       | A        | 1.0 |
| 7 | <input type="checkbox"/> | 1.000 |            | 18135558.62 |       | A        | 0.7 |
| 8 | <input type="checkbox"/> | 1.000 |            | 16677621.83 |       | A        | 1.2 |

**103 Rh (ISTD) [He]**


|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS         | Ratio | Det. | RSD |
|---|--------------------------|-------|------------|-------------|-------|------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 12517877.73 |       | A    | 1.0 |
| 2 | <input type="checkbox"/> | 1.000 |            | 12164574.13 |       | A    | 0.7 |
| 3 | <input type="checkbox"/> | 1.000 |            | 11359287.89 |       | A    | 1.3 |
| 4 | <input type="checkbox"/> | 1.000 |            | 11228384.56 |       | A    | 0.6 |
| 5 | <input type="checkbox"/> | 1.000 |            | 10796801.09 |       | A    | 0.8 |
| 6 | <input type="checkbox"/> | 1.000 |            | 10704081.30 |       | A    | 0.4 |
| 7 | <input type="checkbox"/> | 1.000 |            | 10668985.67 |       | A    | 0.5 |
| 8 | <input type="checkbox"/> | 1.000 |            | 10057004.36 |       | A    | 0.7 |

**115 In (ISTD) [No Gas]**


|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS         | Ratio | Det. | RSD |
|---|--------------------------|-------|------------|-------------|-------|------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 22087660.89 |       | A    | 0.7 |
| 2 | <input type="checkbox"/> | 1.000 |            | 21887137.41 |       | A    | 1.6 |
| 3 | <input type="checkbox"/> | 1.000 |            | 20491588.83 |       | A    | 1.3 |
| 4 | <input type="checkbox"/> | 1.000 |            | 20872994.52 |       | A    | 0.2 |
| 5 | <input type="checkbox"/> | 1.000 |            | 19779706.66 |       | A    | 0.5 |
| 6 | <input type="checkbox"/> | 1.000 |            | 19757835.94 |       | A    | 1.0 |
| 7 | <input type="checkbox"/> | 1.000 |            | 19620315.21 |       | A    | 0.8 |
| 8 | <input type="checkbox"/> | 1.000 |            | 18896669.27 |       | A    | 0.2 |

**115 In (ISTD) [He]**


|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS        | Ratio | Det. | RSD |
|---|--------------------------|-------|------------|------------|-------|------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 7767507.27 |       | A    | 0.9 |
| 2 | <input type="checkbox"/> | 1.000 |            | 7597260.05 |       | A    | 1.0 |
| 3 | <input type="checkbox"/> | 1.000 |            | 7098382.45 |       | A    | 1.7 |
| 4 | <input type="checkbox"/> | 1.000 |            | 7061633.71 |       | A    | 0.4 |
| 5 | <input type="checkbox"/> | 1.000 |            | 6758384.90 |       | A    | 0.4 |
| 6 | <input type="checkbox"/> | 1.000 |            | 6753399.38 |       | A    | 0.6 |
| 7 | <input type="checkbox"/> | 1.000 |            | 6758949.60 |       | A    | 0.5 |
| 8 | <input type="checkbox"/> | 1.000 |            | 6701183.02 |       | A    | 0.1 |

**159 Tb (ISTD) [No Gas]**


|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS         | Ratio | Det. | RSD |
|---|--------------------------|-------|------------|-------------|-------|------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 27388582.37 |       | A    | 0.3 |
| 2 | <input type="checkbox"/> | 1.000 |            | 27060398.21 |       | A    | 1.3 |
| 3 | <input type="checkbox"/> | 1.000 |            | 25916565.73 |       | A    | 0.9 |
| 4 | <input type="checkbox"/> | 1.000 |            | 26649019.33 |       | A    | 1.2 |
| 5 | <input type="checkbox"/> | 1.000 |            | 25865924.34 |       | A    | 0.4 |
| 6 | <input type="checkbox"/> | 1.000 |            | 26436012.66 |       | A    | 0.8 |
| 7 | <input type="checkbox"/> | 1.000 |            | 26764290.71 |       | A    | 1.0 |
| 8 | <input type="checkbox"/> | 1.000 |            | 25696512.12 |       | A    | 1.5 |

**159 Tb (ISTD) [He]**


|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS         | Ratio | Det. | RSD |
|---|--------------------------|-------|------------|-------------|-------|------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 17800965.15 |       | A    | 0.7 |
| 2 | <input type="checkbox"/> | 1.000 |            | 17564005.71 |       | A    | 0.6 |
| 3 | <input type="checkbox"/> | 1.000 |            | 16773762.95 |       | A    | 1.6 |
| 4 | <input type="checkbox"/> | 1.000 |            | 17230669.74 |       | A    | 0.3 |
| 5 | <input type="checkbox"/> | 1.000 |            | 17015898.63 |       | A    | 0.5 |
| 6 | <input type="checkbox"/> | 1.000 |            | 17249872.52 |       | A    | 0.6 |
| 7 | <input type="checkbox"/> | 1.000 |            | 17322921.41 |       | A    | 1.1 |
| 8 | <input type="checkbox"/> | 1.000 |            | 16715378.92 |       | A    | 1.2 |

**165 Ho (ISTD) [No Gas]**


|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS         | Ratio | Det. | RSD |
|---|--------------------------|-------|------------|-------------|-------|------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 26873625.43 |       | A    | 1.4 |
| 2 | <input type="checkbox"/> | 1.000 |            | 26524130.72 |       | A    | 1.7 |
| 3 | <input type="checkbox"/> | 1.000 |            | 25153583.51 |       | A    | 1.5 |
| 4 | <input type="checkbox"/> | 1.000 |            | 26266297.39 |       | A    | 1.1 |
| 5 | <input type="checkbox"/> | 1.000 |            | 25550049.62 |       | A    | 0.4 |
| 6 | <input type="checkbox"/> | 1.000 |            | 26187160.16 |       | A    | 0.5 |
| 7 | <input type="checkbox"/> | 1.000 |            | 26766796.55 |       | A    | 0.7 |
| 8 | <input type="checkbox"/> | 1.000 |            | 25528171.84 |       | A    | 1.7 |

**165 Ho (ISTD) [He]**

|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS         | Ratio | Det. | RSD |
|---|--------------------------|-------|------------|-------------|-------|------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 18090615.15 |       | A    | 1.5 |
| 2 | <input type="checkbox"/> | 1.000 |            | 17679369.04 |       | A    | 0.6 |
| 3 | <input type="checkbox"/> | 1.000 |            | 17227804.74 |       | A    | 1.5 |
| 4 | <input type="checkbox"/> | 1.000 |            | 17493879.60 |       | A    | 0.3 |
| 5 | <input type="checkbox"/> | 1.000 |            | 17294226.41 |       | A    | 0.3 |
| 6 | <input type="checkbox"/> | 1.000 |            | 17580425.71 |       | A    | 0.6 |
| 7 | <input type="checkbox"/> | 1.000 |            | 17752977.79 |       | A    | 0.9 |
| 8 | <input type="checkbox"/> | 1.000 |            | 17014178.50 |       | A    | 0.2 |

**209 Bi (ISTD) [No Gas]**

|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS         | Ratio | Det. | RSD |
|---|--------------------------|-------|------------|-------------|-------|------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 16521314.48 |       | A    | 1.3 |
| 2 | <input type="checkbox"/> | 1.000 |            | 16346764.34 |       | A    | 1.3 |
| 3 | <input type="checkbox"/> | 1.000 |            | 15535727.55 |       | A    | 1.3 |
| 4 | <input type="checkbox"/> | 1.000 |            | 16211729.06 |       | A    | 0.5 |
| 5 | <input type="checkbox"/> | 1.000 |            | 15804660.32 |       | A    | 0.4 |
| 6 | <input type="checkbox"/> | 1.000 |            | 16073426.43 |       | A    | 1.1 |
| 7 | <input type="checkbox"/> | 1.000 |            | 16203376.42 |       | A    | 0.2 |
| 8 | <input type="checkbox"/> | 1.000 |            | 14090736.46 |       | A    | 1.4 |



|   | Rj<br>ct                 | Conc. | Calc Conc. | CPS         | Ratio | Det<br>. | RSD |
|---|--------------------------|-------|------------|-------------|-------|----------|-----|
| 1 | <input type="checkbox"/> | 1.000 |            | 12725462.31 |       | A        | 0.8 |
| 2 | <input type="checkbox"/> | 1.000 |            | 12634860.92 |       | A        | 0.9 |
| 3 | <input type="checkbox"/> | 1.000 |            | 11998790.93 |       | A        | 1.7 |
| 4 | <input type="checkbox"/> | 1.000 |            | 12329749.95 |       | A        | 0.5 |
| 5 | <input type="checkbox"/> | 1.000 |            | 12030293.29 |       | A        | 0.5 |
| 6 | <input type="checkbox"/> | 1.000 |            | 12124966.90 |       | A        | 0.9 |
| 7 | <input type="checkbox"/> | 1.000 |            | 11942695.24 |       | A        | 0.4 |
| 8 | <input type="checkbox"/> | 1.000 |            | 10492619.43 |       | A        | 0.4 |

# US EPA Tune Check Report

Reviewed By:jaswal  
On:12/3/2024 8:29:37  
PM  
Inst Id :P7  
ClientSampleId  
:TUNE001

Operator Name Jaswal  
Acq/Data Batch D:\Agilent\ICPMH\1\DATA\IP7112724-MS3.b  
Acq. Date-Time 2024-11-27 15:12:03  
Report Comment ---  
Instrument Name G8403A JP14410463

[No Gas]

## Sensitivity

| Mass | Conc. [ug/l] | Count  | CPS        | Resp (Required) [cps/ug/l] | Resp (Flag) | RSD%   | RSD% (Required) |
|------|--------------|--------|------------|----------------------------|-------------|--------|-----------------|
| 9    |              | 12775  | 127751.48  |                            |             | 0.954  | 5.000           |
| 24   |              | 104844 | 1048435.29 |                            |             | 0.778  | 5.000           |
| 25   |              | 13470  | 134698.71  |                            |             | 0.695  | 5.000           |
| 26   |              | 15433  | 154332.76  |                            |             | 0.668  | 5.000           |
| 59   |              | 190516 | 1905160.98 |                            |             | 0.732  | 5.000           |
| 113  |              | 27035  | 270346.23  |                            |             | 0.195  | 5.000           |
| 115  |              | 333547 | 3335474.12 |                            |             | 0.810  | 5.000           |
| 206  |              | 72515  | 725145.26  |                            |             | 0.573  | 5.000           |
| 207  |              | 63372  | 633719.41  |                            |             | 0.494  | 5.000           |
| 208  |              | 153572 | 1535722.52 |                            |             | 0.626  | 5.000           |
| 220  |              | 0      | 2.70       |                            |             | 48.290 |                 |

| Mass | RSD% (Flag) |
|------|-------------|
| 9    |             |
| 24   |             |
| 25   |             |
| 26   |             |
| 59   |             |
| 113  |             |
| 115  |             |
| 206  |             |
| 207  |             |
| 208  |             |
| 220  |             |

| Mass | Rep#1 Count | Rep#2 Count | Rep#3 Count | Rep#4 Count | Rep#5 Count |
|------|-------------|-------------|-------------|-------------|-------------|
| 9    | 12587       | 12719       | 12836       | 12883       | 12851       |
| 24   | 104075      | 104312      | 106125      | 104581      | 105125      |
| 25   | 13354       | 13406       | 13465       | 13542       | 13582       |
| 26   | 15270       | 15395       | 15502       | 15477       | 15522       |
| 59   | 191189      | 191551      | 188507      | 189625      | 191708      |
| 113  | 27090       | 27019       | 27075       | 26956       | 27033       |
| 115  | 334173      | 330869      | 335316      | 336730      | 330648      |
| 206  | 72353       | 71986       | 73131       | 72507       | 72595       |
| 207  | 63036       | 63174       | 63740       | 63242       | 63667       |
| 208  | 153126      | 154290      | 153105      | 152498      | 154843      |




# US EPA Tune Check Report

Reviewed By: jaswal  
On: 12/3/2024 8:29:37 PM  
Inst Id : P7  
ClientSampleId : TUNE001

| Mass | Rep#1 Count | Rep#2 Count | Rep#3 Count | Rep#4 Count | Rep#5 Count |
|------|-------------|-------------|-------------|-------------|-------------|
| 220  | 0           | 0           | 0           | 0           | 0           |

Integration Time [sec] 0.1

## Resolution/Axis



| Mass | Peak Height | Axis   | Axis (Required) | Axis (Flag) |
|------|-------------|--------|-----------------|-------------|
| 9    | 23287.27    | 9.05   | 8.90 - 9.10     |             |
| 24   | 176874.39   | 24.00  | 23.90 - 24.10   |             |
| 25   | 22513.27    | 25.00  | 24.90 - 25.10   |             |
| 26   | 25829.82    | 26.00  | 25.90 - 26.10   |             |
| 59   | 322620.88   | 58.95  | 58.90 - 59.10   |             |
| 113  | 49683.54    | 112.95 | 112.90 - 113.10 |             |
| 115  | 607999.34   | 114.95 | 114.90 - 115.10 |             |
| 206  | 136519.21   | 206.00 | 205.90 - 206.10 |             |
| 207  | 118397.68   | 207.00 | 206.90 - 207.10 |             |
| 208  | 283031.12   | 208.00 | 207.90 - 208.10 |             |
| 220  | 0.45        | 219.95 | -               |             |

| Mass | W-50% | W-5%  | W-5% (Required) | W-5% (Flag) |
|------|-------|-------|-----------------|-------------|
| 9    | 0.58  | 0.734 | 0.900           |             |
| 24   | 0.63  | 0.784 | 0.900           |             |
| 25   | 0.62  | 0.781 | 0.900           |             |
| 26   | 0.62  | 0.786 | 0.900           |             |
| 59   | 0.61  | 0.775 | 0.900           |             |
| 113  | 0.56  | 0.750 | 0.900           |             |
| 115  | 0.56  | 0.777 | 0.900           |             |
| 206  | 0.55  | 0.782 | 0.900           |             |
| 207  | 0.55  | 0.782 | 0.900           |             |
| 208  | 0.55  | 0.837 | 0.900           |             |
| 220  | 0.24  | 0.294 |                 |             |

Integration Time [sec] 0.1

Acquisition Time [sec] 256.770000000002

Y Axis Linear

## Tune Parameters

### Plasma Parameters

Plasma Mode --- Nebulizer Gas 0.82 L/min Dilution Gas 0.40 L/min

# US EPA Tune Check Report

Reviewed By: jaswal  
On: 12/3/2024 8:29:37 PM  
Inst Id : P7  
ClientSampleId  
TUNE001

|              |        |                |          |               |            |
|--------------|--------|----------------|----------|---------------|------------|
| RF Power     | 1600 W | Option Gas     | ---      | Auxiliary Gas | 0.9 L/min  |
| RF Matching  | 1.80 V | Nebulizer Pump | 0.10 rps | Plasma Gas    | 15.0 L/min |
| Sample Depth | 9.0 mm | S/C Temp       | 2 °C     |               |            |

## Lens Parameters

|            |          |               |       |            |        |
|------------|----------|---------------|-------|------------|--------|
| Extract 1  | 0.0 V    | Omega Lens    | 8.9 V | Deflect    | 15.6 V |
| Extract 2  | -170.0 V | Cell Entrance | -30 V | Plate Bias | -35 V  |
| Omega Bias | -80 V    | Cell Exit     | -50 V |            |        |

## Cell Parameters

|         |            |              |        |                       |       |
|---------|------------|--------------|--------|-----------------------|-------|
| Use Gas | No         | 3rd Gas Flow | ---    | Energy Discrimination | 5.0 V |
| He Flow | 0.0 mL/min | OctP Bias    | -8.0 V |                       |       |
| H2 Flow | ---        | OctP RF      | 200 V  |                       |       |

## QP Parameters

|             |     |             |        |         |        |
|-------------|-----|-------------|--------|---------|--------|
| Mass Gain   | 135 | Axis Gain   | 0.9976 | QP Bias | -3.0 V |
| Mass Offset | 130 | Axis Offset | 0.14   |         |        |

## Hardware Settings

### Torch

|         |        |         |        |
|---------|--------|---------|--------|
| Torch H | 0.1 mm | Torch V | 0.4 mm |
|---------|--------|---------|--------|

### EM

|               |        |           |        |          |       |
|---------------|--------|-----------|--------|----------|-------|
| Discriminator | 4.7 mV | Analog HV | 2225 V | Pulse HV | 987 V |
|---------------|--------|-----------|--------|----------|-------|

[He]

## Sensitivity

| Mass | Conc. [ug/l] | Count | CPS       | Resp (Required) [cps/ug/l] | Resp (Flag) | RSD%  | RSD% (Required) |
|------|--------------|-------|-----------|----------------------------|-------------|-------|-----------------|
| 59   |              | 63913 | 639129.45 |                            |             | 0.666 |                 |
| 89   |              | 69168 | 691679.92 |                            |             | 0.654 |                 |
| 205  |              | 75323 | 753230.87 |                            |             | 0.730 |                 |

| Mass | RSD% (Flag) |
|------|-------------|
| 59   |             |
| 89   |             |
| 205  |             |

| Mass | Rep#1 Count | Rep#2 Count | Rep#3 Count | Rep#4 Count | Rep#5 Count |
|------|-------------|-------------|-------------|-------------|-------------|
| 59   | 64433       | 64300       | 63629       | 63480       | 63723       |
| 89   | 69917       | 69238       | 69002       | 68763       | 68920       |
| 205  | 76045       | 75765       | 74824       | 75096       | 74885       |

Integration Time [sec] 0.1

## Tune Parameters

### Plasma Parameters

|              |        |                |            |               |            |
|--------------|--------|----------------|------------|---------------|------------|
| Plasma Mode  | ---    | Nebulizer Gas  | 0.82 L/min | Dilution Gas  | 0.40 L/min |
| RF Power     | 1600 W | Option Gas     | ---        | Auxiliary Gas | 0.90 L/min |
| RF Matching  | 1.80 V | Nebulizer Pump | 0.10 rps   | Plasma Gas    | 15.0 L/min |
| Sample Depth | 9.0 mm | S/C Temp       | 2 °C       |               |            |

### Lens Parameters

|           |       |            |       |         |       |
|-----------|-------|------------|-------|---------|-------|
| Extract 1 | 0.0 V | Omega Lens | 9.5 V | Deflect | 3.6 V |
|-----------|-------|------------|-------|---------|-------|

# US EPA Tune Check Report

Reviewed By: jaswal  
On: 12/3/2024 8:29:37 PM  
Inst Id : P7  
ClientSampleId  
TUNE001

|                   |            |               |         |                       |         |
|-------------------|------------|---------------|---------|-----------------------|---------|
| Extract 2         | -170.0 V   | Cell Entrance | -40 V   | Plate Bias            | -60 V   |
| Omega Bias        | -85 V      | Cell Exit     | -60 V   |                       |         |
| Cell Parameters   |            |               |         |                       |         |
| Use Gas           | Yes        | 3rd Gas Flow  | ---     | Energy Discrimination | 5.0 V   |
| He Flow           | 3.9 mL/min | OctP Bias     | -18.0 V |                       |         |
| H2 Flow           | ---        | OctP RF       | 200 V   |                       |         |
| QP Parameters     |            |               |         |                       |         |
| Mass Gain         | 135        | Axis Gain     | 0.9976  | QP Bias               | -13.0 V |
| Mass Offset       | 130        | Axis Offset   | 0.14    |                       |         |
| Hardware Settings |            |               |         |                       |         |
| Torch             |            |               |         |                       |         |
| Torch H           | 0.1 mm     | Torch V       | 0.4 mm  |                       |         |
| EM                |            |               |         |                       |         |
| Discriminator     | 4.7 mV     | Analog HV     | 2225 V  | Pulse HV              | 987 V   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S0 Instrumnet Name : P7  
Client Sample ID : S0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:10:16 DataFile Name : 006CALB.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | -0.01   | -0.01   | 0.02    | 0.00       | N/A     | ppb   |
| Antimony   | 121-1 | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Arsenic    | 75-2  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Barium     | 135-1 | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Barium     | 137-1 | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Beryllium  | 9-1   | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Bismuth    | 209-1 |         |         |         | 100        |         | %     |
| Bismuth    | 209-2 |         |         |         | 100        |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 0.01    | -0.01   | 0.01    | 0.00       | N/A     | ppb   |
| Cadmium    | 106-1 | -0.04   | -0.01   | 0.05    | 0.00       | N/A     | ppb   |
| Cadmium    | 111-1 | 0.00    | 0.00    | 0.01    | 0.00       | N/A     | ppb   |
| Calcium    | 43-1  | -0.23   | 0.40    | -0.18   | 0.00       | N/A     | ppb   |
| Calcium    | 44-1  | -0.26   | -0.07   | 0.32    | 0.00       | N/A     | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 0.00    | 0.01    | -0.01   | 0.00       | N/A     | ppb   |
| Cobalt     | 59-2  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Copper     | 63-2  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 100        |         | %     |
| Holmium    | 165-2 |         |         |         | 100        |         | %     |
| Indium     | 115-1 |         |         |         | 100        |         | %     |
| Indium     | 115-2 |         |         |         | 100        |         | %     |
| Iron       | 56-2  | 0.01    | -0.01   | 0.00    | 0.00       | N/A     | ppb   |
| Iron       | 57-2  | -0.05   | 0.29    | -0.24   | 0.00       | N/A     | ppb   |
| Iron       | 54-2  | 0.02    | -0.19   | 0.17    | 0.00       | N/A     | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S0 Instrumnet Name : P7  
Client Sample ID : S0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:10:16 DataFile Name : 006CALB.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Lead       | 207-1 | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Lead       | 208-1 | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Lithium    | 6-1   |         |         |         | 100        |         | %     |
| Magnesium  | 24-2  | -0.07   | 0.04    | 0.03    | 0.00       | N/A     | ppb   |
| Manganese  | 55-2  | -0.01   | 0.01    | 0.00    | 0.00       | N/A     | ppb   |
| Molybdenum | 94-1  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Molybdenum | 95-1  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Molybdenum | 96-1  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Molybdenum | 97-1  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Molybdenum | 98-1  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | -0.01   | -0.02   | 0.03    | 0.00       | N/A     | ppb   |
| Phosphorus | 31-2  | -16.71  | -18.04  | -16.18  | -16.98     |         | ppb   |
| Potassium  | 39-2  | -0.77   | 0.22    | 0.55    | 0.00       | N/A     | ppb   |
| Rhodium    | 103-1 |         |         |         | 100        |         | %     |
| Rhodium    | 103-2 |         |         |         | 100        |         | %     |
| Scandium   | 45-1  |         |         |         | 100        |         | %     |
| Scandium   | 45-2  |         |         |         | 100        |         | %     |
| Selenium   | 82-1  | 0.02    | 0.02    | -0.03   | 0.00       | N/A     | ppb   |
| Selenium   | 77-2  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Selenium   | 78-2  | 0.32    | 0.01    | -0.33   | 0.00       | N/A     | ppb   |
| Silicon    | 28-1  | 0.25    | -0.15   | -0.09   | 0.00       | N/A     | ppb   |
| Silver     | 107-1 | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Silver     | 109-1 | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Sodium     | 23-2  | -0.27   | 0.12    | 0.15    | 0.00       | N/A     | ppb   |
| Strontium  | 86-1  | -0.13   | 0.10    | 0.03    | 0.00       | N/A     | ppb   |
| Strontium  | 88-1  | -0.02   | 0.01    | 0.01    | 0.00       | N/A     | ppb   |
| Sulfur     | 34-1  | -75.47  | -67.68  | -60.79  | -67.98     |         | ppb   |
| Terbium    | 159-1 |         |         |         | 100        |         | %     |
| Terbium    | 159-2 |         |         |         | 100        |         | %     |
| Thallium   | 203-1 | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Thallium   | 205-1 | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Tin        | 118-1 | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Titanium   | 47-1  | -0.01   | 0.00    | 0.01    | 0.00       | N/A     | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :S00

Instrumnet Name :P7

Client Sample ID :S0

Dilution Factor :1

Date & Time Acquired :2024-11-27 16:10:16

DataFile Name :006CALB.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Vanadium  | 51-2  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Yttrium   | 89-1  |         |         |         | 100        |         | %     |
| Yttrium   | 89-2  |         |         |         | 100        |         | %     |
| Zinc      | 66-2  | 0.01    | 0.00    | -0.01   | 0.00       | N/A     | ppb   |
| Zirconium | 90-1  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Zirconium | 91-1  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

S02

Instrumnet Name :

P7

Client Sample ID :

S02

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 16:16:54

DataFile Name :

008CAL.S.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 18.59   | 18.83   | 18.64   | 18.69      | 0.68    | ppb   |
| Antimony   | 121-1 | 2.06    | 2.05    | 2.06    | 2.06       | 0.21    | ppb   |
| Arsenic    | 75-2  | 1.05    | 1.13    | 1.08    | 1.09       | 3.56    | ppb   |
| Barium     | 135-1 | 9.97    | 9.91    | 10.17   | 10.01      | 1.36    | ppb   |
| Barium     | 137-1 | 9.94    | 9.80    | 10.03   | 9.93       | 1.18    | ppb   |
| Beryllium  | 9-1   | 1.07    | 1.10    | 1.05    | 1.07       | 2.48    | ppb   |
| Bismuth    | 209-1 |         |         |         | 99         |         | %     |
| Bismuth    | 209-2 |         |         |         | 99         |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 1.18    | 0.97    | 1.00    | 1.05       | 10.73   | ppb   |
| Cadmium    | 106-1 | 1.87    | 1.19    | 1.12    | 1.39       | 29.49   | ppb   |
| Cadmium    | 111-1 | 1.16    | 1.10    | 1.15    | 1.13       | 2.85    | ppb   |
| Calcium    | 43-1  | 517.74  | 528.43  | 526.73  | 524.30     | 1.10    | ppb   |
| Calcium    | 44-1  | 514.67  | 527.49  | 525.78  | 522.65     | 1.33    | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 2.00    | 1.96    | 1.99    | 1.98       | 0.86    | ppb   |
| Cobalt     | 59-2  | 1.05    | 1.06    | 1.05    | 1.05       | 0.56    | ppb   |
| Copper     | 63-2  | 1.94    | 1.90    | 1.96    | 1.93       | 1.38    | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 99         |         | %     |
| Holmium    | 165-2 |         |         |         | 98         |         | %     |
| Indium     | 115-1 |         |         |         | 99         |         | %     |
| Indium     | 115-2 |         |         |         | 98         |         | %     |
| Iron       | 56-2  | 54.32   | 54.37   | 54.86   | 54.51      | 0.55    | ppb   |
| Iron       | 57-2  | 57.95   | 56.83   | 60.51   | 58.43      | 3.23    | ppb   |
| Iron       | 54-2  | 56.11   | 57.88   | 56.44   | 56.81      | 1.66    | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S02 Instrumnet Name : P7  
Client Sample ID : S02 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:16:54 DataFile Name : 008CAL.S.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 0.94    | 0.94    | 0.95    | 0.94       | 0.84    | ppb   |
| Lead       | 207-1 | 0.94    | 0.92    | 0.96    | 0.94       | 1.85    | ppb   |
| Lead       | 208-1 | 0.94    | 0.94    | 0.95    | 0.94       | 0.71    | ppb   |
| Lithium    | 6-1   |         |         |         | 102        |         | %     |
| Magnesium  | 24-2  | 490.76  | 485.26  | 487.81  | 487.94     | 0.56    | ppb   |
| Manganese  | 55-2  | 0.97    | 0.99    | 0.95    | 0.97       | 1.76    | ppb   |
| Molybdenum | 94-1  | 5.65    | 5.50    | 5.60    | 5.58       | 1.29    | ppb   |
| Molybdenum | 95-1  | 4.68    | 4.75    | 4.80    | 4.74       | 1.36    | ppb   |
| Molybdenum | 96-1  | 4.72    | 4.87    | 4.83    | 4.81       | 1.64    | ppb   |
| Molybdenum | 97-1  | 4.59    | 4.76    | 4.70    | 4.68       | 1.75    | ppb   |
| Molybdenum | 98-1  | 4.61    | 4.75    | 4.73    | 4.70       | 1.57    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 0.92    | 0.93    | 0.92    | 0.92       | 0.64    | ppb   |
| Phosphorus | 31-2  | 15.33   | 18.84   | 16.77   | 16.98      | 10.38   | ppb   |
| Potassium  | 39-2  | 515.75  | 516.85  | 517.63  | 516.74     | 0.18    | ppb   |
| Rhodium    | 103-1 |         |         |         | 99         |         | %     |
| Rhodium    | 103-2 |         |         |         | 97         |         | %     |
| Scandium   | 45-1  |         |         |         | 99         |         | %     |
| Scandium   | 45-2  |         |         |         | 99         |         | %     |
| Selenium   | 82-1  | 5.30    | 5.27    | 5.36    | 5.31       | 0.86    | ppb   |
| Selenium   | 77-2  | 5.15    | 5.25    | 5.73    | 5.38       | 5.76    | ppb   |
| Selenium   | 78-2  | 4.06    | 5.16    | 5.38    | 4.87       | 14.45   | ppb   |
| Silicon    | 28-1  | 0.14    | 0.71    | 1.11    | 0.65       | 74.78   | ppb   |
| Silver     | 107-1 | 1.04    | 1.05    | 1.06    | 1.05       | 1.34    | ppb   |
| Silver     | 109-1 | 1.02    | 1.03    | 1.06    | 1.04       | 1.81    | ppb   |
| Sodium     | 23-2  | 480.70  | 476.06  | 480.27  | 479.01     | 0.54    | ppb   |
| Strontium  | 86-1  | 23.96   | 23.99   | 24.20   | 24.05      | 0.55    | ppb   |
| Strontium  | 88-1  | 24.33   | 24.47   | 24.59   | 24.47      | 0.53    | ppb   |
| Sulfur     | 34-1  | 14.71   | 109.43  | 79.79   | 67.98      | 71.27   | ppb   |
| Terbium    | 159-1 |         |         |         | 99         |         | %     |
| Terbium    | 159-2 |         |         |         | 99         |         | %     |
| Thallium   | 203-1 | 0.91    | 0.94    | 0.94    | 0.93       | 1.88    | ppb   |
| Thallium   | 205-1 | 0.91    | 0.96    | 0.95    | 0.94       | 2.36    | ppb   |
| Tin        | 118-1 | 5.16    | 5.16    | 5.14    | 5.15       | 0.24    | ppb   |
| Titanium   | 47-1  | 4.75    | 4.98    | 4.87    | 4.87       | 2.42    | ppb   |



LB Number :LB133687

Operator :Jaswal

Lab Sample ID :S02

Instrumnet Name :P7

Client Sample ID :S02

Dilution Factor :1

Date & Time Acquired :2024-11-27 16:16:54

DataFile Name :008CALS.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.84    | 0.86    | 0.85    | 0.85       | 0.86    | ppb   |
| Vanadium  | 51-2  | 4.90    | 4.94    | 4.86    | 4.90       | 0.80    | ppb   |
| Yttrium   | 89-1  |         |         |         | 99         |         | %     |
| Yttrium   | 89-2  |         |         |         | 98         |         | %     |
| Zinc      | 66-2  | 5.24    | 5.08    | 5.24    | 5.19       | 1.79    | ppb   |
| Zirconium | 90-1  | 0.94    | 0.95    | 0.94    | 0.94       | 0.90    | ppb   |
| Zirconium | 91-1  | 0.95    | 0.97    | 0.93    | 0.95       | 2.22    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S03 Instrumnet Name : P7  
Client Sample ID : S03 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:20:12 DataFile Name : 009CALS.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 1027.21 | 1039.01 | 1033.40 | 1033.20    | 0.57    | ppb   |
| Antimony   | 121-1 | 52.02   | 52.52   | 51.68   | 52.07      | 0.81    | ppb   |
| Arsenic    | 75-2  | 50.76   | 52.28   | 53.03   | 52.02      | 2.22    | ppb   |
| Barium     | 135-1 | 259.88  | 260.54  | 256.33  | 258.91     | 0.88    | ppb   |
| Barium     | 137-1 | 261.81  | 259.24  | 255.39  | 258.81     | 1.25    | ppb   |
| Beryllium  | 9-1   | 52.46   | 52.56   | 51.98   | 52.34      | 0.59    | ppb   |
| Bismuth    | 209-1 |         |         |         | 94         |         | %     |
| Bismuth    | 209-2 |         |         |         | 94         |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 54.93   | 54.97   | 54.71   | 54.87      | 0.25    | ppb   |
| Cadmium    | 106-1 | 54.41   | 55.37   | 54.57   | 54.78      | 0.94    | ppb   |
| Cadmium    | 111-1 | 54.81   | 54.74   | 54.47   | 54.67      | 0.33    | ppb   |
| Calcium    | 43-1  | 5573.71 | 5541.80 | 5594.93 | 5570.15    | 0.48    | ppb   |
| Calcium    | 44-1  | 5249.78 | 5309.73 | 5397.17 | 5318.89    | 1.39    | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 51.16   | 52.69   | 51.54   | 51.80      | 1.54    | ppb   |
| Cobalt     | 59-2  | 51.68   | 52.99   | 51.85   | 52.17      | 1.36    | ppb   |
| Copper     | 63-2  | 525.85  | 534.44  | 527.42  | 529.24     | 0.86    | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 94         |         | %     |
| Holmium    | 165-2 |         |         |         | 95         |         | %     |
| Indium     | 115-1 |         |         |         | 93         |         | %     |
| Indium     | 115-2 |         |         |         | 91         |         | %     |
| Iron       | 56-2  | 2749.68 | 2814.09 | 2786.84 | 2783.54    | 1.16    | ppb   |
| Iron       | 57-2  | 2862.47 | 2921.21 | 2840.80 | 2874.83    | 1.45    | ppb   |
| Iron       | 54-2  | 2921.09 | 2968.46 | 2935.10 | 2941.55    | 0.83    | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S03 Instrumnet Name : P7  
Client Sample ID : S03 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:20:12 DataFile Name : 009CAL.S.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 252.39  | 252.25  | 248.68  | 251.11     | 0.84    | ppb   |
| Lead       | 207-1 | 250.61  | 252.90  | 253.27  | 252.26     | 0.57    | ppb   |
| Lead       | 208-1 | 251.42  | 251.96  | 250.23  | 251.20     | 0.35    | ppb   |
| Lithium    | 6-1   |         |         |         | 98         |         | %     |
| Magnesium  | 24-2  | 5239.53 | 5310.32 | 5339.50 | 5296.45    | 0.97    | ppb   |
| Manganese  | 55-2  | 507.03  | 515.75  | 512.47  | 511.75     | 0.86    | ppb   |
| Molybdenum | 94-1  | 513.18  | 510.51  | 504.29  | 509.33     | 0.90    | ppb   |
| Molybdenum | 95-1  | 512.42  | 513.97  | 502.24  | 509.54     | 1.25    | ppb   |
| Molybdenum | 96-1  | 512.71  | 511.74  | 502.45  | 508.97     | 1.11    | ppb   |
| Molybdenum | 97-1  | 510.83  | 503.69  | 506.94  | 507.15     | 0.70    | ppb   |
| Molybdenum | 98-1  | 509.33  | 508.41  | 508.86  | 508.86     | 0.09    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 52.15   | 52.86   | 52.36   | 52.46      | 0.70    | ppb   |
| Phosphorus | 31-2  | 1035.90 | 1087.82 | 1071.36 | 1065.03    | 2.49    | ppb   |
| Potassium  | 39-2  | 2663.20 | 2681.43 | 2613.83 | 2652.82    | 1.32    | ppb   |
| Rhodium    | 103-1 |         |         |         | 92         |         | %     |
| Rhodium    | 103-2 |         |         |         | 91         |         | %     |
| Scandium   | 45-1  |         |         |         | 92         |         | %     |
| Scandium   | 45-2  |         |         |         | 92         |         | %     |
| Selenium   | 82-1  | 51.92   | 52.50   | 52.70   | 52.37      | 0.77    | ppb   |
| Selenium   | 77-2  | 50.58   | 50.27   | 54.13   | 51.66      | 4.15    | ppb   |
| Selenium   | 78-2  | 52.64   | 53.53   | 51.07   | 52.41      | 2.38    | ppb   |
| Silicon    | 28-1  | 47.28   | 47.69   | 48.48   | 47.82      | 1.27    | ppb   |
| Silver     | 107-1 | 55.04   | 54.61   | 54.78   | 54.81      | 0.39    | ppb   |
| Silver     | 109-1 | 54.87   | 55.01   | 54.69   | 54.86      | 0.30    | ppb   |
| Sodium     | 23-2  | 5289.56 | 5418.32 | 5330.76 | 5346.21    | 1.23    | ppb   |
| Strontium  | 86-1  | 1286.59 | 1271.63 | 1275.90 | 1278.04    | 0.60    | ppb   |
| Strontium  | 88-1  | 1249.04 | 1280.22 | 1248.40 | 1259.22    | 1.44    | ppb   |
| Sulfur     | 34-1  | 1191.90 | 1097.67 | 1114.71 | 1134.76    | 4.42    | ppb   |
| Terbium    | 159-1 |         |         |         | 95         |         | %     |
| Terbium    | 159-2 |         |         |         | 94         |         | %     |
| Thallium   | 203-1 | 50.17   | 49.63   | 50.21   | 50.01      | 0.64    | ppb   |
| Thallium   | 205-1 | 49.92   | 49.66   | 49.68   | 49.75      | 0.29    | ppb   |
| Tin        | 118-1 | 53.11   | 53.92   | 52.88   | 53.30      | 1.03    | ppb   |
| Titanium   | 47-1  | 509.80  | 510.17  | 511.24  | 510.40     | 0.15    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :S03

Instrumnet Name :P7

Client Sample ID :S03

Dilution Factor :1

Date & Time Acquired :2024-11-27 16:20:12

DataFile Name :009CALS.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 48.06   | 47.46   | 47.00   | 47.51      | 1.12    | ppb   |
| Vanadium  | 51-2  | 50.58   | 51.77   | 51.31   | 51.22      | 1.18    | ppb   |
| Yttrium   | 89-1  |         |         |         | 92         |         | %     |
| Yttrium   | 89-2  |         |         |         | 92         |         | %     |
| Zinc      | 66-2  | 518.62  | 531.95  | 521.38  | 523.98     | 1.34    | ppb   |
| Zirconium | 90-1  | 51.17   | 50.63   | 51.72   | 51.17      | 1.06    | ppb   |
| Zirconium | 91-1  | 50.79   | 50.72   | 51.12   | 50.88      | 0.42    | ppb   |

LB Number :  
Lab Sample ID :  
Client Sample ID :  
Date & Time Acquired :

LB133687  
S04  
S04  
2024-11-27 16:23:11

Operator :  
Instrumnet Name :  
Dilution Factor :  
DataFile Name :

Jaswal  
P7  
1  
010CAL.S.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Aluminium  | 27-2  | 2574.28  | 2528.51  | 2525.57  | 2542.79    | 1.07    | ppb   |
| Antimony   | 121-1 | 123.02   | 127.21   | 130.21   | 126.81     | 2.85    | ppb   |
| Arsenic    | 75-2  | 126.48   | 125.34   | 126.10   | 125.97     | 0.46    | ppb   |
| Barium     | 135-1 | 615.40   | 626.79   | 627.53   | 623.24     | 1.09    | ppb   |
| Barium     | 137-1 | 610.51   | 630.62   | 637.51   | 626.21     | 2.24    | ppb   |
| Beryllium  | 9-1   | 123.73   | 124.13   | 125.56   | 124.47     | 0.77    | ppb   |
| Bismuth    | 209-1 |          |          |          | 98         |         | %     |
| Bismuth    | 209-2 |          |          |          | 97         |         | %     |
| Bromine    | 81-1  |          |          |          |            |         | cps   |
| Bromine    | 81-2  |          |          |          |            |         | cps   |
| Cadmium    | 108-1 | 128.85   | 132.06   | 131.52   | 130.81     | 1.31    | ppb   |
| Cadmium    | 106-1 | 126.49   | 127.14   | 132.82   | 128.81     | 2.70    | ppb   |
| Cadmium    | 111-1 | 127.04   | 130.53   | 133.06   | 130.21     | 2.32    | ppb   |
| Calcium    | 43-1  | 13109.71 | 13449.72 | 13579.55 | 13379.66   | 1.81    | ppb   |
| Calcium    | 44-1  | 12541.10 | 12774.85 | 12873.66 | 12729.87   | 1.34    | ppb   |
| Carbon     | 12-1  |          |          |          |            |         | cps   |
| Carbon     | 12-2  |          |          |          |            |         | cps   |
| Chlorine   | 35-1  |          |          |          |            |         | cps   |
| Chlorine   | 35-2  |          |          |          |            |         | cps   |
| Chromium   | 52-2  | 125.03   | 124.30   | 124.63   | 124.65     | 0.30    | ppb   |
| Cobalt     | 59-2  | 127.87   | 124.98   | 125.37   | 126.07     | 1.25    | ppb   |
| Copper     | 63-2  | 1284.41  | 1281.15  | 1271.79  | 1279.12    | 0.51    | ppb   |
| Dysprosium | 156-1 |          |          |          |            |         | cps   |
| Dysprosium | 156-2 |          |          |          |            |         | cps   |
| Erbium     | 164-1 |          |          |          |            |         | cps   |
| Erbium     | 164-2 |          |          |          |            |         | cps   |
| Gadolinium | 160-1 |          |          |          |            |         | cps   |
| Gadolinium | 160-2 |          |          |          |            |         | cps   |
| Holmium    | 165-1 |          |          |          | 98         |         | %     |
| Holmium    | 165-2 |          |          |          | 97         |         | %     |
| Indium     | 115-1 |          |          |          | 95         |         | %     |
| Indium     | 115-2 |          |          |          | 91         |         | %     |
| Iron       | 56-2  | 6802.49  | 6715.31  | 6673.23  | 6730.35    | 0.98    | ppb   |
| Iron       | 57-2  | 6796.95  | 6936.57  | 6900.97  | 6878.16    | 1.05    | ppb   |
| Iron       | 54-2  | 6965.51  | 6935.67  | 6865.35  | 6922.18    | 0.74    | ppb   |
| Krypton    | 83-1  |          |          |          |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S04 Instrumnet Name : P7  
Client Sample ID : S04 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:23:11 DataFile Name : 010CAL.S.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 602.03   | 608.02   | 617.89   | 609.31     | 1.31    | ppb   |
| Lead       | 207-1 | 608.35   | 612.93   | 617.97   | 613.08     | 0.79    | ppb   |
| Lead       | 208-1 | 601.79   | 610.54   | 616.19   | 609.51     | 1.19    | ppb   |
| Lithium    | 6-1   |          |          |          | 104        |         | %     |
| Magnesium  | 24-2  | 12859.21 | 12729.66 | 12687.55 | 12758.81   | 0.70    | ppb   |
| Manganese  | 55-2  | 1253.22  | 1233.21  | 1238.22  | 1241.55    | 0.84    | ppb   |
| Molybdenum | 94-1  | 1222.79  | 1229.56  | 1234.42  | 1228.92    | 0.48    | ppb   |
| Molybdenum | 95-1  | 1209.75  | 1230.09  | 1227.21  | 1222.35    | 0.90    | ppb   |
| Molybdenum | 96-1  | 1208.74  | 1236.15  | 1233.70  | 1226.20    | 1.24    | ppb   |
| Molybdenum | 97-1  | 1223.70  | 1214.92  | 1224.51  | 1221.04    | 0.44    | ppb   |
| Molybdenum | 98-1  | 1216.10  | 1214.15  | 1234.13  | 1221.46    | 0.90    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 127.92   | 126.19   | 126.60   | 126.90     | 0.71    | ppb   |
| Phosphorus | 31-2  | 2555.64  | 2501.14  | 2497.56  | 2518.11    | 1.29    | ppb   |
| Potassium  | 39-2  | 6452.35  | 6425.12  | 6353.67  | 6410.38    | 0.79    | ppb   |
| Rhodium    | 103-1 |          |          |          | 92         |         | %     |
| Rhodium    | 103-2 |          |          |          | 90         |         | %     |
| Scandium   | 45-1  |          |          |          | 92         |         | %     |
| Scandium   | 45-2  |          |          |          | 90         |         | %     |
| Selenium   | 82-1  | 124.45   | 126.17   | 125.02   | 125.21     | 0.70    | ppb   |
| Selenium   | 77-2  | 128.47   | 127.40   | 127.45   | 127.77     | 0.47    | ppb   |
| Selenium   | 78-2  | 127.53   | 129.76   | 126.48   | 127.92     | 1.31    | ppb   |
| Silicon    | 28-1  | 110.27   | 113.61   | 113.04   | 112.31     | 1.59    | ppb   |
| Silver     | 107-1 | 127.50   | 130.39   | 128.93   | 128.94     | 1.12    | ppb   |
| Silver     | 109-1 | 126.95   | 129.65   | 131.20   | 129.26     | 1.67    | ppb   |
| Sodium     | 23-2  | 13114.16 | 12960.31 | 12816.05 | 12963.51   | 1.15    | ppb   |
| Strontium  | 86-1  | 3052.86  | 3081.85  | 3085.27  | 3073.33    | 0.58    | ppb   |
| Strontium  | 88-1  | 3019.43  | 3047.35  | 3073.85  | 3046.88    | 0.89    | ppb   |
| Sulfur     | 34-1  | 2252.91  | 2389.13  | 2352.21  | 2331.42    | 3.02    | ppb   |
| Terbium    | 159-1 |          |          |          | 97         |         | %     |
| Terbium    | 159-2 |          |          |          | 97         |         | %     |
| Thallium   | 203-1 | 121.94   | 121.10   | 123.13   | 122.06     | 0.84    | ppb   |
| Thallium   | 205-1 | 118.93   | 123.00   | 122.30   | 121.41     | 1.79    | ppb   |
| Tin        | 118-1 | 125.58   | 127.23   | 130.54   | 127.78     | 1.98    | ppb   |
| Titanium   | 47-1  | 1207.34  | 1241.70  | 1247.65  | 1232.23    | 1.77    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :S04

Instrumnet Name :P7

Client Sample ID :S04

Dilution Factor :1

Date & Time Acquired :2024-11-27 16:23:11

DataFile Name :010CAL.S.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 113.47  | 117.37  | 118.32  | 116.39     | 2.21    | ppb   |
| Vanadium  | 51-2  | 124.44  | 123.55  | 122.08  | 123.36     | 0.97    | ppb   |
| Yttrium   | 89-1  |         |         |         | 93         |         | %     |
| Yttrium   | 89-2  |         |         |         | 91         |         | %     |
| Zinc      | 66-2  | 1282.59 | 1256.94 | 1273.51 | 1271.01    | 1.02    | ppb   |
| Zirconium | 90-1  | 120.18  | 122.04  | 123.63  | 121.95     | 1.42    | ppb   |
| Zirconium | 91-1  | 121.92  | 123.24  | 123.75  | 122.97     | 0.76    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S05 Instrumnet Name : P7  
Client Sample ID : S05 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:25:58 DataFile Name : 011CALS.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Aluminium  | 27-2  | 5077.07  | 5108.60  | 5054.43  | 5080.03    | 0.54    | ppb   |
| Antimony   | 121-1 | 245.23   | 250.33   | 250.07   | 248.54     | 1.16    | ppb   |
| Arsenic    | 75-2  | 245.20   | 245.51   | 250.47   | 247.06     | 1.20    | ppb   |
| Barium     | 135-1 | 1225.14  | 1252.20  | 1254.13  | 1243.82    | 1.30    | ppb   |
| Barium     | 137-1 | 1241.70  | 1255.34  | 1236.94  | 1244.66    | 0.77    | ppb   |
| Beryllium  | 9-1   | 242.45   | 240.27   | 244.73   | 242.48     | 0.92    | ppb   |
| Bismuth    | 209-1 |          |          |          | 96         |         | %     |
| Bismuth    | 209-2 |          |          |          | 95         |         | %     |
| Bromine    | 81-1  |          |          |          |            |         | cps   |
| Bromine    | 81-2  |          |          |          |            |         | cps   |
| Cadmium    | 108-1 | 255.38   | 255.57   | 255.77   | 255.57     | 0.08    | ppb   |
| Cadmium    | 106-1 | 251.92   | 253.55   | 258.47   | 254.65     | 1.34    | ppb   |
| Cadmium    | 111-1 | 253.38   | 255.08   | 256.62   | 255.03     | 0.64    | ppb   |
| Calcium    | 43-1  | 25904.57 | 25635.10 | 26474.39 | 26004.69   | 1.65    | ppb   |
| Calcium    | 44-1  | 25670.93 | 25609.30 | 25853.60 | 25711.27   | 0.49    | ppb   |
| Carbon     | 12-1  |          |          |          |            |         | cps   |
| Carbon     | 12-2  |          |          |          |            |         | cps   |
| Chlorine   | 35-1  |          |          |          |            |         | cps   |
| Chlorine   | 35-2  |          |          |          |            |         | cps   |
| Chromium   | 52-2  | 251.68   | 251.58   | 248.35   | 250.54     | 0.76    | ppb   |
| Cobalt     | 59-2  | 249.56   | 254.07   | 250.06   | 251.23     | 0.98    | ppb   |
| Copper     | 63-2  | 2548.31  | 2547.23  | 2519.05  | 2538.20    | 0.65    | ppb   |
| Dysprosium | 156-1 |          |          |          |            |         | cps   |
| Dysprosium | 156-2 |          |          |          |            |         | cps   |
| Erbium     | 164-1 |          |          |          |            |         | cps   |
| Erbium     | 164-2 |          |          |          |            |         | cps   |
| Gadolinium | 160-1 |          |          |          |            |         | cps   |
| Gadolinium | 160-2 |          |          |          |            |         | cps   |
| Holmium    | 165-1 |          |          |          | 95         |         | %     |
| Holmium    | 165-2 |          |          |          | 96         |         | %     |
| Indium     | 115-1 |          |          |          | 90         |         | %     |
| Indium     | 115-2 |          |          |          | 87         |         | %     |
| Iron       | 56-2  | 13525.14 | 13515.13 | 13540.56 | 13526.94   | 0.09    | ppb   |
| Iron       | 57-2  | 13628.72 | 13453.93 | 13546.57 | 13543.07   | 0.65    | ppb   |
| Iron       | 54-2  | 13802.49 | 14032.36 | 13749.91 | 13861.59   | 1.08    | ppb   |
| Krypton    | 83-1  |          |          |          |            |         | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S05 Instrumnet Name : P7  
Client Sample ID : S05 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:25:58 DataFile Name : 011CAL.S.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 1233.40  | 1235.67  | 1234.50  | 1234.52    | 0.09    | ppb   |
| Lead       | 207-1 | 1231.28  | 1224.53  | 1242.91  | 1232.90    | 0.75    | ppb   |
| Lead       | 208-1 | 1230.59  | 1230.63  | 1233.41  | 1231.54    | 0.13    | ppb   |
| Lithium    | 6-1   |          |          |          | 101        |         | %     |
| Magnesium  | 24-2  | 25600.66 | 25725.18 | 25543.20 | 25623.01   | 0.36    | ppb   |
| Manganese  | 55-2  | 2503.96  | 2506.87  | 2488.19  | 2499.67    | 0.40    | ppb   |
| Molybdenum | 94-1  | 2450.89  | 2450.64  | 2460.76  | 2454.10    | 0.24    | ppb   |
| Molybdenum | 95-1  | 2453.60  | 2452.45  | 2463.81  | 2456.62    | 0.25    | ppb   |
| Molybdenum | 96-1  | 2463.63  | 2446.89  | 2445.87  | 2452.13    | 0.41    | ppb   |
| Molybdenum | 97-1  | 2443.03  | 2442.12  | 2457.29  | 2447.48    | 0.35    | ppb   |
| Molybdenum | 98-1  | 2432.18  | 2464.26  | 2462.34  | 2452.93    | 0.73    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 248.94   | 253.45   | 250.78   | 251.05     | 0.90    | ppb   |
| Phosphorus | 31-2  | 4946.73  | 4933.78  | 4919.77  | 4933.43    | 0.27    | ppb   |
| Potassium  | 39-2  | 12699.43 | 12563.28 | 12576.37 | 12613.03   | 0.60    | ppb   |
| Rhodium    | 103-1 |          |          |          | 87         |         | %     |
| Rhodium    | 103-2 |          |          |          | 86         |         | %     |
| Scandium   | 45-1  |          |          |          | 85         |         | %     |
| Scandium   | 45-2  |          |          |          | 84         |         | %     |
| Selenium   | 82-1  | 249.30   | 246.10   | 247.97   | 247.79     | 0.65    | ppb   |
| Selenium   | 77-2  | 235.47   | 249.39   | 253.70   | 246.19     | 3.87    | ppb   |
| Selenium   | 78-2  | 249.22   | 243.53   | 255.55   | 249.43     | 2.41    | ppb   |
| Silicon    | 28-1  | 226.37   | 224.72   | 225.93   | 225.67     | 0.38    | ppb   |
| Silver     | 107-1 | 251.81   | 252.68   | 253.01   | 252.50     | 0.25    | ppb   |
| Silver     | 109-1 | 251.37   | 252.19   | 254.39   | 252.65     | 0.62    | ppb   |
| Sodium     | 23-2  | 25857.23 | 25843.60 | 25588.67 | 25763.17   | 0.59    | ppb   |
| Strontium  | 86-1  | 6165.02  | 6161.36  | 6164.07  | 6163.48    | 0.03    | ppb   |
| Strontium  | 88-1  | 6171.35  | 6130.87  | 6149.97  | 6150.73    | 0.33    | ppb   |
| Sulfur     | 34-1  | 4741.79  | 4611.73  | 4696.84  | 4683.45    | 1.41    | ppb   |
| Terbium    | 159-1 |          |          |          | 94         |         | %     |
| Terbium    | 159-2 |          |          |          | 96         |         | %     |
| Thallium   | 203-1 | 246.00   | 244.00   | 244.34   | 244.78     | 0.44    | ppb   |
| Thallium   | 205-1 | 246.84   | 245.61   | 245.39   | 245.95     | 0.32    | ppb   |
| Tin        | 118-1 | 248.74   | 252.42   | 253.54   | 251.57     | 1.00    | ppb   |
| Titanium   | 47-1  | 2485.28  | 2473.55  | 2474.28  | 2477.70    | 0.27    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :S05

Instrumnet Name :P7

Client Sample ID :S05

Dilution Factor :1

Date & Time Acquired :2024-11-27 16:25:58

DataFile Name :011CALS.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 236.36  | 239.11  | 239.54  | 238.34     | 0.72    | ppb   |
| Vanadium  | 51-2  | 250.93  | 249.97  | 248.52  | 249.80     | 0.49    | ppb   |
| Yttrium   | 89-1  |         |         |         | 89         |         | %     |
| Yttrium   | 89-2  |         |         |         | 87         |         | %     |
| Zinc      | 66-2  | 2565.81 | 2587.48 | 2535.11 | 2562.80    | 1.03    | ppb   |
| Zirconium | 90-1  | 245.94  | 244.47  | 245.56  | 245.32     | 0.31    | ppb   |
| Zirconium | 91-1  | 246.41  | 245.55  | 245.21  | 245.72     | 0.25    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S06 Instrumnet Name : P7  
Client Sample ID : S06 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:28:44 DataFile Name : 012CALS.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Aluminium  | 27-2  | 10157.75 | 10275.43 | 10147.70 | 10193.63   | 0.70    | ppb   |
| Antimony   | 121-1 | 508.65   | 493.86   | 504.94   | 502.48     | 1.53    | ppb   |
| Arsenic    | 75-2  | 505.42   | 508.82   | 499.75   | 504.66     | 0.91    | ppb   |
| Barium     | 135-1 | 2523.18  | 2495.52  | 2507.87  | 2508.86    | 0.55    | ppb   |
| Barium     | 137-1 | 2508.06  | 2507.39  | 2504.05  | 2506.50    | 0.09    | ppb   |
| Beryllium  | 9-1   | 508.98   | 509.34   | 510.60   | 509.64     | 0.17    | ppb   |
| Bismuth    | 209-1 |          |          |          | 97         |         | %     |
| Bismuth    | 209-2 |          |          |          | 95         |         | %     |
| Bromine    | 81-1  |          |          |          |            |         | cps   |
| Bromine    | 81-2  |          |          |          |            |         | cps   |
| Cadmium    | 108-1 | 505.95   | 497.66   | 502.55   | 502.05     | 0.83    | ppb   |
| Cadmium    | 106-1 | 505.71   | 498.10   | 500.67   | 501.49     | 0.77    | ppb   |
| Cadmium    | 111-1 | 512.08   | 505.86   | 508.64   | 508.86     | 0.61    | ppb   |
| Calcium    | 43-1  | 52386.39 | 53190.11 | 52563.42 | 52713.31   | 0.80    | ppb   |
| Calcium    | 44-1  | 52424.59 | 52751.25 | 52720.88 | 52632.24   | 0.34    | ppb   |
| Carbon     | 12-1  |          |          |          |            |         | cps   |
| Carbon     | 12-2  |          |          |          |            |         | cps   |
| Chlorine   | 35-1  |          |          |          |            |         | cps   |
| Chlorine   | 35-2  |          |          |          |            |         | cps   |
| Chromium   | 52-2  | 503.72   | 508.26   | 506.22   | 506.07     | 0.45    | ppb   |
| Cobalt     | 59-2  | 511.01   | 509.03   | 508.98   | 509.67     | 0.23    | ppb   |
| Copper     | 63-2  | 5141.89  | 5178.98  | 5123.08  | 5147.98    | 0.55    | ppb   |
| Dysprosium | 156-1 |          |          |          |            |         | cps   |
| Dysprosium | 156-2 |          |          |          |            |         | cps   |
| Erbium     | 164-1 |          |          |          |            |         | cps   |
| Erbium     | 164-2 |          |          |          |            |         | cps   |
| Gadolinium | 160-1 |          |          |          |            |         | cps   |
| Gadolinium | 160-2 |          |          |          |            |         | cps   |
| Holmium    | 165-1 |          |          |          | 97         |         | %     |
| Holmium    | 165-2 |          |          |          | 97         |         | %     |
| Indium     | 115-1 |          |          |          | 89         |         | %     |
| Indium     | 115-2 |          |          |          | 87         |         | %     |
| Iron       | 56-2  | 27494.63 | 27780.33 | 27448.84 | 27574.60   | 0.65    | ppb   |
| Iron       | 57-2  | 27554.63 | 27639.75 | 27487.88 | 27560.75   | 0.28    | ppb   |
| Iron       | 54-2  | 28013.13 | 28051.82 | 27988.00 | 28017.65   | 0.11    | ppb   |
| Krypton    | 83-1  |          |          |          |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S06 Instrumnet Name : P7  
Client Sample ID : S06 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:28:44 DataFile Name : 012CAL.S.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 2495.99  | 2568.03  | 2507.13  | 2523.72    | 1.54    | ppb   |
| Lead       | 207-1 | 2498.38  | 2570.40  | 2518.14  | 2528.97    | 1.47    | ppb   |
| Lead       | 208-1 | 2498.39  | 2557.94  | 2507.23  | 2521.19    | 1.27    | ppb   |
| Lithium    | 6-1   |          |          |          | 101        |         | %     |
| Magnesium  | 24-2  | 51396.89 | 51449.56 | 51533.40 | 51459.95   | 0.13    | ppb   |
| Manganese  | 55-2  | 5052.04  | 5134.78  | 5094.42  | 5093.75    | 0.81    | ppb   |
| Molybdenum | 94-1  | 5021.09  | 5051.56  | 5040.07  | 5037.57    | 0.31    | ppb   |
| Molybdenum | 95-1  | 4990.23  | 5068.62  | 5029.91  | 5029.59    | 0.78    | ppb   |
| Molybdenum | 96-1  | 4942.35  | 5066.61  | 5008.14  | 5005.70    | 1.24    | ppb   |
| Molybdenum | 97-1  | 4980.01  | 5037.79  | 4973.59  | 4997.13    | 0.71    | ppb   |
| Molybdenum | 98-1  | 4979.34  | 5066.94  | 5003.20  | 5016.50    | 0.90    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 515.21   | 513.93   | 510.23   | 513.12     | 0.50    | ppb   |
| Phosphorus | 31-2  | 10022.67 | 10125.50 | 10085.53 | 10077.90   | 0.51    | ppb   |
| Potassium  | 39-2  | 25362.09 | 25678.24 | 25403.89 | 25481.41   | 0.67    | ppb   |
| Rhodium    | 103-1 |          |          |          | 86         |         | %     |
| Rhodium    | 103-2 |          |          |          | 86         |         | %     |
| Scandium   | 45-1  |          |          |          | 84         |         | %     |
| Scandium   | 45-2  |          |          |          | 85         |         | %     |
| Selenium   | 82-1  | 497.12   | 506.42   | 501.84   | 501.79     | 0.93    | ppb   |
| Selenium   | 77-2  | 496.72   | 495.06   | 501.11   | 497.63     | 0.63    | ppb   |
| Selenium   | 78-2  | 506.02   | 507.71   | 498.10   | 503.94     | 1.02    | ppb   |
| Silicon    | 28-1  | 446.44   | 450.12   | 448.88   | 448.48     | 0.42    | ppb   |
| Silver     | 107-1 | 499.04   | 496.59   | 494.27   | 496.63     | 0.48    | ppb   |
| Silver     | 109-1 | 501.21   | 496.73   | 494.87   | 497.61     | 0.66    | ppb   |
| Sodium     | 23-2  | 52663.04 | 52468.66 | 52350.93 | 52494.21   | 0.30    | ppb   |
| Strontium  | 86-1  | 12561.74 | 12766.73 | 12460.66 | 12596.38   | 1.24    | ppb   |
| Strontium  | 88-1  | 12526.70 | 12554.40 | 12516.45 | 12532.52   | 0.16    | ppb   |
| Sulfur     | 34-1  | 9566.14  | 9633.13  | 9567.03  | 9588.77    | 0.40    | ppb   |
| Terbium    | 159-1 |          |          |          | 97         |         | %     |
| Terbium    | 159-2 |          |          |          | 97         |         | %     |
| Thallium   | 203-1 | 498.56   | 510.83   | 493.97   | 501.12     | 1.74    | ppb   |
| Thallium   | 205-1 | 504.29   | 516.81   | 499.57   | 506.89     | 1.76    | ppb   |
| Tin        | 118-1 | 510.26   | 499.64   | 502.90   | 504.27     | 1.08    | ppb   |
| Titanium   | 47-1  | 5029.12  | 5078.18  | 5088.61  | 5065.30    | 0.63    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :S06

Instrumnet Name :P7

Client Sample ID :S06

Dilution Factor :1

Date & Time Acquired :2024-11-27 16:28:44

DataFile Name :012CALS.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 497.91  | 508.79  | 497.50  | 501.40     | 1.28    | ppb   |
| Vanadium  | 51-2  | 504.15  | 501.58  | 503.21  | 502.98     | 0.26    | ppb   |
| Yttrium   | 89-1  |         |         |         | 88         |         | %     |
| Yttrium   | 89-2  |         |         |         | 88         |         | %     |
| Zinc      | 66-2  | 5129.17 | 5196.61 | 5151.82 | 5159.20    | 0.67    | ppb   |
| Zirconium | 90-1  | 497.05  | 504.33  | 501.34  | 500.91     | 0.73    | ppb   |
| Zirconium | 91-1  | 500.81  | 505.31  | 496.98  | 501.03     | 0.83    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S07 Instrumnet Name : P7  
Client Sample ID : S07 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:31:28 DataFile Name : 013CALS.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 20094.36  | 20048.90  | 20239.57  | 20127.61   | 0.49    | ppb   |
| Antimony   | 121-1 | 998.92    | 990.17    | 1007.29   | 998.79     | 0.86    | ppb   |
| Arsenic    | 75-2  | 987.71    | 997.14    | 1009.70   | 998.18     | 1.11    | ppb   |
| Barium     | 135-1 | 5006.55   | 4947.02   | 5037.09   | 4996.89    | 0.92    | ppb   |
| Barium     | 137-1 | 5029.46   | 4916.59   | 5046.42   | 4997.49    | 1.41    | ppb   |
| Beryllium  | 9-1   | 999.76    | 997.08    | 994.18    | 997.01     | 0.28    | ppb   |
| Bismuth    | 209-1 |           |           |           | 98         |         | %     |
| Bismuth    | 209-2 |           |           |           | 94         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 1002.27   | 987.06    | 1000.50   | 996.61     | 0.83    | ppb   |
| Cadmium    | 106-1 | 1000.22   | 981.26    | 1010.64   | 997.38     | 1.49    | ppb   |
| Cadmium    | 111-1 | 993.84    | 984.96    | 1001.49   | 993.43     | 0.83    | ppb   |
| Calcium    | 43-1  | 104255.18 | 104537.98 | 104852.52 | 104548.56  | 0.29    | ppb   |
| Calcium    | 44-1  | 103768.10 | 104206.30 | 103873.39 | 103949.26  | 0.22    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 1000.59   | 996.29    | 993.48    | 996.79     | 0.36    | ppb   |
| Cobalt     | 59-2  | 990.12    | 999.70    | 994.02    | 994.61     | 0.48    | ppb   |
| Copper     | 63-2  | 9942.34   | 9899.94   | 9891.79   | 9911.36    | 0.27    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 100        |         | %     |
| Holmium    | 165-2 |           |           |           | 98         |         | %     |
| Indium     | 115-1 |           |           |           | 89         |         | %     |
| Indium     | 115-2 |           |           |           | 87         |         | %     |
| Iron       | 56-2  | 53818.13  | 53706.05  | 53660.88  | 53728.36   | 0.15    | ppb   |
| Iron       | 57-2  | 53061.01  | 53343.46  | 53618.55  | 53341.01   | 0.52    | ppb   |
| Iron       | 54-2  | 54199.37  | 55085.84  | 54602.33  | 54629.18   | 0.81    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S07 Instrumnet Name : P7  
Client Sample ID : S07 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:31:28 DataFile Name : 013CAL.S.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Lead       | 206-1 | 4939.97   | 5034.86   | 5006.92   | 4993.92    | 0.98    | ppb   |
| Lead       | 207-1 | 4982.83   | 4996.24   | 4994.42   | 4991.17    | 0.15    | ppb   |
| Lead       | 208-1 | 4985.42   | 5007.90   | 4994.37   | 4995.90    | 0.23    | ppb   |
| Lithium    | 6-1   |           |           |           | 102        |         | %     |
| Magnesium  | 24-2  | 103300.36 | 103079.16 | 104247.38 | 103542.30  | 0.60    | ppb   |
| Manganese  | 55-2  | 9937.42   | 9948.48   | 9975.13   | 9953.68    | 0.19    | ppb   |
| Molybdenum | 94-1  | 10014.57  | 9922.64   | 10047.37  | 9994.86    | 0.65    | ppb   |
| Molybdenum | 95-1  | 9980.39   | 9960.03   | 10056.67  | 9999.03    | 0.51    | ppb   |
| Molybdenum | 96-1  | 9991.64   | 9964.00   | 10079.29  | 10011.64   | 0.60    | ppb   |
| Molybdenum | 97-1  | 9960.07   | 9914.42   | 10178.99  | 10017.83   | 1.41    | ppb   |
| Molybdenum | 98-1  | 9974.68   | 9968.74   | 10076.51  | 10006.64   | 0.61    | ppb   |
| Neodymium  | 150-1 |           |           |           |            |         | cps   |
| Neodymium  | 150-2 |           |           |           |            |         | cps   |
| Nickel     | 60-2  | 988.46    | 991.99    | 998.00    | 992.82     | 0.49    | ppb   |
| Phosphorus | 31-2  | 19826.98  | 20095.93  | 19993.62  | 19972.18   | 0.68    | ppb   |
| Potassium  | 39-2  | 50276.06  | 50436.74  | 50615.06  | 50442.62   | 0.34    | ppb   |
| Rhodium    | 103-1 |           |           |           | 86         |         | %     |
| Rhodium    | 103-2 |           |           |           | 85         |         | %     |
| Scandium   | 45-1  |           |           |           | 86         |         | %     |
| Scandium   | 45-2  |           |           |           | 87         |         | %     |
| Selenium   | 82-1  | 998.74    | 991.18    | 1008.61   | 999.51     | 0.87    | ppb   |
| Selenium   | 77-2  | 991.12    | 990.46    | 1023.53   | 1001.71    | 1.89    | ppb   |
| Selenium   | 78-2  | 989.50    | 996.02    | 1007.54   | 997.69     | 0.92    | ppb   |
| Silicon    | 28-1  | 1037.79   | 1035.80   | 1027.31   | 1033.63    | 0.54    | ppb   |
| Silver     | 107-1 | 1008.32   | 985.06    | 1007.60   | 1000.33    | 1.32    | ppb   |
| Silver     | 109-1 | 1005.61   | 991.66    | 1002.00   | 999.76     | 0.72    | ppb   |
| Sodium     | 23-2  | 102595.88 | 103346.30 | 102972.77 | 102971.65  | 0.36    | ppb   |
| Strontium  | 86-1  | 24871.57  | 24887.00  | 25176.93  | 24978.50   | 0.69    | ppb   |
| Strontium  | 88-1  | 24959.76  | 24880.42  | 25213.40  | 25017.86   | 0.70    | ppb   |
| Sulfur     | 34-1  | 20668.26  | 20028.47  | 20200.54  | 20299.09   | 1.63    | ppb   |
| Terbium    | 159-1 |           |           |           | 98         |         | %     |
| Terbium    | 159-2 |           |           |           | 97         |         | %     |
| Thallium   | 203-1 | 1000.46   | 1000.84   | 1002.04   | 1001.11    | 0.08    | ppb   |
| Thallium   | 205-1 | 997.15    | 994.04    | 1002.89   | 998.03     | 0.45    | ppb   |
| Tin        | 118-1 | 992.99    | 990.59    | 1007.31   | 996.96     | 0.91    | ppb   |
| Titanium   | 47-1  | 9869.00   | 10029.00  | 10025.87  | 9974.62    | 0.92    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :S07

Instrumnet Name :P7

Client Sample ID :S07

Dilution Factor :1

Date & Time Acquired :2024-11-27 16:31:28

DataFile Name :013CALS.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 999.86  | 1003.38 | 1007.01 | 1003.42    | 0.36    | ppb   |
| Vanadium  | 51-2  | 989.94  | 1006.97 | 999.20  | 998.70     | 0.85    | ppb   |
| Yttrium   | 89-1  |         |         |         | 90         |         | %     |
| Yttrium   | 89-2  |         |         |         | 90         |         | %     |
| Zinc      | 66-2  | 9925.64 | 9898.23 | 9878.74 | 9900.87    | 0.24    | ppb   |
| Zirconium | 90-1  | 998.16  | 995.65  | 1009.31 | 1001.04    | 0.73    | ppb   |
| Zirconium | 91-1  | 1001.10 | 993.37  | 1007.83 | 1000.76    | 0.72    | ppb   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S08 Instrumnet Name : P7  
Client Sample ID : S08 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:34:14 DataFile Name : 014CALS.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 98847.43  | 99781.84  | 101219.87 | 99949.71   | 1.20    | ppb   |
| Antimony   | 121-1 | 0.46      | 0.52      | 0.61      | 0.53       | 14.76   | ppb   |
| Arsenic    | 75-2  | 0.56      | 0.55      | 0.53      | 0.55       | 2.31    | ppb   |
| Barium     | 135-1 | 2.27      | 2.28      | 2.12      | 2.22       | 3.93    | ppb   |
| Barium     | 137-1 | 2.23      | 2.24      | 2.21      | 2.23       | 0.65    | ppb   |
| Beryllium  | 9-1   | 0.17      | 0.18      | 0.15      | 0.17       | 7.51    | ppb   |
| Bismuth    | 209-1 |           |           |           | 85         |         | %     |
| Bismuth    | 209-2 |           |           |           | 82         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 0.51      | 0.40      | 0.51      | 0.47       | 12.94   | ppb   |
| Cadmium    | 106-1 | 0.35      | 0.05      | 0.52      | 0.31       | 77.28   | ppb   |
| Cadmium    | 111-1 | 0.24      | 0.24      | 0.25      | 0.24       | 2.24    | ppb   |
| Calcium    | 43-1  | 500235.72 | 498007.80 | 497979.50 | 498741.01  | 0.26    | ppb   |
| Calcium    | 44-1  | 499391.38 | 496792.37 | 500523.46 | 498902.40  | 0.38    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 1.36      | 1.59      | 1.41      | 1.45       | 8.50    | ppb   |
| Cobalt     | 59-2  | 2.48      | 2.44      | 2.48      | 2.46       | 1.00    | ppb   |
| Copper     | 63-2  | 1.96      | 1.91      | 1.82      | 1.90       | 3.56    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 95         |         | %     |
| Holmium    | 165-2 |           |           |           | 94         |         | %     |
| Indium     | 115-1 |           |           |           | 86         |         | %     |
| Indium     | 115-2 |           |           |           | 86         |         | %     |
| Iron       | 56-2  | 247935.38 | 248814.26 | 250042.39 | 248930.68  | 0.43    | ppb   |
| Iron       | 57-2  | 248020.96 | 247964.09 | 251027.30 | 249004.12  | 0.70    | ppb   |
| Iron       | 54-2  | 249484.89 | 247278.98 | 249285.42 | 248683.10  | 0.49    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S08 Instrumnet Name : P7  
Client Sample ID : S08 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:34:14 DataFile Name : 014CALS.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Lead       | 206-1 | 1.02      | 0.97      | 0.90      | 0.96       | 5.83    | ppb   |
| Lead       | 207-1 | 1.02      | 0.95      | 0.92      | 0.97       | 5.29    | ppb   |
| Lead       | 208-1 | 1.00      | 0.96      | 0.91      | 0.96       | 4.77    | ppb   |
| Lithium    | 6-1   |           |           |           | 96         |         | %     |
| Magnesium  | 24-2  | 493301.43 | 502399.66 | 501613.83 | 499104.97  | 1.01    | ppb   |
| Manganese  | 55-2  | 5.13      | 5.11      | 5.09      | 5.11       | 0.37    | ppb   |
| Molybdenum | 94-1  | 2.84      | 2.80      | 2.73      | 2.79       | 2.03    | ppb   |
| Molybdenum | 95-1  | 2.00      | 2.04      | 1.96      | 2.00       | 1.80    | ppb   |
| Molybdenum | 96-1  | 3.34      | 3.32      | 3.07      | 3.24       | 4.53    | ppb   |
| Molybdenum | 97-1  | 1.98      | 2.04      | 1.99      | 2.01       | 1.59    | ppb   |
| Molybdenum | 98-1  | 1.99      | 1.93      | 1.86      | 1.93       | 3.57    | ppb   |
| Neodymium  | 150-1 |           |           |           |            |         | cps   |
| Neodymium  | 150-2 |           |           |           |            |         | cps   |
| Nickel     | 60-2  | 2.66      | 2.59      | 2.63      | 2.62       | 1.36    | ppb   |
| Phosphorus | 31-2  | -8.58     | -4.24     | -7.43     | -6.75      |         | ppb   |
| Potassium  | 39-2  | 249202.69 | 249916.07 | 250437.58 | 249852.11  | 0.25    | ppb   |
| Rhodium    | 103-1 |           |           |           | 79         |         | %     |
| Rhodium    | 103-2 |           |           |           | 80         |         | %     |
| Scandium   | 45-1  |           |           |           | 88         |         | %     |
| Scandium   | 45-2  |           |           |           | 91         |         | %     |
| Selenium   | 82-1  | 0.69      | 0.34      | 0.21      | 0.42       | 59.61   | ppb   |
| Selenium   | 77-2  | 0.00      | 0.47      | 0.38      | 0.28       | 88.11   | ppb   |
| Selenium   | 78-2  | -0.24     | 0.06      | 0.34      | 0.05       | 551.67  | ppb   |
| Silicon    | 28-1  | 3.12      | 2.85      | 2.29      | 2.75       | 15.31   | ppb   |
| Silver     | 107-1 | 0.21      | 0.19      | 0.16      | 0.19       | 13.19   | ppb   |
| Silver     | 109-1 | 0.21      | 0.20      | 0.17      | 0.19       | 10.77   | ppb   |
| Sodium     | 23-2  | 498246.00 | 499674.80 | 499388.38 | 499103.06  | 0.15    | ppb   |
| Strontium  | 86-1  | 82.44     | 82.22     | 85.40     | 83.35      | 2.13    | ppb   |
| Strontium  | 88-1  | 83.43     | 83.09     | 82.28     | 82.93      | 0.71    | ppb   |
| Sulfur     | 34-1  | -498.44   | -416.37   | -321.40   | -412.07    |         | ppb   |
| Terbium    | 159-1 |           |           |           | 94         |         | %     |
| Terbium    | 159-2 |           |           |           | 94         |         | %     |
| Thallium   | 203-1 | 0.16      | 0.14      | 0.11      | 0.14       | 18.78   | ppb   |
| Thallium   | 205-1 | 0.17      | 0.14      | 0.13      | 0.14       | 14.53   | ppb   |
| Tin        | 118-1 | 0.23      | 0.21      | 0.19      | 0.21       | 8.47    | ppb   |
| Titanium   | 47-1  | 1.58      | 1.55      | 1.39      | 1.51       | 6.72    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :S08

Instrumnet Name :P7

Client Sample ID :S08

Dilution Factor :1

Date & Time Acquired :2024-11-27 16:34:14

DataFile Name :014CALS.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.13    | 0.12    | 0.11    | 0.12       | 11.10   | ppb   |
| Vanadium  | 51-2  | 0.30    | 0.29    | 0.28    | 0.29       | 3.59    | ppb   |
| Yttrium   | 89-1  |         |         |         | 89         |         | %     |
| Yttrium   | 89-2  |         |         |         | 91         |         | %     |
| Zinc      | 66-2  | 2.62    | 2.48    | 2.50    | 2.53       | 2.85    | ppb   |
| Zirconium | 90-1  | 0.55    | 0.58    | 0.56    | 0.56       | 2.05    | ppb   |
| Zirconium | 91-1  | 0.62    | 0.56    | 0.56    | 0.58       | 6.72    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICV001 Instrumnet Name : P7  
Client Sample ID : ICV001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:16:22 DataFile Name : 015ICV.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 456.64  | 460.15  | 459.35  | 458.71     | 0.40    | ppb   |
| Antimony   | 121-1 | 195.51  | 201.15  | 196.08  | 197.58     | 1.57    | ppb   |
| Arsenic    | 75-2  | 200.71  | 197.00  | 196.35  | 198.02     | 1.19    | ppb   |
| Barium     | 135-1 | 96.21   | 99.51   | 98.11   | 97.95      | 1.69    | ppb   |
| Barium     | 137-1 | 96.18   | 99.01   | 97.66   | 97.62      | 1.45    | ppb   |
| Beryllium  | 9-1   | 103.01  | 99.26   | 99.48   | 100.58     | 2.09    | ppb   |
| Bismuth    | 209-1 |         |         |         | 100        |         | %     |
| Bismuth    | 209-2 |         |         |         | 100        |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 155.16  | 159.11  | 155.11  | 156.46     | 1.47    | ppb   |
| Cadmium    | 106-1 | 157.00  | 161.75  | 157.71  | 158.82     | 1.61    | ppb   |
| Cadmium    | 111-1 | 106.97  | 110.40  | 107.77  | 108.38     | 1.66    | ppb   |
| Calcium    | 43-1  | 2219.90 | 2272.54 | 2341.37 | 2277.93    | 2.67    | ppb   |
| Calcium    | 44-1  | 2087.77 | 2112.81 | 2106.74 | 2102.44    | 0.62    | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 97.89   | 98.33   | 97.48   | 97.90      | 0.43    | ppb   |
| Cobalt     | 59-2  | 99.45   | 97.28   | 99.93   | 98.89      | 1.42    | ppb   |
| Copper     | 63-2  | 94.84   | 94.01   | 94.21   | 94.35      | 0.46    | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 97         |         | %     |
| Holmium    | 165-2 |         |         |         | 98         |         | %     |
| Indium     | 115-1 |         |         |         | 96         |         | %     |
| Indium     | 115-2 |         |         |         | 94         |         | %     |
| Iron       | 56-2  | 2045.58 | 2038.17 | 2028.80 | 2037.51    | 0.41    | ppb   |
| Iron       | 57-2  | 2106.31 | 2099.68 | 2090.63 | 2098.87    | 0.38    | ppb   |
| Iron       | 54-2  | 2201.09 | 2211.30 | 2178.38 | 2196.92    | 0.77    | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICV001 Instrumnet Name : P7  
Client Sample ID : ICV001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:16:22 DataFile Name : 015ICV.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 196.24   | 193.61   | 197.55   | 195.80     | 1.02    | ppb   |
| Lead       | 207-1 | 187.18   | 188.70   | 188.79   | 188.23     | 0.48    | ppb   |
| Lead       | 208-1 | 190.62   | 190.98   | 191.08   | 190.89     | 0.13    | ppb   |
| Lithium    | 6-1   |          |          |          | 103        |         | %     |
| Magnesium  | 24-2  | 1087.59  | 1087.55  | 1087.54  | 1087.56    | 0.00    | ppb   |
| Manganese  | 55-2  | 94.83    | 94.88    | 94.33    | 94.68      | 0.33    | ppb   |
| Molybdenum | 94-1  | 4813.92  | 4914.56  | 4872.07  | 4866.85    | 1.04    | ppb   |
| Molybdenum | 95-1  | 4894.81  | 5001.50  | 4978.30  | 4958.20    | 1.13    | ppb   |
| Molybdenum | 96-1  | 4863.60  | 4966.20  | 4959.16  | 4929.65    | 1.16    | ppb   |
| Molybdenum | 97-1  | 4890.15  | 4963.83  | 4928.24  | 4927.41    | 0.75    | ppb   |
| Molybdenum | 98-1  | 4895.97  | 4936.43  | 4972.52  | 4934.98    | 0.78    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 100.70   | 99.71    | 100.00   | 100.14     | 0.51    | ppb   |
| Phosphorus | 31-2  | -14.45   | -11.79   | -15.83   | -14.02     |         | ppb   |
| Potassium  | 39-2  | 1875.56  | 1894.14  | 1839.54  | 1869.75    | 1.48    | ppb   |
| Rhodium    | 103-1 |          |          |          | 96         |         | %     |
| Rhodium    | 103-2 |          |          |          | 94         |         | %     |
| Scandium   | 45-1  |          |          |          | 97         |         | %     |
| Scandium   | 45-2  |          |          |          | 93         |         | %     |
| Selenium   | 82-1  | 201.10   | 205.68   | 205.26   | 204.01     | 1.24    | ppb   |
| Selenium   | 77-2  | 201.94   | 205.80   | 207.02   | 204.92     | 1.29    | ppb   |
| Selenium   | 78-2  | 210.71   | 205.37   | 205.64   | 207.24     | 1.45    | ppb   |
| Silicon    | 28-1  | 68.83    | 72.00    | 75.26    | 72.03      | 4.46    | ppb   |
| Silver     | 107-1 | 50.41    | 51.30    | 50.94    | 50.88      | 0.87    | ppb   |
| Silver     | 109-1 | 49.70    | 51.23    | 49.72    | 50.22      | 1.75    | ppb   |
| Sodium     | 23-2  | 1888.64  | 1911.76  | 1896.98  | 1899.13    | 0.62    | ppb   |
| Strontium  | 86-1  | 11400.00 | 11628.23 | 11566.76 | 11531.66   | 1.02    | ppb   |
| Strontium  | 88-1  | 11390.20 | 11569.91 | 11523.83 | 11494.65   | 0.81    | ppb   |
| Sulfur     | 34-1  | -223.24  | -196.80  | -204.29  | -208.11    |         | ppb   |
| Terbium    | 159-1 |          |          |          | 98         |         | %     |
| Terbium    | 159-2 |          |          |          | 99         |         | %     |
| Thallium   | 203-1 | 192.65   | 190.57   | 190.24   | 191.15     | 0.69    | ppb   |
| Thallium   | 205-1 | 192.87   | 190.01   | 190.17   | 191.02     | 0.84    | ppb   |
| Tin        | 118-1 | 471.93   | 480.63   | 478.69   | 477.08     | 0.96    | ppb   |
| Titanium   | 47-1  | 4922.39  | 5066.87  | 5013.18  | 5000.81    | 1.46    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

ICV001

Instrumnet Name :

P7

Client Sample ID :

ICV001

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 17:16:22

DataFile Name :

015ICV.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 463.32  | 476.17  | 471.35  | 470.28     | 1.38    | ppb   |
| Vanadium  | 51-2  | 94.08   | 93.24   | 92.79   | 93.37      | 0.70    | ppb   |
| Yttrium   | 89-1  |         |         |         | 97         |         | %     |
| Yttrium   | 89-2  |         |         |         | 94         |         | %     |
| Zinc      | 66-2  | 198.04  | 198.13  | 195.89  | 197.35     | 0.64    | ppb   |
| Zirconium | 90-1  | 447.72  | 451.07  | 448.88  | 449.22     | 0.38    | ppb   |
| Zirconium | 91-1  | 443.71  | 453.58  | 449.59  | 448.96     | 1.11    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICB001 Instrumnet Name : P7  
Client Sample ID : ICB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:26:42 DataFile Name : 016CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 0.09    | 0.13    | 0.12    | 0.11       | 18.70   | ppb   |
| Antimony   | 121-1 | 0.01    | 0.01    | 0.02    | 0.02       | 37.87   | ppb   |
| Arsenic    | 75-2  | -0.01   | 0.00    | 0.00    | 0.00       |         | ppb   |
| Barium     | 135-1 | 0.00    | 0.01    | -0.01   | 0.00       |         | ppb   |
| Barium     | 137-1 | 0.01    | 0.00    | 0.01    | 0.01       | 74.34   | ppb   |
| Beryllium  | 9-1   | 0.00    | 0.00    | 0.03    | 0.01       | 152.21  | ppb   |
| Bismuth    | 209-1 |         |         |         | 96         |         | %     |
| Bismuth    | 209-2 |         |         |         | 97         |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | -0.03   | -0.01   | 0.03    | 0.00       |         | ppb   |
| Cadmium    | 106-1 | -1.42   | -1.10   | -1.48   | -1.33      |         | ppb   |
| Cadmium    | 111-1 | -0.10   | -0.08   | -0.11   | -0.10      |         | ppb   |
| Calcium    | 43-1  | 5.53    | 6.43    | 7.05    | 6.34       | 12.07   | ppb   |
| Calcium    | 44-1  | 8.52    | 8.88    | 8.74    | 8.71       | 2.10    | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 0.11    | 0.10    | 0.09    | 0.10       | 8.26    | ppb   |
| Cobalt     | 59-2  | 0.00    | 0.00    | 0.00    | 0.00       | 778.88  | ppb   |
| Copper     | 63-2  | 0.01    | 0.03    | 0.02    | 0.02       | 60.80   | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 94         |         | %     |
| Holmium    | 165-2 |         |         |         | 97         |         | %     |
| Indium     | 115-1 |         |         |         | 94         |         | %     |
| Indium     | 115-2 |         |         |         | 96         |         | %     |
| Iron       | 56-2  | 1.21    | 1.17    | 1.12    | 1.16       | 3.97    | ppb   |
| Iron       | 57-2  | 1.28    | 0.71    | 0.99    | 0.99       | 28.93   | ppb   |
| Iron       | 54-2  | 2.40    | 2.95    | 2.56    | 2.64       | 10.66   | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICB001 Instrumnet Name : P7  
Client Sample ID : ICB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:26:42 DataFile Name : 016CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 0.01    | 0.02    | 0.02    | 0.02       | 26.72   | ppb   |
| Lead       | 207-1 | 0.02    | 0.02    | 0.02    | 0.02       | 8.41    | ppb   |
| Lead       | 208-1 | 0.02    | 0.02    | 0.02    | 0.02       | 5.36    | ppb   |
| Lithium    | 6-1   |         |         |         | 99         |         | %     |
| Magnesium  | 24-2  | 0.20    | 0.11    | 0.19    | 0.17       | 28.57   | ppb   |
| Manganese  | 55-2  | 0.08    | 0.07    | 0.08    | 0.08       | 7.08    | ppb   |
| Molybdenum | 94-1  | 0.09    | 0.12    | 0.11    | 0.10       | 15.48   | ppb   |
| Molybdenum | 95-1  | 0.06    | 0.06    | 0.05    | 0.06       | 10.41   | ppb   |
| Molybdenum | 96-1  | 0.06    | 0.05    | 0.06    | 0.06       | 2.99    | ppb   |
| Molybdenum | 97-1  | 0.05    | 0.05    | 0.05    | 0.05       | 3.87    | ppb   |
| Molybdenum | 98-1  | 0.06    | 0.05    | 0.06    | 0.06       | 6.95    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 0.12    | 0.12    | 0.12    | 0.12       | 1.50    | ppb   |
| Phosphorus | 31-2  | -12.59  | -12.85  | -17.24  | -14.23     |         | ppb   |
| Potassium  | 39-2  | -1.13   | -0.11   | -0.55   | -0.60      |         | ppb   |
| Rhodium    | 103-1 |         |         |         | 93         |         | %     |
| Rhodium    | 103-2 |         |         |         | 95         |         | %     |
| Scandium   | 45-1  |         |         |         | 94         |         | %     |
| Scandium   | 45-2  |         |         |         | 95         |         | %     |
| Selenium   | 82-1  | 0.06    | -0.21   | -0.29   | -0.15      |         | ppb   |
| Selenium   | 77-2  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Selenium   | 78-2  | -0.75   | -0.23   | 0.07    | -0.30      |         | ppb   |
| Silicon    | 28-1  | -4.62   | -4.72   | -4.80   | -4.71      |         | ppb   |
| Silver     | 107-1 | 0.00    | 0.00    | 0.00    | 0.00       | 71.89   | ppb   |
| Silver     | 109-1 | 0.00    | 0.00    | 0.00    | 0.00       | 42.65   | ppb   |
| Sodium     | 23-2  | 2.82    | 2.41    | 3.23    | 2.82       | 14.62   | ppb   |
| Strontium  | 86-1  | 0.28    | 0.49    | 0.17    | 0.31       | 53.55   | ppb   |
| Strontium  | 88-1  | 0.17    | 0.19    | 0.11    | 0.16       | 28.45   | ppb   |
| Sulfur     | 34-1  | -112.28 | -125.88 | -137.52 | -125.23    |         | ppb   |
| Terbium    | 159-1 |         |         |         | 95         |         | %     |
| Terbium    | 159-2 |         |         |         | 97         |         | %     |
| Thallium   | 203-1 | 0.00    | 0.00    | 0.00    | 0.00       | 125.84  | ppb   |
| Thallium   | 205-1 | 0.00    | 0.00    | 0.00    | 0.00       | 55.53   | ppb   |
| Tin        | 118-1 | -0.04   | -0.05   | -0.04   | -0.04      |         | ppb   |
| Titanium   | 47-1  | 0.04    | 0.07    | 0.05    | 0.05       | 25.28   | ppb   |



LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

ICB001

Instrumnet Name :

P7

Client Sample ID :

ICB001

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 17:26:42

DataFile Name :

016CCBE.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.00    | 0.00    | 0.00    | 0.00       | 12.95   | ppb   |
| Vanadium  | 51-2  | 0.00    | 0.00    | 0.00    | 0.00       |         | ppb   |
| Yttrium   | 89-1  |         |         |         | 93         |         | %     |
| Yttrium   | 89-2  |         |         |         | 95         |         | %     |
| Zinc      | 66-2  | 0.71    | 0.82    | 0.84    | 0.79       | 8.71    | ppb   |
| Zirconium | 90-1  | 0.02    | 0.03    | 0.04    | 0.03       | 33.14   | ppb   |
| Zirconium | 91-1  | 0.02    | 0.03    | 0.04    | 0.03       | 28.35   | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICSA001 Instrumnet Name : P7  
Client Sample ID : ICSA001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:30:01 DataFile Name : 017ICSA.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 91240.84  | 90873.72  | 89340.22  | 90484.93   | 1.11    | ppb   |
| Antimony   | 121-1 | 1.12      | 1.13      | 1.11      | 1.12       | 0.92    | ppb   |
| Arsenic    | 75-2  | 0.34      | 0.35      | 0.34      | 0.35       | 1.14    | ppb   |
| Barium     | 135-1 | 1.38      | 1.38      | 1.40      | 1.39       | 0.92    | ppb   |
| Barium     | 137-1 | 1.40      | 1.37      | 1.39      | 1.39       | 0.92    | ppb   |
| Beryllium  | 9-1   | 0.29      | 0.30      | 0.26      | 0.29       | 6.95    | ppb   |
| Bismuth    | 209-1 |           |           |           | 99         |         | %     |
| Bismuth    | 209-2 |           |           |           | 96         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 9.63      | 9.06      | 9.00      | 9.23       | 3.77    | ppb   |
| Cadmium    | 106-1 | -1.03     | -1.07     | -1.18     | -1.09      |         | ppb   |
| Cadmium    | 111-1 | 0.30      | 0.31      | 0.24      | 0.28       | 14.20   | ppb   |
| Calcium    | 43-1  | 100436.00 | 101855.85 | 100881.04 | 101057.63  | 0.72    | ppb   |
| Calcium    | 44-1  | 99655.92  | 101820.11 | 100937.73 | 100804.59  | 1.08    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 19.77     | 19.69     | 19.28     | 19.58      | 1.35    | ppb   |
| Cobalt     | 59-2  | 1.21      | 1.23      | 1.22      | 1.22       | 0.64    | ppb   |
| Copper     | 63-2  | 7.18      | 7.19      | 7.05      | 7.14       | 1.09    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 104        |         | %     |
| Holmium    | 165-2 |           |           |           | 103        |         | %     |
| Indium     | 115-1 |           |           |           | 96         |         | %     |
| Indium     | 115-2 |           |           |           | 95         |         | %     |
| Iron       | 56-2  | 104019.11 | 103611.00 | 102593.19 | 103407.77  | 0.71    | ppb   |
| Iron       | 57-2  | 101804.91 | 103233.18 | 102076.52 | 102371.54  | 0.74    | ppb   |
| Iron       | 54-2  | 104851.16 | 104540.63 | 103363.89 | 104251.89  | 0.75    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICSA001 Instrumnet Name : P7  
Client Sample ID : ICSA001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:30:01 DataFile Name : 017ICSA.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 4.98     | 4.82     | 4.72     | 4.84       | 2.77    | ppb   |
| Lead       | 207-1 | 4.51     | 4.31     | 4.26     | 4.36       | 3.01    | ppb   |
| Lead       | 208-1 | 4.68     | 4.49     | 4.40     | 4.52       | 3.18    | ppb   |
| Lithium    | 6-1   |          |          |          | 95         |         | %     |
| Magnesium  | 24-2  | 94137.70 | 93839.82 | 92747.58 | 93575.03   | 0.78    | ppb   |
| Manganese  | 55-2  | 7.62     | 7.75     | 7.72     | 7.70       | 0.90    | ppb   |
| Molybdenum | 94-1  | 1523.41  | 1540.13  | 1521.74  | 1528.43    | 0.67    | ppb   |
| Molybdenum | 95-1  | 1865.45  | 1881.37  | 1878.65  | 1875.16    | 0.45    | ppb   |
| Molybdenum | 96-1  | 1822.64  | 1830.36  | 1826.45  | 1826.48    | 0.21    | ppb   |
| Molybdenum | 97-1  | 1868.15  | 1874.12  | 1838.48  | 1860.25    | 1.03    | ppb   |
| Molybdenum | 98-1  | 1860.85  | 1879.09  | 1848.90  | 1862.94    | 0.82    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 4.41     | 4.47     | 4.30     | 4.39       | 1.98    | ppb   |
| Phosphorus | 31-2  | 97705.48 | 99778.33 | 96499.65 | 97994.48   | 1.69    | ppb   |
| Potassium  | 39-2  | 96817.00 | 98158.08 | 96779.74 | 97251.61   | 0.81    | ppb   |
| Rhodium    | 103-1 |          |          |          | 91         |         | %     |
| Rhodium    | 103-2 |          |          |          | 92         |         | %     |
| Scandium   | 45-1  |          |          |          | 94         |         | %     |
| Scandium   | 45-2  |          |          |          | 95         |         | %     |
| Selenium   | 82-1  | 0.16     | 0.16     | 0.07     | 0.13       | 40.24   | ppb   |
| Selenium   | 77-2  | 0.09     | 0.26     | 0.43     | 0.26       | 66.60   | ppb   |
| Selenium   | 78-2  | -0.42    | -0.43    | -0.63    | -0.49      |         | ppb   |
| Silicon    | 28-1  | 0.28     | 0.35     | 0.49     | 0.37       | 29.33   | ppb   |
| Silver     | 107-1 | 0.02     | 0.02     | 0.02     | 0.02       | 5.02    | ppb   |
| Silver     | 109-1 | 0.02     | 0.02     | 0.02     | 0.02       | 6.96    | ppb   |
| Sodium     | 23-2  | 98330.69 | 98639.13 | 97648.94 | 98206.25   | 0.52    | ppb   |
| Strontium  | 86-1  | 825.93   | 838.46   | 837.51   | 833.97     | 0.84    | ppb   |
| Strontium  | 88-1  | 839.67   | 837.91   | 843.06   | 840.22     | 0.31    | ppb   |
| Sulfur     | 34-1  | 94693.95 | 96116.12 | 94567.17 | 95125.74   | 0.90    | ppb   |
| Terbium    | 159-1 |          |          |          | 103        |         | %     |
| Terbium    | 159-2 |          |          |          | 102        |         | %     |
| Thallium   | 203-1 | 0.09     | 0.12     | 0.12     | 0.11       | 16.97   | ppb   |
| Thallium   | 205-1 | 0.10     | 0.11     | 0.12     | 0.11       | 10.85   | ppb   |
| Tin        | 118-1 | 0.14     | 0.11     | 0.11     | 0.12       | 14.30   | ppb   |
| Titanium   | 47-1  | 1946.19  | 1970.62  | 1967.62  | 1961.48    | 0.68    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

ICSA001

Instrumnet Name :

P7

Client Sample ID :

ICSA001

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 17:30:01

DataFile Name :

017ICSA.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.02    | 0.02    | 0.02    | 0.02       | 3.00    | ppb   |
| Vanadium  | 51-2  | 0.18    | 0.16    | 0.17    | 0.17       | 7.32    | ppb   |
| Yttrium   | 89-1  |         |         |         | 98         |         | %     |
| Yttrium   | 89-2  |         |         |         | 97         |         | %     |
| Zinc      | 66-2  | 11.22   | 11.26   | 11.22   | 11.23      | 0.21    | ppb   |
| Zirconium | 90-1  | 0.01    | 0.02    | 0.02    | 0.02       | 20.29   | ppb   |
| Zirconium | 91-1  | 0.02    | 0.02    | 0.02    | 0.02       | 24.79   | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICSAB001 Instrumnet Name : P7  
Client Sample ID : ICSAB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:33:04 DataFile Name : 018ICSB.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 87048.26  | 87043.52  | 87072.28  | 87054.69   | 0.02    | ppb   |
| Antimony   | 121-1 | 20.53     | 20.72     | 21.26     | 20.84      | 1.80    | ppb   |
| Arsenic    | 75-2  | 20.40     | 20.19     | 20.14     | 20.24      | 0.69    | ppb   |
| Barium     | 135-1 | 20.63     | 20.89     | 21.36     | 20.96      | 1.77    | ppb   |
| Barium     | 137-1 | 20.51     | 20.74     | 21.03     | 20.76      | 1.24    | ppb   |
| Beryllium  | 9-1   | 21.61     | 20.53     | 20.67     | 20.94      | 2.80    | ppb   |
| Bismuth    | 209-1 |           |           |           | 102        |         | %     |
| Bismuth    | 209-2 |           |           |           | 98         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 25.70     | 25.19     | 25.98     | 25.62      | 1.57    | ppb   |
| Cadmium    | 106-1 | 16.09     | 15.75     | 15.23     | 15.69      | 2.74    | ppb   |
| Cadmium    | 111-1 | 19.51     | 19.90     | 20.01     | 19.81      | 1.32    | ppb   |
| Calcium    | 43-1  | 97456.90  | 98114.32  | 98189.27  | 97920.16   | 0.41    | ppb   |
| Calcium    | 44-1  | 97096.67  | 97830.72  | 97802.79  | 97576.73   | 0.43    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 38.44     | 38.60     | 38.47     | 38.50      | 0.22    | ppb   |
| Cobalt     | 59-2  | 20.70     | 20.49     | 20.47     | 20.55      | 0.60    | ppb   |
| Copper     | 63-2  | 25.35     | 24.96     | 25.10     | 25.14      | 0.79    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 107        |         | %     |
| Holmium    | 165-2 |           |           |           | 105        |         | %     |
| Indium     | 115-1 |           |           |           | 100        |         | %     |
| Indium     | 115-2 |           |           |           | 96         |         | %     |
| Iron       | 56-2  | 100388.03 | 101657.15 | 100055.50 | 100700.23  | 0.84    | ppb   |
| Iron       | 57-2  | 101660.60 | 100222.12 | 99924.00  | 100602.24  | 0.92    | ppb   |
| Iron       | 54-2  | 101315.11 | 101243.80 | 101123.23 | 101227.38  | 0.10    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICSAB001 Instrumnet Name : P7  
Client Sample ID : ICSAB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:33:04 DataFile Name : 018ICSB.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 25.31    | 25.62    | 25.86    | 25.60      | 1.09    | ppb   |
| Lead       | 207-1 | 24.19    | 24.62    | 24.62    | 24.48      | 1.00    | ppb   |
| Lead       | 208-1 | 24.54    | 24.80    | 24.97    | 24.77      | 0.88    | ppb   |
| Lithium    | 6-1   |          |          |          | 91         |         | %     |
| Magnesium  | 24-2  | 90835.50 | 89923.30 | 90238.65 | 90332.48   | 0.51    | ppb   |
| Manganese  | 55-2  | 26.31    | 26.20    | 26.12    | 26.21      | 0.37    | ppb   |
| Molybdenum | 94-1  | 1478.93  | 1482.24  | 1515.84  | 1492.34    | 1.37    | ppb   |
| Molybdenum | 95-1  | 1802.15  | 1810.85  | 1842.31  | 1818.43    | 1.16    | ppb   |
| Molybdenum | 96-1  | 1763.41  | 1766.19  | 1816.53  | 1782.05    | 1.68    | ppb   |
| Molybdenum | 97-1  | 1793.28  | 1797.07  | 1828.88  | 1806.41    | 1.08    | ppb   |
| Molybdenum | 98-1  | 1813.30  | 1802.53  | 1820.50  | 1812.11    | 0.50    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 23.51    | 23.33    | 23.44    | 23.43      | 0.38    | ppb   |
| Phosphorus | 31-2  | 93797.28 | 96523.82 | 95176.48 | 95165.86   | 1.43    | ppb   |
| Potassium  | 39-2  | 95098.69 | 94647.14 | 94584.50 | 94776.78   | 0.30    | ppb   |
| Rhodium    | 103-1 |          |          |          | 95         |         | %     |
| Rhodium    | 103-2 |          |          |          | 95         |         | %     |
| Scandium   | 45-1  |          |          |          | 96         |         | %     |
| Scandium   | 45-2  |          |          |          | 97         |         | %     |
| Selenium   | 82-1  | 19.10    | 19.98    | 20.51    | 19.87      | 3.59    | ppb   |
| Selenium   | 77-2  | 21.64    | 21.38    | 19.88    | 20.97      | 4.55    | ppb   |
| Selenium   | 78-2  | 19.21    | 20.53    | 18.01    | 19.25      | 6.56    | ppb   |
| Silicon    | 28-1  | 0.53     | 0.60     | 0.69     | 0.60       | 13.10   | ppb   |
| Silver     | 107-1 | 18.39    | 18.46    | 18.72    | 18.52      | 0.91    | ppb   |
| Silver     | 109-1 | 18.34    | 18.42    | 18.84    | 18.53      | 1.44    | ppb   |
| Sodium     | 23-2  | 94403.20 | 95610.90 | 95465.17 | 95159.76   | 0.69    | ppb   |
| Strontium  | 86-1  | 809.60   | 806.53   | 823.16   | 813.10     | 1.09    | ppb   |
| Strontium  | 88-1  | 820.72   | 819.14   | 828.79   | 822.88     | 0.63    | ppb   |
| Sulfur     | 34-1  | 92748.88 | 92756.58 | 92893.71 | 92799.72   | 0.09    | ppb   |
| Terbium    | 159-1 |          |          |          | 107        |         | %     |
| Terbium    | 159-2 |          |          |          | 104        |         | %     |
| Thallium   | 203-1 | 20.69    | 21.12    | 21.20    | 21.01      | 1.30    | ppb   |
| Thallium   | 205-1 | 20.87    | 21.00    | 21.19    | 21.02      | 0.77    | ppb   |
| Tin        | 118-1 | 0.08     | 0.09     | 0.10     | 0.09       | 12.76   | ppb   |
| Titanium   | 47-1  | 1927.53  | 1894.10  | 1942.87  | 1921.50    | 1.30    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

ICSAB001

Instrumnet Name :

P7

Client Sample ID :

ICSAB001

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 17:33:04

DataFile Name :

018ICSB.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.02    | 0.02    | 0.02    | 0.02       | 3.75    | ppb   |
| Vanadium  | 51-2  | 19.31   | 19.27   | 19.27   | 19.28      | 0.12    | ppb   |
| Yttrium   | 89-1  |         |         |         | 102        |         | %     |
| Yttrium   | 89-2  |         |         |         | 99         |         | %     |
| Zinc      | 66-2  | 30.36   | 29.73   | 30.00   | 30.03      | 1.04    | ppb   |
| Zirconium | 90-1  | 0.01    | 0.01    | 0.03    | 0.02       | 38.71   | ppb   |
| Zirconium | 91-1  | 0.02    | 0.02    | 0.02    | 0.02       | 6.26    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCV001 Instrumnet Name : P7  
Client Sample ID : CCV001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:36:05 DataFile Name : 019CCV.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 49818.03  | 50130.26  | 49650.30  | 49866.19   | 0.49    | ppb   |
| Antimony   | 121-1 | 490.91    | 503.31    | 500.40    | 498.21     | 1.30    | ppb   |
| Arsenic    | 75-2  | 513.90    | 505.58    | 505.52    | 508.33     | 0.95    | ppb   |
| Barium     | 135-1 | 2470.28   | 2507.88   | 2491.49   | 2489.88    | 0.76    | ppb   |
| Barium     | 137-1 | 2461.29   | 2491.43   | 2487.55   | 2480.09    | 0.66    | ppb   |
| Beryllium  | 9-1   | 559.40    | 547.81    | 538.59    | 548.60     | 1.90    | ppb   |
| Bismuth    | 209-1 |           |           |           | 97         |         | %     |
| Bismuth    | 209-2 |           |           |           | 92         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 506.54    | 509.82    | 510.99    | 509.11     | 0.45    | ppb   |
| Cadmium    | 106-1 | 506.24    | 510.87    | 513.19    | 510.10     | 0.69    | ppb   |
| Cadmium    | 111-1 | 501.81    | 511.88    | 514.26    | 509.31     | 1.30    | ppb   |
| Calcium    | 43-1  | 253799.51 | 255136.72 | 255555.92 | 254830.71  | 0.36    | ppb   |
| Calcium    | 44-1  | 252175.78 | 253347.46 | 256002.71 | 253841.98  | 0.77    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 497.16    | 487.70    | 482.68    | 489.18     | 1.50    | ppb   |
| Cobalt     | 59-2  | 494.67    | 497.66    | 492.54    | 494.96     | 0.52    | ppb   |
| Copper     | 63-2  | 5024.52   | 4993.40   | 4952.26   | 4990.06    | 0.73    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 104        |         | %     |
| Holmium    | 165-2 |           |           |           | 100        |         | %     |
| Indium     | 115-1 |           |           |           | 96         |         | %     |
| Indium     | 115-2 |           |           |           | 91         |         | %     |
| Iron       | 56-2  | 129124.44 | 127366.11 | 126014.98 | 127501.84  | 1.22    | ppb   |
| Iron       | 57-2  | 127582.42 | 128861.70 | 125986.36 | 127476.83  | 1.13    | ppb   |
| Iron       | 54-2  | 129300.16 | 127027.40 | 126863.91 | 127730.49  | 1.07    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCV001 Instrumnet Name : P7  
Client Sample ID : CCV001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:36:05 DataFile Name : 019CCV.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Lead       | 206-1 | 2513.28   | 2546.72   | 2525.86   | 2528.62    | 0.67    | ppb   |
| Lead       | 207-1 | 2543.13   | 2528.20   | 2536.49   | 2535.94    | 0.30    | ppb   |
| Lead       | 208-1 | 2535.82   | 2526.89   | 2529.83   | 2530.85    | 0.18    | ppb   |
| Lithium    | 6-1   |           |           |           | 88         |         | %     |
| Magnesium  | 24-2  | 251223.81 | 245262.43 | 246116.57 | 247534.27  | 1.30    | ppb   |
| Manganese  | 55-2  | 4918.47   | 4815.74   | 4783.26   | 4839.15    | 1.46    | ppb   |
| Molybdenum | 94-1  | 4896.95   | 4984.49   | 5008.10   | 4963.18    | 1.18    | ppb   |
| Molybdenum | 95-1  | 4962.50   | 5004.22   | 5005.04   | 4990.59    | 0.49    | ppb   |
| Molybdenum | 96-1  | 4931.13   | 5032.67   | 5004.82   | 4989.54    | 1.05    | ppb   |
| Molybdenum | 97-1  | 4934.44   | 5017.89   | 4968.03   | 4973.45    | 0.84    | ppb   |
| Molybdenum | 98-1  | 4964.90   | 5013.19   | 4934.19   | 4970.76    | 0.80    | ppb   |
| Neodymium  | 150-1 |           |           |           |            |         | cps   |
| Neodymium  | 150-2 |           |           |           |            |         | cps   |
| Nickel     | 60-2  | 494.31    | 493.19    | 491.01    | 492.84     | 0.34    | ppb   |
| Phosphorus | 31-2  | 9935.92   | 9822.68   | 9872.33   | 9876.98    | 0.57    | ppb   |
| Potassium  | 39-2  | 125516.96 | 123987.80 | 124035.09 | 124513.28  | 0.70    | ppb   |
| Rhodium    | 103-1 |           |           |           | 90         |         | %     |
| Rhodium    | 103-2 |           |           |           | 88         |         | %     |
| Scandium   | 45-1  |           |           |           | 94         |         | %     |
| Scandium   | 45-2  |           |           |           | 95         |         | %     |
| Selenium   | 82-1  | 500.29    | 509.63    | 506.16    | 505.36     | 0.93    | ppb   |
| Selenium   | 77-2  | 502.27    | 496.94    | 498.53    | 499.25     | 0.55    | ppb   |
| Selenium   | 78-2  | 498.49    | 502.09    | 504.43    | 501.67     | 0.60    | ppb   |
| Silicon    | 28-1  | 462.62    | 460.81    | 460.81    | 461.41     | 0.23    | ppb   |
| Silver     | 107-1 | 489.48    | 490.46    | 501.94    | 493.96     | 1.40    | ppb   |
| Silver     | 109-1 | 487.61    | 499.94    | 492.80    | 493.45     | 1.25    | ppb   |
| Sodium     | 23-2  | 247118.50 | 249896.52 | 248579.09 | 248531.37  | 0.56    | ppb   |
| Strontium  | 86-1  | 12212.03  | 12457.49  | 12587.03  | 12418.85   | 1.53    | ppb   |
| Strontium  | 88-1  | 12303.55  | 12471.64  | 12519.09  | 12431.43   | 0.91    | ppb   |
| Sulfur     | 34-1  | 8987.09   | 8911.75   | 9013.33   | 8970.72    | 0.59    | ppb   |
| Terbium    | 159-1 |           |           |           | 103        |         | %     |
| Terbium    | 159-2 |           |           |           | 101        |         | %     |
| Thallium   | 203-1 | 503.66    | 509.03    | 505.60    | 506.10     | 0.54    | ppb   |
| Thallium   | 205-1 | 501.86    | 504.09    | 505.23    | 503.73     | 0.34    | ppb   |
| Tin        | 118-1 | 497.27    | 504.17    | 501.34    | 500.93     | 0.69    | ppb   |
| Titanium   | 47-1  | 4923.23   | 4963.06   | 4962.85   | 4949.72    | 0.46    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

CCV001

Instrumnet Name :

P7

Client Sample ID :

CCV001

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 17:36:05

DataFile Name :

019CCV.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 512.17  | 506.68  | 508.55  | 509.14     | 0.55    | ppb   |
| Vanadium  | 51-2  | 491.82  | 486.89  | 492.66  | 490.45     | 0.64    | ppb   |
| Yttrium   | 89-1  |         |         |         | 98         |         | %     |
| Yttrium   | 89-2  |         |         |         | 96         |         | %     |
| Zinc      | 66-2  | 4887.74 | 4928.45 | 4902.20 | 4906.13    | 0.42    | ppb   |
| Zirconium | 90-1  | 497.64  | 502.62  | 499.27  | 499.84     | 0.51    | ppb   |
| Zirconium | 91-1  | 499.37  | 498.16  | 499.96  | 499.16     | 0.18    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCB001 Instrumnet Name : P7  
Client Sample ID : CCB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:38:47 DataFile Name : 020CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 5.89    | 2.63    | 2.26    | 3.60       | 55.65   | ppb   |
| Antimony   | 121-1 | 0.12    | 0.16    | 0.24    | 0.17       | 36.70   | ppb   |
| Arsenic    | 75-2  | 0.18    | 0.03    | 0.04    | 0.08       | 101.21  | ppb   |
| Barium     | 135-1 | 0.08    | 0.06    | 0.09    | 0.08       | 24.82   | ppb   |
| Barium     | 137-1 | 0.07    | 0.06    | 0.10    | 0.08       | 26.54   | ppb   |
| Beryllium  | 9-1   | 0.02    | 0.06    | 0.07    | 0.05       | 47.38   | ppb   |
| Bismuth    | 209-1 |         |         |         | 109        |         | %     |
| Bismuth    | 209-2 |         |         |         | 105        |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 0.04    | 0.03    | 0.00    | 0.02       | 94.47   | ppb   |
| Cadmium    | 106-1 | 0.12    | -0.48   | -0.29   | -0.22      |         | ppb   |
| Cadmium    | 111-1 | 0.04    | 0.00    | 0.01    | 0.02       | 125.29  | ppb   |
| Calcium    | 43-1  | 7.63    | 5.46    | 11.27   | 8.12       | 36.16   | ppb   |
| Calcium    | 44-1  | 10.08   | 8.81    | 12.76   | 10.55      | 19.10   | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 0.02    | 0.03    | 0.03    | 0.03       | 22.72   | ppb   |
| Cobalt     | 59-2  | 0.03    | 0.02    | 0.02    | 0.03       | 21.84   | ppb   |
| Copper     | 63-2  | 1.09    | 0.29    | 0.30    | 0.56       | 81.36   | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 107        |         | %     |
| Holmium    | 165-2 |         |         |         | 103        |         | %     |
| Indium     | 115-1 |         |         |         | 103        |         | %     |
| Indium     | 115-2 |         |         |         | 99         |         | %     |
| Iron       | 56-2  | 10.61   | 7.25    | 6.92    | 8.26       | 24.70   | ppb   |
| Iron       | 57-2  | 8.45    | 6.08    | 6.67    | 7.07       | 17.47   | ppb   |
| Iron       | 54-2  | 10.81   | 6.95    | 6.63    | 8.13       | 28.61   | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCB001 Instrumnet Name : P7  
Client Sample ID : CCB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:38:47 DataFile Name : 020CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 0.18    | 0.19    | 0.20    | 0.19       | 7.42    | ppb   |
| Lead       | 207-1 | 0.19    | 0.17    | 0.19    | 0.18       | 6.54    | ppb   |
| Lead       | 208-1 | 0.18    | 0.17    | 0.20    | 0.18       | 6.26    | ppb   |
| Lithium    | 6-1   |         |         |         | 99         |         | %     |
| Magnesium  | 24-2  | 17.73   | 11.80   | 10.86   | 13.47      | 27.66   | ppb   |
| Manganese  | 55-2  | 0.30    | 0.26    | 0.20    | 0.25       | 20.82   | ppb   |
| Molybdenum | 94-1  | 0.24    | 0.26    | 0.36    | 0.29       | 23.77   | ppb   |
| Molybdenum | 95-1  | 0.25    | 0.23    | 0.33    | 0.27       | 19.74   | ppb   |
| Molybdenum | 96-1  | 0.23    | 0.23    | 0.32    | 0.26       | 20.27   | ppb   |
| Molybdenum | 97-1  | 0.24    | 0.22    | 0.31    | 0.25       | 17.42   | ppb   |
| Molybdenum | 98-1  | 0.23    | 0.24    | 0.33    | 0.27       | 20.02   | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 0.11    | 0.10    | 0.10    | 0.10       | 5.38    | ppb   |
| Phosphorus | 31-2  | -13.76  | -16.89  | -17.34  | -16.00     |         | ppb   |
| Potassium  | 39-2  | 16.79   | 12.12   | 12.03   | 13.65      | 19.95   | ppb   |
| Rhodium    | 103-1 |         |         |         | 101        |         | %     |
| Rhodium    | 103-2 |         |         |         | 100        |         | %     |
| Scandium   | 45-1  |         |         |         | 98         |         | %     |
| Scandium   | 45-2  |         |         |         | 97         |         | %     |
| Selenium   | 82-1  | -0.11   | -0.24   | -0.38   | -0.25      |         | ppb   |
| Selenium   | 77-2  | 0.17    | 0.00    | 0.09    | 0.09       | 99.55   | ppb   |
| Selenium   | 78-2  | -0.91   | -1.06   | -0.10   | -0.69      |         | ppb   |
| Silicon    | 28-1  | -5.87   | -5.69   | -5.52   | -5.70      |         | ppb   |
| Silver     | 107-1 | 0.06    | 0.05    | 0.05    | 0.05       | 9.75    | ppb   |
| Silver     | 109-1 | 0.05    | 0.04    | 0.04    | 0.05       | 16.11   | ppb   |
| Sodium     | 23-2  | 47.97   | 36.96   | 34.81   | 39.91      | 17.69   | ppb   |
| Strontium  | 86-1  | 0.24    | 0.19    | 0.46    | 0.30       | 49.00   | ppb   |
| Strontium  | 88-1  | 0.43    | 0.38    | 0.52    | 0.44       | 14.96   | ppb   |
| Sulfur     | 34-1  | -476.99 | -385.58 | -368.32 | -410.30    |         | ppb   |
| Terbium    | 159-1 |         |         |         | 106        |         | %     |
| Terbium    | 159-2 |         |         |         | 104        |         | %     |
| Thallium   | 203-1 | 0.09    | 0.08    | 0.09    | 0.09       | 4.95    | ppb   |
| Thallium   | 205-1 | 0.09    | 0.08    | 0.08    | 0.09       | 6.06    | ppb   |
| Tin        | 118-1 | 0.02    | 0.00    | 0.02    | 0.01       | 114.72  | ppb   |
| Titanium   | 47-1  | 0.23    | 0.15    | 0.20    | 0.19       | 21.32   | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

CCB001

Instrumnet Name :

P7

Client Sample ID :

CCB001

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 17:38:47

DataFile Name :

020CCBE.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.01    | 0.01    | 0.02    | 0.01       | 24.56   | ppb   |
| Vanadium  | 51-2  | 0.03    | 0.03    | 0.02    | 0.03       | 19.41   | ppb   |
| Yttrium   | 89-1  |         |         |         | 102        |         | %     |
| Yttrium   | 89-2  |         |         |         | 99         |         | %     |
| Zinc      | 66-2  | 1.46    | 0.31    | 0.35    | 0.71       | 92.10   | ppb   |
| Zirconium | 90-1  | 0.02    | 0.02    | 0.04    | 0.03       | 24.49   | ppb   |
| Zirconium | 91-1  | 0.03    | 0.03    | 0.05    | 0.03       | 32.56   | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165206BL Instrumnet Name : P7  
Client Sample ID : PBS206 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:42:02 DataFile Name : 021CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 0.33    | 0.28    | 0.32    | 0.31       | 8.32    | ppb   |
| Antimony   | 121-1 | 0.03    | 0.06    | 0.07    | 0.05       | 36.81   | ppb   |
| Arsenic    | 75-2  | 0.01    | 0.00    | 0.01    | 0.00       | 136.02  | ppb   |
| Barium     | 135-1 | 0.00    | 0.01    | 0.01    | 0.01       | 52.01   | ppb   |
| Barium     | 137-1 | 0.01    | 0.01    | 0.01    | 0.01       | 46.38   | ppb   |
| Beryllium  | 9-1   | 0.02    | 0.03    | 0.00    | 0.02       | 65.94   | ppb   |
| Bismuth    | 209-1 |         |         |         | 103        |         | %     |
| Bismuth    | 209-2 |         |         |         | 101        |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 0.03    | 0.02    | 0.01    | 0.02       | 38.82   | ppb   |
| Cadmium    | 106-1 | 0.15    | -0.02   | -0.84   | -0.24      |         | ppb   |
| Cadmium    | 111-1 | 0.02    | 0.01    | -0.05   | -0.01      |         | ppb   |
| Calcium    | 43-1  | -1.81   | -2.30   | -1.33   | -1.81      |         | ppb   |
| Calcium    | 44-1  | 0.71    | 1.22    | -0.41   | 0.50       | 165.47  | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 0.04    | 0.04    | 0.04    | 0.04       | 9.39    | ppb   |
| Cobalt     | 59-2  | 0.00    | 0.00    | 0.00    | 0.00       | 11.33   | ppb   |
| Copper     | 63-2  | 0.05    | 0.05    | 0.06    | 0.05       | 5.20    | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 101        |         | %     |
| Holmium    | 165-2 |         |         |         | 101        |         | %     |
| Indium     | 115-1 |         |         |         | 99         |         | %     |
| Indium     | 115-2 |         |         |         | 97         |         | %     |
| Iron       | 56-2  | 1.02    | 0.96    | 0.98    | 0.99       | 3.40    | ppb   |
| Iron       | 57-2  | 0.58    | 0.63    | 0.60    | 0.60       | 3.71    | ppb   |
| Iron       | 54-2  | 1.51    | 1.57    | 1.03    | 1.37       | 21.60   | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165206BL Instrumnet Name : P7  
Client Sample ID : PBS206 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:42:02 DataFile Name : 021CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 0.08    | 0.08    | 0.08    | 0.08       | 1.67    | ppb   |
| Lead       | 207-1 | 0.07    | 0.07    | 0.07    | 0.07       | 1.12    | ppb   |
| Lead       | 208-1 | 0.08    | 0.08    | 0.07    | 0.08       | 4.55    | ppb   |
| Lithium    | 6-1   |         |         |         | 95         |         | %     |
| Magnesium  | 24-2  | 1.42    | 1.29    | 1.34    | 1.35       | 4.90    | ppb   |
| Manganese  | 55-2  | -0.04   | -0.03   | -0.04   | -0.04      |         | ppb   |
| Molybdenum | 94-1  | 0.08    | 0.09    | 0.09    | 0.09       | 6.36    | ppb   |
| Molybdenum | 95-1  | 0.05    | 0.06    | 0.07    | 0.06       | 14.49   | ppb   |
| Molybdenum | 96-1  | 0.04    | 0.05    | 0.06    | 0.05       | 18.01   | ppb   |
| Molybdenum | 97-1  | 0.05    | 0.06    | 0.05    | 0.06       | 12.22   | ppb   |
| Molybdenum | 98-1  | 0.05    | 0.06    | 0.06    | 0.06       | 3.29    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 0.10    | 0.11    | 0.08    | 0.10       | 18.55   | ppb   |
| Phosphorus | 31-2  | -14.20  | -14.66  | -16.08  | -14.98     |         | ppb   |
| Potassium  | 39-2  | 6.15    | 5.99    | 6.61    | 6.25       | 5.17    | ppb   |
| Rhodium    | 103-1 |         |         |         | 97         |         | %     |
| Rhodium    | 103-2 |         |         |         | 98         |         | %     |
| Scandium   | 45-1  |         |         |         | 94         |         | %     |
| Scandium   | 45-2  |         |         |         | 95         |         | %     |
| Selenium   | 82-1  | -0.24   | -0.33   | -0.58   | -0.38      |         | ppb   |
| Selenium   | 77-2  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Selenium   | 78-2  | -0.74   | -0.83   | -0.40   | -0.66      |         | ppb   |
| Silicon    | 28-1  | -5.72   | -4.81   | -5.46   | -5.33      |         | ppb   |
| Silver     | 107-1 | 0.01    | 0.01    | 0.01    | 0.01       | 1.46    | ppb   |
| Silver     | 109-1 | 0.01    | 0.01    | 0.01    | 0.01       | 16.81   | ppb   |
| Sodium     | 23-2  | 16.82   | 16.70   | 16.59   | 16.70      | 0.70    | ppb   |
| Strontium  | 86-1  | -0.48   | 0.02    | -0.38   | -0.28      |         | ppb   |
| Strontium  | 88-1  | 0.09    | 0.05    | -0.01   | 0.04       | 116.49  | ppb   |
| Sulfur     | 34-1  | -283.55 | -43.24  | -171.35 | -166.04    |         | ppb   |
| Terbium    | 159-1 |         |         |         | 102        |         | %     |
| Terbium    | 159-2 |         |         |         | 100        |         | %     |
| Thallium   | 203-1 | 0.04    | 0.05    | 0.05    | 0.05       | 9.95    | ppb   |
| Thallium   | 205-1 | 0.05    | 0.05    | 0.05    | 0.05       | 4.43    | ppb   |
| Tin        | 118-1 | -0.05   | -0.06   | -0.04   | -0.05      |         | ppb   |
| Titanium   | 47-1  | 0.03    | 0.03    | 0.04    | 0.03       | 9.80    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

PB165206BL

Instrumnet Name :

P7

Client Sample ID :

PBS206

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 17:42:02

DataFile Name :

021CCBE.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.00    | 0.00    | 0.00    | 0.00       | 23.66   | ppb   |
| Vanadium  | 51-2  | 0.00    | 0.00    | 0.00    | 0.00       | 27.92   | ppb   |
| Yttrium   | 89-1  |         |         |         | 98         |         | %     |
| Yttrium   | 89-2  |         |         |         | 97         |         | %     |
| Zinc      | 66-2  | -0.03   | -0.05   | -0.03   | -0.04      |         | ppb   |
| Zirconium | 90-1  | 0.01    | 0.02    | 0.02    | 0.02       | 24.65   | ppb   |
| Zirconium | 91-1  | 0.02    | 0.02    | 0.03    | 0.02       | 25.72   | ppb   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165206BS Instrumnet Name : P7  
Client Sample ID : LCS206 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:45:20 DataFile Name : 022LCSE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 46.05   | 46.17   | 46.85   | 46.36      | 0.93    | ppb   |
| Antimony   | 121-1 | 4.32    | 4.39    | 4.38    | 4.37       | 0.89    | ppb   |
| Arsenic    | 75-2  | 2.24    | 2.25    | 2.40    | 2.29       | 3.88    | ppb   |
| Barium     | 135-1 | 20.59   | 20.77   | 20.72   | 20.70      | 0.44    | ppb   |
| Barium     | 137-1 | 20.76   | 21.06   | 20.89   | 20.90      | 0.72    | ppb   |
| Beryllium  | 9-1   | 2.34    | 2.12    | 2.01    | 2.16       | 7.79    | ppb   |
| Bismuth    | 209-1 |         |         |         | 106        |         | %     |
| Bismuth    | 209-2 |         |         |         | 104        |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 2.02    | 2.19    | 1.94    | 2.05       | 6.34    | ppb   |
| Cadmium    | 106-1 | 1.45    | 1.56    | 1.85    | 1.62       | 13.05   | ppb   |
| Cadmium    | 111-1 | 2.23    | 2.22    | 2.23    | 2.23       | 0.06    | ppb   |
| Calcium    | 43-1  | 1088.00 | 1096.83 | 1085.83 | 1090.22    | 0.53    | ppb   |
| Calcium    | 44-1  | 1084.22 | 1077.00 | 1076.11 | 1079.11    | 0.41    | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 4.45    | 4.40    | 4.34    | 4.40       | 1.21    | ppb   |
| Cobalt     | 59-2  | 2.24    | 2.13    | 2.22    | 2.20       | 2.66    | ppb   |
| Copper     | 63-2  | 4.61    | 4.52    | 4.55    | 4.56       | 0.96    | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 105        |         | %     |
| Holmium    | 165-2 |         |         |         | 103        |         | %     |
| Indium     | 115-1 |         |         |         | 103        |         | %     |
| Indium     | 115-2 |         |         |         | 99         |         | %     |
| Iron       | 56-2  | 467.72  | 456.44  | 456.67  | 460.27     | 1.40    | ppb   |
| Iron       | 57-2  | 481.05  | 471.29  | 475.98  | 476.11     | 1.03    | ppb   |
| Iron       | 54-2  | 487.05  | 476.40  | 483.87  | 482.44     | 1.13    | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165206BS Instrumnet Name : P7  
Client Sample ID : LCS206 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:45:20 DataFile Name : 022LCSE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 2.10    | 2.17    | 2.12    | 2.13       | 1.58    | ppb   |
| Lead       | 207-1 | 2.12    | 2.15    | 2.12    | 2.13       | 0.89    | ppb   |
| Lead       | 208-1 | 2.13    | 2.16    | 2.12    | 2.14       | 0.90    | ppb   |
| Lithium    | 6-1   |         |         |         | 99         |         | %     |
| Magnesium  | 24-2  | 1048.49 | 1040.01 | 1042.03 | 1043.51    | 0.42    | ppb   |
| Manganese  | 55-2  | 2.23    | 2.17    | 2.16    | 2.19       | 1.79    | ppb   |
| Molybdenum | 94-1  | 12.04   | 12.35   | 12.30   | 12.23      | 1.38    | ppb   |
| Molybdenum | 95-1  | 10.25   | 10.25   | 10.34   | 10.28      | 0.52    | ppb   |
| Molybdenum | 96-1  | 10.32   | 10.41   | 10.55   | 10.43      | 1.09    | ppb   |
| Molybdenum | 97-1  | 10.23   | 10.39   | 10.37   | 10.33      | 0.84    | ppb   |
| Molybdenum | 98-1  | 10.24   | 10.40   | 10.28   | 10.31      | 0.80    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 1.97    | 1.94    | 1.99    | 1.97       | 1.35    | ppb   |
| Phosphorus | 31-2  | -18.31  | -18.52  | -17.29  | -18.04     |         | ppb   |
| Potassium  | 39-2  | 1118.88 | 1065.43 | 1119.61 | 1101.31    | 2.82    | ppb   |
| Rhodium    | 103-1 |         |         |         | 101        |         | %     |
| Rhodium    | 103-2 |         |         |         | 100        |         | %     |
| Scandium   | 45-1  |         |         |         | 99         |         | %     |
| Scandium   | 45-2  |         |         |         | 99         |         | %     |
| Selenium   | 82-1  | 11.00   | 11.09   | 11.24   | 11.11      | 1.11    | ppb   |
| Selenium   | 77-2  | 10.37   | 10.69   | 11.19   | 10.75      | 3.83    | ppb   |
| Selenium   | 78-2  | 10.60   | 11.18   | 11.02   | 10.93      | 2.74    | ppb   |
| Silicon    | 28-1  | 1.19    | 1.41    | 1.58    | 1.40       | 14.05   | ppb   |
| Silver     | 107-1 | 2.16    | 2.20    | 2.18    | 2.18       | 0.81    | ppb   |
| Silver     | 109-1 | 2.12    | 2.21    | 2.19    | 2.17       | 2.27    | ppb   |
| Sodium     | 23-2  | 1095.39 | 1102.06 | 1068.33 | 1088.59    | 1.64    | ppb   |
| Strontium  | 86-1  | 53.95   | 53.27   | 52.23   | 53.15      | 1.63    | ppb   |
| Strontium  | 88-1  | 52.00   | 52.35   | 53.34   | 52.56      | 1.32    | ppb   |
| Sulfur     | 34-1  | -277.11 | -263.43 | -221.53 | -254.02    |         | ppb   |
| Terbium    | 159-1 |         |         |         | 106        |         | %     |
| Terbium    | 159-2 |         |         |         | 103        |         | %     |
| Thallium   | 203-1 | 2.07    | 2.10    | 2.03    | 2.07       | 1.76    | ppb   |
| Thallium   | 205-1 | 2.09    | 2.11    | 2.04    | 2.08       | 1.64    | ppb   |
| Tin        | 118-1 | 0.00    | 0.01    | 0.01    | 0.01       | 68.05   | ppb   |
| Titanium   | 47-1  | 10.35   | 10.43   | 10.37   | 10.39      | 0.40    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

PB165206BS

Instrumnet Name :

P7

Client Sample ID :

LCS206

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 17:45:20

DataFile Name :

022LCSE.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 1.90    | 1.92    | 1.88    | 1.90       | 1.02    | ppb   |
| Vanadium  | 51-2  | 10.61   | 10.50   | 10.57   | 10.56      | 0.51    | ppb   |
| Yttrium   | 89-1  |         |         |         | 101        |         | %     |
| Yttrium   | 89-2  |         |         |         | 99         |         | %     |
| Zinc      | 66-2  | 12.07   | 11.47   | 11.63   | 11.72      | 2.64    | ppb   |
| Zirconium | 90-1  | 2.10    | 2.09    | 2.08    | 2.09       | 0.59    | ppb   |
| Zirconium | 91-1  | 2.06    | 2.12    | 2.10    | 2.09       | 1.33    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165205BL Instrumnet Name : P7  
Client Sample ID : PBS205 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:48:32 DataFile Name : 023CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 0.11    | 0.10    | 0.12    | 0.11       | 6.93    | ppb   |
| Antimony   | 121-1 | 0.01    | 0.01    | 0.02    | 0.02       | 23.29   | ppb   |
| Arsenic    | 75-2  | -0.01   | 0.00    | 0.00    | 0.00       |         | ppb   |
| Barium     | 135-1 | 0.00    | 0.00    | 0.00    | 0.00       | 577.92  | ppb   |
| Barium     | 137-1 | 0.01    | 0.00    | 0.00    | 0.00       | 65.00   | ppb   |
| Beryllium  | 9-1   | -0.01   | -0.01   | 0.00    | -0.01      |         | ppb   |
| Bismuth    | 209-1 |         |         |         | 103        |         | %     |
| Bismuth    | 209-2 |         |         |         | 102        |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 0.01    | 0.01    | -0.01   | 0.00       | 280.68  | ppb   |
| Cadmium    | 106-1 | -0.46   | -0.83   | -0.75   | -0.68      |         | ppb   |
| Cadmium    | 111-1 | -0.03   | -0.06   | -0.05   | -0.05      |         | ppb   |
| Calcium    | 43-1  | -3.28   | -3.09   | -2.72   | -3.03      |         | ppb   |
| Calcium    | 44-1  | -0.53   | -0.70   | -1.23   | -0.82      |         | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 0.05    | 0.05    | 0.05    | 0.05       | 5.56    | ppb   |
| Cobalt     | 59-2  | 0.00    | 0.00    | 0.00    | 0.00       | 162.76  | ppb   |
| Copper     | 63-2  | 0.03    | 0.03    | 0.02    | 0.03       | 24.77   | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 101        |         | %     |
| Holmium    | 165-2 |         |         |         | 101        |         | %     |
| Indium     | 115-1 |         |         |         | 100        |         | %     |
| Indium     | 115-2 |         |         |         | 98         |         | %     |
| Iron       | 56-2  | 0.80    | 0.87    | 0.84    | 0.83       | 3.91    | ppb   |
| Iron       | 57-2  | 0.91    | 1.41    | 0.83    | 1.05       | 29.95   | ppb   |
| Iron       | 54-2  | 1.44    | 1.63    | 1.14    | 1.40       | 17.58   | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165205BL Instrumnet Name : P7  
Client Sample ID : PBS205 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:48:32 DataFile Name : 023CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 0.04    | 0.04    | 0.03    | 0.04       | 5.25    | ppb   |
| Lead       | 207-1 | 0.04    | 0.05    | 0.03    | 0.04       | 17.99   | ppb   |
| Lead       | 208-1 | 0.04    | 0.04    | 0.03    | 0.04       | 4.92    | ppb   |
| Lithium    | 6-1   |         |         |         | 96         |         | %     |
| Magnesium  | 24-2  | 0.68    | 0.91    | 0.66    | 0.75       | 18.18   | ppb   |
| Manganese  | 55-2  | -0.07   | -0.05   | -0.06   | -0.06      |         | ppb   |
| Molybdenum | 94-1  | 0.03    | 0.04    | 0.05    | 0.04       | 30.37   | ppb   |
| Molybdenum | 95-1  | 0.01    | 0.02    | 0.02    | 0.02       | 19.80   | ppb   |
| Molybdenum | 96-1  | 0.01    | 0.02    | 0.02    | 0.02       | 37.01   | ppb   |
| Molybdenum | 97-1  | 0.01    | 0.01    | 0.02    | 0.01       | 38.56   | ppb   |
| Molybdenum | 98-1  | 0.02    | 0.01    | 0.02    | 0.02       | 7.65    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 0.07    | 0.07    | 0.08    | 0.07       | 7.51    | ppb   |
| Phosphorus | 31-2  | -17.18  | -15.31  | -15.84  | -16.11     |         | ppb   |
| Potassium  | 39-2  | 2.84    | 4.03    | 4.49    | 3.79       | 22.40   | ppb   |
| Rhodium    | 103-1 |         |         |         | 98         |         | %     |
| Rhodium    | 103-2 |         |         |         | 99         |         | %     |
| Scandium   | 45-1  |         |         |         | 96         |         | %     |
| Scandium   | 45-2  |         |         |         | 98         |         | %     |
| Selenium   | 82-1  | -0.37   | 0.00    | -0.26   | -0.21      |         | ppb   |
| Selenium   | 77-2  | 0.00    | 0.00    | 0.00    | 0.00       | N/A     | ppb   |
| Selenium   | 78-2  | -0.43   | 0.46    | -0.09   | -0.02      |         | ppb   |
| Silicon    | 28-1  | -5.26   | -5.10   | -5.25   | -5.20      |         | ppb   |
| Silver     | 107-1 | 0.01    | 0.01    | 0.01    | 0.01       | 25.50   | ppb   |
| Silver     | 109-1 | 0.01    | 0.00    | 0.00    | 0.01       | 18.83   | ppb   |
| Sodium     | 23-2  | 9.40    | 9.27    | 10.10   | 9.59       | 4.67    | ppb   |
| Strontium  | 86-1  | -0.07   | -0.26   | 0.09    | -0.08      |         | ppb   |
| Strontium  | 88-1  | -0.03   | -0.02   | -0.05   | -0.03      |         | ppb   |
| Sulfur     | 34-1  | -249.13 | -234.37 | -272.52 | -252.01    |         | ppb   |
| Terbium    | 159-1 |         |         |         | 102        |         | %     |
| Terbium    | 159-2 |         |         |         | 100        |         | %     |
| Thallium   | 203-1 | 0.02    | 0.02    | 0.02    | 0.02       | 13.56   | ppb   |
| Thallium   | 205-1 | 0.02    | 0.02    | 0.02    | 0.02       | 3.93    | ppb   |
| Tin        | 118-1 | -0.06   | -0.05   | -0.05   | -0.06      |         | ppb   |
| Titanium   | 47-1  | 0.02    | 0.01    | 0.00    | 0.01       | 84.27   | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

PB165205BL

Instrumnet Name :

P7

Client Sample ID :

PBS205

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 17:48:32

DataFile Name :

023CCBE.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.00    | 0.00    | 0.00    | 0.00       | 213.70  | ppb   |
| Vanadium  | 51-2  | 0.00    | 0.00    | 0.00    | 0.00       | 646.06  | ppb   |
| Yttrium   | 89-1  |         |         |         | 98         |         | %     |
| Yttrium   | 89-2  |         |         |         | 98         |         | %     |
| Zinc      | 66-2  | -0.10   | 0.00    | -0.10   | -0.07      |         | ppb   |
| Zirconium | 90-1  | 0.01    | 0.01    | 0.02    | 0.01       | 49.11   | ppb   |
| Zirconium | 91-1  | 0.01    | 0.02    | 0.02    | 0.01       | 30.63   | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165205BS Instrumnet Name : P7  
Client Sample ID : LCS205 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:51:50 DataFile Name : 024CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 41.47   | 41.13   | 40.84   | 41.15      | 0.77    | ppb   |
| Antimony   | 121-1 | 4.36    | 4.41    | 4.37    | 4.38       | 0.57    | ppb   |
| Arsenic    | 75-2  | 2.29    | 2.22    | 2.31    | 2.27       | 2.20    | ppb   |
| Barium     | 135-1 | 20.63   | 21.17   | 21.02   | 20.94      | 1.35    | ppb   |
| Barium     | 137-1 | 20.96   | 21.12   | 20.75   | 20.94      | 0.91    | ppb   |
| Beryllium  | 9-1   | 2.24    | 2.22    | 2.26    | 2.24       | 0.98    | ppb   |
| Bismuth    | 209-1 |         |         |         | 107        |         | %     |
| Bismuth    | 209-2 |         |         |         | 104        |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 2.10    | 2.05    | 2.11    | 2.09       | 1.80    | ppb   |
| Cadmium    | 106-1 | 2.24    | 1.77    | 1.97    | 1.99       | 11.98   | ppb   |
| Cadmium    | 111-1 | 2.26    | 2.26    | 2.27    | 2.26       | 0.17    | ppb   |
| Calcium    | 43-1  | 1082.97 | 1085.95 | 1078.63 | 1082.52    | 0.34    | ppb   |
| Calcium    | 44-1  | 1085.87 | 1086.46 | 1085.90 | 1086.07    | 0.03    | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 4.35    | 4.39    | 4.34    | 4.36       | 0.53    | ppb   |
| Cobalt     | 59-2  | 2.20    | 2.24    | 2.19    | 2.21       | 1.37    | ppb   |
| Copper     | 63-2  | 4.47    | 4.48    | 4.50    | 4.48       | 0.44    | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 106        |         | %     |
| Holmium    | 165-2 |         |         |         | 104        |         | %     |
| Indium     | 115-1 |         |         |         | 104        |         | %     |
| Indium     | 115-2 |         |         |         | 102        |         | %     |
| Iron       | 56-2  | 450.49  | 451.36  | 453.43  | 451.76     | 0.33    | ppb   |
| Iron       | 57-2  | 476.66  | 474.52  | 470.68  | 473.95     | 0.64    | ppb   |
| Iron       | 54-2  | 481.40  | 481.38  | 478.92  | 480.57     | 0.30    | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165205BS Instrumnet Name : P7  
Client Sample ID : LCS205 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:51:50 DataFile Name : 024CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 2.14    | 2.17    | 2.11    | 2.14       | 1.55    | ppb   |
| Lead       | 207-1 | 2.09    | 2.13    | 2.09    | 2.10       | 1.29    | ppb   |
| Lead       | 208-1 | 2.11    | 2.15    | 2.11    | 2.12       | 1.05    | ppb   |
| Lithium    | 6-1   |         |         |         | 99         |         | %     |
| Magnesium  | 24-2  | 1041.61 | 1039.89 | 1032.08 | 1037.86    | 0.49    | ppb   |
| Manganese  | 55-2  | 2.08    | 2.15    | 2.15    | 2.12       | 1.93    | ppb   |
| Molybdenum | 94-1  | 12.19   | 12.05   | 12.25   | 12.16      | 0.83    | ppb   |
| Molybdenum | 95-1  | 10.22   | 10.25   | 10.32   | 10.26      | 0.50    | ppb   |
| Molybdenum | 96-1  | 10.50   | 10.41   | 10.48   | 10.46      | 0.45    | ppb   |
| Molybdenum | 97-1  | 10.38   | 10.23   | 10.25   | 10.29      | 0.79    | ppb   |
| Molybdenum | 98-1  | 10.24   | 10.24   | 10.35   | 10.28      | 0.62    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 2.19    | 2.15    | 2.22    | 2.19       | 1.61    | ppb   |
| Phosphorus | 31-2  | -17.37  | -16.14  | -17.89  | -17.14     |         | ppb   |
| Potassium  | 39-2  | 1077.95 | 1070.69 | 1074.89 | 1074.51    | 0.34    | ppb   |
| Rhodium    | 103-1 |         |         |         | 103        |         | %     |
| Rhodium    | 103-2 |         |         |         | 102        |         | %     |
| Scandium   | 45-1  |         |         |         | 100        |         | %     |
| Scandium   | 45-2  |         |         |         | 102        |         | %     |
| Selenium   | 82-1  | 11.70   | 11.55   | 11.46   | 11.57      | 1.07    | ppb   |
| Selenium   | 77-2  | 10.52   | 12.62   | 10.38   | 11.18      | 11.22   | ppb   |
| Selenium   | 78-2  | 10.35   | 9.98    | 10.38   | 10.24      | 2.17    | ppb   |
| Silicon    | 28-1  | 1.73    | 1.63    | 2.14    | 1.83       | 14.77   | ppb   |
| Silver     | 107-1 | 2.16    | 2.24    | 2.25    | 2.22       | 2.22    | ppb   |
| Silver     | 109-1 | 2.17    | 2.25    | 2.18    | 2.20       | 1.90    | ppb   |
| Sodium     | 23-2  | 1076.98 | 1061.26 | 1076.38 | 1071.54    | 0.83    | ppb   |
| Strontium  | 86-1  | 52.71   | 51.47   | 54.12   | 52.77      | 2.51    | ppb   |
| Strontium  | 88-1  | 53.40   | 52.34   | 53.05   | 52.93      | 1.02    | ppb   |
| Sulfur     | 34-1  | -272.20 | -255.86 | -189.91 | -239.32    |         | ppb   |
| Terbium    | 159-1 |         |         |         | 106        |         | %     |
| Terbium    | 159-2 |         |         |         | 103        |         | %     |
| Thallium   | 203-1 | 2.01    | 2.05    | 2.01    | 2.02       | 1.14    | ppb   |
| Thallium   | 205-1 | 2.03    | 2.03    | 2.02    | 2.03       | 0.42    | ppb   |
| Tin        | 118-1 | 0.01    | 0.01    | 0.00    | 0.00       | 179.83  | ppb   |
| Titanium   | 47-1  | 10.52   | 10.43   | 10.55   | 10.50      | 0.57    | ppb   |



LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

PB165205BS

Instrumnet Name :

P7

Client Sample ID :

LCS205

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 17:51:50

DataFile Name :

024CCBE.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 1.89    | 1.92    | 1.89    | 1.90       | 0.93    | ppb   |
| Vanadium  | 51-2  | 10.45   | 10.54   | 10.51   | 10.50      | 0.42    | ppb   |
| Yttrium   | 89-1  |         |         |         | 103        |         | %     |
| Yttrium   | 89-2  |         |         |         | 102        |         | %     |
| Zinc      | 66-2  | 11.32   | 11.63   | 11.07   | 11.34      | 2.48    | ppb   |
| Zirconium | 90-1  | 2.12    | 2.07    | 2.11    | 2.10       | 1.40    | ppb   |
| Zirconium | 91-1  | 2.11    | 2.06    | 2.07    | 2.08       | 1.10    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165214BL Instrumnet Name : P7  
Client Sample ID : PBS214 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:55:02 DataFile Name : 025CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 0.02    | 0.15    | 0.17    | 0.11       | 73.06   | ppb   |
| Antimony   | 121-1 | 0.01    | 0.01    | 0.01    | 0.01       | 46.07   | ppb   |
| Arsenic    | 75-2  | -0.01   | 0.01    | 0.00    | 0.00       | 562.29  | ppb   |
| Barium     | 135-1 | 0.00    | 0.00    | 0.00    | 0.00       |         | ppb   |
| Barium     | 137-1 | 0.00    | 0.00    | 0.00    | 0.00       | 148.65  | ppb   |
| Beryllium  | 9-1   | -0.01   | 0.00    | 0.02    | 0.00       | 391.76  | ppb   |
| Bismuth    | 209-1 |         |         |         | 104        |         | %     |
| Bismuth    | 209-2 |         |         |         | 102        |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | -0.01   | 0.00    | 0.01    | 0.00       | 915.73  | ppb   |
| Cadmium    | 106-1 | 0.19    | 0.30    | -0.46   | 0.01       | 4325.91 | ppb   |
| Cadmium    | 111-1 | 0.02    | 0.02    | -0.03   | 0.00       | 1400.42 | ppb   |
| Calcium    | 43-1  | -3.55   | -1.37   | -3.71   | -2.87      |         | ppb   |
| Calcium    | 44-1  | -0.29   | -0.33   | 0.11    | -0.17      |         | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 0.04    | 0.02    | 0.04    | 0.03       | 44.63   | ppb   |
| Cobalt     | 59-2  | 0.00    | 0.00    | 0.00    | 0.00       |         | ppb   |
| Copper     | 63-2  | 0.02    | 0.03    | 0.01    | 0.02       | 37.39   | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 104        |         | %     |
| Holmium    | 165-2 |         |         |         | 102        |         | %     |
| Indium     | 115-1 |         |         |         | 101        |         | %     |
| Indium     | 115-2 |         |         |         | 100        |         | %     |
| Iron       | 56-2  | 0.42    | 0.37    | 0.31    | 0.36       | 14.91   | ppb   |
| Iron       | 57-2  | -0.27   | -0.26   | -0.17   | -0.23      |         | ppb   |
| Iron       | 54-2  | 1.31    | 0.72    | 0.88    | 0.97       | 31.92   | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165214BL Instrumnet Name : P7  
Client Sample ID : PBS214 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:55:02 DataFile Name : 025CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 0.02    | 0.03    | 0.02    | 0.02       | 17.80   | ppb   |
| Lead       | 207-1 | 0.02    | 0.02    | 0.02    | 0.02       | 9.15    | ppb   |
| Lead       | 208-1 | 0.02    | 0.02    | 0.02    | 0.02       | 2.41    | ppb   |
| Lithium    | 6-1   |         |         |         | 99         |         | %     |
| Magnesium  | 24-2  | 0.80    | 0.76    | 0.67    | 0.74       | 8.71    | ppb   |
| Manganese  | 55-2  | 0.00    | 0.00    | 0.00    | 0.00       | 37.64   | ppb   |
| Molybdenum | 94-1  | 0.02    | 0.03    | 0.05    | 0.03       | 35.50   | ppb   |
| Molybdenum | 95-1  | 0.01    | 0.01    | 0.02    | 0.01       | 51.72   | ppb   |
| Molybdenum | 96-1  | 0.00    | 0.01    | 0.01    | 0.01       | 57.82   | ppb   |
| Molybdenum | 97-1  | 0.01    | 0.01    | 0.02    | 0.01       | 37.35   | ppb   |
| Molybdenum | 98-1  | 0.01    | 0.01    | 0.02    | 0.01       | 25.24   | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 0.26    | 0.26    | 0.25    | 0.26       | 2.05    | ppb   |
| Phosphorus | 31-2  | -16.75  | -14.22  | -15.99  | -15.66     |         | ppb   |
| Potassium  | 39-2  | 2.18    | 2.85    | 2.08    | 2.37       | 17.80   | ppb   |
| Rhodium    | 103-1 |         |         |         | 100        |         | %     |
| Rhodium    | 103-2 |         |         |         | 100        |         | %     |
| Scandium   | 45-1  |         |         |         | 98         |         | %     |
| Scandium   | 45-2  |         |         |         | 99         |         | %     |
| Selenium   | 82-1  | 0.30    | -0.31   | -0.09   | -0.03      |         | ppb   |
| Selenium   | 77-2  | 0.00    | 0.00    | 0.08    | 0.03       | 173.21  | ppb   |
| Selenium   | 78-2  | -0.23   | -0.59   | -0.67   | -0.49      |         | ppb   |
| Silicon    | 28-1  | -5.31   | -5.30   | -5.30   | -5.30      |         | ppb   |
| Silver     | 107-1 | 0.01    | 0.01    | 0.00    | 0.01       | 28.47   | ppb   |
| Silver     | 109-1 | 0.01    | 0.00    | 0.00    | 0.00       | 29.09   | ppb   |
| Sodium     | 23-2  | 6.43    | 7.44    | 6.50    | 6.79       | 8.27    | ppb   |
| Strontium  | 86-1  | -0.06   | -0.33   | -0.22   | -0.21      |         | ppb   |
| Strontium  | 88-1  | -0.04   | -0.03   | -0.01   | -0.02      |         | ppb   |
| Sulfur     | 34-1  | -177.13 | -179.85 | -196.84 | -184.61    |         | ppb   |
| Terbium    | 159-1 |         |         |         | 103        |         | %     |
| Terbium    | 159-2 |         |         |         | 102        |         | %     |
| Thallium   | 203-1 | 0.02    | 0.01    | 0.01    | 0.01       | 12.67   | ppb   |
| Thallium   | 205-1 | 0.01    | 0.01    | 0.01    | 0.01       | 4.43    | ppb   |
| Tin        | 118-1 | -0.07   | -0.07   | -0.06   | -0.07      |         | ppb   |
| Titanium   | 47-1  | 0.02    | 0.02    | 0.03    | 0.02       | 32.98   | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :PB165214BL

Instrumnet Name :P7

Client Sample ID :PBS214

Dilution Factor :1

Date & Time Acquired :2024-11-27 17:55:02

DataFile Name :025CCBE.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.00    | 0.00    | 0.00    | 0.00       | 42.00   | ppb   |
| Vanadium  | 51-2  | 0.00    | 0.00    | 0.00    | 0.00       | 83.07   | ppb   |
| Yttrium   | 89-1  |         |         |         | 100        |         | %     |
| Yttrium   | 89-2  |         |         |         | 100        |         | %     |
| Zinc      | 66-2  | -0.05   | -0.03   | -0.03   | -0.04      |         | ppb   |
| Zirconium | 90-1  | 0.01    | 0.01    | 0.01    | 0.01       | 45.44   | ppb   |
| Zirconium | 91-1  | 0.00    | 0.01    | 0.01    | 0.01       | 58.02   | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165214BS Instrumnet Name : P7  
Client Sample ID : LCS214 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:58:19 DataFile Name : 026LCSE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 40.84   | 40.46   | 40.59   | 40.63      | 0.47    | ppb   |
| Antimony   | 121-1 | 4.18    | 4.34    | 4.31    | 4.28       | 2.08    | ppb   |
| Arsenic    | 75-2  | 2.21    | 2.29    | 2.14    | 2.21       | 3.35    | ppb   |
| Barium     | 135-1 | 20.09   | 20.66   | 20.75   | 20.50      | 1.73    | ppb   |
| Barium     | 137-1 | 20.49   | 20.53   | 20.76   | 20.60      | 0.71    | ppb   |
| Beryllium  | 9-1   | 2.18    | 2.04    | 2.08    | 2.10       | 3.46    | ppb   |
| Bismuth    | 209-1 |         |         |         | 108        |         | %     |
| Bismuth    | 209-2 |         |         |         | 105        |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 2.28    | 2.37    | 2.26    | 2.30       | 2.46    | ppb   |
| Cadmium    | 106-1 | 2.40    | 1.58    | 2.37    | 2.11       | 21.93   | ppb   |
| Cadmium    | 111-1 | 2.17    | 2.14    | 2.26    | 2.19       | 2.77    | ppb   |
| Calcium    | 43-1  | 1049.10 | 1072.45 | 1083.87 | 1068.47    | 1.66    | ppb   |
| Calcium    | 44-1  | 1048.23 | 1067.54 | 1065.59 | 1060.45    | 1.00    | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 4.23    | 4.31    | 4.24    | 4.26       | 1.11    | ppb   |
| Cobalt     | 59-2  | 2.16    | 2.20    | 2.16    | 2.18       | 1.11    | ppb   |
| Copper     | 63-2  | 4.44    | 4.47    | 4.53    | 4.48       | 0.98    | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 108        |         | %     |
| Holmium    | 165-2 |         |         |         | 104        |         | %     |
| Indium     | 115-1 |         |         |         | 106        |         | %     |
| Indium     | 115-2 |         |         |         | 102        |         | %     |
| Iron       | 56-2  | 447.59  | 447.66  | 448.46  | 447.90     | 0.11    | ppb   |
| Iron       | 57-2  | 466.77  | 467.66  | 463.26  | 465.90     | 0.50    | ppb   |
| Iron       | 54-2  | 472.54  | 482.09  | 475.08  | 476.57     | 1.04    | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165214BS Instrumnet Name : P7  
Client Sample ID : LCS214 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:58:19 DataFile Name : 026LCSE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 2.04    | 2.07    | 2.13    | 2.08       | 2.23    | ppb   |
| Lead       | 207-1 | 2.02    | 2.15    | 2.11    | 2.09       | 3.22    | ppb   |
| Lead       | 208-1 | 2.03    | 2.08    | 2.12    | 2.08       | 2.10    | ppb   |
| Lithium    | 6-1   |         |         |         | 102        |         | %     |
| Magnesium  | 24-2  | 1027.68 | 1031.19 | 1025.64 | 1028.17    | 0.27    | ppb   |
| Manganese  | 55-2  | 2.13    | 2.14    | 2.11    | 2.13       | 0.62    | ppb   |
| Molybdenum | 94-1  | 11.47   | 11.90   | 12.08   | 11.82      | 2.68    | ppb   |
| Molybdenum | 95-1  | 9.81    | 10.09   | 10.00   | 9.97       | 1.42    | ppb   |
| Molybdenum | 96-1  | 9.98    | 10.28   | 10.19   | 10.15      | 1.54    | ppb   |
| Molybdenum | 97-1  | 9.69    | 10.04   | 10.11   | 9.95       | 2.25    | ppb   |
| Molybdenum | 98-1  | 9.73    | 10.12   | 10.04   | 9.96       | 2.04    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 2.10    | 2.17    | 2.22    | 2.16       | 2.78    | ppb   |
| Phosphorus | 31-2  | -20.03  | -16.63  | -15.37  | -17.34     |         | ppb   |
| Potassium  | 39-2  | 1058.67 | 1080.88 | 1055.71 | 1065.09    | 1.29    | ppb   |
| Rhodium    | 103-1 |         |         |         | 104        |         | %     |
| Rhodium    | 103-2 |         |         |         | 102        |         | %     |
| Scandium   | 45-1  |         |         |         | 102        |         | %     |
| Scandium   | 45-2  |         |         |         | 102        |         | %     |
| Selenium   | 82-1  | 10.60   | 11.38   | 11.01   | 11.00      | 3.52    | ppb   |
| Selenium   | 77-2  | 11.60   | 10.63   | 11.91   | 11.38      | 5.87    | ppb   |
| Selenium   | 78-2  | 11.55   | 10.32   | 11.61   | 11.16      | 6.54    | ppb   |
| Silicon    | 28-1  | 1.07    | 1.18    | 1.21    | 1.15       | 6.54    | ppb   |
| Silver     | 107-1 | 2.12    | 2.15    | 2.19    | 2.15       | 1.69    | ppb   |
| Silver     | 109-1 | 2.08    | 2.18    | 2.18    | 2.15       | 2.79    | ppb   |
| Sodium     | 23-2  | 1064.63 | 1081.61 | 1055.97 | 1067.40    | 1.22    | ppb   |
| Strontium  | 86-1  | 49.83   | 51.80   | 51.52   | 51.05      | 2.08    | ppb   |
| Strontium  | 88-1  | 49.68   | 51.51   | 51.84   | 51.01      | 2.28    | ppb   |
| Sulfur     | 34-1  | -252.00 | -216.41 | -164.36 | -210.92    |         | ppb   |
| Terbium    | 159-1 |         |         |         | 107        |         | %     |
| Terbium    | 159-2 |         |         |         | 104        |         | %     |
| Thallium   | 203-1 | 1.91    | 2.00    | 2.04    | 1.98       | 3.22    | ppb   |
| Thallium   | 205-1 | 1.93    | 2.01    | 2.04    | 2.00       | 2.97    | ppb   |
| Tin        | 118-1 | 0.01    | 0.01    | 0.01    | 0.01       | 33.56   | ppb   |
| Titanium   | 47-1  | 9.95    | 10.47   | 10.19   | 10.20      | 2.54    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :PB165214BS

Instrumnet Name :P7

Client Sample ID :LCS214

Dilution Factor :1

Date & Time Acquired :2024-11-27 17:58:19

DataFile Name :026LCSE.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 1.79    | 1.88    | 1.88    | 1.85       | 2.57    | ppb   |
| Vanadium  | 51-2  | 10.30   | 10.60   | 10.31   | 10.40      | 1.63    | ppb   |
| Yttrium   | 89-1  |         |         |         | 106        |         | %     |
| Yttrium   | 89-2  |         |         |         | 102        |         | %     |
| Zinc      | 66-2  | 11.04   | 11.39   | 11.42   | 11.28      | 1.88    | ppb   |
| Zirconium | 90-1  | 1.98    | 2.05    | 2.01    | 2.01       | 1.68    | ppb   |
| Zirconium | 91-1  | 1.99    | 2.13    | 2.07    | 2.06       | 3.27    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165208BL Instrumnet Name : P7  
Client Sample ID : PBS208 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:01:32 DataFile Name : 027CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 0.28    | 0.25    | 0.25    | 0.26       | 6.37    | ppb   |
| Antimony   | 121-1 | 0.01    | 0.01    | 0.01    | 0.01       | 32.83   | ppb   |
| Arsenic    | 75-2  | -0.01   | 0.00    | 0.01    | 0.00       | 593.98  | ppb   |
| Barium     | 135-1 | 0.00    | 0.00    | 0.00    | 0.00       |         | ppb   |
| Barium     | 137-1 | 0.01    | 0.00    | 0.00    | 0.00       | 103.97  | ppb   |
| Beryllium  | 9-1   | 0.00    | -0.02   | 0.00    | -0.01      |         | ppb   |
| Bismuth    | 209-1 |         |         |         | 104        |         | %     |
| Bismuth    | 209-2 |         |         |         | 102        |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 0.02    | 0.01    | -0.01   | 0.01       | 239.73  | ppb   |
| Cadmium    | 106-1 | -0.35   | 0.23    | -0.32   | -0.15      |         | ppb   |
| Cadmium    | 111-1 | -0.03   | 0.01    | -0.02   | -0.01      |         | ppb   |
| Calcium    | 43-1  | -3.05   | -3.23   | -2.99   | -3.09      |         | ppb   |
| Calcium    | 44-1  | -1.35   | -0.98   | -1.71   | -1.34      |         | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 0.04    | 0.04    | 0.03    | 0.04       | 15.35   | ppb   |
| Cobalt     | 59-2  | 0.00    | 0.00    | 0.00    | 0.00       | 24.82   | ppb   |
| Copper     | 63-2  | 0.03    | 0.02    | 0.01    | 0.02       | 41.06   | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 104        |         | %     |
| Holmium    | 165-2 |         |         |         | 102        |         | %     |
| Indium     | 115-1 |         |         |         | 102        |         | %     |
| Indium     | 115-2 |         |         |         | 99         |         | %     |
| Iron       | 56-2  | 0.49    | 0.51    | 0.49    | 0.50       | 2.05    | ppb   |
| Iron       | 57-2  | 0.27    | 0.35    | 0.54    | 0.39       | 35.95   | ppb   |
| Iron       | 54-2  | 1.08    | 1.24    | 1.02    | 1.11       | 9.99    | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165208BL Instrumnet Name : P7  
Client Sample ID : PBS208 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:01:32 DataFile Name : 027CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 0.02    | 0.02    | 0.02    | 0.02       | 9.75    | ppb   |
| Lead       | 207-1 | 0.01    | 0.01    | 0.02    | 0.02       | 30.06   | ppb   |
| Lead       | 208-1 | 0.01    | 0.02    | 0.02    | 0.02       | 10.99   | ppb   |
| Lithium    | 6-1   |         |         |         | 99         |         | %     |
| Magnesium  | 24-2  | 0.72    | 0.72    | 0.72    | 0.72       | 0.37    | ppb   |
| Manganese  | 55-2  | -0.07   | -0.08   | -0.09   | -0.08      |         | ppb   |
| Molybdenum | 94-1  | 0.03    | 0.03    | 0.09    | 0.05       | 74.80   | ppb   |
| Molybdenum | 95-1  | 0.01    | 0.02    | 0.08    | 0.04       | 100.15  | ppb   |
| Molybdenum | 96-1  | 0.02    | 0.01    | 0.05    | 0.03       | 76.32   | ppb   |
| Molybdenum | 97-1  | 0.02    | 0.01    | 0.04    | 0.03       | 68.81   | ppb   |
| Molybdenum | 98-1  | 0.02    | 0.01    | 0.04    | 0.02       | 58.87   | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 0.39    | 0.36    | 0.37    | 0.37       | 3.23    | ppb   |
| Phosphorus | 31-2  | -15.96  | -15.75  | -16.02  | -15.91     |         | ppb   |
| Potassium  | 39-2  | 3.19    | 2.97    | 1.84    | 2.67       | 27.14   | ppb   |
| Rhodium    | 103-1 |         |         |         | 101        |         | %     |
| Rhodium    | 103-2 |         |         |         | 100        |         | %     |
| Scandium   | 45-1  |         |         |         | 99         |         | %     |
| Scandium   | 45-2  |         |         |         | 99         |         | %     |
| Selenium   | 82-1  | -0.08   | 0.12    | -0.29   | -0.08      |         | ppb   |
| Selenium   | 77-2  | 0.00    | 0.00    | 0.09    | 0.03       | 173.21  | ppb   |
| Selenium   | 78-2  | 0.42    | -0.30   | -0.62   | -0.17      |         | ppb   |
| Silicon    | 28-1  | -5.81   | -5.39   | -5.27   | -5.49      |         | ppb   |
| Silver     | 107-1 | 0.00    | 0.00    | 0.01    | 0.00       | 27.68   | ppb   |
| Silver     | 109-1 | 0.01    | 0.01    | 0.00    | 0.01       | 39.52   | ppb   |
| Sodium     | 23-2  | 4.96    | 5.26    | 4.36    | 4.86       | 9.45    | ppb   |
| Strontium  | 86-1  | -0.17   | -0.04   | 0.24    | 0.01       | 2291.19 | ppb   |
| Strontium  | 88-1  | -0.02   | -0.04   | 0.14    | 0.03       | 361.59  | ppb   |
| Sulfur     | 34-1  | -204.15 | -81.17  | -112.14 | -132.49    |         | ppb   |
| Terbium    | 159-1 |         |         |         | 104        |         | %     |
| Terbium    | 159-2 |         |         |         | 101        |         | %     |
| Thallium   | 203-1 | 0.01    | 0.01    | 0.02    | 0.01       | 30.20   | ppb   |
| Thallium   | 205-1 | 0.01    | 0.01    | 0.01    | 0.01       | 10.62   | ppb   |
| Tin        | 118-1 | -0.07   | -0.08   | -0.06   | -0.07      |         | ppb   |
| Titanium   | 47-1  | 0.02    | 0.02    | 0.03    | 0.02       | 32.79   | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :PB165208BL

Instrumnet Name :P7

Client Sample ID :PBS208

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:01:32

DataFile Name :027CCBE.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.00    | 0.00    | 0.00    | 0.00       | 22.03   | ppb   |
| Vanadium  | 51-2  | 0.00    | 0.00    | 0.00    | 0.00       | 83.75   | ppb   |
| Yttrium   | 89-1  |         |         |         | 101        |         | %     |
| Yttrium   | 89-2  |         |         |         | 100        |         | %     |
| Zinc      | 66-2  | -0.11   | -0.18   | -0.15   | -0.15      |         | ppb   |
| Zirconium | 90-1  | 0.01    | 0.01    | 0.02    | 0.01       | 56.66   | ppb   |
| Zirconium | 91-1  | 0.01    | 0.01    | 0.02    | 0.01       | 47.80   | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165208BS Instrumnet Name : P7  
Client Sample ID : LCS208 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:04:49 DataFile Name : 028LCSE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 44.48   | 46.99   | 41.89   | 44.45      | 5.73    | ppb   |
| Antimony   | 121-1 | 4.33    | 4.37    | 4.30    | 4.34       | 0.76    | ppb   |
| Arsenic    | 75-2  | 2.42    | 2.52    | 2.17    | 2.37       | 7.61    | ppb   |
| Barium     | 135-1 | 20.76   | 20.86   | 20.42   | 20.68      | 1.13    | ppb   |
| Barium     | 137-1 | 20.79   | 20.79   | 20.39   | 20.65      | 1.10    | ppb   |
| Beryllium  | 9-1   | 2.24    | 2.24    | 2.11    | 2.20       | 3.56    | ppb   |
| Bismuth    | 209-1 |         |         |         | 106        |         | %     |
| Bismuth    | 209-2 |         |         |         | 96         |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 2.09    | 2.00    | 2.30    | 2.13       | 7.18    | ppb   |
| Cadmium    | 106-1 | 2.38    | 2.37    | 2.39    | 2.38       | 0.50    | ppb   |
| Cadmium    | 111-1 | 2.28    | 2.27    | 2.23    | 2.26       | 1.35    | ppb   |
| Calcium    | 43-1  | 1057.55 | 1065.13 | 1072.75 | 1065.15    | 0.71    | ppb   |
| Calcium    | 44-1  | 1054.62 | 1052.25 | 1073.98 | 1060.28    | 1.12    | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 4.81    | 4.88    | 4.26    | 4.65       | 7.27    | ppb   |
| Cobalt     | 59-2  | 2.42    | 2.46    | 2.17    | 2.35       | 6.55    | ppb   |
| Copper     | 63-2  | 4.91    | 5.04    | 4.53    | 4.82       | 5.53    | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 106        |         | %     |
| Holmium    | 165-2 |         |         |         | 95         |         | %     |
| Indium     | 115-1 |         |         |         | 104        |         | %     |
| Indium     | 115-2 |         |         |         | 93         |         | %     |
| Iron       | 56-2  | 497.07  | 515.12  | 452.58  | 488.25     | 6.59    | ppb   |
| Iron       | 57-2  | 514.46  | 531.09  | 468.56  | 504.70     | 6.42    | ppb   |
| Iron       | 54-2  | 527.90  | 542.52  | 478.72  | 516.38     | 6.47    | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165208BS Instrumnet Name : P7  
Client Sample ID : LCS208 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:04:49 DataFile Name : 028LCSE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 2.10    | 2.06    | 2.07    | 2.07       | 0.96    | ppb   |
| Lead       | 207-1 | 2.08    | 2.05    | 2.09    | 2.07       | 0.90    | ppb   |
| Lead       | 208-1 | 2.10    | 2.05    | 2.06    | 2.07       | 1.23    | ppb   |
| Lithium    | 6-1   |         |         |         | 101        |         | %     |
| Magnesium  | 24-2  | 1133.50 | 1178.17 | 1041.52 | 1117.73    | 6.23    | ppb   |
| Manganese  | 55-2  | 2.37    | 2.37    | 2.10    | 2.28       | 6.79    | ppb   |
| Molybdenum | 94-1  | 11.95   | 12.03   | 11.87   | 11.95      | 0.66    | ppb   |
| Molybdenum | 95-1  | 10.19   | 10.12   | 9.98    | 10.09      | 1.05    | ppb   |
| Molybdenum | 96-1  | 10.30   | 10.27   | 10.18   | 10.25      | 0.61    | ppb   |
| Molybdenum | 97-1  | 10.00   | 10.06   | 9.87    | 9.98       | 0.96    | ppb   |
| Molybdenum | 98-1  | 10.11   | 10.05   | 9.96    | 10.04      | 0.75    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 2.62    | 2.78    | 2.34    | 2.58       | 8.70    | ppb   |
| Phosphorus | 31-2  | -17.86  | -14.04  | -16.84  | -16.25     |         | ppb   |
| Potassium  | 39-2  | 1181.24 | 1226.11 | 1108.86 | 1172.07    | 5.05    | ppb   |
| Rhodium    | 103-1 |         |         |         | 102        |         | %     |
| Rhodium    | 103-2 |         |         |         | 93         |         | %     |
| Scandium   | 45-1  |         |         |         | 101        |         | %     |
| Scandium   | 45-2  |         |         |         | 94         |         | %     |
| Selenium   | 82-1  | 11.33   | 10.80   | 11.33   | 11.15      | 2.77    | ppb   |
| Selenium   | 77-2  | 12.54   | 11.63   | 12.79   | 12.32      | 4.98    | ppb   |
| Selenium   | 78-2  | 13.65   | 12.93   | 11.06   | 12.55      | 10.67   | ppb   |
| Silicon    | 28-1  | 1.17    | 1.32    | 1.98    | 1.49       | 28.80   | ppb   |
| Silver     | 107-1 | 2.16    | 2.20    | 2.17    | 2.17       | 0.92    | ppb   |
| Silver     | 109-1 | 2.17    | 2.21    | 2.15    | 2.17       | 1.34    | ppb   |
| Sodium     | 23-2  | 1176.06 | 1225.90 | 1076.88 | 1159.61    | 6.54    | ppb   |
| Strontium  | 86-1  | 52.20   | 51.29   | 51.05   | 51.51      | 1.17    | ppb   |
| Strontium  | 88-1  | 51.63   | 51.78   | 50.96   | 51.46      | 0.85    | ppb   |
| Sulfur     | 34-1  | -136.69 | -85.18  | -8.65   | -76.84     |         | ppb   |
| Terbium    | 159-1 |         |         |         | 105        |         | %     |
| Terbium    | 159-2 |         |         |         | 95         |         | %     |
| Thallium   | 203-1 | 2.03    | 2.00    | 2.02    | 2.02       | 0.54    | ppb   |
| Thallium   | 205-1 | 1.99    | 1.98    | 1.99    | 1.99       | 0.36    | ppb   |
| Tin        | 118-1 | 0.00    | 0.02    | 0.00    | 0.01       | 114.46  | ppb   |
| Titanium   | 47-1  | 10.13   | 10.31   | 10.46   | 10.30      | 1.61    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

PB165208BS

Instrumnet Name :

P7

Client Sample ID :

LCS208

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:04:49

DataFile Name :

028LCSE.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 1.85    | 1.86    | 1.84    | 1.85       | 0.71    | ppb   |
| Vanadium  | 51-2  | 11.39   | 11.94   | 10.55   | 11.29      | 6.22    | ppb   |
| Yttrium   | 89-1  |         |         |         | 103        |         | %     |
| Yttrium   | 89-2  |         |         |         | 93         |         | %     |
| Zinc      | 66-2  | 12.79   | 13.20   | 11.85   | 12.61      | 5.47    | ppb   |
| Zirconium | 90-1  | 2.06    | 2.05    | 2.01    | 2.04       | 1.45    | ppb   |
| Zirconium | 91-1  | 2.07    | 2.04    | 2.02    | 2.04       | 1.20    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-01 Instrumnet Name : P7  
Client Sample ID : MH2GQ2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:08:02 DataFile Name : 029SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 10587.67  | 10524.82  | 10597.53  | 10570.01   | 0.37    | ppb   |
| Antimony   | 121-1 | 1.15      | 1.23      | 1.22      | 1.20       | 3.58    | ppb   |
| Arsenic    | 75-2  | 17.09     | 16.73     | 16.69     | 16.84      | 1.30    | ppb   |
| Barium     | 135-1 | 663.24    | 678.73    | 677.59    | 673.19     | 1.28    | ppb   |
| Barium     | 137-1 | 662.06    | 682.91    | 680.39    | 675.12     | 1.69    | ppb   |
| Beryllium  | 9-1   | 1.74      | 1.66      | 1.78      | 1.73       | 3.57    | ppb   |
| Bismuth    | 209-1 |           |           |           | 107        |         | %     |
| Bismuth    | 209-2 |           |           |           | 103        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 9.16      | 9.44      | 9.20      | 9.27       | 1.64    | ppb   |
| Cadmium    | 106-1 | 9.90      | 9.98      | 10.45     | 10.11      | 2.92    | ppb   |
| Cadmium    | 111-1 | 9.83      | 10.05     | 9.92      | 9.93       | 1.07    | ppb   |
| Calcium    | 43-1  | 145272.69 | 146830.52 | 147956.40 | 146686.53  | 0.92    | ppb   |
| Calcium    | 44-1  | 143851.95 | 145708.70 | 148044.24 | 145868.30  | 1.44    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 15.62     | 15.65     | 15.76     | 15.68      | 0.48    | ppb   |
| Cobalt     | 59-2  | 12.65     | 12.65     | 12.66     | 12.65      | 0.03    | ppb   |
| Copper     | 63-2  | 138.91    | 143.50    | 139.97    | 140.79     | 1.71    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 109        |         | %     |
| Holmium    | 165-2 |           |           |           | 105        |         | %     |
| Indium     | 115-1 |           |           |           | 104        |         | %     |
| Indium     | 115-2 |           |           |           | 99         |         | %     |
| Iron       | 56-2  | 15166.85  | 15131.67  | 15033.82  | 15110.78   | 0.46    | ppb   |
| Iron       | 57-2  | 15867.53  | 15528.33  | 15812.20  | 15736.02   | 1.16    | ppb   |
| Iron       | 54-2  | 15097.41  | 15261.33  | 15091.20  | 15149.98   | 0.64    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-01 Instrumnet Name : P7  
Client Sample ID : MH2GQ2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:08:02 DataFile Name : 029SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 769.71   | 774.45   | 781.70   | 775.29     | 0.78    | ppb   |
| Lead       | 207-1 | 757.38   | 768.05   | 759.26   | 761.57     | 0.75    | ppb   |
| Lead       | 208-1 | 760.81   | 767.62   | 769.96   | 766.13     | 0.62    | ppb   |
| Lithium    | 6-1   |          |          |          | 99         |         | %     |
| Magnesium  | 24-2  | 26541.21 | 26222.78 | 26646.42 | 26470.13   | 0.83    | ppb   |
| Manganese  | 55-2  | 1170.50  | 1179.62  | 1167.62  | 1172.58    | 0.53    | ppb   |
| Molybdenum | 94-1  | 5.51     | 5.61     | 5.63     | 5.58       | 1.10    | ppb   |
| Molybdenum | 95-1  | 0.81     | 0.84     | 0.84     | 0.83       | 1.89    | ppb   |
| Molybdenum | 96-1  | 1.32     | 1.41     | 1.41     | 1.38       | 3.83    | ppb   |
| Molybdenum | 97-1  | 0.80     | 0.80     | 0.81     | 0.80       | 0.82    | ppb   |
| Molybdenum | 98-1  | 0.80     | 0.84     | 0.82     | 0.82       | 2.84    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 24.09    | 24.19    | 24.31    | 24.19      | 0.46    | ppb   |
| Phosphorus | 31-2  | 4363.10  | 4310.26  | 4240.10  | 4304.48    | 1.43    | ppb   |
| Potassium  | 39-2  | 4596.40  | 4462.45  | 4534.42  | 4531.09    | 1.48    | ppb   |
| Rhodium    | 103-1 |          |          |          | 100        |         | %     |
| Rhodium    | 103-2 |          |          |          | 98         |         | %     |
| Scandium   | 45-1  |          |          |          | 103        |         | %     |
| Scandium   | 45-2  |          |          |          | 101        |         | %     |
| Selenium   | 82-1  | 1.24     | 0.93     | 0.53     | 0.90       | 39.85   | ppb   |
| Selenium   | 77-2  | 17.92    | 16.32    | 17.91    | 17.38      | 5.28    | ppb   |
| Selenium   | 78-2  | 3.67     | 2.72     | 3.54     | 3.31       | 15.55   | ppb   |
| Silicon    | 28-1  | 1477.96  | 1488.62  | 1496.37  | 1487.65    | 0.62    | ppb   |
| Silver     | 107-1 | 2.50     | 2.58     | 2.58     | 2.55       | 1.73    | ppb   |
| Silver     | 109-1 | 2.50     | 2.57     | 2.55     | 2.54       | 1.44    | ppb   |
| Sodium     | 23-2  | 419.27   | 417.62   | 418.68   | 418.52     | 0.20    | ppb   |
| Strontium  | 86-1  | 9060.17  | 9302.95  | 9153.05  | 9172.06    | 1.34    | ppb   |
| Strontium  | 88-1  | 8889.57  | 9146.86  | 9108.49  | 9048.31    | 1.53    | ppb   |
| Sulfur     | 34-1  | 345.54   | 434.75   | 445.75   | 408.68     | 13.45   | ppb   |
| Terbium    | 159-1 |          |          |          | 109        |         | %     |
| Terbium    | 159-2 |          |          |          | 104        |         | %     |
| Thallium   | 203-1 | 0.46     | 0.51     | 0.54     | 0.50       | 8.00    | ppb   |
| Thallium   | 205-1 | 0.47     | 0.51     | 0.53     | 0.50       | 6.74    | ppb   |
| Tin        | 118-1 | 10.71    | 11.11    | 10.98    | 10.93      | 1.88    | ppb   |
| Titanium   | 47-1  | 121.41   | 125.03   | 125.45   | 123.96     | 1.79    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-01

Instrumnet Name :

P7

Client Sample ID :

MH2GQ2

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:08:02

DataFile Name :

029SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 4.09    | 4.15    | 4.11    | 4.12       | 0.81    | ppb   |
| Vanadium  | 51-2  | 45.38   | 44.82   | 45.11   | 45.11      | 0.62    | ppb   |
| Yttrium   | 89-1  |         |         |         | 117        |         | %     |
| Yttrium   | 89-2  |         |         |         | 114        |         | %     |
| Zinc      | 66-2  | 834.76  | 838.99  | 854.93  | 842.90     | 1.26    | ppb   |
| Zirconium | 90-1  | 2.70    | 2.76    | 2.77    | 2.74       | 1.50    | ppb   |
| Zirconium | 91-1  | 2.75    | 2.74    | 2.80    | 2.77       | 1.23    | ppb   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-02 Instrumnet Name : P7  
Client Sample ID : MH2GQ2D Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:11:04 DataFile Name : 030SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 10354.79  | 10281.64  | 10288.39  | 10308.27   | 0.39    | ppb   |
| Antimony   | 121-1 | 1.16      | 1.22      | 1.24      | 1.21       | 3.38    | ppb   |
| Arsenic    | 75-2  | 17.06     | 17.32     | 17.35     | 17.24      | 0.91    | ppb   |
| Barium     | 135-1 | 641.14    | 660.79    | 660.17    | 654.03     | 1.71    | ppb   |
| Barium     | 137-1 | 639.49    | 656.10    | 666.22    | 653.93     | 2.06    | ppb   |
| Beryllium  | 9-1   | 1.61      | 1.80      | 1.68      | 1.70       | 5.52    | ppb   |
| Bismuth    | 209-1 |           |           |           | 105        |         | %     |
| Bismuth    | 209-2 |           |           |           | 99         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 8.69      | 9.09      | 9.26      | 9.02       | 3.22    | ppb   |
| Cadmium    | 106-1 | 9.51      | 10.27     | 9.36      | 9.71       | 5.02    | ppb   |
| Cadmium    | 111-1 | 9.51      | 10.02     | 10.03     | 9.85       | 3.00    | ppb   |
| Calcium    | 43-1  | 140531.51 | 145344.06 | 145008.47 | 143628.01  | 1.87    | ppb   |
| Calcium    | 44-1  | 141444.82 | 144659.90 | 143629.31 | 143244.68  | 1.15    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 15.37     | 15.46     | 15.33     | 15.38      | 0.43    | ppb   |
| Cobalt     | 59-2  | 12.27     | 12.32     | 12.26     | 12.28      | 0.27    | ppb   |
| Copper     | 63-2  | 138.88    | 137.23    | 140.31    | 138.81     | 1.11    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 107        |         | %     |
| Holmium    | 165-2 |           |           |           | 103        |         | %     |
| Indium     | 115-1 |           |           |           | 102        |         | %     |
| Indium     | 115-2 |           |           |           | 97         |         | %     |
| Iron       | 56-2  | 14781.15  | 14926.16  | 14610.75  | 14772.69   | 1.07    | ppb   |
| Iron       | 57-2  | 15373.69  | 15489.11  | 15287.37  | 15383.39   | 0.66    | ppb   |
| Iron       | 54-2  | 14821.17  | 14900.66  | 14751.34  | 14824.39   | 0.50    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-02 Instrumnet Name : P7  
Client Sample ID : MH2GQ2D Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:11:04 DataFile Name : 030SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 758.72   | 775.82   | 773.66   | 769.40     | 1.21    | ppb   |
| Lead       | 207-1 | 739.34   | 759.02   | 763.24   | 753.87     | 1.69    | ppb   |
| Lead       | 208-1 | 745.87   | 764.48   | 770.59   | 760.31     | 1.69    | ppb   |
| Lithium    | 6-1   |          |          |          | 92         |         | %     |
| Magnesium  | 24-2  | 26365.44 | 26001.18 | 25363.35 | 25909.99   | 1.96    | ppb   |
| Manganese  | 55-2  | 1162.24  | 1158.33  | 1132.69  | 1151.09    | 1.39    | ppb   |
| Molybdenum | 94-1  | 5.38     | 5.54     | 5.64     | 5.52       | 2.44    | ppb   |
| Molybdenum | 95-1  | 0.82     | 0.83     | 0.91     | 0.85       | 5.15    | ppb   |
| Molybdenum | 96-1  | 1.33     | 1.38     | 1.41     | 1.37       | 2.93    | ppb   |
| Molybdenum | 97-1  | 0.79     | 0.82     | 0.81     | 0.81       | 2.28    | ppb   |
| Molybdenum | 98-1  | 0.82     | 0.82     | 0.85     | 0.83       | 2.28    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 23.88    | 24.18    | 24.25    | 24.10      | 0.81    | ppb   |
| Phosphorus | 31-2  | 4302.94  | 4253.86  | 4237.69  | 4264.83    | 0.80    | ppb   |
| Potassium  | 39-2  | 4425.66  | 4433.64  | 4394.39  | 4417.90    | 0.47    | ppb   |
| Rhodium    | 103-1 |          |          |          | 97         |         | %     |
| Rhodium    | 103-2 |          |          |          | 97         |         | %     |
| Scandium   | 45-1  |          |          |          | 100        |         | %     |
| Scandium   | 45-2  |          |          |          | 100        |         | %     |
| Selenium   | 82-1  | 0.52     | 0.83     | 1.01     | 0.79       | 31.46   | ppb   |
| Selenium   | 77-2  | 17.22    | 17.76    | 16.93    | 17.30      | 2.44    | ppb   |
| Selenium   | 78-2  | 3.04     | 3.38     | 3.65     | 3.36       | 9.19    | ppb   |
| Silicon    | 28-1  | 1381.06  | 1410.47  | 1431.12  | 1407.55    | 1.79    | ppb   |
| Silver     | 107-1 | 2.43     | 2.52     | 2.58     | 2.51       | 2.96    | ppb   |
| Silver     | 109-1 | 2.42     | 2.53     | 2.55     | 2.50       | 2.71    | ppb   |
| Sodium     | 23-2  | 430.26   | 429.59   | 423.80   | 427.88     | 0.83    | ppb   |
| Strontium  | 86-1  | 8789.19  | 8892.86  | 9272.72  | 8984.92    | 2.83    | ppb   |
| Strontium  | 88-1  | 8735.28  | 9021.96  | 8991.95  | 8916.40    | 1.77    | ppb   |
| Sulfur     | 34-1  | 257.44   | 444.78   | 408.92   | 370.38     | 26.85   | ppb   |
| Terbium    | 159-1 |          |          |          | 107        |         | %     |
| Terbium    | 159-2 |          |          |          | 102        |         | %     |
| Thallium   | 203-1 | 0.45     | 0.49     | 0.53     | 0.49       | 7.88    | ppb   |
| Thallium   | 205-1 | 0.45     | 0.51     | 0.53     | 0.50       | 8.49    | ppb   |
| Tin        | 118-1 | 10.78    | 11.25    | 11.34    | 11.12      | 2.68    | ppb   |
| Titanium   | 47-1  | 116.97   | 122.64   | 121.48   | 120.36     | 2.49    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-02

Instrumnet Name :P7

Client Sample ID :MH2GQ2D

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:11:04

DataFile Name :030SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.98    | 4.08    | 4.06    | 4.04       | 1.25    | ppb   |
| Vanadium  | 51-2  | 44.38   | 43.98   | 43.88   | 44.08      | 0.60    | ppb   |
| Yttrium   | 89-1  |         |         |         | 115        |         | %     |
| Yttrium   | 89-2  |         |         |         | 110        |         | %     |
| Zinc      | 66-2  | 861.03  | 855.76  | 827.75  | 848.18     | 2.11    | ppb   |
| Zirconium | 90-1  | 2.65    | 2.72    | 2.79    | 2.72       | 2.68    | ppb   |
| Zirconium | 91-1  | 2.65    | 2.73    | 2.81    | 2.73       | 2.75    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-01LX5 Instrumnet Name : P7  
Client Sample ID : MH2GQ2L Dilution Factor : 5  
Date & Time Acquired : 2024-11-27 18:14:01 DataFile Name : 031SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Aluminium  | 27-2  | 1937.33  | 1919.32  | 1937.69  | 1931.45    | 0.54    | ppb   |
| Antimony   | 121-1 | 0.25     | 0.26     | 0.25     | 0.25       | 1.86    | ppb   |
| Arsenic    | 75-2  | 3.47     | 3.56     | 3.68     | 3.57       | 2.97    | ppb   |
| Barium     | 135-1 | 124.69   | 128.20   | 126.38   | 126.42     | 1.39    | ppb   |
| Barium     | 137-1 | 124.80   | 126.48   | 126.81   | 126.03     | 0.85    | ppb   |
| Beryllium  | 9-1   | 0.35     | 0.34     | 0.38     | 0.36       | 5.52    | ppb   |
| Bismuth    | 209-1 |          |          |          | 104        |         | %     |
| Bismuth    | 209-2 |          |          |          | 101        |         | %     |
| Bromine    | 81-1  |          |          |          |            |         | cps   |
| Bromine    | 81-2  |          |          |          |            |         | cps   |
| Cadmium    | 108-1 | 1.97     | 1.85     | 1.70     | 1.84       | 7.27    | ppb   |
| Cadmium    | 106-1 | 1.80     | 2.02     | 1.41     | 1.74       | 17.69   | ppb   |
| Cadmium    | 111-1 | 1.94     | 2.04     | 1.98     | 1.99       | 2.56    | ppb   |
| Calcium    | 43-1  | 28979.88 | 28689.19 | 28737.72 | 28802.26   | 0.54    | ppb   |
| Calcium    | 44-1  | 28609.65 | 28619.52 | 28671.32 | 28633.50   | 0.12    | ppb   |
| Carbon     | 12-1  |          |          |          |            |         | cps   |
| Carbon     | 12-2  |          |          |          |            |         | cps   |
| Chlorine   | 35-1  |          |          |          |            |         | cps   |
| Chlorine   | 35-2  |          |          |          |            |         | cps   |
| Chromium   | 52-2  | 2.95     | 2.94     | 2.96     | 2.95       | 0.48    | ppb   |
| Cobalt     | 59-2  | 2.39     | 2.42     | 2.43     | 2.41       | 0.83    | ppb   |
| Copper     | 63-2  | 27.80    | 27.70    | 27.75    | 27.75      | 0.17    | ppb   |
| Dysprosium | 156-1 |          |          |          |            |         | cps   |
| Dysprosium | 156-2 |          |          |          |            |         | cps   |
| Erbium     | 164-1 |          |          |          |            |         | cps   |
| Erbium     | 164-2 |          |          |          |            |         | cps   |
| Gadolinium | 160-1 |          |          |          |            |         | cps   |
| Gadolinium | 160-2 |          |          |          |            |         | cps   |
| Holmium    | 165-1 |          |          |          | 104        |         | %     |
| Holmium    | 165-2 |          |          |          | 102        |         | %     |
| Indium     | 115-1 |          |          |          | 103        |         | %     |
| Indium     | 115-2 |          |          |          | 99         |         | %     |
| Iron       | 56-2  | 2774.42  | 2770.55  | 2766.82  | 2770.59    | 0.14    | ppb   |
| Iron       | 57-2  | 2985.32  | 2990.27  | 3009.87  | 2995.15    | 0.43    | ppb   |
| Iron       | 54-2  | 2793.91  | 2902.01  | 2832.69  | 2842.87    | 1.93    | ppb   |
| Krypton    | 83-1  |          |          |          |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-01LX5 Instrumnet Name : P7  
Client Sample ID : MH2GQ2L Dilution Factor : 5  
Date & Time Acquired : 2024-11-27 18:14:01 DataFile Name : 031SMPL.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 150.02  | 151.87  | 153.44  | 151.78     | 1.13    | ppb   |
| Lead       | 207-1 | 148.16  | 149.93  | 151.03  | 149.71     | 0.97    | ppb   |
| Lead       | 208-1 | 148.00  | 148.86  | 150.29  | 149.05     | 0.78    | ppb   |
| Lithium    | 6-1   |         |         |         | 89         |         | %     |
| Magnesium  | 24-2  | 5177.53 | 5057.10 | 5108.63 | 5114.42    | 1.18    | ppb   |
| Manganese  | 55-2  | 223.57  | 222.08  | 224.51  | 223.39     | 0.55    | ppb   |
| Molybdenum | 94-1  | 1.13    | 1.17    | 1.15    | 1.15       | 1.76    | ppb   |
| Molybdenum | 95-1  | 0.22    | 0.24    | 0.23    | 0.23       | 4.52    | ppb   |
| Molybdenum | 96-1  | 0.33    | 0.33    | 0.33    | 0.33       | 1.20    | ppb   |
| Molybdenum | 97-1  | 0.22    | 0.21    | 0.22    | 0.22       | 4.03    | ppb   |
| Molybdenum | 98-1  | 0.22    | 0.23    | 0.22    | 0.22       | 1.19    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 5.21    | 5.25    | 5.29    | 5.25       | 0.78    | ppb   |
| Phosphorus | 31-2  | 798.63  | 833.01  | 820.84  | 817.49     | 2.13    | ppb   |
| Potassium  | 39-2  | 897.14  | 897.59  | 895.56  | 896.76     | 0.12    | ppb   |
| Rhodium    | 103-1 |         |         |         | 100        |         | %     |
| Rhodium    | 103-2 |         |         |         | 99         |         | %     |
| Scandium   | 45-1  |         |         |         | 97         |         | %     |
| Scandium   | 45-2  |         |         |         | 100        |         | %     |
| Selenium   | 82-1  | 0.28    | 0.15    | -0.20   | 0.08       | 321.00  | ppb   |
| Selenium   | 77-2  | 3.20    | 3.27    | 3.72    | 3.39       | 8.29    | ppb   |
| Selenium   | 78-2  | 0.83    | 0.26    | -0.28   | 0.27       | 207.57  | ppb   |
| Silicon    | 28-1  | 262.85  | 263.00  | 267.87  | 264.57     | 1.08    | ppb   |
| Silver     | 107-1 | 0.52    | 0.52    | 0.52    | 0.52       | 0.52    | ppb   |
| Silver     | 109-1 | 0.51    | 0.51    | 0.49    | 0.50       | 2.25    | ppb   |
| Sodium     | 23-2  | 102.48  | 100.69  | 101.87  | 101.68     | 0.90    | ppb   |
| Strontium  | 86-1  | 1890.74 | 1912.47 | 1915.49 | 1906.23    | 0.71    | ppb   |
| Strontium  | 88-1  | 1905.99 | 1877.12 | 1912.04 | 1898.38    | 0.98    | ppb   |
| Sulfur     | 34-1  | -60.49  | -25.16  | -90.13  | -58.60     |         | ppb   |
| Terbium    | 159-1 |         |         |         | 104        |         | %     |
| Terbium    | 159-2 |         |         |         | 102        |         | %     |
| Thallium   | 203-1 | 0.13    | 0.12    | 0.11    | 0.12       | 6.69    | ppb   |
| Thallium   | 205-1 | 0.13    | 0.12    | 0.13    | 0.13       | 2.46    | ppb   |
| Tin        | 118-1 | 2.13    | 2.18    | 2.15    | 2.15       | 1.30    | ppb   |
| Titanium   | 47-1  | 22.87   | 23.31   | 23.28   | 23.15      | 1.06    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-01LX5

Instrumnet Name :

P7

Client Sample ID :

MH2GQ2L

Dilution Factor :

5

Date & Time Acquired :

2024-11-27 18:14:01

DataFile Name :

031SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.77    | 0.77    | 0.78    | 0.77       | 0.33    | ppb   |
| Vanadium  | 51-2  | 8.43    | 8.30    | 8.40    | 8.38       | 0.78    | ppb   |
| Yttrium   | 89-1  |         |         |         | 104        |         | %     |
| Yttrium   | 89-2  |         |         |         | 102        |         | %     |
| Zinc      | 66-2  | 167.36  | 167.06  | 167.28  | 167.23     | 0.09    | ppb   |
| Zirconium | 90-1  | 0.54    | 0.55    | 0.55    | 0.55       | 1.65    | ppb   |
| Zirconium | 91-1  | 0.56    | 0.56    | 0.54    | 0.55       | 1.50    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-03 Instrumnet Name : P7  
Client Sample ID : MH2GQ2S Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:17:10 DataFile Name : 032SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 9777.39   | 9620.18   | 9728.86   | 9708.81    | 0.83    | ppb   |
| Antimony   | 121-1 | 20.69     | 20.89     | 21.13     | 20.90      | 1.05    | ppb   |
| Arsenic    | 75-2  | 24.10     | 24.52     | 24.11     | 24.24      | 0.99    | ppb   |
| Barium     | 135-1 | 996.18    | 999.87    | 1005.81   | 1000.62    | 0.49    | ppb   |
| Barium     | 137-1 | 991.94    | 996.16    | 1003.74   | 997.28     | 0.60    | ppb   |
| Beryllium  | 9-1   | 11.61     | 11.30     | 11.48     | 11.47      | 1.37    | ppb   |
| Bismuth    | 209-1 |           |           |           | 107        |         | %     |
| Bismuth    | 209-2 |           |           |           | 101        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 18.13     | 17.99     | 17.15     | 17.76      | 2.98    | ppb   |
| Cadmium    | 106-1 | 18.02     | 18.57     | 18.10     | 18.23      | 1.62    | ppb   |
| Cadmium    | 111-1 | 19.63     | 19.79     | 19.68     | 19.70      | 0.42    | ppb   |
| Calcium    | 43-1  | 145247.11 | 148465.29 | 146070.13 | 146594.18  | 1.14    | ppb   |
| Calcium    | 44-1  | 146523.96 | 145595.40 | 144377.54 | 145498.97  | 0.74    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 52.62     | 52.76     | 53.36     | 52.91      | 0.74    | ppb   |
| Cobalt     | 59-2  | 106.11    | 107.00    | 107.63    | 106.92     | 0.71    | ppb   |
| Copper     | 63-2  | 178.96    | 180.55    | 182.42    | 180.64     | 0.96    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 109        |         | %     |
| Holmium    | 165-2 |           |           |           | 106        |         | %     |
| Indium     | 115-1 |           |           |           | 103        |         | %     |
| Indium     | 115-2 |           |           |           | 99         |         | %     |
| Iron       | 56-2  | 13404.94  | 13449.17  | 13478.51  | 13444.21   | 0.28    | ppb   |
| Iron       | 57-2  | 14091.49  | 13921.63  | 13888.58  | 13967.24   | 0.78    | ppb   |
| Iron       | 54-2  | 13488.01  | 13658.94  | 13507.30  | 13551.42   | 0.69    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-03 Instrumnet Name : P7  
Client Sample ID : MH2GQ2S Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:17:10 DataFile Name : 032SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 765.54   | 765.64   | 769.58   | 766.92     | 0.30    | ppb   |
| Lead       | 207-1 | 754.23   | 746.97   | 756.97   | 752.72     | 0.69    | ppb   |
| Lead       | 208-1 | 753.74   | 752.10   | 761.00   | 755.61     | 0.63    | ppb   |
| Lithium    | 6-1   |          |          |          | 90         |         | %     |
| Magnesium  | 24-2  | 24898.80 | 25460.74 | 25437.80 | 25265.78   | 1.26    | ppb   |
| Manganese  | 55-2  | 1204.04  | 1222.57  | 1206.97  | 1211.19    | 0.82    | ppb   |
| Molybdenum | 94-1  | 5.46     | 5.52     | 5.41     | 5.46       | 1.03    | ppb   |
| Molybdenum | 95-1  | 0.85     | 0.86     | 0.84     | 0.85       | 0.93    | ppb   |
| Molybdenum | 96-1  | 1.37     | 1.36     | 1.36     | 1.36       | 0.45    | ppb   |
| Molybdenum | 97-1  | 0.81     | 0.84     | 0.83     | 0.83       | 1.29    | ppb   |
| Molybdenum | 98-1  | 0.84     | 0.87     | 0.86     | 0.86       | 1.85    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 116.70   | 118.08   | 117.77   | 117.51     | 0.62    | ppb   |
| Phosphorus | 31-2  | 4194.62  | 4160.77  | 4119.58  | 4158.33    | 0.90    | ppb   |
| Potassium  | 39-2  | 4119.78  | 4055.02  | 4136.81  | 4103.87    | 1.05    | ppb   |
| Rhodium    | 103-1 |          |          |          | 99         |         | %     |
| Rhodium    | 103-2 |          |          |          | 99         |         | %     |
| Scandium   | 45-1  |          |          |          | 99         |         | %     |
| Scandium   | 45-2  |          |          |          | 101        |         | %     |
| Selenium   | 82-1  | 18.91    | 18.53    | 18.23    | 18.55      | 1.84    | ppb   |
| Selenium   | 77-2  | 33.41    | 35.79    | 31.65    | 33.62      | 6.19    | ppb   |
| Selenium   | 78-2  | 22.17    | 22.18    | 19.74    | 21.36      | 6.58    | ppb   |
| Silicon    | 28-1  | 1236.56  | 1230.90  | 1208.49  | 1225.31    | 1.21    | ppb   |
| Silver     | 107-1 | 12.17    | 12.32    | 12.18    | 12.22      | 0.68    | ppb   |
| Silver     | 109-1 | 12.13    | 12.24    | 12.14    | 12.17      | 0.51    | ppb   |
| Sodium     | 23-2  | 396.90   | 398.96   | 400.88   | 398.91     | 0.50    | ppb   |
| Strontium  | 86-1  | 8958.14  | 8787.76  | 8981.26  | 8909.05    | 1.19    | ppb   |
| Strontium  | 88-1  | 8798.24  | 8821.35  | 8854.63  | 8824.74    | 0.32    | ppb   |
| Sulfur     | 34-1  | 313.92   | 310.26   | 320.28   | 314.82     | 1.61    | ppb   |
| Terbium    | 159-1 |          |          |          | 108        |         | %     |
| Terbium    | 159-2 |          |          |          | 105        |         | %     |
| Thallium   | 203-1 | 9.56     | 9.71     | 9.83     | 9.70       | 1.40    | ppb   |
| Thallium   | 205-1 | 9.60     | 9.74     | 9.70     | 9.68       | 0.76    | ppb   |
| Tin        | 118-1 | 11.59    | 11.79    | 11.69    | 11.69      | 0.86    | ppb   |
| Titanium   | 47-1  | 110.21   | 111.54   | 110.36   | 110.70     | 0.66    | ppb   |



LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-03

Instrumnet Name :P7

Client Sample ID :MH2GQ2S

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:17:10

DataFile Name :032SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.96    | 3.98    | 3.96    | 3.97       | 0.22    | ppb   |
| Vanadium  | 51-2  | 135.99  | 135.89  | 136.98  | 136.28     | 0.44    | ppb   |
| Yttrium   | 89-1  |         |         |         | 116        |         | %     |
| Yttrium   | 89-2  |         |         |         | 113        |         | %     |
| Zinc      | 66-2  | 920.48  | 915.42  | 912.92  | 916.27     | 0.42    | ppb   |
| Zirconium | 90-1  | 2.66    | 2.62    | 2.68    | 2.65       | 1.07    | ppb   |
| Zirconium | 91-1  | 2.66    | 2.65    | 2.70    | 2.67       | 0.96    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-04 Instrumnet Name : P7  
Client Sample ID : MH2GQ4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:20:06 DataFile Name : 033SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 8437.46   | 8289.42   | 8334.35   | 8353.74    | 0.91    | ppb   |
| Antimony   | 121-1 | 0.78      | 0.77      | 0.76      | 0.77       | 1.17    | ppb   |
| Arsenic    | 75-2  | 10.49     | 10.51     | 10.46     | 10.49      | 0.24    | ppb   |
| Barium     | 135-1 | 461.84    | 455.18    | 450.34    | 455.79     | 1.27    | ppb   |
| Barium     | 137-1 | 451.49    | 450.06    | 454.08    | 451.87     | 0.45    | ppb   |
| Beryllium  | 9-1   | 1.44      | 1.47      | 1.38      | 1.43       | 3.25    | ppb   |
| Bismuth    | 209-1 |           |           |           | 105        |         | %     |
| Bismuth    | 209-2 |           |           |           | 99         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 5.85      | 5.79      | 6.15      | 5.93       | 3.31    | ppb   |
| Cadmium    | 106-1 | 6.61      | 6.04      | 5.62      | 6.09       | 8.20    | ppb   |
| Cadmium    | 111-1 | 6.47      | 6.29      | 6.37      | 6.38       | 1.41    | ppb   |
| Calcium    | 43-1  | 190621.17 | 189997.09 | 188801.41 | 189806.55  | 0.49    | ppb   |
| Calcium    | 44-1  | 189778.45 | 190242.01 | 189016.11 | 189678.86  | 0.33    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 21.38     | 21.24     | 21.11     | 21.24      | 0.64    | ppb   |
| Cobalt     | 59-2  | 9.36      | 9.37      | 9.31      | 9.35       | 0.34    | ppb   |
| Copper     | 63-2  | 73.93     | 74.54     | 74.10     | 74.19      | 0.43    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 108        |         | %     |
| Holmium    | 165-2 |           |           |           | 103        |         | %     |
| Indium     | 115-1 |           |           |           | 102        |         | %     |
| Indium     | 115-2 |           |           |           | 98         |         | %     |
| Iron       | 56-2  | 12395.60  | 12374.75  | 12413.09  | 12394.48   | 0.15    | ppb   |
| Iron       | 57-2  | 13246.48  | 13394.76  | 13403.80  | 13348.35   | 0.66    | ppb   |
| Iron       | 54-2  | 12497.26  | 12376.64  | 12485.03  | 12452.98   | 0.53    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-04 Instrumnet Name : P7  
Client Sample ID : MH2GQ4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:20:06 DataFile Name : 033SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 545.95   | 549.69   | 554.38   | 550.00     | 0.77    | ppb   |
| Lead       | 207-1 | 533.34   | 538.99   | 543.13   | 538.49     | 0.91    | ppb   |
| Lead       | 208-1 | 539.46   | 542.93   | 546.49   | 542.96     | 0.65    | ppb   |
| Lithium    | 6-1   |          |          |          | 88         |         | %     |
| Magnesium  | 24-2  | 65876.49 | 65802.52 | 65728.55 | 65802.52   | 0.11    | ppb   |
| Manganese  | 55-2  | 1126.11  | 1121.24  | 1111.12  | 1119.49    | 0.68    | ppb   |
| Molybdenum | 94-1  | 4.39     | 4.45     | 4.42     | 4.42       | 0.72    | ppb   |
| Molybdenum | 95-1  | 0.69     | 0.69     | 0.68     | 0.69       | 0.87    | ppb   |
| Molybdenum | 96-1  | 1.13     | 1.15     | 1.13     | 1.14       | 0.81    | ppb   |
| Molybdenum | 97-1  | 0.65     | 0.71     | 0.67     | 0.68       | 4.15    | ppb   |
| Molybdenum | 98-1  | 0.69     | 0.68     | 0.68     | 0.68       | 1.19    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 20.32    | 20.45    | 20.32    | 20.37      | 0.37    | ppb   |
| Phosphorus | 31-2  | 3363.49  | 3390.34  | 3401.23  | 3385.02    | 0.57    | ppb   |
| Potassium  | 39-2  | 3514.89  | 3481.96  | 3520.07  | 3505.64    | 0.59    | ppb   |
| Rhodium    | 103-1 |          |          |          | 98         |         | %     |
| Rhodium    | 103-2 |          |          |          | 97         |         | %     |
| Scandium   | 45-1  |          |          |          | 98         |         | %     |
| Scandium   | 45-2  |          |          |          | 101        |         | %     |
| Selenium   | 82-1  | 1.26     | 0.83     | 1.06     | 1.05       | 20.65   | ppb   |
| Selenium   | 77-2  | 10.54    | 11.41    | 13.13    | 11.69      | 11.25   | ppb   |
| Selenium   | 78-2  | 1.98     | 2.37     | 3.00     | 2.45       | 20.97   | ppb   |
| Silicon    | 28-1  | 1312.90  | 1297.57  | 1299.91  | 1303.46    | 0.63    | ppb   |
| Silver     | 107-1 | 1.59     | 1.60     | 1.61     | 1.60       | 0.65    | ppb   |
| Silver     | 109-1 | 1.59     | 1.57     | 1.59     | 1.59       | 0.72    | ppb   |
| Sodium     | 23-2  | 415.96   | 418.52   | 420.89   | 418.46     | 0.59    | ppb   |
| Strontium  | 86-1  | 7414.89  | 7553.44  | 7350.72  | 7439.68    | 1.39    | ppb   |
| Strontium  | 88-1  | 7340.78  | 7360.46  | 7214.20  | 7305.14    | 1.09    | ppb   |
| Sulfur     | 34-1  | 621.46   | 632.16   | 612.45   | 622.02     | 1.59    | ppb   |
| Terbium    | 159-1 |          |          |          | 108        |         | %     |
| Terbium    | 159-2 |          |          |          | 103        |         | %     |
| Thallium   | 203-1 | 0.33     | 0.36     | 0.36     | 0.35       | 4.37    | ppb   |
| Thallium   | 205-1 | 0.33     | 0.35     | 0.36     | 0.35       | 5.25    | ppb   |
| Tin        | 118-1 | 9.45     | 9.49     | 9.45     | 9.47       | 0.26    | ppb   |
| Titanium   | 47-1  | 134.30   | 134.12   | 134.04   | 134.15     | 0.10    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-04

Instrumnet Name :

P7

Client Sample ID :

MH2GQ4

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:20:06

DataFile Name :

033SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 2.17    | 2.17    | 2.18    | 2.17       | 0.29    | ppb   |
| Vanadium  | 51-2  | 37.88   | 37.13   | 37.38   | 37.46      | 1.01    | ppb   |
| Yttrium   | 89-1  |         |         |         | 112        |         | %     |
| Yttrium   | 89-2  |         |         |         | 109        |         | %     |
| Zinc      | 66-2  | 989.85  | 993.27  | 978.48  | 987.20     | 0.78    | ppb   |
| Zirconium | 90-1  | 2.15    | 2.20    | 2.15    | 2.17       | 1.31    | ppb   |
| Zirconium | 91-1  | 2.19    | 2.23    | 2.15    | 2.19       | 1.69    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-05 Instrumnet Name : P7  
Client Sample ID : MH2GQ5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:23:07 DataFile Name : 034SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 10720.63  | 10871.33  | 10857.10  | 10816.35   | 0.77    | ppb   |
| Antimony   | 121-1 | 1.26      | 1.25      | 1.24      | 1.25       | 0.64    | ppb   |
| Arsenic    | 75-2  | 25.43     | 26.09     | 25.85     | 25.79      | 1.29    | ppb   |
| Barium     | 135-1 | 552.51    | 551.31    | 556.42    | 553.41     | 0.48    | ppb   |
| Barium     | 137-1 | 559.18    | 545.60    | 543.82    | 549.54     | 1.53    | ppb   |
| Beryllium  | 9-1   | 1.79      | 1.75      | 1.87      | 1.80       | 3.52    | ppb   |
| Bismuth    | 209-1 |           |           |           | 108        |         | %     |
| Bismuth    | 209-2 |           |           |           | 102        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 9.04      | 8.50      | 8.10      | 8.55       | 5.54    | ppb   |
| Cadmium    | 106-1 | 9.34      | 9.47      | 8.87      | 9.22       | 3.42    | ppb   |
| Cadmium    | 111-1 | 9.58      | 9.63      | 9.51      | 9.57       | 0.64    | ppb   |
| Calcium    | 43-1  | 141538.49 | 143753.81 | 141349.13 | 142213.81  | 0.94    | ppb   |
| Calcium    | 44-1  | 140615.87 | 141666.61 | 141361.54 | 141214.67  | 0.38    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 18.87     | 18.99     | 19.06     | 18.97      | 0.52    | ppb   |
| Cobalt     | 59-2  | 11.05     | 11.06     | 11.12     | 11.07      | 0.34    | ppb   |
| Copper     | 63-2  | 118.69    | 119.42    | 119.69    | 119.27     | 0.43    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 109        |         | %     |
| Holmium    | 165-2 |           |           |           | 104        |         | %     |
| Indium     | 115-1 |           |           |           | 103        |         | %     |
| Indium     | 115-2 |           |           |           | 99         |         | %     |
| Iron       | 56-2  | 15344.55  | 15602.13  | 15626.82  | 15524.50   | 1.01    | ppb   |
| Iron       | 57-2  | 15964.29  | 16167.04  | 16138.61  | 16089.98   | 0.68    | ppb   |
| Iron       | 54-2  | 15753.45  | 15727.94  | 15666.37  | 15715.92   | 0.28    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-05 Instrumnet Name : P7  
Client Sample ID : MH2GQ5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:23:07 DataFile Name : 034SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 661.35   | 661.25   | 649.58   | 657.39     | 1.03    | ppb   |
| Lead       | 207-1 | 641.58   | 648.86   | 642.86   | 644.44     | 0.60    | ppb   |
| Lead       | 208-1 | 650.01   | 651.40   | 644.37   | 648.59     | 0.57    | ppb   |
| Lithium    | 6-1   |          |          |          | 90         |         | %     |
| Magnesium  | 24-2  | 14636.23 | 14757.63 | 14505.83 | 14633.23   | 0.86    | ppb   |
| Manganese  | 55-2  | 1078.60  | 1084.21  | 1090.58  | 1084.46    | 0.55    | ppb   |
| Molybdenum | 94-1  | 4.69     | 4.74     | 4.77     | 4.74       | 0.83    | ppb   |
| Molybdenum | 95-1  | 0.76     | 0.75     | 0.75     | 0.76       | 1.14    | ppb   |
| Molybdenum | 96-1  | 1.21     | 1.24     | 1.21     | 1.22       | 1.30    | ppb   |
| Molybdenum | 97-1  | 0.76     | 0.77     | 0.75     | 0.76       | 1.72    | ppb   |
| Molybdenum | 98-1  | 0.73     | 0.74     | 0.73     | 0.73       | 0.93    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 25.97    | 26.21    | 26.06    | 26.08      | 0.47    | ppb   |
| Phosphorus | 31-2  | 3386.71  | 3360.06  | 3422.33  | 3389.70    | 0.92    | ppb   |
| Potassium  | 39-2  | 3473.18  | 3509.54  | 3524.06  | 3502.26    | 0.75    | ppb   |
| Rhodium    | 103-1 |          |          |          | 99         |         | %     |
| Rhodium    | 103-2 |          |          |          | 99         |         | %     |
| Scandium   | 45-1  |          |          |          | 99         |         | %     |
| Scandium   | 45-2  |          |          |          | 100        |         | %     |
| Selenium   | 82-1  | 1.43     | 0.67     | 0.78     | 0.96       | 42.82   | ppb   |
| Selenium   | 77-2  | 16.62    | 16.02    | 14.11    | 15.58      | 8.39    | ppb   |
| Selenium   | 78-2  | 3.23     | 2.87     | 3.09     | 3.07       | 5.92    | ppb   |
| Silicon    | 28-1  | 1312.46  | 1288.74  | 1314.90  | 1305.37    | 1.11    | ppb   |
| Silver     | 107-1 | 2.48     | 2.44     | 2.45     | 2.46       | 0.83    | ppb   |
| Silver     | 109-1 | 2.45     | 2.43     | 2.44     | 2.44       | 0.41    | ppb   |
| Sodium     | 23-2  | 505.45   | 511.00   | 513.01   | 509.82     | 0.77    | ppb   |
| Strontium  | 86-1  | 9096.50  | 8971.25  | 9024.00  | 9030.58    | 0.70    | ppb   |
| Strontium  | 88-1  | 8903.40  | 9062.70  | 8945.25  | 8970.45    | 0.92    | ppb   |
| Sulfur     | 34-1  | 491.17   | 530.00   | 521.09   | 514.09     | 3.96    | ppb   |
| Terbium    | 159-1 |          |          |          | 109        |         | %     |
| Terbium    | 159-2 |          |          |          | 105        |         | %     |
| Thallium   | 203-1 | 0.42     | 0.45     | 0.45     | 0.44       | 4.94    | ppb   |
| Thallium   | 205-1 | 0.44     | 0.44     | 0.45     | 0.44       | 2.07    | ppb   |
| Tin        | 118-1 | 14.08    | 14.00    | 13.90    | 13.99      | 0.65    | ppb   |
| Titanium   | 47-1  | 133.81   | 134.88   | 134.61   | 134.43     | 0.41    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-05

Instrumnet Name :P7

Client Sample ID :MH2GQ5

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:23:07

DataFile Name :034SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.03    | 3.05    | 3.04    | 3.04       | 0.31    | ppb   |
| Vanadium  | 51-2  | 47.16   | 47.24   | 47.61   | 47.34      | 0.51    | ppb   |
| Yttrium   | 89-1  |         |         |         | 115        |         | %     |
| Yttrium   | 89-2  |         |         |         | 112        |         | %     |
| Zinc      | 66-2  | 716.97  | 717.72  | 720.07  | 718.25     | 0.22    | ppb   |
| Zirconium | 90-1  | 2.30    | 2.29    | 2.29    | 2.29       | 0.21    | ppb   |
| Zirconium | 91-1  | 2.33    | 2.31    | 2.32    | 2.32       | 0.48    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-06 Instrumnet Name : P7  
Client Sample ID : MH2GQ6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:26:07 DataFile Name : 035SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 11122.99  | 10995.12  | 10837.35  | 10985.15   | 1.30    | ppb   |
| Antimony   | 121-1 | 0.75      | 0.75      | 0.72      | 0.74       | 2.26    | ppb   |
| Arsenic    | 75-2  | 18.23     | 17.86     | 18.55     | 18.21      | 1.90    | ppb   |
| Barium     | 135-1 | 558.75    | 573.37    | 562.51    | 564.88     | 1.34    | ppb   |
| Barium     | 137-1 | 568.73    | 570.26    | 558.69    | 565.89     | 1.11    | ppb   |
| Beryllium  | 9-1   | 1.45      | 1.50      | 1.40      | 1.45       | 3.30    | ppb   |
| Bismuth    | 209-1 |           |           |           | 108        |         | %     |
| Bismuth    | 209-2 |           |           |           | 101        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 4.29      | 4.42      | 4.25      | 4.32       | 2.06    | ppb   |
| Cadmium    | 106-1 | 5.25      | 5.25      | 4.72      | 5.07       | 6.07    | ppb   |
| Cadmium    | 111-1 | 4.80      | 4.73      | 4.71      | 4.74       | 1.01    | ppb   |
| Calcium    | 43-1  | 189851.95 | 195529.76 | 196254.09 | 193878.60  | 1.81    | ppb   |
| Calcium    | 44-1  | 189385.88 | 193729.84 | 193325.59 | 192147.10  | 1.25    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 12.98     | 13.16     | 13.01     | 13.05      | 0.74    | ppb   |
| Cobalt     | 59-2  | 11.86     | 11.86     | 11.79     | 11.83      | 0.32    | ppb   |
| Copper     | 63-2  | 58.94     | 59.23     | 58.49     | 58.89      | 0.63    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 109        |         | %     |
| Holmium    | 165-2 |           |           |           | 104        |         | %     |
| Indium     | 115-1 |           |           |           | 103        |         | %     |
| Indium     | 115-2 |           |           |           | 98         |         | %     |
| Iron       | 56-2  | 15193.00  | 15151.01  | 14964.52  | 15102.84   | 0.81    | ppb   |
| Iron       | 57-2  | 16239.73  | 16071.14  | 15744.39  | 16018.42   | 1.57    | ppb   |
| Iron       | 54-2  | 15368.08  | 15271.54  | 15029.03  | 15222.88   | 1.15    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-06 Instrumnet Name : P7  
Client Sample ID : MH2GQ6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:26:07 DataFile Name : 035SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 252.35   | 254.74   | 252.63   | 253.24     | 0.52    | ppb   |
| Lead       | 207-1 | 250.58   | 249.08   | 250.80   | 250.15     | 0.37    | ppb   |
| Lead       | 208-1 | 249.91   | 250.32   | 250.67   | 250.30     | 0.15    | ppb   |
| Lithium    | 6-1   |          |          |          | 87         |         | %     |
| Magnesium  | 24-2  | 9015.52  | 9041.64  | 8887.92  | 8981.69    | 0.92    | ppb   |
| Manganese  | 55-2  | 734.82   | 724.28   | 712.77   | 723.96     | 1.52    | ppb   |
| Molybdenum | 94-1  | 4.20     | 4.30     | 4.25     | 4.25       | 1.20    | ppb   |
| Molybdenum | 95-1  | 0.93     | 0.92     | 0.95     | 0.93       | 1.61    | ppb   |
| Molybdenum | 96-1  | 1.31     | 1.31     | 1.31     | 1.31       | 0.36    | ppb   |
| Molybdenum | 97-1  | 0.91     | 0.97     | 0.94     | 0.94       | 3.20    | ppb   |
| Molybdenum | 98-1  | 0.92     | 0.93     | 0.93     | 0.92       | 0.64    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 36.18    | 36.40    | 35.97    | 36.18      | 0.60    | ppb   |
| Phosphorus | 31-2  | 3293.94  | 3281.31  | 3256.37  | 3277.21    | 0.58    | ppb   |
| Potassium  | 39-2  | 3004.31  | 3044.43  | 2966.34  | 3005.03    | 1.30    | ppb   |
| Rhodium    | 103-1 |          |          |          | 99         |         | %     |
| Rhodium    | 103-2 |          |          |          | 98         |         | %     |
| Scandium   | 45-1  |          |          |          | 99         |         | %     |
| Scandium   | 45-2  |          |          |          | 100        |         | %     |
| Selenium   | 82-1  | 1.06     | 1.01     | 0.78     | 0.95       | 15.57   | ppb   |
| Selenium   | 77-2  | 16.94    | 17.98    | 19.09    | 18.00      | 5.97    | ppb   |
| Selenium   | 78-2  | 3.23     | 3.67     | 4.01     | 3.64       | 10.73   | ppb   |
| Silicon    | 28-1  | 1259.83  | 1289.49  | 1287.28  | 1278.87    | 1.29    | ppb   |
| Silver     | 107-1 | 0.96     | 0.98     | 0.98     | 0.97       | 1.29    | ppb   |
| Silver     | 109-1 | 0.98     | 0.97     | 0.97     | 0.97       | 0.40    | ppb   |
| Sodium     | 23-2  | 490.57   | 488.40   | 485.54   | 488.17     | 0.52    | ppb   |
| Strontium  | 86-1  | 10440.53 | 10679.66 | 10642.30 | 10587.50   | 1.22    | ppb   |
| Strontium  | 88-1  | 10362.75 | 10481.71 | 10513.25 | 10452.57   | 0.76    | ppb   |
| Sulfur     | 34-1  | 786.27   | 870.76   | 851.97   | 836.33     | 5.30    | ppb   |
| Terbium    | 159-1 |          |          |          | 109        |         | %     |
| Terbium    | 159-2 |          |          |          | 104        |         | %     |
| Thallium   | 203-1 | 0.42     | 0.43     | 0.44     | 0.43       | 2.25    | ppb   |
| Thallium   | 205-1 | 0.44     | 0.44     | 0.45     | 0.44       | 1.65    | ppb   |
| Tin        | 118-1 | 4.31     | 4.37     | 4.27     | 4.32       | 1.14    | ppb   |
| Titanium   | 47-1  | 97.95    | 98.62    | 97.42    | 98.00      | 0.61    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-06

Instrumnet Name :

P7

Client Sample ID :

MH2GQ6

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:26:07

DataFile Name :

035SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.68    | 3.68    | 3.66    | 3.67       | 0.38    | ppb   |
| Vanadium  | 51-2  | 55.44   | 54.60   | 54.59   | 54.88      | 0.89    | ppb   |
| Yttrium   | 89-1  |         |         |         | 115        |         | %     |
| Yttrium   | 89-2  |         |         |         | 112        |         | %     |
| Zinc      | 66-2  | 252.15  | 252.42  | 252.56  | 252.38     | 0.08    | ppb   |
| Zirconium | 90-1  | 1.90    | 1.95    | 1.95    | 1.93       | 1.50    | ppb   |
| Zirconium | 91-1  | 1.93    | 1.97    | 1.94    | 1.94       | 1.08    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-07 Instrumnet Name : P7  
Client Sample ID : MH2GQ7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:29:10 DataFile Name : 036SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 11453.23  | 11459.18  | 11619.61  | 11510.67   | 0.82    | ppb   |
| Antimony   | 121-1 | 0.52      | 0.51      | 0.51      | 0.51       | 0.47    | ppb   |
| Arsenic    | 75-2  | 12.64     | 12.59     | 12.59     | 12.61      | 0.21    | ppb   |
| Barium     | 135-1 | 731.55    | 716.29    | 719.47    | 722.44     | 1.11    | ppb   |
| Barium     | 137-1 | 729.23    | 726.86    | 712.51    | 722.87     | 1.25    | ppb   |
| Beryllium  | 9-1   | 1.45      | 1.43      | 1.42      | 1.43       | 1.03    | ppb   |
| Bismuth    | 209-1 |           |           |           | 107        |         | %     |
| Bismuth    | 209-2 |           |           |           | 99         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 3.94      | 3.78      | 4.05      | 3.93       | 3.44    | ppb   |
| Cadmium    | 106-1 | 5.48      | 4.79      | 4.63      | 4.97       | 9.03    | ppb   |
| Cadmium    | 111-1 | 4.37      | 4.18      | 4.34      | 4.30       | 2.37    | ppb   |
| Calcium    | 43-1  | 255008.63 | 256251.94 | 252574.31 | 254611.63  | 0.73    | ppb   |
| Calcium    | 44-1  | 252319.67 | 253241.12 | 248833.35 | 251464.71  | 0.92    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 13.50     | 13.40     | 13.47     | 13.46      | 0.37    | ppb   |
| Cobalt     | 59-2  | 12.76     | 12.73     | 12.85     | 12.78      | 0.50    | ppb   |
| Copper     | 63-2  | 43.42     | 43.54     | 43.84     | 43.60      | 0.50    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 109        |         | %     |
| Holmium    | 165-2 |           |           |           | 104        |         | %     |
| Indium     | 115-1 |           |           |           | 103        |         | %     |
| Indium     | 115-2 |           |           |           | 97         |         | %     |
| Iron       | 56-2  | 15376.03  | 15440.94  | 15274.24  | 15363.73   | 0.55    | ppb   |
| Iron       | 57-2  | 16727.91  | 16566.27  | 16883.58  | 16725.92   | 0.95    | ppb   |
| Iron       | 54-2  | 15710.52  | 15446.39  | 15663.80  | 15606.90   | 0.90    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-07 Instrumnet Name : P7  
Client Sample ID : MH2GQ7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:29:10 DataFile Name : 036SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 133.50   | 134.45   | 134.95   | 134.30     | 0.55    | ppb   |
| Lead       | 207-1 | 128.95   | 131.13   | 130.37   | 130.15     | 0.85    | ppb   |
| Lead       | 208-1 | 130.54   | 131.69   | 132.24   | 131.49     | 0.66    | ppb   |
| Lithium    | 6-1   |          |          |          | 89         |         | %     |
| Magnesium  | 24-2  | 10031.78 | 10078.91 | 10089.03 | 10066.57   | 0.30    | ppb   |
| Manganese  | 55-2  | 636.63   | 636.55   | 634.52   | 635.90     | 0.19    | ppb   |
| Molybdenum | 94-1  | 4.29     | 4.33     | 4.23     | 4.28       | 1.10    | ppb   |
| Molybdenum | 95-1  | 1.34     | 1.33     | 1.34     | 1.34       | 0.56    | ppb   |
| Molybdenum | 96-1  | 1.68     | 1.70     | 1.68     | 1.69       | 0.53    | ppb   |
| Molybdenum | 97-1  | 1.33     | 1.33     | 1.36     | 1.34       | 1.50    | ppb   |
| Molybdenum | 98-1  | 1.36     | 1.33     | 1.33     | 1.34       | 1.38    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 39.82    | 39.70    | 39.87    | 39.80      | 0.22    | ppb   |
| Phosphorus | 31-2  | 3167.58  | 3155.65  | 3192.07  | 3171.77    | 0.59    | ppb   |
| Potassium  | 39-2  | 2936.49  | 2943.54  | 2984.67  | 2954.90    | 0.88    | ppb   |
| Rhodium    | 103-1 |          |          |          | 98         |         | %     |
| Rhodium    | 103-2 |          |          |          | 96         |         | %     |
| Scandium   | 45-1  |          |          |          | 98         |         | %     |
| Scandium   | 45-2  |          |          |          | 99         |         | %     |
| Selenium   | 82-1  | 0.97     | 0.94     | 0.77     | 0.90       | 11.96   | ppb   |
| Selenium   | 77-2  | 17.29    | 17.32    | 18.07    | 17.56      | 2.51    | ppb   |
| Selenium   | 78-2  | 2.81     | 2.90     | 2.62     | 2.78       | 5.22    | ppb   |
| Silicon    | 28-1  | 1194.97  | 1225.23  | 1185.48  | 1201.90    | 1.73    | ppb   |
| Silver     | 107-1 | 0.63     | 0.61     | 0.60     | 0.61       | 2.64    | ppb   |
| Silver     | 109-1 | 0.62     | 0.59     | 0.61     | 0.61       | 2.43    | ppb   |
| Sodium     | 23-2  | 574.03   | 572.22   | 578.76   | 575.00     | 0.59    | ppb   |
| Strontium  | 86-1  | 12795.08 | 12787.58 | 13034.37 | 12872.34   | 1.09    | ppb   |
| Strontium  | 88-1  | 12852.96 | 12683.92 | 12663.81 | 12733.57   | 0.82    | ppb   |
| Sulfur     | 34-1  | 912.83   | 987.72   | 912.22   | 937.59     | 4.63    | ppb   |
| Terbium    | 159-1 |          |          |          | 107        |         | %     |
| Terbium    | 159-2 |          |          |          | 103        |         | %     |
| Thallium   | 203-1 | 0.44     | 0.46     | 0.47     | 0.46       | 3.05    | ppb   |
| Thallium   | 205-1 | 0.45     | 0.46     | 0.47     | 0.46       | 1.56    | ppb   |
| Tin        | 118-1 | 2.09     | 2.06     | 2.08     | 2.08       | 0.88    | ppb   |
| Titanium   | 47-1  | 80.75    | 79.96    | 78.72    | 79.81      | 1.29    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-07

Instrumnet Name :P7

Client Sample ID :MH2GQ7

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:29:10

DataFile Name :036SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 4.77    | 4.67    | 4.81    | 4.75       | 1.43    | ppb   |
| Vanadium  | 51-2  | 66.54   | 65.91   | 67.09   | 66.51      | 0.89    | ppb   |
| Yttrium   | 89-1  |         |         |         | 116        |         | %     |
| Yttrium   | 89-2  |         |         |         | 111        |         | %     |
| Zinc      | 66-2  | 136.95  | 138.14  | 137.95  | 137.68     | 0.47    | ppb   |
| Zirconium | 90-1  | 1.81    | 1.77    | 1.77    | 1.79       | 1.43    | ppb   |
| Zirconium | 91-1  | 1.83    | 1.82    | 1.77    | 1.80       | 1.83    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-08 Instrumnet Name : P7  
Client Sample ID : MH2GQ8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:32:13 DataFile Name : 037SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 5900.62   | 5945.18   | 5774.38   | 5873.39    | 1.51    | ppb   |
| Antimony   | 121-1 | 0.55      | 0.54      | 0.55      | 0.55       | 0.72    | ppb   |
| Arsenic    | 75-2  | 7.35      | 7.52      | 7.63      | 7.50       | 1.92    | ppb   |
| Barium     | 135-1 | 342.92    | 348.52    | 351.58    | 347.68     | 1.26    | ppb   |
| Barium     | 137-1 | 342.75    | 352.67    | 355.83    | 350.42     | 1.95    | ppb   |
| Beryllium  | 9-1   | 1.20      | 1.08      | 1.08      | 1.12       | 6.46    | ppb   |
| Bismuth    | 209-1 |           |           |           | 99         |         | %     |
| Bismuth    | 209-2 |           |           |           | 92         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 3.63      | 3.59      | 3.70      | 3.64       | 1.49    | ppb   |
| Cadmium    | 106-1 | 4.94      | 4.91      | 4.60      | 4.82       | 4.01    | ppb   |
| Cadmium    | 111-1 | 4.05      | 4.16      | 4.17      | 4.12       | 1.64    | ppb   |
| Calcium    | 43-1  | 505728.12 | 510224.02 | 510203.61 | 508718.58  | 0.51    | ppb   |
| Calcium    | 44-1  | 497016.83 | 508650.99 | 509527.91 | 505065.24  | 1.38    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 16.64     | 16.71     | 16.84     | 16.73      | 0.63    | ppb   |
| Cobalt     | 59-2  | 13.16     | 13.13     | 12.95     | 13.08      | 0.89    | ppb   |
| Copper     | 63-2  | 47.23     | 47.04     | 47.31     | 47.20      | 0.29    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 106        |         | %     |
| Holmium    | 165-2 |           |           |           | 101        |         | %     |
| Indium     | 115-1 |           |           |           | 99         |         | %     |
| Indium     | 115-2 |           |           |           | 95         |         | %     |
| Iron       | 56-2  | 9640.81   | 9561.92   | 9697.67   | 9633.47    | 0.71    | ppb   |
| Iron       | 57-2  | 12385.73  | 12388.81  | 12341.88  | 12372.14   | 0.21    | ppb   |
| Iron       | 54-2  | 9780.75   | 9612.00   | 9618.76   | 9670.50    | 0.99    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-08 Instrumnet Name : P7  
Client Sample ID : MH2GQ8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:32:13 DataFile Name : 037SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Lead       | 206-1 | 351.55    | 350.12    | 353.84    | 351.84     | 0.53    | ppb   |
| Lead       | 207-1 | 341.62    | 342.83    | 341.45    | 341.97     | 0.22    | ppb   |
| Lead       | 208-1 | 344.06    | 345.36    | 346.85    | 345.42     | 0.41    | ppb   |
| Lithium    | 6-1   |           |           |           | 85         |         | %     |
| Magnesium  | 24-2  | 248073.31 | 248149.21 | 246814.30 | 247678.94  | 0.30    | ppb   |
| Manganese  | 55-2  | 2013.36   | 1979.90   | 2017.15   | 2003.47    | 1.02    | ppb   |
| Molybdenum | 94-1  | 3.43      | 3.47      | 3.40      | 3.43       | 1.00    | ppb   |
| Molybdenum | 95-1  | 0.67      | 0.67      | 0.66      | 0.67       | 0.81    | ppb   |
| Molybdenum | 96-1  | 0.96      | 0.99      | 0.96      | 0.97       | 1.81    | ppb   |
| Molybdenum | 97-1  | 0.66      | 0.62      | 0.63      | 0.64       | 2.83    | ppb   |
| Molybdenum | 98-1  | 0.63      | 0.64      | 0.64      | 0.64       | 1.09    | ppb   |
| Neodymium  | 150-1 |           |           |           |            |         | cps   |
| Neodymium  | 150-2 |           |           |           |            |         | cps   |
| Nickel     | 60-2  | 20.28     | 20.22     | 20.01     | 20.17      | 0.68    | ppb   |
| Phosphorus | 31-2  | 4523.47   | 4460.56   | 4480.28   | 4488.11    | 0.72    | ppb   |
| Potassium  | 39-2  | 2806.90   | 2790.23   | 2791.06   | 2796.07    | 0.34    | ppb   |
| Rhodium    | 103-1 |           |           |           | 94         |         | %     |
| Rhodium    | 103-2 |           |           |           | 93         |         | %     |
| Scandium   | 45-1  |           |           |           | 98         |         | %     |
| Scandium   | 45-2  |           |           |           | 101        |         | %     |
| Selenium   | 82-1  | 1.02      | 0.51      | 0.82      | 0.79       | 32.92   | ppb   |
| Selenium   | 77-2  | 11.53     | 11.62     | 10.47     | 11.21      | 5.71    | ppb   |
| Selenium   | 78-2  | 2.62      | 2.58      | 1.33      | 2.18       | 33.69   | ppb   |
| Silicon    | 28-1  | 1059.56   | 1077.50   | 1080.89   | 1072.65    | 1.07    | ppb   |
| Silver     | 107-1 | 0.88      | 0.89      | 0.92      | 0.90       | 2.10    | ppb   |
| Silver     | 109-1 | 0.86      | 0.91      | 0.90      | 0.89       | 2.52    | ppb   |
| Sodium     | 23-2  | 468.73    | 461.58    | 470.74    | 467.02     | 1.03    | ppb   |
| Strontium  | 86-1  | 5985.31   | 5953.71   | 5927.02   | 5955.35    | 0.49    | ppb   |
| Strontium  | 88-1  | 5904.98   | 5873.78   | 5858.24   | 5879.00    | 0.40    | ppb   |
| Sulfur     | 34-1  | 479.67    | 618.54    | 673.70    | 590.63     | 16.93   | ppb   |
| Terbium    | 159-1 |           |           |           | 106        |         | %     |
| Terbium    | 159-2 |           |           |           | 101        |         | %     |
| Thallium   | 203-1 | 0.26      | 0.27      | 0.27      | 0.27       | 1.84    | ppb   |
| Thallium   | 205-1 | 0.26      | 0.28      | 0.28      | 0.27       | 4.67    | ppb   |
| Tin        | 118-1 | 5.83      | 6.02      | 6.03      | 5.96       | 1.88    | ppb   |
| Titanium   | 47-1  | 99.45     | 101.99    | 101.52    | 100.99     | 1.34    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-08

Instrumnet Name :P7

Client Sample ID :MH2GQ8

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:32:13

DataFile Name :037SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 2.63    | 2.61    | 2.62    | 2.62       | 0.45    | ppb   |
| Vanadium  | 51-2  | 34.84   | 34.40   | 34.49   | 34.58      | 0.67    | ppb   |
| Yttrium   | 89-1  |         |         |         | 109        |         | %     |
| Yttrium   | 89-2  |         |         |         | 106        |         | %     |
| Zinc      | 66-2  | 456.42  | 453.90  | 454.86  | 455.06     | 0.28    | ppb   |
| Zirconium | 90-1  | 1.63    | 1.67    | 1.63    | 1.64       | 1.36    | ppb   |
| Zirconium | 91-1  | 1.67    | 1.65    | 1.64    | 1.66       | 0.91    | ppb   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-09 Instrumnet Name : P7  
Client Sample ID : MH2GQ9 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:35:16 DataFile Name : 038SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 10691.57  | 10512.54  | 10925.53  | 10709.88   | 1.93    | ppb   |
| Antimony   | 121-1 | 1.46      | 1.30      | 1.30      | 1.35       | 7.13    | ppb   |
| Arsenic    | 75-2  | 17.23     | 17.47     | 18.14     | 17.62      | 2.69    | ppb   |
| Barium     | 135-1 | 675.15    | 608.02    | 600.39    | 627.85     | 6.55    | ppb   |
| Barium     | 137-1 | 672.81    | 604.48    | 597.17    | 624.82     | 6.68    | ppb   |
| Beryllium  | 9-1   | 1.87      | 1.80      | 1.60      | 1.76       | 7.79    | ppb   |
| Bismuth    | 209-1 |           |           |           | 102        |         | %     |
| Bismuth    | 209-2 |           |           |           | 101        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 9.70      | 9.14      | 9.00      | 9.28       | 3.99    | ppb   |
| Cadmium    | 106-1 | 10.75     | 9.72      | 9.48      | 9.98       | 6.75    | ppb   |
| Cadmium    | 111-1 | 10.16     | 9.40      | 9.21      | 9.59       | 5.25    | ppb   |
| Calcium    | 43-1  | 149725.25 | 136886.48 | 134924.87 | 140512.20  | 5.72    | ppb   |
| Calcium    | 44-1  | 149382.35 | 137363.02 | 134130.04 | 140291.80  | 5.73    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 16.38     | 16.46     | 16.68     | 16.51      | 0.93    | ppb   |
| Cobalt     | 59-2  | 12.34     | 12.21     | 12.57     | 12.37      | 1.47    | ppb   |
| Copper     | 63-2  | 131.62    | 134.11    | 136.16    | 133.96     | 1.70    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 103        |         | %     |
| Holmium    | 165-2 |           |           |           | 103        |         | %     |
| Indium     | 115-1 |           |           |           | 97         |         | %     |
| Indium     | 115-2 |           |           |           | 96         |         | %     |
| Iron       | 56-2  | 17451.67  | 17285.22  | 18037.84  | 17591.58   | 2.25    | ppb   |
| Iron       | 57-2  | 18203.18  | 18113.23  | 18327.16  | 18214.52   | 0.59    | ppb   |
| Iron       | 54-2  | 17511.37  | 17535.21  | 17957.90  | 17668.16   | 1.42    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-09 Instrumnet Name : P7  
Client Sample ID : MH2GQ9 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:35:16 DataFile Name : 038SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 820.50   | 736.04   | 726.11   | 760.88     | 6.82    | ppb   |
| Lead       | 207-1 | 797.10   | 723.15   | 706.85   | 742.37     | 6.48    | ppb   |
| Lead       | 208-1 | 800.52   | 729.04   | 713.85   | 747.80     | 6.19    | ppb   |
| Lithium    | 6-1   |          |          |          | 89         |         | %     |
| Magnesium  | 24-2  | 24400.51 | 24754.43 | 25226.77 | 24793.90   | 1.67    | ppb   |
| Manganese  | 55-2  | 1080.80  | 1081.35  | 1120.97  | 1094.37    | 2.10    | ppb   |
| Molybdenum | 94-1  | 6.37     | 5.67     | 5.78     | 5.94       | 6.37    | ppb   |
| Molybdenum | 95-1  | 1.18     | 1.04     | 1.02     | 1.08       | 8.05    | ppb   |
| Molybdenum | 96-1  | 1.78     | 1.62     | 1.56     | 1.65       | 6.95    | ppb   |
| Molybdenum | 97-1  | 1.15     | 1.06     | 1.04     | 1.08       | 5.54    | ppb   |
| Molybdenum | 98-1  | 1.16     | 1.04     | 1.03     | 1.07       | 6.64    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 24.19    | 24.09    | 24.72    | 24.33      | 1.40    | ppb   |
| Phosphorus | 31-2  | 3883.92  | 3877.08  | 4016.67  | 3925.89    | 2.00    | ppb   |
| Potassium  | 39-2  | 4397.41  | 4410.62  | 4515.12  | 4441.05    | 1.45    | ppb   |
| Rhodium    | 103-1 |          |          |          | 93         |         | %     |
| Rhodium    | 103-2 |          |          |          | 96         |         | %     |
| Scandium   | 45-1  |          |          |          | 93         |         | %     |
| Scandium   | 45-2  |          |          |          | 98         |         | %     |
| Selenium   | 82-1  | 0.93     | 0.92     | 0.42     | 0.76       | 38.09   | ppb   |
| Selenium   | 77-2  | 17.04    | 14.95    | 18.69    | 16.89      | 11.10   | ppb   |
| Selenium   | 78-2  | 3.28     | 2.56     | 3.23     | 3.02       | 13.35   | ppb   |
| Silicon    | 28-1  | 1366.89  | 1238.64  | 1208.83  | 1271.45    | 6.61    | ppb   |
| Silver     | 107-1 | 2.51     | 2.27     | 2.25     | 2.34       | 6.07    | ppb   |
| Silver     | 109-1 | 2.58     | 2.29     | 2.25     | 2.37       | 7.61    | ppb   |
| Sodium     | 23-2  | 415.92   | 417.81   | 424.50   | 419.41     | 1.07    | ppb   |
| Strontium  | 86-1  | 9209.65  | 8469.45  | 8374.27  | 8684.46    | 5.27    | ppb   |
| Strontium  | 88-1  | 9123.49  | 8448.37  | 8329.29  | 8633.72    | 4.96    | ppb   |
| Sulfur     | 34-1  | 1258.33  | 853.05   | 765.67   | 959.01     | 27.41   | ppb   |
| Terbium    | 159-1 |          |          |          | 103        |         | %     |
| Terbium    | 159-2 |          |          |          | 102        |         | %     |
| Thallium   | 203-1 | 0.50     | 0.46     | 0.44     | 0.47       | 6.53    | ppb   |
| Thallium   | 205-1 | 0.50     | 0.46     | 0.46     | 0.48       | 5.14    | ppb   |
| Tin        | 118-1 | 14.63    | 13.24    | 12.96    | 13.61      | 6.55    | ppb   |
| Titanium   | 47-1  | 155.79   | 141.08   | 137.46   | 144.78     | 6.71    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-09

Instrumnet Name :

P7

Client Sample ID :

MH2GQ9

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:35:16

DataFile Name :

038SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 4.43    | 4.02    | 3.97    | 4.14       | 6.08    | ppb   |
| Vanadium  | 51-2  | 45.50   | 45.24   | 46.31   | 45.68      | 1.22    | ppb   |
| Yttrium   | 89-1  |         |         |         | 109        |         | %     |
| Yttrium   | 89-2  |         |         |         | 109        |         | %     |
| Zinc      | 66-2  | 825.13  | 823.23  | 850.29  | 832.88     | 1.81    | ppb   |
| Zirconium | 90-1  | 3.02    | 2.76    | 2.69    | 2.82       | 6.03    | ppb   |
| Zirconium | 91-1  | 3.02    | 2.80    | 2.72    | 2.85       | 5.41    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-10 Instrumnet Name : P7  
Client Sample ID : MH2GR0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:38:16 DataFile Name : 039SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 10790.39  | 10688.89  | 10797.62  | 10758.96   | 0.57    | ppb   |
| Antimony   | 121-1 | 1.50      | 1.52      | 1.53      | 1.52       | 1.15    | ppb   |
| Arsenic    | 75-2  | 26.74     | 26.82     | 26.17     | 26.58      | 1.33    | ppb   |
| Barium     | 135-1 | 594.68    | 601.06    | 619.69    | 605.14     | 2.15    | ppb   |
| Barium     | 137-1 | 591.39    | 596.01    | 616.95    | 601.45     | 2.26    | ppb   |
| Beryllium  | 9-1   | 1.67      | 1.55      | 1.61      | 1.61       | 3.77    | ppb   |
| Bismuth    | 209-1 |           |           |           | 107        |         | %     |
| Bismuth    | 209-2 |           |           |           | 101        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 8.35      | 8.22      | 8.59      | 8.39       | 2.23    | ppb   |
| Cadmium    | 106-1 | 9.24      | 9.09      | 9.63      | 9.32       | 3.01    | ppb   |
| Cadmium    | 111-1 | 9.58      | 9.54      | 9.69      | 9.61       | 0.78    | ppb   |
| Calcium    | 43-1  | 116639.10 | 116666.91 | 116263.50 | 116523.17  | 0.19    | ppb   |
| Calcium    | 44-1  | 116149.50 | 116273.71 | 115475.68 | 115966.29  | 0.37    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 13.25     | 13.48     | 13.27     | 13.33      | 0.95    | ppb   |
| Cobalt     | 59-2  | 11.35     | 11.42     | 11.34     | 11.37      | 0.37    | ppb   |
| Copper     | 63-2  | 128.56    | 128.34    | 128.36    | 128.42     | 0.10    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 108        |         | %     |
| Holmium    | 165-2 |           |           |           | 103        |         | %     |
| Indium     | 115-1 |           |           |           | 102        |         | %     |
| Indium     | 115-2 |           |           |           | 97         |         | %     |
| Iron       | 56-2  | 15184.46  | 15128.11  | 15087.99  | 15133.52   | 0.32    | ppb   |
| Iron       | 57-2  | 15783.78  | 15471.67  | 15421.19  | 15558.88   | 1.26    | ppb   |
| Iron       | 54-2  | 15206.76  | 15034.36  | 15070.94  | 15104.02   | 0.60    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-10 Instrumnet Name : P7  
Client Sample ID : MH2GR0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:38:16 DataFile Name : 039SMPL.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 864.26  | 870.71  | 874.19  | 869.72     | 0.58    | ppb   |
| Lead       | 207-1 | 829.86  | 835.14  | 834.29  | 833.10     | 0.34    | ppb   |
| Lead       | 208-1 | 843.53  | 843.36  | 849.66  | 845.52     | 0.42    | ppb   |
| Lithium    | 6-1   |         |         |         | 89         |         | %     |
| Magnesium  | 24-2  | 8309.84 | 8358.33 | 8490.76 | 8386.31    | 1.12    | ppb   |
| Manganese  | 55-2  | 928.87  | 931.86  | 918.21  | 926.31     | 0.77    | ppb   |
| Molybdenum | 94-1  | 4.59    | 4.67    | 4.56    | 4.61       | 1.32    | ppb   |
| Molybdenum | 95-1  | 1.15    | 1.19    | 1.18    | 1.17       | 1.72    | ppb   |
| Molybdenum | 96-1  | 1.56    | 1.58    | 1.60    | 1.58       | 1.48    | ppb   |
| Molybdenum | 97-1  | 1.15    | 1.15    | 1.15    | 1.15       | 0.19    | ppb   |
| Molybdenum | 98-1  | 1.16    | 1.17    | 1.15    | 1.16       | 0.55    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 21.03   | 20.96   | 20.87   | 20.95      | 0.39    | ppb   |
| Phosphorus | 31-2  | 3581.03 | 3560.47 | 3581.14 | 3574.21    | 0.33    | ppb   |
| Potassium  | 39-2  | 3841.97 | 3811.69 | 3792.93 | 3815.53    | 0.65    | ppb   |
| Rhodium    | 103-1 |         |         |         | 99         |         | %     |
| Rhodium    | 103-2 |         |         |         | 97         |         | %     |
| Scandium   | 45-1  |         |         |         | 96         |         | %     |
| Scandium   | 45-2  |         |         |         | 97         |         | %     |
| Selenium   | 82-1  | 0.83    | 0.58    | 0.59    | 0.67       | 21.33   | ppb   |
| Selenium   | 77-2  | 14.65   | 15.88   | 16.17   | 15.57      | 5.21    | ppb   |
| Selenium   | 78-2  | 2.76    | 3.71    | 3.37    | 3.28       | 14.67   | ppb   |
| Silicon    | 28-1  | 1279.91 | 1267.09 | 1235.15 | 1260.72    | 1.83    | ppb   |
| Silver     | 107-1 | 2.77    | 2.84    | 2.89    | 2.83       | 2.06    | ppb   |
| Silver     | 109-1 | 2.72    | 2.82    | 2.86    | 2.80       | 2.51    | ppb   |
| Sodium     | 23-2  | 665.42  | 660.37  | 659.40  | 661.73     | 0.49    | ppb   |
| Strontium  | 86-1  | 9361.73 | 9380.66 | 9370.20 | 9370.86    | 0.10    | ppb   |
| Strontium  | 88-1  | 9256.25 | 9350.89 | 9328.82 | 9311.99    | 0.53    | ppb   |
| Sulfur     | 34-1  | 550.68  | 507.74  | 426.02  | 494.81     | 12.80   | ppb   |
| Terbium    | 159-1 |         |         |         | 108        |         | %     |
| Terbium    | 159-2 |         |         |         | 101        |         | %     |
| Thallium   | 203-1 | 0.40    | 0.42    | 0.43    | 0.42       | 3.17    | ppb   |
| Thallium   | 205-1 | 0.42    | 0.42    | 0.43    | 0.43       | 1.41    | ppb   |
| Tin        | 118-1 | 11.10   | 11.31   | 11.47   | 11.29      | 1.65    | ppb   |
| Titanium   | 47-1  | 135.83  | 135.02  | 133.22  | 134.69     | 0.99    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-10

Instrumnet Name :P7

Client Sample ID :MH2GR0

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:38:16

DataFile Name :039SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 4.28    | 4.29    | 4.31    | 4.29       | 0.29    | ppb   |
| Vanadium  | 51-2  | 45.30   | 45.37   | 45.11   | 45.26      | 0.30    | ppb   |
| Yttrium   | 89-1  |         |         |         | 113        |         | %     |
| Yttrium   | 89-2  |         |         |         | 108        |         | %     |
| Zinc      | 66-2  | 531.92  | 529.16  | 528.09  | 529.72     | 0.37    | ppb   |
| Zirconium | 90-1  | 2.01    | 2.04    | 2.01    | 2.02       | 0.82    | ppb   |
| Zirconium | 91-1  | 2.03    | 2.05    | 2.06    | 2.05       | 0.87    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-11 Instrumnet Name : P7  
Client Sample ID : MH2GR1 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:41:17 DataFile Name : 040SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 10505.89  | 10125.59  | 10452.22  | 10361.23   | 1.99    | ppb   |
| Antimony   | 121-1 | 1.59      | 1.64      | 1.65      | 1.62       | 2.02    | ppb   |
| Arsenic    | 75-2  | 27.09     | 26.99     | 28.16     | 27.41      | 2.37    | ppb   |
| Barium     | 135-1 | 549.13    | 561.93    | 553.68    | 554.91     | 1.17    | ppb   |
| Barium     | 137-1 | 548.67    | 557.89    | 560.44    | 555.67     | 1.11    | ppb   |
| Beryllium  | 9-1   | 1.42      | 1.44      | 1.37      | 1.41       | 2.60    | ppb   |
| Bismuth    | 209-1 |           |           |           | 108        |         | %     |
| Bismuth    | 209-2 |           |           |           | 100        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 8.46      | 8.59      | 8.56      | 8.54       | 0.78    | ppb   |
| Cadmium    | 106-1 | 9.15      | 9.19      | 8.98      | 9.11       | 1.23    | ppb   |
| Cadmium    | 111-1 | 9.29      | 9.57      | 9.47      | 9.45       | 1.54    | ppb   |
| Calcium    | 43-1  | 131923.71 | 138697.08 | 140266.97 | 136962.58  | 3.24    | ppb   |
| Calcium    | 44-1  | 131134.28 | 137444.24 | 139404.10 | 135994.20  | 3.18    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 16.20     | 15.91     | 16.16     | 16.09      | 0.99    | ppb   |
| Cobalt     | 59-2  | 11.69     | 11.48     | 11.72     | 11.63      | 1.09    | ppb   |
| Copper     | 63-2  | 128.36    | 126.16    | 127.76    | 127.43     | 0.89    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 109        |         | %     |
| Holmium    | 165-2 |           |           |           | 102        |         | %     |
| Indium     | 115-1 |           |           |           | 103        |         | %     |
| Indium     | 115-2 |           |           |           | 96         |         | %     |
| Iron       | 56-2  | 16564.03  | 16132.33  | 16202.21  | 16299.53   | 1.42    | ppb   |
| Iron       | 57-2  | 17182.85  | 16586.28  | 16957.73  | 16908.95   | 1.78    | ppb   |
| Iron       | 54-2  | 16892.75  | 16184.50  | 16299.93  | 16459.06   | 2.31    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-11 Instrumnet Name : P7  
Client Sample ID : MH2GR1 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:41:17 DataFile Name : 040SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2 | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|---------|----------|------------|---------|-------|
| Lead       | 206-1 | 816.44   | 837.63  | 842.24   | 832.10     | 1.65    | ppb   |
| Lead       | 207-1 | 795.50   | 827.35  | 824.07   | 815.64     | 2.15    | ppb   |
| Lead       | 208-1 | 802.86   | 831.21  | 830.53   | 821.53     | 1.97    | ppb   |
| Lithium    | 6-1   |          |         |          | 88         |         | %     |
| Magnesium  | 24-2  | 10372.00 | 9987.36 | 10261.18 | 10206.85   | 1.94    | ppb   |
| Manganese  | 55-2  | 874.56   | 858.17  | 846.41   | 859.72     | 1.64    | ppb   |
| Molybdenum | 94-1  | 4.61     | 4.80    | 4.82     | 4.74       | 2.41    | ppb   |
| Molybdenum | 95-1  | 1.51     | 1.58    | 1.53     | 1.54       | 2.44    | ppb   |
| Molybdenum | 96-1  | 1.83     | 1.97    | 1.93     | 1.91       | 3.68    | ppb   |
| Molybdenum | 97-1  | 1.48     | 1.56    | 1.54     | 1.53       | 2.99    | ppb   |
| Molybdenum | 98-1  | 1.49     | 1.54    | 1.55     | 1.52       | 2.14    | ppb   |
| Neodymium  | 150-1 |          |         |          |            |         | cps   |
| Neodymium  | 150-2 |          |         |          |            |         | cps   |
| Nickel     | 60-2  | 27.07    | 26.74   | 27.52    | 27.11      | 1.44    | ppb   |
| Phosphorus | 31-2  | 3893.78  | 3740.71 | 3882.35  | 3838.95    | 2.22    | ppb   |
| Potassium  | 39-2  | 3987.88  | 3920.48 | 3953.88  | 3954.08    | 0.85    | ppb   |
| Rhodium    | 103-1 |          |         |          | 98         |         | %     |
| Rhodium    | 103-2 |          |         |          | 96         |         | %     |
| Scandium   | 45-1  |          |         |          | 98         |         | %     |
| Scandium   | 45-2  |          |         |          | 97         |         | %     |
| Selenium   | 82-1  | 0.96     | 0.91    | 1.03     | 0.97       | 6.67    | ppb   |
| Selenium   | 77-2  | 16.01    | 16.71   | 17.67    | 16.79      | 4.96    | ppb   |
| Selenium   | 78-2  | 2.55     | 3.67    | 3.26     | 3.16       | 17.99   | ppb   |
| Silicon    | 28-1  | 1050.76  | 1094.16 | 1093.80  | 1079.57    | 2.31    | ppb   |
| Silver     | 107-1 | 3.19     | 3.28    | 3.26     | 3.24       | 1.42    | ppb   |
| Silver     | 109-1 | 3.19     | 3.25    | 3.21     | 3.22       | 0.97    | ppb   |
| Sodium     | 23-2  | 540.74   | 534.50  | 544.36   | 539.87     | 0.92    | ppb   |
| Strontium  | 86-1  | 9252.50  | 9788.96 | 9700.18  | 9580.54    | 3.00    | ppb   |
| Strontium  | 88-1  | 9344.43  | 9606.52 | 9592.92  | 9514.62    | 1.55    | ppb   |
| Sulfur     | 34-1  | 1680.98  | 1867.49 | 1901.81  | 1816.76    | 6.54    | ppb   |
| Terbium    | 159-1 |          |         |          | 108        |         | %     |
| Terbium    | 159-2 |          |         |          | 102        |         | %     |
| Thallium   | 203-1 | 0.50     | 0.52    | 0.50     | 0.51       | 2.21    | ppb   |
| Thallium   | 205-1 | 0.49     | 0.50    | 0.52     | 0.51       | 3.36    | ppb   |
| Tin        | 118-1 | 12.97    | 13.50   | 13.38    | 13.28      | 2.10    | ppb   |
| Titanium   | 47-1  | 110.77   | 115.81  | 115.90   | 114.16     | 2.57    | ppb   |



LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-11

Instrumnet Name :P7

Client Sample ID :MH2GR1

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:41:17

DataFile Name :040SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 4.06    | 4.19    | 4.23    | 4.16       | 2.12    | ppb   |
| Vanadium  | 51-2  | 47.93   | 46.85   | 47.46   | 47.41      | 1.14    | ppb   |
| Yttrium   | 89-1  |         |         |         | 114        |         | %     |
| Yttrium   | 89-2  |         |         |         | 109        |         | %     |
| Zinc      | 66-2  | 452.60  | 444.80  | 445.82  | 447.74     | 0.95    | ppb   |
| Zirconium | 90-1  | 1.89    | 1.97    | 1.96    | 1.94       | 2.33    | ppb   |
| Zirconium | 91-1  | 1.89    | 1.98    | 1.97    | 1.94       | 2.68    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-12 Instrumnet Name : P7  
Client Sample ID : MH2GR2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:44:18 DataFile Name : 041SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 12777.47  | 12526.00  | 12597.03  | 12633.50   | 1.03    | ppb   |
| Antimony   | 121-1 | 1.28      | 1.29      | 1.28      | 1.28       | 0.51    | ppb   |
| Arsenic    | 75-2  | 15.18     | 15.03     | 15.11     | 15.11      | 0.52    | ppb   |
| Barium     | 135-1 | 743.26    | 760.97    | 744.21    | 749.48     | 1.33    | ppb   |
| Barium     | 137-1 | 746.84    | 757.61    | 755.31    | 753.25     | 0.75    | ppb   |
| Beryllium  | 9-1   | 1.91      | 1.88      | 1.89      | 1.89       | 0.81    | ppb   |
| Bismuth    | 209-1 |           |           |           | 108        |         | %     |
| Bismuth    | 209-2 |           |           |           | 102        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 9.97      | 10.24     | 10.18     | 10.13      | 1.38    | ppb   |
| Cadmium    | 106-1 | 10.71     | 11.12     | 10.96     | 10.93      | 1.89    | ppb   |
| Cadmium    | 111-1 | 10.96     | 11.29     | 11.10     | 11.12      | 1.47    | ppb   |
| Calcium    | 43-1  | 124617.85 | 129248.06 | 129610.57 | 127825.50  | 2.18    | ppb   |
| Calcium    | 44-1  | 125578.84 | 129134.00 | 129029.06 | 127913.97  | 1.58    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 27.85     | 27.57     | 27.84     | 27.75      | 0.57    | ppb   |
| Cobalt     | 59-2  | 12.21     | 12.21     | 12.19     | 12.20      | 0.10    | ppb   |
| Copper     | 63-2  | 132.61    | 134.22    | 133.89    | 133.57     | 0.64    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 109        |         | %     |
| Holmium    | 165-2 |           |           |           | 103        |         | %     |
| Indium     | 115-1 |           |           |           | 103        |         | %     |
| Indium     | 115-2 |           |           |           | 97         |         | %     |
| Iron       | 56-2  | 19146.40  | 19109.78  | 19217.02  | 19157.74   | 0.28    | ppb   |
| Iron       | 57-2  | 19776.66  | 19479.83  | 19705.45  | 19653.98   | 0.79    | ppb   |
| Iron       | 54-2  | 19217.67  | 19421.59  | 19346.14  | 19328.47   | 0.53    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-12 Instrumnet Name : P7  
Client Sample ID : MH2GR2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:44:18 DataFile Name : 041SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 1140.01  | 1118.19  | 1148.30  | 1135.50    | 1.37    | ppb   |
| Lead       | 207-1 | 1095.46  | 1101.59  | 1118.08  | 1105.04    | 1.06    | ppb   |
| Lead       | 208-1 | 1110.92  | 1099.90  | 1124.61  | 1111.81    | 1.11    | ppb   |
| Lithium    | 6-1   |          |          |          | 88         |         | %     |
| Magnesium  | 24-2  | 9052.90  | 9075.47  | 9027.79  | 9052.05    | 0.26    | ppb   |
| Manganese  | 55-2  | 1169.56  | 1158.78  | 1161.23  | 1163.19    | 0.49    | ppb   |
| Molybdenum | 94-1  | 4.94     | 5.04     | 4.96     | 4.98       | 1.08    | ppb   |
| Molybdenum | 95-1  | 1.14     | 1.18     | 1.16     | 1.16       | 1.55    | ppb   |
| Molybdenum | 96-1  | 1.64     | 1.61     | 1.65     | 1.63       | 1.44    | ppb   |
| Molybdenum | 97-1  | 1.16     | 1.12     | 1.15     | 1.14       | 1.58    | ppb   |
| Molybdenum | 98-1  | 1.14     | 1.16     | 1.19     | 1.16       | 1.96    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 24.80    | 24.89    | 25.00    | 24.90      | 0.41    | ppb   |
| Phosphorus | 31-2  | 8768.32  | 8689.92  | 8731.78  | 8730.01    | 0.45    | ppb   |
| Potassium  | 39-2  | 6907.58  | 6952.94  | 6864.06  | 6908.19    | 0.64    | ppb   |
| Rhodium    | 103-1 |          |          |          | 98         |         | %     |
| Rhodium    | 103-2 |          |          |          | 98         |         | %     |
| Scandium   | 45-1  |          |          |          | 96         |         | %     |
| Scandium   | 45-2  |          |          |          | 97         |         | %     |
| Selenium   | 82-1  | 1.30     | 1.45     | 1.07     | 1.28       | 14.94   | ppb   |
| Selenium   | 77-2  | 17.99    | 18.92    | 15.81    | 17.57      | 9.08    | ppb   |
| Selenium   | 78-2  | 3.83     | 2.81     | 3.47     | 3.37       | 15.39   | ppb   |
| Silicon    | 28-1  | 1286.29  | 1335.85  | 1322.26  | 1314.80    | 1.95    | ppb   |
| Silver     | 107-1 | 2.64     | 2.69     | 2.68     | 2.67       | 1.02    | ppb   |
| Silver     | 109-1 | 2.65     | 2.71     | 2.71     | 2.69       | 1.27    | ppb   |
| Sodium     | 23-2  | 527.89   | 529.97   | 530.47   | 529.44     | 0.26    | ppb   |
| Strontium  | 86-1  | 10411.46 | 10631.47 | 10477.08 | 10506.67   | 1.08    | ppb   |
| Strontium  | 88-1  | 10290.38 | 10586.25 | 10556.77 | 10477.80   | 1.56    | ppb   |
| Sulfur     | 34-1  | 793.74   | 881.80   | 864.84   | 846.79     | 5.52    | ppb   |
| Terbium    | 159-1 |          |          |          | 108        |         | %     |
| Terbium    | 159-2 |          |          |          | 103        |         | %     |
| Thallium   | 203-1 | 0.40     | 0.40     | 0.41     | 0.41       | 1.46    | ppb   |
| Thallium   | 205-1 | 0.41     | 0.41     | 0.41     | 0.41       | 0.30    | ppb   |
| Tin        | 118-1 | 25.40    | 25.60    | 25.73    | 25.57      | 0.63    | ppb   |
| Titanium   | 47-1  | 161.54   | 166.20   | 162.95   | 163.56     | 1.46    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-12

Instrumnet Name :

P7

Client Sample ID :

MH2GR2

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:44:18

DataFile Name :

041SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.39    | 3.33    | 3.41    | 3.38       | 1.34    | ppb   |
| Vanadium  | 51-2  | 49.41   | 49.58   | 49.82   | 49.60      | 0.41    | ppb   |
| Yttrium   | 89-1  |         |         |         | 114        |         | %     |
| Yttrium   | 89-2  |         |         |         | 110        |         | %     |
| Zinc      | 66-2  | 1425.09 | 1404.05 | 1418.70 | 1415.94    | 0.76    | ppb   |
| Zirconium | 90-1  | 2.23    | 2.25    | 2.27    | 2.25       | 0.77    | ppb   |
| Zirconium | 91-1  | 2.21    | 2.31    | 2.26    | 2.26       | 2.24    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-13 Instrumnet Name : P7  
Client Sample ID : MH2GR3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:47:20 DataFile Name : 042SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 11900.35  | 11912.21  | 12020.97  | 11944.51   | 0.56    | ppb   |
| Antimony   | 121-1 | 1.54      | 1.53      | 1.53      | 1.53       | 0.38    | ppb   |
| Arsenic    | 75-2  | 21.47     | 20.62     | 21.05     | 21.05      | 2.02    | ppb   |
| Barium     | 135-1 | 851.31    | 843.18    | 837.96    | 844.15     | 0.80    | ppb   |
| Barium     | 137-1 | 853.46    | 840.11    | 844.04    | 845.87     | 0.81    | ppb   |
| Beryllium  | 9-1   | 1.97      | 1.95      | 1.96      | 1.96       | 0.58    | ppb   |
| Bismuth    | 209-1 |           |           |           | 109        |         | %     |
| Bismuth    | 209-2 |           |           |           | 102        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 10.01     | 10.38     | 9.66      | 10.02      | 3.55    | ppb   |
| Cadmium    | 106-1 | 11.69     | 10.27     | 10.65     | 10.87      | 6.77    | ppb   |
| Cadmium    | 111-1 | 11.75     | 11.36     | 11.43     | 11.51      | 1.82    | ppb   |
| Calcium    | 43-1  | 151185.48 | 151865.89 | 152971.45 | 152007.61  | 0.59    | ppb   |
| Calcium    | 44-1  | 150259.36 | 150416.09 | 151530.45 | 150735.30  | 0.46    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 18.98     | 19.06     | 19.10     | 19.04      | 0.34    | ppb   |
| Cobalt     | 59-2  | 12.39     | 12.50     | 12.48     | 12.46      | 0.45    | ppb   |
| Copper     | 63-2  | 163.04    | 162.88    | 162.44    | 162.79     | 0.19    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 109        |         | %     |
| Holmium    | 165-2 |           |           |           | 104        |         | %     |
| Indium     | 115-1 |           |           |           | 103        |         | %     |
| Indium     | 115-2 |           |           |           | 98         |         | %     |
| Iron       | 56-2  | 16006.26  | 15840.58  | 15776.14  | 15874.33   | 0.75    | ppb   |
| Iron       | 57-2  | 16602.12  | 16506.94  | 16256.06  | 16455.04   | 1.09    | ppb   |
| Iron       | 54-2  | 16067.14  | 16065.84  | 15885.70  | 16006.23   | 0.65    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-13 Instrumnet Name : P7  
Client Sample ID : MH2GR3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:47:20 DataFile Name : 042SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 1184.96  | 1149.20  | 1169.99  | 1168.05    | 1.54    | ppb   |
| Lead       | 207-1 | 1142.58  | 1135.88  | 1142.38  | 1140.28    | 0.33    | ppb   |
| Lead       | 208-1 | 1156.40  | 1139.88  | 1153.84  | 1150.04    | 0.77    | ppb   |
| Lithium    | 6-1   |          |          |          | 89         |         | %     |
| Magnesium  | 24-2  | 7153.53  | 7136.98  | 7259.03  | 7183.18    | 0.92    | ppb   |
| Manganese  | 55-2  | 1053.13  | 1053.21  | 1055.31  | 1053.88    | 0.12    | ppb   |
| Molybdenum | 94-1  | 5.04     | 4.98     | 5.02     | 5.01       | 0.68    | ppb   |
| Molybdenum | 95-1  | 0.77     | 0.79     | 0.79     | 0.78       | 0.91    | ppb   |
| Molybdenum | 96-1  | 1.29     | 1.26     | 1.27     | 1.27       | 1.00    | ppb   |
| Molybdenum | 97-1  | 0.77     | 0.76     | 0.77     | 0.77       | 1.00    | ppb   |
| Molybdenum | 98-1  | 0.79     | 0.77     | 0.76     | 0.77       | 2.37    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 36.93    | 36.54    | 36.40    | 36.63      | 0.75    | ppb   |
| Phosphorus | 31-2  | 5642.18  | 5602.99  | 5607.84  | 5617.67    | 0.38    | ppb   |
| Potassium  | 39-2  | 5528.77  | 5498.59  | 5473.09  | 5500.15    | 0.51    | ppb   |
| Rhodium    | 103-1 |          |          |          | 99         |         | %     |
| Rhodium    | 103-2 |          |          |          | 98         |         | %     |
| Scandium   | 45-1  |          |          |          | 97         |         | %     |
| Scandium   | 45-2  |          |          |          | 98         |         | %     |
| Selenium   | 82-1  | 1.40     | 1.09     | 1.29     | 1.26       | 12.40   | ppb   |
| Selenium   | 77-2  | 15.58    | 17.30    | 16.03    | 16.30      | 5.47    | ppb   |
| Selenium   | 78-2  | 3.61     | 2.47     | 3.36     | 3.15       | 19.08   | ppb   |
| Silicon    | 28-1  | 1296.63  | 1294.24  | 1293.73  | 1294.87    | 0.12    | ppb   |
| Silver     | 107-1 | 3.16     | 3.14     | 3.11     | 3.13       | 0.71    | ppb   |
| Silver     | 109-1 | 3.16     | 3.12     | 3.09     | 3.12       | 1.15    | ppb   |
| Sodium     | 23-2  | 474.55   | 477.63   | 475.55   | 475.91     | 0.33    | ppb   |
| Strontium  | 86-1  | 11004.72 | 11015.42 | 10910.84 | 10977.00   | 0.52    | ppb   |
| Strontium  | 88-1  | 11040.78 | 10949.04 | 10977.72 | 10989.18   | 0.43    | ppb   |
| Sulfur     | 34-1  | 477.66   | 483.94   | 518.66   | 493.42     | 4.47    | ppb   |
| Terbium    | 159-1 |          |          |          | 109        |         | %     |
| Terbium    | 159-2 |          |          |          | 103        |         | %     |
| Thallium   | 203-1 | 0.40     | 0.40     | 0.41     | 0.41       | 1.83    | ppb   |
| Thallium   | 205-1 | 0.41     | 0.40     | 0.40     | 0.40       | 0.44    | ppb   |
| Tin        | 118-1 | 17.15    | 16.93    | 16.97    | 17.02      | 0.67    | ppb   |
| Titanium   | 47-1  | 134.04   | 134.10   | 136.86   | 135.00     | 1.19    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-13

Instrumnet Name :P7

Client Sample ID :MH2GR3

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:47:20

DataFile Name :042SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.90    | 3.90    | 3.90    | 3.90       | 0.05    | ppb   |
| Vanadium  | 51-2  | 50.15   | 49.94   | 50.07   | 50.05      | 0.21    | ppb   |
| Yttrium   | 89-1  |         |         |         | 116        |         | %     |
| Yttrium   | 89-2  |         |         |         | 111        |         | %     |
| Zinc      | 66-2  | 1111.05 | 1105.19 | 1109.42 | 1108.55    | 0.27    | ppb   |
| Zirconium | 90-1  | 2.44    | 2.47    | 2.45    | 2.45       | 0.57    | ppb   |
| Zirconium | 91-1  | 2.42    | 2.41    | 2.46    | 2.43       | 1.16    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-14 Instrumnet Name : P7  
Client Sample ID : MH2GR4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:50:18 DataFile Name : 043SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 13265.31  | 13248.81  | 13195.38  | 13236.50   | 0.28    | ppb   |
| Antimony   | 121-1 | 0.99      | 1.01      | 1.01      | 1.01       | 1.27    | ppb   |
| Arsenic    | 75-2  | 18.95     | 19.10     | 19.18     | 19.08      | 0.61    | ppb   |
| Barium     | 135-1 | 797.65    | 836.11    | 819.31    | 817.69     | 2.36    | ppb   |
| Barium     | 137-1 | 809.07    | 824.65    | 823.03    | 818.92     | 1.05    | ppb   |
| Beryllium  | 9-1   | 1.79      | 1.80      | 1.74      | 1.78       | 1.51    | ppb   |
| Bismuth    | 209-1 |           |           |           | 108        |         | %     |
| Bismuth    | 209-2 |           |           |           | 100        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 5.74      | 5.78      | 5.49      | 5.67       | 2.72    | ppb   |
| Cadmium    | 106-1 | 5.95      | 6.31      | 5.75      | 6.00       | 4.75    | ppb   |
| Cadmium    | 111-1 | 6.03      | 6.19      | 6.17      | 6.13       | 1.44    | ppb   |
| Calcium    | 43-1  | 232640.51 | 239697.99 | 236974.38 | 236437.63  | 1.51    | ppb   |
| Calcium    | 44-1  | 231253.17 | 241602.65 | 236561.00 | 236472.28  | 2.19    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 15.96     | 15.85     | 15.94     | 15.92      | 0.38    | ppb   |
| Cobalt     | 59-2  | 12.84     | 12.62     | 12.83     | 12.76      | 1.01    | ppb   |
| Copper     | 63-2  | 91.42     | 91.56     | 91.18     | 91.39      | 0.21    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 110        |         | %     |
| Holmium    | 165-2 |           |           |           | 103        |         | %     |
| Indium     | 115-1 |           |           |           | 103        |         | %     |
| Indium     | 115-2 |           |           |           | 96         |         | %     |
| Iron       | 56-2  | 15475.54  | 15532.40  | 15458.97  | 15488.97   | 0.25    | ppb   |
| Iron       | 57-2  | 16515.95  | 16351.76  | 16687.20  | 16518.31   | 1.02    | ppb   |
| Iron       | 54-2  | 15653.89  | 15550.38  | 15563.03  | 15589.10   | 0.36    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-14 Instrumnet Name : P7  
Client Sample ID : MH2GR4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:50:18 DataFile Name : 043SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 598.31   | 620.27   | 612.02   | 610.20     | 1.82    | ppb   |
| Lead       | 207-1 | 581.79   | 598.77   | 599.94   | 593.50     | 1.71    | ppb   |
| Lead       | 208-1 | 590.87   | 607.29   | 604.50   | 600.89     | 1.46    | ppb   |
| Lithium    | 6-1   |          |          |          | 89         |         | %     |
| Magnesium  | 24-2  | 7861.16  | 7749.55  | 7807.11  | 7805.94    | 0.72    | ppb   |
| Manganese  | 55-2  | 747.74   | 756.80   | 750.58   | 751.71     | 0.62    | ppb   |
| Molybdenum | 94-1  | 4.05     | 4.26     | 4.12     | 4.14       | 2.62    | ppb   |
| Molybdenum | 95-1  | 0.81     | 0.84     | 0.84     | 0.83       | 2.14    | ppb   |
| Molybdenum | 96-1  | 1.22     | 1.27     | 1.24     | 1.24       | 2.11    | ppb   |
| Molybdenum | 97-1  | 0.83     | 0.87     | 0.83     | 0.84       | 2.34    | ppb   |
| Molybdenum | 98-1  | 0.81     | 0.86     | 0.82     | 0.83       | 2.78    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 28.25    | 28.16    | 28.66    | 28.36      | 0.94    | ppb   |
| Phosphorus | 31-2  | 4146.26  | 4152.07  | 4150.99  | 4149.77    | 0.07    | ppb   |
| Potassium  | 39-2  | 3315.73  | 3346.87  | 3308.92  | 3323.84    | 0.61    | ppb   |
| Rhodium    | 103-1 |          |          |          | 97         |         | %     |
| Rhodium    | 103-2 |          |          |          | 95         |         | %     |
| Scandium   | 45-1  |          |          |          | 96         |         | %     |
| Scandium   | 45-2  |          |          |          | 96         |         | %     |
| Selenium   | 82-1  | 1.17     | 1.21     | 0.98     | 1.12       | 11.18   | ppb   |
| Selenium   | 77-2  | 16.20    | 18.35    | 17.06    | 17.20      | 6.29    | ppb   |
| Selenium   | 78-2  | 3.25     | 3.38     | 3.32     | 3.32       | 1.85    | ppb   |
| Silicon    | 28-1  | 1211.98  | 1249.46  | 1236.96  | 1232.80    | 1.55    | ppb   |
| Silver     | 107-1 | 1.62     | 1.65     | 1.66     | 1.64       | 1.19    | ppb   |
| Silver     | 109-1 | 1.58     | 1.67     | 1.64     | 1.63       | 2.57    | ppb   |
| Sodium     | 23-2  | 553.80   | 548.86   | 554.59   | 552.41     | 0.56    | ppb   |
| Strontium  | 86-1  | 12962.28 | 13319.16 | 12992.48 | 13091.31   | 1.51    | ppb   |
| Strontium  | 88-1  | 12828.02 | 13132.59 | 13079.95 | 13013.52   | 1.25    | ppb   |
| Sulfur     | 34-1  | 743.86   | 870.89   | 864.85   | 826.53     | 8.67    | ppb   |
| Terbium    | 159-1 |          |          |          | 109        |         | %     |
| Terbium    | 159-2 |          |          |          | 103        |         | %     |
| Thallium   | 203-1 | 0.40     | 0.42     | 0.40     | 0.41       | 3.04    | ppb   |
| Thallium   | 205-1 | 0.39     | 0.41     | 0.41     | 0.41       | 2.83    | ppb   |
| Tin        | 118-1 | 10.42    | 10.87    | 10.76    | 10.68      | 2.19    | ppb   |
| Titanium   | 47-1  | 94.73    | 98.21    | 96.82    | 96.59      | 1.81    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-14

Instrumnet Name :

P7

Client Sample ID :

MH2GR4

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:50:18

DataFile Name :

043SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 5.04    | 5.22    | 5.19    | 5.15       | 1.92    | ppb   |
| Vanadium  | 51-2  | 57.81   | 56.84   | 57.37   | 57.34      | 0.85    | ppb   |
| Yttrium   | 89-1  |         |         |         | 114        |         | %     |
| Yttrium   | 89-2  |         |         |         | 109        |         | %     |
| Zinc      | 66-2  | 500.44  | 495.83  | 499.34  | 498.54     | 0.48    | ppb   |
| Zirconium | 90-1  | 1.91    | 1.94    | 1.93    | 1.93       | 0.81    | ppb   |
| Zirconium | 91-1  | 1.90    | 1.96    | 1.93    | 1.93       | 1.40    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-15 Instrumnet Name : P7  
Client Sample ID : MH2GR5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:53:21 DataFile Name : 044SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 13035.87  | 12910.46  | 12922.27  | 12956.20   | 0.53    | ppb   |
| Antimony   | 121-1 | 0.68      | 0.68      | 0.84      | 0.73       | 12.94   | ppb   |
| Arsenic    | 75-2  | 12.06     | 12.17     | 12.30     | 12.18      | 0.96    | ppb   |
| Barium     | 135-1 | 898.34    | 900.20    | 887.02    | 895.18     | 0.80    | ppb   |
| Barium     | 137-1 | 893.73    | 903.35    | 878.89    | 891.99     | 1.38    | ppb   |
| Beryllium  | 9-1   | 1.36      | 1.49      | 1.58      | 1.48       | 7.50    | ppb   |
| Bismuth    | 209-1 |           |           |           | 107        |         | %     |
| Bismuth    | 209-2 |           |           |           | 99         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 3.05      | 3.19      | 3.32      | 3.19       | 4.38    | ppb   |
| Cadmium    | 106-1 | 4.12      | 3.77      | 3.70      | 3.86       | 5.88    | ppb   |
| Cadmium    | 111-1 | 3.50      | 3.48      | 3.61      | 3.53       | 1.99    | ppb   |
| Calcium    | 43-1  | 278718.81 | 277234.64 | 273310.40 | 276421.28  | 1.01    | ppb   |
| Calcium    | 44-1  | 277888.59 | 277553.36 | 272220.01 | 275887.32  | 1.15    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 24.41     | 24.36     | 24.24     | 24.34      | 0.36    | ppb   |
| Cobalt     | 59-2  | 12.70     | 12.68     | 12.64     | 12.67      | 0.24    | ppb   |
| Copper     | 63-2  | 55.56     | 55.35     | 55.40     | 55.44      | 0.20    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 109        |         | %     |
| Holmium    | 165-2 |           |           |           | 102        |         | %     |
| Indium     | 115-1 |           |           |           | 101        |         | %     |
| Indium     | 115-2 |           |           |           | 94         |         | %     |
| Iron       | 56-2  | 15015.78  | 14732.47  | 14880.14  | 14876.13   | 0.95    | ppb   |
| Iron       | 57-2  | 16351.58  | 16102.22  | 16378.65  | 16277.48   | 0.94    | ppb   |
| Iron       | 54-2  | 15006.02  | 14975.61  | 14959.82  | 14980.48   | 0.16    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-15 Instrumnet Name : P7  
Client Sample ID : MH2GR5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:53:21 DataFile Name : 044SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 217.18   | 216.16   | 220.38   | 217.91     | 1.01    | ppb   |
| Lead       | 207-1 | 209.26   | 209.81   | 212.99   | 210.69     | 0.96    | ppb   |
| Lead       | 208-1 | 212.46   | 211.56   | 213.17   | 212.40     | 0.38    | ppb   |
| Lithium    | 6-1   |          |          |          | 90         |         | %     |
| Magnesium  | 24-2  | 8578.36  | 8607.61  | 8602.59  | 8596.19    | 0.18    | ppb   |
| Manganese  | 55-2  | 706.60   | 697.47   | 694.34   | 699.47     | 0.91    | ppb   |
| Molybdenum | 94-1  | 4.02     | 4.04     | 6.44     | 4.83       | 28.80   | ppb   |
| Molybdenum | 95-1  | 1.10     | 1.12     | 3.50     | 1.91       | 72.12   | ppb   |
| Molybdenum | 96-1  | 1.50     | 1.44     | 3.78     | 2.24       | 59.53   | ppb   |
| Molybdenum | 97-1  | 1.13     | 1.11     | 3.59     | 1.94       | 73.41   | ppb   |
| Molybdenum | 98-1  | 1.11     | 1.10     | 3.55     | 1.92       | 73.56   | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 106.86   | 106.46   | 106.59   | 106.64     | 0.19    | ppb   |
| Phosphorus | 31-2  | 3559.02  | 3528.83  | 3541.62  | 3543.16    | 0.43    | ppb   |
| Potassium  | 39-2  | 2954.87  | 2974.72  | 2931.55  | 2953.71    | 0.73    | ppb   |
| Rhodium    | 103-1 |          |          |          | 96         |         | %     |
| Rhodium    | 103-2 |          |          |          | 93         |         | %     |
| Scandium   | 45-1  |          |          |          | 95         |         | %     |
| Scandium   | 45-2  |          |          |          | 95         |         | %     |
| Selenium   | 82-1  | 1.18     | 1.02     | 1.02     | 1.07       | 8.61    | ppb   |
| Selenium   | 77-2  | 16.83    | 18.30    | 16.11    | 17.08      | 6.53    | ppb   |
| Selenium   | 78-2  | 3.15     | 3.33     | 2.22     | 2.90       | 20.49   | ppb   |
| Silicon    | 28-1  | 1228.53  | 1215.90  | 1201.63  | 1215.35    | 1.11    | ppb   |
| Silver     | 107-1 | 0.71     | 0.70     | 0.85     | 0.75       | 11.10   | ppb   |
| Silver     | 109-1 | 0.71     | 0.71     | 0.84     | 0.75       | 9.71    | ppb   |
| Sodium     | 23-2  | 482.66   | 485.78   | 485.79   | 484.75     | 0.37    | ppb   |
| Strontium  | 86-1  | 15180.20 | 15168.48 | 14585.67 | 14978.12   | 2.27    | ppb   |
| Strontium  | 88-1  | 15020.48 | 15272.68 | 14612.54 | 14968.57   | 2.23    | ppb   |
| Sulfur     | 34-1  | 1031.17  | 1013.69  | 957.63   | 1000.83    | 3.84    | ppb   |
| Terbium    | 159-1 |          |          |          | 108        |         | %     |
| Terbium    | 159-2 |          |          |          | 102        |         | %     |
| Thallium   | 203-1 | 0.35     | 0.35     | 0.57     | 0.42       | 29.97   | ppb   |
| Thallium   | 205-1 | 0.36     | 0.36     | 0.57     | 0.43       | 28.35   | ppb   |
| Tin        | 118-1 | 4.14     | 4.12     | 4.41     | 4.22       | 3.89    | ppb   |
| Titanium   | 47-1  | 95.99    | 96.87    | 98.18    | 97.01      | 1.14    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-15

Instrumnet Name :

P7

Client Sample ID :

MH2GR5

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:53:21

DataFile Name :

044SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 4.95    | 5.06    | 5.14    | 5.05       | 1.95    | ppb   |
| Vanadium  | 51-2  | 62.94   | 62.13   | 63.00   | 62.69      | 0.78    | ppb   |
| Yttrium   | 89-1  |         |         |         | 114        |         | %     |
| Yttrium   | 89-2  |         |         |         | 107        |         | %     |
| Zinc      | 66-2  | 220.97  | 220.99  | 222.83  | 221.60     | 0.48    | ppb   |
| Zirconium | 90-1  | 1.76    | 1.79    | 1.93    | 1.83       | 5.08    | ppb   |
| Zirconium | 91-1  | 1.77    | 1.78    | 1.94    | 1.83       | 5.33    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-16 Instrumnet Name : P7  
Client Sample ID : MH2GR6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:56:22 DataFile Name : 045SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 2871.86   | 2936.19   | 2871.40   | 2893.15    | 1.29    | ppb   |
| Antimony   | 121-1 | 0.21      | 0.21      | 0.21      | 0.21       | 0.41    | ppb   |
| Arsenic    | 75-2  | 7.83      | 7.92      | 7.97      | 7.91       | 0.94    | ppb   |
| Barium     | 135-1 | 386.41    | 397.00    | 389.12    | 390.85     | 1.41    | ppb   |
| Barium     | 137-1 | 387.01    | 400.70    | 386.85    | 391.52     | 2.03    | ppb   |
| Beryllium  | 9-1   | 1.65      | 1.68      | 1.55      | 1.63       | 4.40    | ppb   |
| Bismuth    | 209-1 |           |           |           | 96         |         | %     |
| Bismuth    | 209-2 |           |           |           | 91         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 1.42      | 1.37      | 1.47      | 1.42       | 3.69    | ppb   |
| Cadmium    | 106-1 | 2.53      | 2.04      | 2.32      | 2.30       | 10.80   | ppb   |
| Cadmium    | 111-1 | 1.54      | 1.54      | 1.55      | 1.54       | 0.36    | ppb   |
| Calcium    | 43-1  | 691628.58 | 718249.00 | 701121.33 | 703666.30  | 1.92    | ppb   |
| Calcium    | 44-1  | 687396.93 | 720790.36 | 691249.45 | 699812.25  | 2.61    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 18.63     | 18.69     | 18.59     | 18.64      | 0.25    | ppb   |
| Cobalt     | 59-2  | 14.12     | 14.31     | 14.42     | 14.28      | 1.03    | ppb   |
| Copper     | 63-2  | 25.71     | 25.72     | 25.52     | 25.65      | 0.43    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 105        |         | %     |
| Holmium    | 165-2 |           |           |           | 101        |         | %     |
| Indium     | 115-1 |           |           |           | 96         |         | %     |
| Indium     | 115-2 |           |           |           | 93         |         | %     |
| Iron       | 56-2  | 3946.57   | 3878.24   | 3932.39   | 3919.07    | 0.92    | ppb   |
| Iron       | 57-2  | 7690.92   | 7641.89   | 7797.58   | 7710.13    | 1.03    | ppb   |
| Iron       | 54-2  | 3972.47   | 4002.78   | 3992.40   | 3989.21    | 0.39    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-16 Instrumnet Name : P7  
Client Sample ID : MH2GR6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:56:22 DataFile Name : 045SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Lead       | 206-1 | 274.86    | 278.47    | 278.82    | 277.38     | 0.79    | ppb   |
| Lead       | 207-1 | 260.72    | 259.49    | 255.32    | 258.51     | 1.09    | ppb   |
| Lead       | 208-1 | 264.39    | 267.60    | 264.07    | 265.35     | 0.74    | ppb   |
| Lithium    | 6-1   |           |           |           | 84         |         | %     |
| Magnesium  | 24-2  | 362934.50 | 364055.39 | 366309.63 | 364433.18  | 0.47    | ppb   |
| Manganese  | 55-2  | 1080.28   | 1068.22   | 1071.46   | 1073.32    | 0.58    | ppb   |
| Molybdenum | 94-1  | 1.14      | 1.20      | 1.15      | 1.16       | 2.88    | ppb   |
| Molybdenum | 95-1  | 0.38      | 0.42      | 0.41      | 0.40       | 4.11    | ppb   |
| Molybdenum | 96-1  | 0.47      | 0.48      | 0.47      | 0.47       | 1.73    | ppb   |
| Molybdenum | 97-1  | 0.37      | 0.40      | 0.37      | 0.38       | 3.94    | ppb   |
| Molybdenum | 98-1  | 0.38      | 0.39      | 0.38      | 0.38       | 1.79    | ppb   |
| Neodymium  | 150-1 |           |           |           |            |         | cps   |
| Neodymium  | 150-2 |           |           |           |            |         | cps   |
| Nickel     | 60-2  | 48.64     | 48.30     | 48.38     | 48.44      | 0.37    | ppb   |
| Phosphorus | 31-2  | 1137.50   | 1116.04   | 1145.96   | 1133.17    | 1.36    | ppb   |
| Potassium  | 39-2  | 1480.10   | 1506.78   | 1492.99   | 1493.29    | 0.89    | ppb   |
| Rhodium    | 103-1 |           |           |           | 91         |         | %     |
| Rhodium    | 103-2 |           |           |           | 91         |         | %     |
| Scandium   | 45-1  |           |           |           | 96         |         | %     |
| Scandium   | 45-2  |           |           |           | 101        |         | %     |
| Selenium   | 82-1  | 0.91      | 1.08      | 0.56      | 0.85       | 31.08   | ppb   |
| Selenium   | 77-2  | 6.94      | 8.84      | 9.58      | 8.45       | 16.10   | ppb   |
| Selenium   | 78-2  | 0.97      | 0.67      | 1.76      | 1.13       | 49.64   | ppb   |
| Silicon    | 28-1  | 631.45    | 660.63    | 652.40    | 648.16     | 2.32    | ppb   |
| Silver     | 107-1 | 0.24      | 0.26      | 0.27      | 0.25       | 5.91    | ppb   |
| Silver     | 109-1 | 0.24      | 0.25      | 0.26      | 0.25       | 4.34    | ppb   |
| Sodium     | 23-2  | 567.13    | 566.64    | 572.35    | 568.71     | 0.56    | ppb   |
| Strontium  | 86-1  | 5621.04   | 5625.68   | 5534.11   | 5593.61    | 0.92    | ppb   |
| Strontium  | 88-1  | 5575.07   | 5675.78   | 5571.95   | 5607.60    | 1.05    | ppb   |
| Sulfur     | 34-1  | 860.11    | 1029.53   | 958.05    | 949.23     | 8.96    | ppb   |
| Terbium    | 159-1 |           |           |           | 104        |         | %     |
| Terbium    | 159-2 |           |           |           | 99         |         | %     |
| Thallium   | 203-1 | 0.14      | 0.13      | 0.15      | 0.14       | 6.03    | ppb   |
| Thallium   | 205-1 | 0.14      | 0.14      | 0.15      | 0.14       | 4.29    | ppb   |
| Tin        | 118-1 | 1.85      | 1.87      | 1.82      | 1.85       | 1.40    | ppb   |
| Titanium   | 47-1  | 35.23     | 35.11     | 34.94     | 35.09      | 0.42    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-16

Instrumnet Name :P7

Client Sample ID :MH2GR6

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:56:22

DataFile Name :045SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 1.45    | 1.44    | 1.43    | 1.44       | 0.87    | ppb   |
| Vanadium  | 51-2  | 55.99   | 55.83   | 56.23   | 56.02      | 0.36    | ppb   |
| Yttrium   | 89-1  |         |         |         | 105        |         | %     |
| Yttrium   | 89-2  |         |         |         | 103        |         | %     |
| Zinc      | 66-2  | 242.46  | 242.73  | 242.86  | 242.68     | 0.08    | ppb   |
| Zirconium | 90-1  | 0.46    | 0.47    | 0.46    | 0.46       | 1.29    | ppb   |
| Zirconium | 91-1  | 0.46    | 0.46    | 0.46    | 0.46       | 0.55    | ppb   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-17 Instrumnet Name : P7  
Client Sample ID : MH2GR7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:59:28 DataFile Name : 046SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 10730.63  | 10428.28  | 10744.42  | 10634.44   | 1.68    | ppb   |
| Antimony   | 121-1 | 1.03      | 1.02      | 1.04      | 1.03       | 1.20    | ppb   |
| Arsenic    | 75-2  | 14.79     | 14.89     | 15.02     | 14.90      | 0.77    | ppb   |
| Barium     | 135-1 | 610.81    | 610.84    | 598.97    | 606.87     | 1.13    | ppb   |
| Barium     | 137-1 | 599.89    | 610.36    | 599.48    | 603.24     | 1.02    | ppb   |
| Beryllium  | 9-1   | 1.55      | 1.60      | 1.45      | 1.54       | 5.13    | ppb   |
| Bismuth    | 209-1 |           |           |           | 106        |         | %     |
| Bismuth    | 209-2 |           |           |           | 98         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 6.70      | 6.45      | 6.24      | 6.47       | 3.55    | ppb   |
| Cadmium    | 106-1 | 7.56      | 7.75      | 6.98      | 7.43       | 5.36    | ppb   |
| Cadmium    | 111-1 | 7.00      | 6.97      | 6.97      | 6.98       | 0.28    | ppb   |
| Calcium    | 43-1  | 172646.95 | 174861.88 | 174820.57 | 174109.80  | 0.73    | ppb   |
| Calcium    | 44-1  | 170450.46 | 173515.31 | 174042.73 | 172669.50  | 1.12    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 20.35     | 20.29     | 20.88     | 20.51      | 1.59    | ppb   |
| Cobalt     | 59-2  | 12.03     | 11.79     | 11.92     | 11.91      | 1.01    | ppb   |
| Copper     | 63-2  | 105.55    | 105.37    | 106.23    | 105.72     | 0.43    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 107        |         | %     |
| Holmium    | 165-2 |           |           |           | 102        |         | %     |
| Indium     | 115-1 |           |           |           | 101        |         | %     |
| Indium     | 115-2 |           |           |           | 95         |         | %     |
| Iron       | 56-2  | 17402.34  | 17293.84  | 17570.36  | 17422.18   | 0.80    | ppb   |
| Iron       | 57-2  | 18031.50  | 17934.19  | 18422.67  | 18129.45   | 1.43    | ppb   |
| Iron       | 54-2  | 17416.02  | 17335.35  | 17581.69  | 17444.35   | 0.72    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-17 Instrumnet Name : P7  
Client Sample ID : MH2GR7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:59:28 DataFile Name : 046SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 667.86   | 670.34   | 663.51   | 667.23     | 0.52    | ppb   |
| Lead       | 207-1 | 645.92   | 652.93   | 644.23   | 647.69     | 0.71    | ppb   |
| Lead       | 208-1 | 654.81   | 659.61   | 653.08   | 655.84     | 0.52    | ppb   |
| Lithium    | 6-1   |          |          |          | 94         |         | %     |
| Magnesium  | 24-2  | 44014.72 | 43333.19 | 44050.70 | 43799.53   | 0.92    | ppb   |
| Manganese  | 55-2  | 944.45   | 935.66   | 952.48   | 944.20     | 0.89    | ppb   |
| Molybdenum | 94-1  | 4.37     | 4.39     | 4.33     | 4.36       | 0.64    | ppb   |
| Molybdenum | 95-1  | 0.91     | 0.93     | 0.88     | 0.91       | 2.69    | ppb   |
| Molybdenum | 96-1  | 1.29     | 1.35     | 1.35     | 1.33       | 2.61    | ppb   |
| Molybdenum | 97-1  | 0.89     | 0.90     | 0.89     | 0.89       | 0.84    | ppb   |
| Molybdenum | 98-1  | 0.87     | 0.91     | 0.89     | 0.89       | 1.89    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 46.40    | 46.10    | 46.89    | 46.46      | 0.85    | ppb   |
| Phosphorus | 31-2  | 3601.68  | 3619.51  | 3634.28  | 3618.49    | 0.45    | ppb   |
| Potassium  | 39-2  | 3887.20  | 3870.48  | 3943.81  | 3900.49    | 0.99    | ppb   |
| Rhodium    | 103-1 |          |          |          | 96         |         | %     |
| Rhodium    | 103-2 |          |          |          | 95         |         | %     |
| Scandium   | 45-1  |          |          |          | 97         |         | %     |
| Scandium   | 45-2  |          |          |          | 96         |         | %     |
| Selenium   | 82-1  | 0.53     | 0.84     | 0.54     | 0.64       | 27.84   | ppb   |
| Selenium   | 77-2  | 14.91    | 15.14    | 17.02    | 15.69      | 7.38    | ppb   |
| Selenium   | 78-2  | 2.35     | 2.34     | 2.77     | 2.49       | 9.85    | ppb   |
| Silicon    | 28-1  | 1266.19  | 1296.11  | 1276.43  | 1279.58    | 1.19    | ppb   |
| Silver     | 107-1 | 1.74     | 1.76     | 1.75     | 1.75       | 0.44    | ppb   |
| Silver     | 109-1 | 1.71     | 1.73     | 1.75     | 1.73       | 1.14    | ppb   |
| Sodium     | 23-2  | 591.90   | 589.90   | 597.60   | 593.13     | 0.67    | ppb   |
| Strontium  | 86-1  | 7959.44  | 8168.76  | 8086.48  | 8071.56    | 1.31    | ppb   |
| Strontium  | 88-1  | 7974.58  | 8209.17  | 8022.20  | 8068.65    | 1.54    | ppb   |
| Sulfur     | 34-1  | 1373.57  | 1435.25  | 1354.92  | 1387.91    | 3.03    | ppb   |
| Terbium    | 159-1 |          |          |          | 108        |         | %     |
| Terbium    | 159-2 |          |          |          | 102        |         | %     |
| Thallium   | 203-1 | 0.39     | 0.40     | 0.39     | 0.39       | 1.98    | ppb   |
| Thallium   | 205-1 | 0.39     | 0.40     | 0.40     | 0.40       | 1.43    | ppb   |
| Tin        | 118-1 | 15.20    | 15.48    | 15.32    | 15.34      | 0.93    | ppb   |
| Titanium   | 47-1  | 148.21   | 152.43   | 151.76   | 150.80     | 1.50    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-17

Instrumnet Name :P7

Client Sample ID :MH2GR7

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:59:28

DataFile Name :046SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 2.89    | 2.91    | 2.90    | 2.90       | 0.30    | ppb   |
| Vanadium  | 51-2  | 49.47   | 49.09   | 50.03   | 49.53      | 0.95    | ppb   |
| Yttrium   | 89-1  |         |         |         | 112        |         | %     |
| Yttrium   | 89-2  |         |         |         | 107        |         | %     |
| Zinc      | 66-2  | 750.89  | 750.82  | 755.27  | 752.33     | 0.34    | ppb   |
| Zirconium | 90-1  | 1.99    | 2.05    | 2.03    | 2.02       | 1.42    | ppb   |
| Zirconium | 91-1  | 1.98    | 2.07    | 2.05    | 2.03       | 2.36    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCV002 Instrumnet Name : P7  
Client Sample ID : CCV002 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:02:33 DataFile Name : 047CCV.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 50041.87  | 50138.72  | 50136.93  | 50105.84   | 0.11    | ppb   |
| Antimony   | 121-1 | 461.60    | 499.39    | 503.56    | 488.19     | 4.73    | ppb   |
| Arsenic    | 75-2  | 529.84    | 529.97    | 531.40    | 530.41     | 0.16    | ppb   |
| Barium     | 135-1 | 2289.43   | 2469.84   | 2488.46   | 2415.91    | 4.55    | ppb   |
| Barium     | 137-1 | 2245.37   | 2461.30   | 2476.11   | 2394.26    | 5.39    | ppb   |
| Beryllium  | 9-1   | 532.95    | 539.54    | 544.11    | 538.87     | 1.04    | ppb   |
| Bismuth    | 209-1 |           |           |           | 96         |         | %     |
| Bismuth    | 209-2 |           |           |           | 88         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 469.49    | 513.95    | 519.86    | 501.10     | 5.49    | ppb   |
| Cadmium    | 106-1 | 472.90    | 515.14    | 517.68    | 501.91     | 5.01    | ppb   |
| Cadmium    | 111-1 | 473.34    | 510.75    | 520.45    | 501.51     | 4.96    | ppb   |
| Calcium    | 43-1  | 230387.36 | 248233.70 | 254788.88 | 244469.98  | 5.17    | ppb   |
| Calcium    | 44-1  | 230686.04 | 245665.58 | 254514.56 | 243622.06  | 4.94    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 480.31    | 484.59    | 491.16    | 485.35     | 1.13    | ppb   |
| Cobalt     | 59-2  | 490.91    | 497.95    | 496.42    | 495.09     | 0.75    | ppb   |
| Copper     | 63-2  | 4962.63   | 4892.69   | 5064.57   | 4973.30    | 1.74    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 103        |         | %     |
| Holmium    | 165-2 |           |           |           | 95         |         | %     |
| Indium     | 115-1 |           |           |           | 95         |         | %     |
| Indium     | 115-2 |           |           |           | 88         |         | %     |
| Iron       | 56-2  | 126084.61 | 125693.73 | 126829.76 | 126202.70  | 0.46    | ppb   |
| Iron       | 57-2  | 125351.97 | 127097.10 | 127788.35 | 126745.81  | 0.99    | ppb   |
| Iron       | 54-2  | 127029.26 | 127982.36 | 128651.75 | 127887.79  | 0.64    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCV002 Instrumnet Name : P7  
Client Sample ID : CCV002 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:02:33 DataFile Name : 047CCV.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Lead       | 206-1 | 2278.44   | 2486.19   | 2542.74   | 2435.79    | 5.71    | ppb   |
| Lead       | 207-1 | 2294.72   | 2478.62   | 2538.66   | 2437.33    | 5.21    | ppb   |
| Lead       | 208-1 | 2282.12   | 2466.94   | 2531.45   | 2426.84    | 5.33    | ppb   |
| Lithium    | 6-1   |           |           |           | 88         |         | %     |
| Magnesium  | 24-2  | 250809.78 | 248030.81 | 250662.57 | 249834.39  | 0.63    | ppb   |
| Manganese  | 55-2  | 4711.44   | 4727.14   | 4782.61   | 4740.40    | 0.79    | ppb   |
| Molybdenum | 94-1  | 4556.12   | 4930.63   | 4969.01   | 4818.59    | 4.73    | ppb   |
| Molybdenum | 95-1  | 4520.93   | 4944.06   | 4999.62   | 4821.54    | 5.43    | ppb   |
| Molybdenum | 96-1  | 4535.86   | 4932.95   | 4963.42   | 4810.74    | 4.96    | ppb   |
| Molybdenum | 97-1  | 4511.07   | 4905.46   | 4897.46   | 4771.33    | 4.72    | ppb   |
| Molybdenum | 98-1  | 4495.11   | 4905.58   | 4993.94   | 4798.21    | 5.55    | ppb   |
| Neodymium  | 150-1 |           |           |           |            |         | cps   |
| Neodymium  | 150-2 |           |           |           |            |         | cps   |
| Nickel     | 60-2  | 480.54    | 484.56    | 499.83    | 488.31     | 2.08    | ppb   |
| Phosphorus | 31-2  | 10058.71  | 10047.54  | 10225.96  | 10110.74   | 0.99    | ppb   |
| Potassium  | 39-2  | 125055.92 | 124686.59 | 125644.99 | 125129.17  | 0.39    | ppb   |
| Rhodium    | 103-1 |           |           |           | 90         |         | %     |
| Rhodium    | 103-2 |           |           |           | 86         |         | %     |
| Scandium   | 45-1  |           |           |           | 95         |         | %     |
| Scandium   | 45-2  |           |           |           | 93         |         | %     |
| Selenium   | 82-1  | 464.95    | 503.89    | 512.36    | 493.73     | 5.12    | ppb   |
| Selenium   | 77-2  | 506.33    | 510.92    | 512.11    | 509.79     | 0.60    | ppb   |
| Selenium   | 78-2  | 515.43    | 508.48    | 519.95    | 514.62     | 1.12    | ppb   |
| Silicon    | 28-1  | 423.39    | 462.03    | 471.91    | 452.44     | 5.67    | ppb   |
| Silver     | 107-1 | 455.67    | 497.54    | 497.94    | 483.72     | 5.02    | ppb   |
| Silver     | 109-1 | 458.37    | 491.80    | 497.76    | 482.64     | 4.40    | ppb   |
| Sodium     | 23-2  | 250001.99 | 250054.94 | 249864.50 | 249973.81  | 0.04    | ppb   |
| Strontium  | 86-1  | 11200.97  | 12262.06  | 12444.08  | 11969.04   | 5.61    | ppb   |
| Strontium  | 88-1  | 11322.01  | 12225.19  | 12507.65  | 12018.28   | 5.15    | ppb   |
| Sulfur     | 34-1  | 9820.75   | 10768.57  | 10966.22  | 10518.51   | 5.82    | ppb   |
| Terbium    | 159-1 |           |           |           | 102        |         | %     |
| Terbium    | 159-2 |           |           |           | 96         |         | %     |
| Thallium   | 203-1 | 457.40    | 496.24    | 506.24    | 486.63     | 5.30    | ppb   |
| Thallium   | 205-1 | 455.16    | 500.66    | 509.46    | 488.43     | 5.97    | ppb   |
| Tin        | 118-1 | 460.64    | 499.22    | 502.09    | 487.32     | 4.75    | ppb   |
| Titanium   | 47-1  | 4537.39   | 4871.05   | 5014.31   | 4807.58    | 5.09    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :CCV002

Instrumnet Name :P7

Client Sample ID :CCV002

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:02:33

DataFile Name :047CCV.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 452.77  | 505.51  | 511.16  | 489.81     | 6.57    | ppb   |
| Vanadium  | 51-2  | 497.48  | 499.26  | 499.52  | 498.75     | 0.22    | ppb   |
| Yttrium   | 89-1  |         |         |         | 97         |         | %     |
| Yttrium   | 89-2  |         |         |         | 92         |         | %     |
| Zinc      | 66-2  | 4914.28 | 4913.68 | 5074.09 | 4967.35    | 1.86    | ppb   |
| Zirconium | 90-1  | 457.51  | 493.06  | 503.25  | 484.61     | 4.95    | ppb   |
| Zirconium | 91-1  | 454.23  | 497.30  | 499.51  | 483.68     | 5.28    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCB002 Instrumnet Name : P7  
Client Sample ID : CCB002 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:05:17 DataFile Name : 048CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 3.17    | 3.17    | 2.68    | 3.01       | 9.35    | ppb   |
| Antimony   | 121-1 | 0.15    | 0.19    | 0.25    | 0.20       | 24.47   | ppb   |
| Arsenic    | 75-2  | 0.02    | 0.03    | 0.04    | 0.03       | 43.57   | ppb   |
| Barium     | 135-1 | 0.21    | 0.20    | 0.20    | 0.20       | 3.12    | ppb   |
| Barium     | 137-1 | 0.23    | 0.24    | 0.21    | 0.22       | 5.44    | ppb   |
| Beryllium  | 9-1   | 0.08    | 0.09    | 0.08    | 0.08       | 9.96    | ppb   |
| Bismuth    | 209-1 |         |         |         | 105        |         | %     |
| Bismuth    | 209-2 |         |         |         | 101        |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 0.04    | 0.08    | 0.03    | 0.05       | 58.33   | ppb   |
| Cadmium    | 106-1 | -0.07   | -0.12   | -0.32   | -0.17      |         | ppb   |
| Cadmium    | 111-1 | 0.06    | 0.04    | 0.03    | 0.04       | 31.85   | ppb   |
| Calcium    | 43-1  | 29.80   | 30.62   | 24.74   | 28.38      | 11.22   | ppb   |
| Calcium    | 44-1  | 29.98   | 30.89   | 29.91   | 30.26      | 1.80    | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 0.05    | 0.03    | 0.01    | 0.03       | 55.92   | ppb   |
| Cobalt     | 59-2  | 0.03    | 0.02    | 0.03    | 0.03       | 14.48   | ppb   |
| Copper     | 63-2  | 0.49    | 0.42    | 0.39    | 0.43       | 11.28   | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 103        |         | %     |
| Holmium    | 165-2 |         |         |         | 100        |         | %     |
| Indium     | 115-1 |         |         |         | 100        |         | %     |
| Indium     | 115-2 |         |         |         | 96         |         | %     |
| Iron       | 56-2  | 9.10    | 7.89    | 7.03    | 8.01       | 12.95   | ppb   |
| Iron       | 57-2  | 9.42    | 8.09    | 8.83    | 8.78       | 7.62    | ppb   |
| Iron       | 54-2  | 8.55    | 7.35    | 6.93    | 7.61       | 11.05   | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCB002 Instrumnet Name : P7  
Client Sample ID : CCB002 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:05:17 DataFile Name : 048CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 0.37    | 0.38    | 0.36    | 0.37       | 2.84    | ppb   |
| Lead       | 207-1 | 0.36    | 0.36    | 0.36    | 0.36       | 0.16    | ppb   |
| Lead       | 208-1 | 0.37    | 0.37    | 0.36    | 0.36       | 2.04    | ppb   |
| Lithium    | 6-1   |         |         |         | 94         |         | %     |
| Magnesium  | 24-2  | 16.51   | 14.82   | 13.06   | 14.80      | 11.66   | ppb   |
| Manganese  | 55-2  | 0.36    | 0.31    | 0.28    | 0.32       | 13.12   | ppb   |
| Molybdenum | 94-1  | 0.48    | 0.51    | 0.55    | 0.51       | 6.85    | ppb   |
| Molybdenum | 95-1  | 0.48    | 0.50    | 0.50    | 0.49       | 2.80    | ppb   |
| Molybdenum | 96-1  | 0.49    | 0.48    | 0.49    | 0.49       | 0.93    | ppb   |
| Molybdenum | 97-1  | 0.48    | 0.50    | 0.49    | 0.49       | 1.45    | ppb   |
| Molybdenum | 98-1  | 0.48    | 0.50    | 0.51    | 0.50       | 3.42    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 0.59    | 0.57    | 0.53    | 0.57       | 6.15    | ppb   |
| Phosphorus | 31-2  | -14.68  | -16.04  | -13.10  | -14.60     |         | ppb   |
| Potassium  | 39-2  | 18.94   | 17.24   | 16.54   | 17.58      | 7.02    | ppb   |
| Rhodium    | 103-1 |         |         |         | 98         |         | %     |
| Rhodium    | 103-2 |         |         |         | 97         |         | %     |
| Scandium   | 45-1  |         |         |         | 94         |         | %     |
| Scandium   | 45-2  |         |         |         | 95         |         | %     |
| Selenium   | 82-1  | -0.19   | -0.42   | -0.40   | -0.34      |         | ppb   |
| Selenium   | 77-2  | 0.26    | 0.09    | 0.09    | 0.15       | 69.42   | ppb   |
| Selenium   | 78-2  | -0.57   | -0.60   | -0.68   | -0.61      |         | ppb   |
| Silicon    | 28-1  | -4.86   | -4.86   | -4.91   | -4.87      |         | ppb   |
| Silver     | 107-1 | 0.08    | 0.08    | 0.06    | 0.07       | 14.30   | ppb   |
| Silver     | 109-1 | 0.09    | 0.07    | 0.07    | 0.08       | 11.66   | ppb   |
| Sodium     | 23-2  | 41.79   | 38.80   | 37.55   | 39.38      | 5.53    | ppb   |
| Strontium  | 86-1  | 1.24    | 1.20    | 1.18    | 1.21       | 2.69    | ppb   |
| Strontium  | 88-1  | 1.30    | 1.37    | 1.36    | 1.34       | 3.13    | ppb   |
| Sulfur     | 34-1  | 64.08   | 26.11   | 44.76   | 44.98      | 42.20   | ppb   |
| Terbium    | 159-1 |         |         |         | 102        |         | %     |
| Terbium    | 159-2 |         |         |         | 100        |         | %     |
| Thallium   | 203-1 | 0.11    | 0.10    | 0.09    | 0.10       | 10.15   | ppb   |
| Thallium   | 205-1 | 0.12    | 0.10    | 0.10    | 0.11       | 9.60    | ppb   |
| Tin        | 118-1 | 0.03    | 0.03    | 0.04    | 0.03       | 11.99   | ppb   |
| Titanium   | 47-1  | 0.46    | 0.44    | 0.44    | 0.45       | 2.67    | ppb   |



LB Number :  
Lab Sample ID :  
Client Sample ID :  
Date & Time Acquired :

LB133687  
CCB002  
CCB002  
2024-11-27 19:05:17

Operator :  
Instrumnet Name :  
Dilution Factor :  
DataFile Name :

Jaswal  
P7  
1  
048CCBE.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.04    | 0.04    | 0.04    | 0.04       | 2.84    | ppb   |
| Vanadium  | 51-2  | 0.03    | 0.02    | 0.02    | 0.03       | 33.63   | ppb   |
| Yttrium   | 89-1  |         |         |         | 98         |         | %     |
| Yttrium   | 89-2  |         |         |         | 97         |         | %     |
| Zinc      | 66-2  | 0.54    | 0.44    | 0.40    | 0.46       | 16.00   | ppb   |
| Zirconium | 90-1  | 0.05    | 0.05    | 0.06    | 0.05       | 12.35   | ppb   |
| Zirconium | 91-1  | 0.05    | 0.05    | 0.05    | 0.05       | 2.16    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-18 Instrumnet Name : P7  
Client Sample ID : MH2GR8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:08:34 DataFile Name : 049SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 12050.54  | 11997.76  | 12049.01  | 12032.43   | 0.25    | ppb   |
| Antimony   | 121-1 | 0.96      | 0.96      | 0.96      | 0.96       | 0.23    | ppb   |
| Arsenic    | 75-2  | 19.45     | 19.99     | 19.25     | 19.56      | 1.97    | ppb   |
| Barium     | 135-1 | 647.91    | 637.64    | 646.20    | 643.92     | 0.85    | ppb   |
| Barium     | 137-1 | 638.26    | 644.60    | 647.68    | 643.51     | 0.75    | ppb   |
| Beryllium  | 9-1   | 1.45      | 1.68      | 1.57      | 1.57       | 7.40    | ppb   |
| Bismuth    | 209-1 |           |           |           | 106        |         | %     |
| Bismuth    | 209-2 |           |           |           | 99         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 5.73      | 5.30      | 5.96      | 5.66       | 5.96    | ppb   |
| Cadmium    | 106-1 | 6.23      | 6.34      | 5.59      | 6.05       | 6.63    | ppb   |
| Cadmium    | 111-1 | 6.15      | 6.05      | 6.11      | 6.10       | 0.82    | ppb   |
| Calcium    | 43-1  | 162555.87 | 161992.41 | 164015.58 | 162854.62  | 0.64    | ppb   |
| Calcium    | 44-1  | 162267.96 | 160479.99 | 165370.65 | 162706.20  | 1.52    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 18.80     | 18.71     | 19.12     | 18.88      | 1.13    | ppb   |
| Cobalt     | 59-2  | 12.38     | 12.32     | 12.49     | 12.40      | 0.70    | ppb   |
| Copper     | 63-2  | 92.20     | 91.57     | 92.00     | 91.92      | 0.35    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 105        |         | %     |
| Holmium    | 165-2 |           |           |           | 101        |         | %     |
| Indium     | 115-1 |           |           |           | 100        |         | %     |
| Indium     | 115-2 |           |           |           | 95         |         | %     |
| Iron       | 56-2  | 16738.67  | 16579.97  | 16575.64  | 16631.43   | 0.56    | ppb   |
| Iron       | 57-2  | 17216.33  | 17407.93  | 17267.27  | 17297.18   | 0.57    | ppb   |
| Iron       | 54-2  | 16724.14  | 16622.29  | 16583.78  | 16643.40   | 0.44    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-18 Instrumnet Name : P7  
Client Sample ID : MH2GR8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:08:34 DataFile Name : 049SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 462.71   | 457.66   | 463.21   | 461.20     | 0.67    | ppb   |
| Lead       | 207-1 | 452.35   | 447.84   | 447.26   | 449.15     | 0.62    | ppb   |
| Lead       | 208-1 | 454.11   | 452.91   | 453.69   | 453.57     | 0.13    | ppb   |
| Lithium    | 6-1   |          |          |          | 91         |         | %     |
| Magnesium  | 24-2  | 10749.59 | 10678.27 | 10896.33 | 10774.73   | 1.03    | ppb   |
| Manganese  | 55-2  | 819.03   | 810.44   | 811.90   | 813.79     | 0.56    | ppb   |
| Molybdenum | 94-1  | 4.16     | 4.22     | 4.31     | 4.23       | 1.81    | ppb   |
| Molybdenum | 95-1  | 0.76     | 0.74     | 0.75     | 0.75       | 1.26    | ppb   |
| Molybdenum | 96-1  | 1.16     | 1.19     | 1.17     | 1.17       | 1.19    | ppb   |
| Molybdenum | 97-1  | 0.76     | 0.74     | 0.75     | 0.75       | 1.21    | ppb   |
| Molybdenum | 98-1  | 0.74     | 0.73     | 0.75     | 0.74       | 1.46    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 35.73    | 35.70    | 36.14    | 35.86      | 0.68    | ppb   |
| Phosphorus | 31-2  | 3868.50  | 3850.87  | 3911.56  | 3876.98    | 0.81    | ppb   |
| Potassium  | 39-2  | 4245.77  | 4290.39  | 4270.99  | 4269.05    | 0.52    | ppb   |
| Rhodium    | 103-1 |          |          |          | 95         |         | %     |
| Rhodium    | 103-2 |          |          |          | 95         |         | %     |
| Scandium   | 45-1  |          |          |          | 95         |         | %     |
| Scandium   | 45-2  |          |          |          | 95         |         | %     |
| Selenium   | 82-1  | 0.76     | 0.68     | 0.78     | 0.74       | 6.73    | ppb   |
| Selenium   | 77-2  | 16.57    | 16.69    | 15.80    | 16.35      | 2.95    | ppb   |
| Selenium   | 78-2  | 2.34     | 2.96     | 2.48     | 2.60       | 12.56   | ppb   |
| Silicon    | 28-1  | 1235.31  | 1214.68  | 1231.03  | 1227.00    | 0.89    | ppb   |
| Silver     | 107-1 | 1.87     | 1.82     | 1.82     | 1.84       | 1.52    | ppb   |
| Silver     | 109-1 | 1.87     | 1.82     | 1.85     | 1.85       | 1.46    | ppb   |
| Sodium     | 23-2  | 627.64   | 631.40   | 635.51   | 631.52     | 0.62    | ppb   |
| Strontium  | 86-1  | 8574.46  | 8549.89  | 8531.38  | 8551.91    | 0.25    | ppb   |
| Strontium  | 88-1  | 8462.87  | 8516.62  | 8481.70  | 8487.06    | 0.32    | ppb   |
| Sulfur     | 34-1  | 461.29   | 432.07   | 493.38   | 462.24     | 6.63    | ppb   |
| Terbium    | 159-1 |          |          |          | 106        |         | %     |
| Terbium    | 159-2 |          |          |          | 102        |         | %     |
| Thallium   | 203-1 | 0.49     | 0.46     | 0.44     | 0.46       | 6.01    | ppb   |
| Thallium   | 205-1 | 0.49     | 0.47     | 0.46     | 0.47       | 4.11    | ppb   |
| Tin        | 118-1 | 8.89     | 8.88     | 8.94     | 8.90       | 0.39    | ppb   |
| Titanium   | 47-1  | 99.44    | 98.45    | 101.39   | 99.76      | 1.50    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-18 Instrumnet Name : P7  
Client Sample ID : MH2GR8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:08:34 DataFile Name : 049SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.34    | 3.34    | 3.31    | 3.33       | 0.58    | ppb   |
| Vanadium  | 51-2  | 52.26   | 52.25   | 52.23   | 52.25      | 0.03    | ppb   |
| Yttrium   | 89-1  |         |         |         | 112        |         | %     |
| Yttrium   | 89-2  |         |         |         | 108        |         | %     |
| Zinc      | 66-2  | 487.07  | 486.05  | 491.65  | 488.26     | 0.61    | ppb   |
| Zirconium | 90-1  | 2.00    | 2.01    | 2.02    | 2.01       | 0.66    | ppb   |
| Zirconium | 91-1  | 2.02    | 2.04    | 2.07    | 2.04       | 1.30    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-19 Instrumnet Name : P7  
Client Sample ID : MH2GR9 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:11:37 DataFile Name : 050SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 12145.19  | 12148.95  | 12313.15  | 12202.43   | 0.79    | ppb   |
| Antimony   | 121-1 | 0.81      | 0.81      | 0.84      | 0.82       | 2.33    | ppb   |
| Arsenic    | 75-2  | 18.98     | 19.34     | 19.41     | 19.24      | 1.21    | ppb   |
| Barium     | 135-1 | 660.94    | 672.86    | 661.12    | 664.98     | 1.03    | ppb   |
| Barium     | 137-1 | 666.57    | 662.97    | 656.73    | 662.09     | 0.75    | ppb   |
| Beryllium  | 9-1   | 1.97      | 1.80      | 1.88      | 1.88       | 4.57    | ppb   |
| Bismuth    | 209-1 |           |           |           | 108        |         | %     |
| Bismuth    | 209-2 |           |           |           | 101        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 4.36      | 4.33      | 4.16      | 4.28       | 2.52    | ppb   |
| Cadmium    | 106-1 | 5.22      | 4.62      | 4.29      | 4.71       | 9.99    | ppb   |
| Cadmium    | 111-1 | 4.52      | 4.40      | 4.53      | 4.48       | 1.63    | ppb   |
| Calcium    | 43-1  | 188246.06 | 185682.62 | 188001.60 | 187310.09  | 0.76    | ppb   |
| Calcium    | 44-1  | 187290.72 | 185507.26 | 187492.90 | 186763.63  | 0.59    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 14.85     | 14.81     | 14.95     | 14.87      | 0.48    | ppb   |
| Cobalt     | 59-2  | 11.73     | 11.84     | 11.87     | 11.81      | 0.60    | ppb   |
| Copper     | 63-2  | 77.27     | 77.01     | 77.37     | 77.22      | 0.24    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 108        |         | %     |
| Holmium    | 165-2 |           |           |           | 103        |         | %     |
| Indium     | 115-1 |           |           |           | 100        |         | %     |
| Indium     | 115-2 |           |           |           | 96         |         | %     |
| Iron       | 56-2  | 14263.93  | 14396.14  | 14362.51  | 14340.86   | 0.48    | ppb   |
| Iron       | 57-2  | 15019.08  | 15335.53  | 15322.03  | 15225.55   | 1.18    | ppb   |
| Iron       | 54-2  | 14547.22  | 14388.66  | 14457.53  | 14464.47   | 0.55    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-19 Instrumnet Name : P7  
Client Sample ID : MH2GR9 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:11:37 DataFile Name : 050SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 675.27   | 680.95   | 684.78   | 680.33     | 0.70    | ppb   |
| Lead       | 207-1 | 646.44   | 646.52   | 651.04   | 648.00     | 0.41    | ppb   |
| Lead       | 208-1 | 660.23   | 659.39   | 666.16   | 661.92     | 0.56    | ppb   |
| Lithium    | 6-1   |          |          |          | 92         |         | %     |
| Magnesium  | 24-2  | 11081.26 | 11206.65 | 11397.67 | 11228.53   | 1.42    | ppb   |
| Manganese  | 55-2  | 951.89   | 952.05   | 968.58   | 957.51     | 1.00    | ppb   |
| Molybdenum | 94-1  | 4.91     | 4.80     | 4.94     | 4.88       | 1.61    | ppb   |
| Molybdenum | 95-1  | 0.78     | 0.81     | 0.79     | 0.79       | 1.82    | ppb   |
| Molybdenum | 96-1  | 1.24     | 1.24     | 1.26     | 1.25       | 0.95    | ppb   |
| Molybdenum | 97-1  | 0.78     | 0.79     | 0.77     | 0.78       | 1.35    | ppb   |
| Molybdenum | 98-1  | 0.80     | 0.77     | 0.79     | 0.79       | 1.87    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 32.79    | 32.90    | 33.29    | 32.99      | 0.79    | ppb   |
| Phosphorus | 31-2  | 3937.36  | 3855.03  | 3974.89  | 3922.43    | 1.56    | ppb   |
| Potassium  | 39-2  | 3579.19  | 3548.30  | 3646.66  | 3591.38    | 1.40    | ppb   |
| Rhodium    | 103-1 |          |          |          | 96         |         | %     |
| Rhodium    | 103-2 |          |          |          | 95         |         | %     |
| Scandium   | 45-1  |          |          |          | 94         |         | %     |
| Scandium   | 45-2  |          |          |          | 94         |         | %     |
| Selenium   | 82-1  | 1.05     | 0.65     | 0.99     | 0.90       | 24.10   | ppb   |
| Selenium   | 77-2  | 13.93    | 17.13    | 15.53    | 15.53      | 10.31   | ppb   |
| Selenium   | 78-2  | 2.87     | 2.88     | 3.03     | 2.93       | 3.00    | ppb   |
| Silicon    | 28-1  | 1343.53  | 1307.80  | 1336.83  | 1329.39    | 1.43    | ppb   |
| Silver     | 107-1 | 2.06     | 2.05     | 2.02     | 2.05       | 0.92    | ppb   |
| Silver     | 109-1 | 2.06     | 2.02     | 2.04     | 2.04       | 0.86    | ppb   |
| Sodium     | 23-2  | 1411.32  | 1437.01  | 1443.17  | 1430.50    | 1.18    | ppb   |
| Strontium  | 86-1  | 10471.87 | 10211.00 | 10475.86 | 10386.24   | 1.46    | ppb   |
| Strontium  | 88-1  | 10438.00 | 10201.23 | 10277.79 | 10305.67   | 1.17    | ppb   |
| Sulfur     | 34-1  | 631.25   | 636.68   | 670.93   | 646.29     | 3.33    | ppb   |
| Terbium    | 159-1 |          |          |          | 106        |         | %     |
| Terbium    | 159-2 |          |          |          | 103        |         | %     |
| Thallium   | 203-1 | 0.34     | 0.34     | 0.36     | 0.35       | 2.56    | ppb   |
| Thallium   | 205-1 | 0.35     | 0.34     | 0.35     | 0.35       | 1.23    | ppb   |
| Tin        | 118-1 | 16.83    | 17.00    | 16.82    | 16.88      | 0.59    | ppb   |
| Titanium   | 47-1  | 102.45   | 101.48   | 103.23   | 102.39     | 0.85    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-19

Instrumnet Name :

P7

Client Sample ID :

MH2GR9

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 19:11:37

DataFile Name :

050SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.20    | 3.14    | 3.23    | 3.19       | 1.37    | ppb   |
| Vanadium  | 51-2  | 51.21   | 51.29   | 51.80   | 51.43      | 0.62    | ppb   |
| Yttrium   | 89-1  |         |         |         | 112        |         | %     |
| Yttrium   | 89-2  |         |         |         | 108        |         | %     |
| Zinc      | 66-2  | 328.08  | 328.40  | 330.53  | 329.00     | 0.41    | ppb   |
| Zirconium | 90-1  | 2.35    | 2.32    | 2.42    | 2.36       | 2.08    | ppb   |
| Zirconium | 91-1  | 2.35    | 2.36    | 2.38    | 2.36       | 0.51    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-20 Instrumnet Name : P7  
Client Sample ID : MH2GS0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:14:35 DataFile Name : 051SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 10174.28  | 10024.25  | 10029.51  | 10076.01   | 0.85    | ppb   |
| Antimony   | 121-1 | 0.84      | 0.84      | 0.82      | 0.83       | 1.10    | ppb   |
| Arsenic    | 75-2  | 14.34     | 14.53     | 14.31     | 14.39      | 0.82    | ppb   |
| Barium     | 135-1 | 643.09    | 633.79    | 629.31    | 635.40     | 1.11    | ppb   |
| Barium     | 137-1 | 639.11    | 624.80    | 629.33    | 631.08     | 1.16    | ppb   |
| Beryllium  | 9-1   | 1.54      | 1.54      | 1.43      | 1.50       | 4.24    | ppb   |
| Bismuth    | 209-1 |           |           |           | 108        |         | %     |
| Bismuth    | 209-2 |           |           |           | 102        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 10.43     | 9.65      | 10.03     | 10.04      | 3.88    | ppb   |
| Cadmium    | 106-1 | 10.81     | 10.62     | 10.54     | 10.66      | 1.30    | ppb   |
| Cadmium    | 111-1 | 11.14     | 11.27     | 11.12     | 11.17      | 0.72    | ppb   |
| Calcium    | 43-1  | 114946.45 | 116591.15 | 117596.24 | 116377.95  | 1.15    | ppb   |
| Calcium    | 44-1  | 114378.76 | 115713.68 | 115908.23 | 115333.56  | 0.72    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 28.55     | 28.17     | 28.07     | 28.26      | 0.90    | ppb   |
| Cobalt     | 59-2  | 10.76     | 10.67     | 10.78     | 10.74      | 0.56    | ppb   |
| Copper     | 63-2  | 116.74    | 115.98    | 116.11    | 116.28     | 0.35    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 108        |         | %     |
| Holmium    | 165-2 |           |           |           | 102        |         | %     |
| Indium     | 115-1 |           |           |           | 101        |         | %     |
| Indium     | 115-2 |           |           |           | 94         |         | %     |
| Iron       | 56-2  | 13694.11  | 13450.52  | 13499.05  | 13547.89   | 0.95    | ppb   |
| Iron       | 57-2  | 14164.88  | 13902.11  | 13789.53  | 13952.17   | 1.38    | ppb   |
| Iron       | 54-2  | 13766.64  | 13438.07  | 13716.98  | 13640.56   | 1.30    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-20 Instrumnet Name : P7  
Client Sample ID : MH2GS0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:14:35 DataFile Name : 051SMPL.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 1000.82 | 996.64  | 990.19  | 995.88     | 0.54    | ppb   |
| Lead       | 207-1 | 989.51  | 975.42  | 970.59  | 978.51     | 1.00    | ppb   |
| Lead       | 208-1 | 984.32  | 981.36  | 976.50  | 980.73     | 0.40    | ppb   |
| Lithium    | 6-1   |         |         |         | 93         |         | %     |
| Magnesium  | 24-2  | 7404.46 | 7355.77 | 7391.46 | 7383.90    | 0.34    | ppb   |
| Manganese  | 55-2  | 1029.50 | 1021.48 | 1032.73 | 1027.90    | 0.56    | ppb   |
| Molybdenum | 94-1  | 4.16    | 4.26    | 4.32    | 4.25       | 1.89    | ppb   |
| Molybdenum | 95-1  | 0.58    | 0.61    | 0.60    | 0.59       | 2.36    | ppb   |
| Molybdenum | 96-1  | 1.01    | 1.02    | 1.04    | 1.02       | 1.36    | ppb   |
| Molybdenum | 97-1  | 0.58    | 0.59    | 0.58    | 0.58       | 1.31    | ppb   |
| Molybdenum | 98-1  | 0.58    | 0.57    | 0.58    | 0.58       | 1.21    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 23.75   | 23.38   | 23.64   | 23.59      | 0.79    | ppb   |
| Phosphorus | 31-2  | 4753.41 | 4755.72 | 4800.47 | 4769.87    | 0.56    | ppb   |
| Potassium  | 39-2  | 3840.63 | 3809.06 | 3829.87 | 3826.52    | 0.42    | ppb   |
| Rhodium    | 103-1 |         |         |         | 96         |         | %     |
| Rhodium    | 103-2 |         |         |         | 94         |         | %     |
| Scandium   | 45-1  |         |         |         | 92         |         | %     |
| Scandium   | 45-2  |         |         |         | 92         |         | %     |
| Selenium   | 82-1  | 1.26    | 0.54    | 1.08    | 0.96       | 38.80   | ppb   |
| Selenium   | 77-2  | 16.35   | 16.44   | 17.24   | 16.68      | 2.95    | ppb   |
| Selenium   | 78-2  | 3.15    | 3.13    | 3.64    | 3.31       | 8.81    | ppb   |
| Silicon    | 28-1  | 1385.02 | 1370.39 | 1404.36 | 1386.59    | 1.23    | ppb   |
| Silver     | 107-1 | 2.74    | 2.74    | 2.73    | 2.74       | 0.14    | ppb   |
| Silver     | 109-1 | 2.71    | 2.72    | 2.70    | 2.71       | 0.41    | ppb   |
| Sodium     | 23-2  | 334.76  | 329.58  | 333.89  | 332.74     | 0.83    | ppb   |
| Strontium  | 86-1  | 8397.57 | 8687.22 | 8721.83 | 8602.21    | 2.07    | ppb   |
| Strontium  | 88-1  | 8571.92 | 8502.49 | 8557.41 | 8543.94    | 0.43    | ppb   |
| Sulfur     | 34-1  | 565.46  | 582.26  | 634.45  | 594.06     | 6.06    | ppb   |
| Terbium    | 159-1 |         |         |         | 107        |         | %     |
| Terbium    | 159-2 |         |         |         | 102        |         | %     |
| Thallium   | 203-1 | 0.32    | 0.31    | 0.31    | 0.31       | 1.50    | ppb   |
| Thallium   | 205-1 | 0.32    | 0.31    | 0.32    | 0.32       | 1.87    | ppb   |
| Tin        | 118-1 | 7.12    | 7.18    | 7.09    | 7.13       | 0.64    | ppb   |
| Titanium   | 47-1  | 105.61  | 105.75  | 106.95  | 106.10     | 0.69    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-20

Instrumnet Name :

P7

Client Sample ID :

MH2GS0

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 19:14:35

DataFile Name :

051SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.16    | 3.13    | 3.13    | 3.14       | 0.46    | ppb   |
| Vanadium  | 51-2  | 38.86   | 38.81   | 38.83   | 38.83      | 0.06    | ppb   |
| Yttrium   | 89-1  |         |         |         | 110        |         | %     |
| Yttrium   | 89-2  |         |         |         | 106        |         | %     |
| Zinc      | 66-2  | 1138.52 | 1134.80 | 1155.35 | 1142.89    | 0.96    | ppb   |
| Zirconium | 90-1  | 2.10    | 2.13    | 2.12    | 2.11       | 0.82    | ppb   |
| Zirconium | 91-1  | 2.13    | 2.16    | 2.16    | 2.15       | 0.82    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-21 Instrumnet Name : P7  
Client Sample ID : MH2GS1 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:17:35 DataFile Name : 052SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 9030.01   | 9144.78   | 9091.68   | 9088.82    | 0.63    | ppb   |
| Antimony   | 121-1 | 1.04      | 1.02      | 1.04      | 1.03       | 0.75    | ppb   |
| Arsenic    | 75-2  | 20.03     | 19.89     | 19.75     | 19.89      | 0.70    | ppb   |
| Barium     | 135-1 | 585.03    | 590.06    | 592.37    | 589.15     | 0.64    | ppb   |
| Barium     | 137-1 | 590.61    | 585.79    | 587.92    | 588.11     | 0.41    | ppb   |
| Beryllium  | 9-1   | 1.50      | 1.33      | 1.40      | 1.41       | 6.08    | ppb   |
| Bismuth    | 209-1 |           |           |           | 109        |         | %     |
| Bismuth    | 209-2 |           |           |           | 101        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 9.44      | 9.81      | 10.22     | 9.82       | 3.97    | ppb   |
| Cadmium    | 106-1 | 10.42     | 10.03     | 9.04      | 9.83       | 7.26    | ppb   |
| Cadmium    | 111-1 | 10.89     | 10.82     | 10.71     | 10.81      | 0.85    | ppb   |
| Calcium    | 43-1  | 109941.24 | 109959.34 | 108862.31 | 109587.63  | 0.57    | ppb   |
| Calcium    | 44-1  | 110130.36 | 109604.26 | 108729.07 | 109487.90  | 0.65    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 14.05     | 14.07     | 13.95     | 14.02      | 0.43    | ppb   |
| Cobalt     | 59-2  | 9.87      | 10.02     | 9.95      | 9.94       | 0.77    | ppb   |
| Copper     | 63-2  | 118.50    | 118.65    | 118.06    | 118.41     | 0.26    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 108        |         | %     |
| Holmium    | 165-2 |           |           |           | 102        |         | %     |
| Indium     | 115-1 |           |           |           | 100        |         | %     |
| Indium     | 115-2 |           |           |           | 94         |         | %     |
| Iron       | 56-2  | 11954.80  | 12115.57  | 11885.17  | 11985.18   | 0.99    | ppb   |
| Iron       | 57-2  | 12432.34  | 12670.04  | 12311.13  | 12471.17   | 1.46    | ppb   |
| Iron       | 54-2  | 12034.88  | 12021.04  | 12028.69  | 12028.20   | 0.06    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-21 Instrumnet Name : P7  
Client Sample ID : MH2GS1 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:17:35 DataFile Name : 052SMPL.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 948.24  | 936.89  | 943.77  | 942.97     | 0.61    | ppb   |
| Lead       | 207-1 | 931.53  | 934.78  | 926.97  | 931.09     | 0.42    | ppb   |
| Lead       | 208-1 | 937.66  | 933.33  | 934.88  | 935.29     | 0.23    | ppb   |
| Lithium    | 6-1   |         |         |         | 91         |         | %     |
| Magnesium  | 24-2  | 6108.29 | 6054.46 | 6092.19 | 6084.98    | 0.45    | ppb   |
| Manganese  | 55-2  | 877.36  | 888.65  | 872.47  | 879.49     | 0.94    | ppb   |
| Molybdenum | 94-1  | 3.62    | 3.65    | 3.68    | 3.65       | 0.82    | ppb   |
| Molybdenum | 95-1  | 0.49    | 0.51    | 0.50    | 0.50       | 1.80    | ppb   |
| Molybdenum | 96-1  | 0.88    | 0.86    | 0.86    | 0.86       | 1.10    | ppb   |
| Molybdenum | 97-1  | 0.51    | 0.51    | 0.48    | 0.50       | 3.22    | ppb   |
| Molybdenum | 98-1  | 0.49    | 0.49    | 0.49    | 0.49       | 0.17    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 19.22   | 19.16   | 18.98   | 19.12      | 0.66    | ppb   |
| Phosphorus | 31-2  | 3558.79 | 3587.64 | 3593.20 | 3579.87    | 0.52    | ppb   |
| Potassium  | 39-2  | 3060.33 | 3030.00 | 2996.27 | 3028.86    | 1.06    | ppb   |
| Rhodium    | 103-1 |         |         |         | 96         |         | %     |
| Rhodium    | 103-2 |         |         |         | 95         |         | %     |
| Scandium   | 45-1  |         |         |         | 92         |         | %     |
| Scandium   | 45-2  |         |         |         | 92         |         | %     |
| Selenium   | 82-1  | 0.73    | 0.54    | 0.54    | 0.60       | 17.47   | ppb   |
| Selenium   | 77-2  | 16.49   | 14.83   | 14.81   | 15.38      | 6.28    | ppb   |
| Selenium   | 78-2  | 2.23    | 1.79    | 3.16    | 2.39       | 29.19   | ppb   |
| Silicon    | 28-1  | 1152.68 | 1159.46 | 1134.94 | 1149.03    | 1.10    | ppb   |
| Silver     | 107-1 | 2.52    | 2.52    | 2.53    | 2.52       | 0.29    | ppb   |
| Silver     | 109-1 | 2.52    | 2.53    | 2.49    | 2.51       | 0.83    | ppb   |
| Sodium     | 23-2  | 344.52  | 341.21  | 343.48  | 343.07     | 0.49    | ppb   |
| Strontium  | 86-1  | 7899.12 | 7958.53 | 7888.69 | 7915.45    | 0.48    | ppb   |
| Strontium  | 88-1  | 7842.41 | 7860.05 | 7912.00 | 7871.49    | 0.46    | ppb   |
| Sulfur     | 34-1  | 483.42  | 504.16  | 476.65  | 488.08     | 2.94    | ppb   |
| Terbium    | 159-1 |         |         |         | 107        |         | %     |
| Terbium    | 159-2 |         |         |         | 102        |         | %     |
| Thallium   | 203-1 | 0.32    | 0.31    | 0.32    | 0.32       | 2.57    | ppb   |
| Thallium   | 205-1 | 0.32    | 0.31    | 0.31    | 0.31       | 2.10    | ppb   |
| Tin        | 118-1 | 8.15    | 8.11    | 8.05    | 8.10       | 0.64    | ppb   |
| Titanium   | 47-1  | 93.62   | 93.52   | 92.69   | 93.27      | 0.55    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-21

Instrumnet Name :

P7

Client Sample ID :

MH2GS1

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 19:17:35

DataFile Name :

052SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.02    | 3.00    | 3.06    | 3.02       | 0.96    | ppb   |
| Vanadium  | 51-2  | 38.64   | 38.90   | 38.66   | 38.74      | 0.37    | ppb   |
| Yttrium   | 89-1  |         |         |         | 109        |         | %     |
| Yttrium   | 89-2  |         |         |         | 105        |         | %     |
| Zinc      | 66-2  | 926.37  | 913.15  | 908.66  | 916.06     | 1.00    | ppb   |
| Zirconium | 90-1  | 1.81    | 1.82    | 1.81    | 1.81       | 0.25    | ppb   |
| Zirconium | 91-1  | 1.83    | 1.84    | 1.78    | 1.82       | 1.77    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-22 Instrumnet Name : P7  
Client Sample ID : MH2GS2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:20:33 DataFile Name : 053SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 10243.30  | 10138.30  | 10099.83  | 10160.48   | 0.73    | ppb   |
| Antimony   | 121-1 | 0.92      | 0.96      | 0.96      | 0.94       | 2.35    | ppb   |
| Arsenic    | 75-2  | 22.79     | 23.07     | 22.30     | 22.72      | 1.72    | ppb   |
| Barium     | 135-1 | 566.65    | 576.64    | 587.70    | 577.00     | 1.82    | ppb   |
| Barium     | 137-1 | 568.12    | 581.08    | 580.82    | 576.68     | 1.28    | ppb   |
| Beryllium  | 9-1   | 1.38      | 1.38      | 1.31      | 1.36       | 3.09    | ppb   |
| Bismuth    | 209-1 |           |           |           | 109        |         | %     |
| Bismuth    | 209-2 |           |           |           | 101        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 6.94      | 6.53      | 6.95      | 6.80       | 3.53    | ppb   |
| Cadmium    | 106-1 | 7.06      | 6.82      | 7.45      | 7.11       | 4.44    | ppb   |
| Cadmium    | 111-1 | 7.34      | 7.65      | 7.64      | 7.54       | 2.37    | ppb   |
| Calcium    | 43-1  | 155842.55 | 156752.22 | 160479.99 | 157691.59  | 1.56    | ppb   |
| Calcium    | 44-1  | 156159.76 | 157510.88 | 160469.75 | 158046.79  | 1.39    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 17.12     | 17.52     | 17.04     | 17.23      | 1.50    | ppb   |
| Cobalt     | 59-2  | 10.89     | 10.89     | 10.77     | 10.85      | 0.62    | ppb   |
| Copper     | 63-2  | 90.50     | 90.57     | 89.56     | 90.21      | 0.62    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 109        |         | %     |
| Holmium    | 165-2 |           |           |           | 102        |         | %     |
| Indium     | 115-1 |           |           |           | 101        |         | %     |
| Indium     | 115-2 |           |           |           | 93         |         | %     |
| Iron       | 56-2  | 13574.21  | 13493.51  | 13376.22  | 13481.31   | 0.74    | ppb   |
| Iron       | 57-2  | 14098.40  | 14308.19  | 14061.34  | 14155.97   | 0.94    | ppb   |
| Iron       | 54-2  | 13488.57  | 13438.54  | 13349.20  | 13425.44   | 0.53    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-22 Instrumnet Name : P7  
Client Sample ID : MH2GS2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:20:33 DataFile Name : 053SMPL.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 559.46  | 572.43  | 567.87  | 566.59     | 1.16    | ppb   |
| Lead       | 207-1 | 547.04  | 555.81  | 551.67  | 551.51     | 0.79    | ppb   |
| Lead       | 208-1 | 553.21  | 564.85  | 559.28  | 559.11     | 1.04    | ppb   |
| Lithium    | 6-1   |         |         |         | 93         |         | %     |
| Magnesium  | 24-2  | 7106.54 | 7122.93 | 7047.09 | 7092.19    | 0.56    | ppb   |
| Manganese  | 55-2  | 680.20  | 676.44  | 667.10  | 674.58     | 1.00    | ppb   |
| Molybdenum | 94-1  | 3.44    | 3.61    | 3.57    | 3.54       | 2.51    | ppb   |
| Molybdenum | 95-1  | 0.68    | 0.70    | 0.70    | 0.69       | 1.50    | ppb   |
| Molybdenum | 96-1  | 1.04    | 1.09    | 1.06    | 1.06       | 2.09    | ppb   |
| Molybdenum | 97-1  | 0.66    | 0.71    | 0.68    | 0.68       | 3.03    | ppb   |
| Molybdenum | 98-1  | 0.69    | 0.72    | 0.70    | 0.70       | 2.06    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 25.63   | 25.48   | 25.44   | 25.52      | 0.39    | ppb   |
| Phosphorus | 31-2  | 2995.83 | 3021.08 | 2956.36 | 2991.09    | 1.09    | ppb   |
| Potassium  | 39-2  | 2754.03 | 2743.51 | 2752.37 | 2749.97    | 0.21    | ppb   |
| Rhodium    | 103-1 |         |         |         | 96         |         | %     |
| Rhodium    | 103-2 |         |         |         | 94         |         | %     |
| Scandium   | 45-1  |         |         |         | 92         |         | %     |
| Scandium   | 45-2  |         |         |         | 92         |         | %     |
| Selenium   | 82-1  | 0.69    | 0.96    | 0.70    | 0.78       | 19.45   | ppb   |
| Selenium   | 77-2  | 16.60   | 15.04   | 16.83   | 16.16      | 6.04    | ppb   |
| Selenium   | 78-2  | 3.49    | 2.49    | 2.70    | 2.89       | 18.26   | ppb   |
| Silicon    | 28-1  | 1100.16 | 1108.44 | 1128.14 | 1112.25    | 1.29    | ppb   |
| Silver     | 107-1 | 1.56    | 1.64    | 1.61    | 1.60       | 2.68    | ppb   |
| Silver     | 109-1 | 1.57    | 1.64    | 1.61    | 1.60       | 2.18    | ppb   |
| Sodium     | 23-2  | 336.77  | 337.32  | 330.15  | 334.75     | 1.19    | ppb   |
| Strontium  | 86-1  | 8957.81 | 9074.51 | 9070.28 | 9034.20    | 0.73    | ppb   |
| Strontium  | 88-1  | 8893.94 | 8961.15 | 8954.67 | 8936.59    | 0.41    | ppb   |
| Sulfur     | 34-1  | 417.23  | 465.57  | 497.20  | 460.00     | 8.76    | ppb   |
| Terbium    | 159-1 |         |         |         | 107        |         | %     |
| Terbium    | 159-2 |         |         |         | 101        |         | %     |
| Thallium   | 203-1 | 0.39    | 0.41    | 0.40    | 0.40       | 2.36    | ppb   |
| Thallium   | 205-1 | 0.38    | 0.39    | 0.40    | 0.39       | 2.28    | ppb   |
| Tin        | 118-1 | 5.49    | 5.63    | 5.64    | 5.59       | 1.45    | ppb   |
| Titanium   | 47-1  | 82.55   | 85.26   | 85.37   | 84.39      | 1.89    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-22

Instrumnet Name :P7

Client Sample ID :MH2GS2

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:20:33

DataFile Name :053SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 4.36    | 4.50    | 4.44    | 4.43       | 1.52    | ppb   |
| Vanadium  | 51-2  | 46.21   | 46.39   | 45.53   | 46.04      | 0.99    | ppb   |
| Yttrium   | 89-1  |         |         |         | 110        |         | %     |
| Yttrium   | 89-2  |         |         |         | 105        |         | %     |
| Zinc      | 66-2  | 542.14  | 544.69  | 538.46  | 541.76     | 0.58    | ppb   |
| Zirconium | 90-1  | 1.66    | 1.67    | 1.67    | 1.67       | 0.54    | ppb   |
| Zirconium | 91-1  | 1.62    | 1.68    | 1.70    | 1.67       | 2.33    | ppb   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-01 Instrumnet Name : P7  
Client Sample ID : MH2GQ3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:23:35 DataFile Name : 054SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 11328.29  | 11196.61  | 11253.74  | 11259.55   | 0.59    | ppb   |
| Antimony   | 121-1 | 1.53      | 1.56      | 1.54      | 1.54       | 0.92    | ppb   |
| Arsenic    | 75-2  | 21.97     | 21.77     | 21.46     | 21.73      | 1.19    | ppb   |
| Barium     | 135-1 | 810.44    | 815.22    | 814.71    | 813.46     | 0.32    | ppb   |
| Barium     | 137-1 | 810.16    | 810.02    | 803.80    | 807.99     | 0.45    | ppb   |
| Beryllium  | 9-1   | 1.88      | 1.83      | 1.74      | 1.82       | 3.84    | ppb   |
| Bismuth    | 209-1 |           |           |           | 108        |         | %     |
| Bismuth    | 209-2 |           |           |           | 100        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 10.20     | 10.54     | 10.40     | 10.38      | 1.66    | ppb   |
| Cadmium    | 106-1 | 10.59     | 11.47     | 10.52     | 10.86      | 4.86    | ppb   |
| Cadmium    | 111-1 | 11.39     | 11.86     | 11.59     | 11.61      | 2.01    | ppb   |
| Calcium    | 43-1  | 152051.42 | 159578.05 | 156268.41 | 155965.96  | 2.42    | ppb   |
| Calcium    | 44-1  | 150518.29 | 158618.10 | 154601.74 | 154579.38  | 2.62    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 18.13     | 18.05     | 18.18     | 18.12      | 0.36    | ppb   |
| Cobalt     | 59-2  | 12.38     | 12.34     | 12.37     | 12.36      | 0.18    | ppb   |
| Copper     | 63-2  | 162.63    | 158.91    | 160.35    | 160.63     | 1.17    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 108        |         | %     |
| Holmium    | 165-2 |           |           |           | 101        |         | %     |
| Indium     | 115-1 |           |           |           | 100        |         | %     |
| Indium     | 115-2 |           |           |           | 94         |         | %     |
| Iron       | 56-2  | 14332.91  | 14316.77  | 14380.47  | 14343.38   | 0.23    | ppb   |
| Iron       | 57-2  | 15122.04  | 14987.23  | 14896.25  | 15001.84   | 0.76    | ppb   |
| Iron       | 54-2  | 14306.07  | 14320.77  | 14349.63  | 14325.49   | 0.15    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-01 Instrumnet Name : P7  
Client Sample ID : MH2GQ3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:23:35 DataFile Name : 054SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 1194.84  | 1197.08  | 1206.34  | 1199.42    | 0.51    | ppb   |
| Lead       | 207-1 | 1146.71  | 1173.96  | 1164.85  | 1161.84    | 1.19    | ppb   |
| Lead       | 208-1 | 1168.62  | 1180.70  | 1183.64  | 1177.65    | 0.68    | ppb   |
| Lithium    | 6-1   |          |          |          | 92         |         | %     |
| Magnesium  | 24-2  | 6785.39  | 6598.26  | 6768.85  | 6717.50    | 1.54    | ppb   |
| Manganese  | 55-2  | 1070.06  | 1058.14  | 1069.82  | 1066.00    | 0.64    | ppb   |
| Molybdenum | 94-1  | 4.85     | 4.96     | 4.97     | 4.93       | 1.28    | ppb   |
| Molybdenum | 95-1  | 0.70     | 0.73     | 0.72     | 0.72       | 2.04    | ppb   |
| Molybdenum | 96-1  | 1.19     | 1.21     | 1.22     | 1.21       | 1.14    | ppb   |
| Molybdenum | 97-1  | 0.66     | 0.71     | 0.69     | 0.69       | 3.27    | ppb   |
| Molybdenum | 98-1  | 0.70     | 0.69     | 0.71     | 0.70       | 1.27    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 22.97    | 22.81    | 22.79    | 22.86      | 0.43    | ppb   |
| Phosphorus | 31-2  | 5797.47  | 5720.00  | 5761.26  | 5759.58    | 0.67    | ppb   |
| Potassium  | 39-2  | 5365.76  | 5245.15  | 5284.92  | 5298.61    | 1.16    | ppb   |
| Rhodium    | 103-1 |          |          |          | 94         |         | %     |
| Rhodium    | 103-2 |          |          |          | 94         |         | %     |
| Scandium   | 45-1  |          |          |          | 92         |         | %     |
| Scandium   | 45-2  |          |          |          | 91         |         | %     |
| Selenium   | 82-1  | 0.89     | 0.99     | 0.86     | 0.91       | 7.85    | ppb   |
| Selenium   | 77-2  | 17.75    | 19.22    | 16.59    | 17.85      | 7.37    | ppb   |
| Selenium   | 78-2  | 3.43     | 3.05     | 3.71     | 3.40       | 9.75    | ppb   |
| Silicon    | 28-1  | 1127.91  | 1162.48  | 1150.99  | 1147.13    | 1.53    | ppb   |
| Silver     | 107-1 | 3.02     | 3.08     | 3.05     | 3.05       | 1.03    | ppb   |
| Silver     | 109-1 | 2.99     | 3.12     | 3.03     | 3.04       | 2.12    | ppb   |
| Sodium     | 23-2  | 464.91   | 458.84   | 462.59   | 462.11     | 0.66    | ppb   |
| Strontium  | 86-1  | 11143.91 | 11464.57 | 11093.19 | 11233.89   | 1.79    | ppb   |
| Strontium  | 88-1  | 11144.01 | 11321.04 | 11282.48 | 11249.17   | 0.83    | ppb   |
| Sulfur     | 34-1  | 610.31   | 712.83   | 691.92   | 671.69     | 8.07    | ppb   |
| Terbium    | 159-1 |          |          |          | 107        |         | %     |
| Terbium    | 159-2 |          |          |          | 101        |         | %     |
| Thallium   | 203-1 | 0.36     | 0.37     | 0.36     | 0.36       | 2.16    | ppb   |
| Thallium   | 205-1 | 0.36     | 0.37     | 0.37     | 0.37       | 0.77    | ppb   |
| Tin        | 118-1 | 15.21    | 15.68    | 15.50    | 15.46      | 1.55    | ppb   |
| Titanium   | 47-1  | 111.18   | 115.99   | 115.02   | 114.06     | 2.23    | ppb   |

LB Number :  
Lab Sample ID :  
Client Sample ID :  
Date & Time Acquired :

LB133687  
P4957-01  
MH2GQ3  
2024-11-27 19:23:35

Operator :  
Instrumnet Name :  
Dilution Factor :  
DataFile Name :

Jaswal  
P7  
1  
054SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.86    | 3.93    | 3.95    | 3.91       | 1.24    | ppb   |
| Vanadium  | 51-2  | 47.80   | 47.51   | 47.66   | 47.66      | 0.30    | ppb   |
| Yttrium   | 89-1  |         |         |         | 111        |         | %     |
| Yttrium   | 89-2  |         |         |         | 105        |         | %     |
| Zinc      | 66-2  | 1148.18 | 1108.68 | 1121.83 | 1126.23    | 1.79    | ppb   |
| Zirconium | 90-1  | 2.37    | 2.46    | 2.46    | 2.43       | 2.16    | ppb   |
| Zirconium | 91-1  | 2.41    | 2.44    | 2.49    | 2.45       | 1.60    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-02 Instrumnet Name : P7  
Client Sample ID : MH2GQ3D Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:26:34 DataFile Name : 055SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 11322.69  | 11283.54  | 11238.67  | 11281.63   | 0.37    | ppb   |
| Antimony   | 121-1 | 1.56      | 1.56      | 1.53      | 1.55       | 1.01    | ppb   |
| Arsenic    | 75-2  | 21.43     | 21.07     | 21.67     | 21.39      | 1.41    | ppb   |
| Barium     | 135-1 | 825.25    | 827.66    | 811.62    | 821.51     | 1.05    | ppb   |
| Barium     | 137-1 | 812.53    | 822.46    | 807.53    | 814.17     | 0.93    | ppb   |
| Beryllium  | 9-1   | 1.85      | 1.88      | 1.83      | 1.85       | 1.32    | ppb   |
| Bismuth    | 209-1 |           |           |           | 108        |         | %     |
| Bismuth    | 209-2 |           |           |           | 100        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 11.08     | 10.77     | 10.70     | 10.85      | 1.88    | ppb   |
| Cadmium    | 106-1 | 11.20     | 11.25     | 10.35     | 10.93      | 4.64    | ppb   |
| Cadmium    | 111-1 | 11.43     | 11.75     | 11.49     | 11.56      | 1.48    | ppb   |
| Calcium    | 43-1  | 157373.74 | 157465.09 | 158250.37 | 157696.40  | 0.31    | ppb   |
| Calcium    | 44-1  | 157560.35 | 156347.99 | 158151.81 | 157353.38  | 0.58    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 18.14     | 18.07     | 17.95     | 18.05      | 0.55    | ppb   |
| Cobalt     | 59-2  | 12.36     | 12.34     | 12.29     | 12.33      | 0.31    | ppb   |
| Copper     | 63-2  | 165.12    | 162.63    | 163.21    | 163.65     | 0.80    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 107        |         | %     |
| Holmium    | 165-2 |           |           |           | 101        |         | %     |
| Indium     | 115-1 |           |           |           | 99         |         | %     |
| Indium     | 115-2 |           |           |           | 92         |         | %     |
| Iron       | 56-2  | 14197.31  | 14261.60  | 14240.95  | 14233.29   | 0.23    | ppb   |
| Iron       | 57-2  | 15014.24  | 14840.45  | 14920.28  | 14924.99   | 0.58    | ppb   |
| Iron       | 54-2  | 14557.90  | 14172.71  | 14233.20  | 14321.27   | 1.45    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-02 Instrumnet Name : P7  
Client Sample ID : MH2GQ3D Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:26:34 DataFile Name : 055SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 1226.29  | 1214.23  | 1204.58  | 1215.03    | 0.90    | ppb   |
| Lead       | 207-1 | 1185.08  | 1187.31  | 1173.98  | 1182.13    | 0.60    | ppb   |
| Lead       | 208-1 | 1195.61  | 1198.75  | 1186.73  | 1193.70    | 0.52    | ppb   |
| Lithium    | 6-1   |          |          |          | 92         |         | %     |
| Magnesium  | 24-2  | 6777.67  | 6756.44  | 6745.68  | 6759.93    | 0.24    | ppb   |
| Manganese  | 55-2  | 1071.59  | 1060.48  | 1056.25  | 1062.77    | 0.75    | ppb   |
| Molybdenum | 94-1  | 4.94     | 4.98     | 4.98     | 4.96       | 0.49    | ppb   |
| Molybdenum | 95-1  | 0.71     | 0.71     | 0.73     | 0.72       | 1.48    | ppb   |
| Molybdenum | 96-1  | 1.22     | 1.21     | 1.23     | 1.22       | 0.75    | ppb   |
| Molybdenum | 97-1  | 0.70     | 0.71     | 0.71     | 0.71       | 1.45    | ppb   |
| Molybdenum | 98-1  | 0.71     | 0.71     | 0.71     | 0.71       | 0.30    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 23.19    | 23.14    | 23.03    | 23.12      | 0.36    | ppb   |
| Phosphorus | 31-2  | 5792.84  | 5758.94  | 5735.43  | 5762.40    | 0.50    | ppb   |
| Potassium  | 39-2  | 5354.82  | 5341.27  | 5232.43  | 5309.51    | 1.26    | ppb   |
| Rhodium    | 103-1 |          |          |          | 94         |         | %     |
| Rhodium    | 103-2 |          |          |          | 93         |         | %     |
| Scandium   | 45-1  |          |          |          | 92         |         | %     |
| Scandium   | 45-2  |          |          |          | 91         |         | %     |
| Selenium   | 82-1  | 0.98     | 1.10     | 1.08     | 1.05       | 6.18    | ppb   |
| Selenium   | 77-2  | 15.21    | 18.34    | 16.68    | 16.74      | 9.36    | ppb   |
| Selenium   | 78-2  | 3.32     | 3.52     | 3.49     | 3.44       | 3.22    | ppb   |
| Silicon    | 28-1  | 1181.02  | 1181.57  | 1187.47  | 1183.35    | 0.30    | ppb   |
| Silver     | 107-1 | 3.10     | 3.07     | 3.07     | 3.08       | 0.58    | ppb   |
| Silver     | 109-1 | 3.07     | 3.09     | 3.09     | 3.08       | 0.35    | ppb   |
| Sodium     | 23-2  | 462.00   | 466.60   | 464.08   | 464.23     | 0.50    | ppb   |
| Strontium  | 86-1  | 11365.54 | 11450.39 | 11475.42 | 11430.45   | 0.50    | ppb   |
| Strontium  | 88-1  | 11380.00 | 11480.56 | 11398.93 | 11419.83   | 0.47    | ppb   |
| Sulfur     | 34-1  | 697.50   | 706.34   | 697.67   | 700.50     | 0.72    | ppb   |
| Terbium    | 159-1 |          |          |          | 107        |         | %     |
| Terbium    | 159-2 |          |          |          | 100        |         | %     |
| Thallium   | 203-1 | 0.37     | 0.36     | 0.37     | 0.37       | 1.65    | ppb   |
| Thallium   | 205-1 | 0.36     | 0.36     | 0.37     | 0.37       | 0.82    | ppb   |
| Tin        | 118-1 | 15.63    | 15.89    | 15.86    | 15.80      | 0.92    | ppb   |
| Titanium   | 47-1  | 115.17   | 115.27   | 114.85   | 115.09     | 0.19    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-02

Instrumnet Name :P7

Client Sample ID :MH2GQ3D

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:26:34

DataFile Name :055SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.95    | 3.96    | 3.89    | 3.93       | 1.02    | ppb   |
| Vanadium  | 51-2  | 47.39   | 47.98   | 47.88   | 47.75      | 0.67    | ppb   |
| Yttrium   | 89-1  |         |         |         | 110        |         | %     |
| Yttrium   | 89-2  |         |         |         | 105        |         | %     |
| Zinc      | 66-2  | 1146.64 | 1120.69 | 1109.61 | 1125.65    | 1.69    | ppb   |
| Zirconium | 90-1  | 2.43    | 2.48    | 2.48    | 2.46       | 1.24    | ppb   |
| Zirconium | 91-1  | 2.45    | 2.47    | 2.49    | 2.47       | 0.96    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-01LX5 Instrumnet Name : P7  
Client Sample ID : MH2GQ3L Dilution Factor : 5  
Date & Time Acquired : 2024-11-27 19:29:34 DataFile Name : 056SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Aluminium  | 27-2  | 2288.70  | 2278.72  | 2207.74  | 2258.39    | 1.95    | ppb   |
| Antimony   | 121-1 | 0.31     | 0.32     | 0.31     | 0.31       | 1.56    | ppb   |
| Arsenic    | 75-2  | 4.94     | 4.94     | 4.66     | 4.85       | 3.34    | ppb   |
| Barium     | 135-1 | 158.63   | 159.80   | 158.91   | 159.11     | 0.38    | ppb   |
| Barium     | 137-1 | 161.30   | 161.61   | 161.29   | 161.40     | 0.11    | ppb   |
| Beryllium  | 9-1   | 0.37     | 0.31     | 0.37     | 0.35       | 9.81    | ppb   |
| Bismuth    | 209-1 |          |          |          | 105        |         | %     |
| Bismuth    | 209-2 |          |          |          | 98         |         | %     |
| Bromine    | 81-1  |          |          |          |            |         | cps   |
| Bromine    | 81-2  |          |          |          |            |         | cps   |
| Cadmium    | 108-1 | 2.13     | 2.26     | 2.27     | 2.22       | 3.60    | ppb   |
| Cadmium    | 106-1 | 2.06     | 1.95     | 1.60     | 1.87       | 12.88   | ppb   |
| Cadmium    | 111-1 | 2.27     | 2.31     | 2.22     | 2.27       | 1.97    | ppb   |
| Calcium    | 43-1  | 30649.54 | 30808.67 | 30855.65 | 30771.29   | 0.35    | ppb   |
| Calcium    | 44-1  | 30345.97 | 30581.01 | 30869.43 | 30598.80   | 0.86    | ppb   |
| Carbon     | 12-1  |          |          |          |            |         | cps   |
| Carbon     | 12-2  |          |          |          |            |         | cps   |
| Chlorine   | 35-1  |          |          |          |            |         | cps   |
| Chlorine   | 35-2  |          |          |          |            |         | cps   |
| Chromium   | 52-2  | 3.72     | 3.73     | 3.52     | 3.66       | 3.18    | ppb   |
| Cobalt     | 59-2  | 2.57     | 2.51     | 2.45     | 2.51       | 2.48    | ppb   |
| Copper     | 63-2  | 34.35    | 33.75    | 32.71    | 33.60      | 2.46    | ppb   |
| Dysprosium | 156-1 |          |          |          |            |         | cps   |
| Dysprosium | 156-2 |          |          |          |            |         | cps   |
| Erbium     | 164-1 |          |          |          |            |         | cps   |
| Erbium     | 164-2 |          |          |          |            |         | cps   |
| Gadolinium | 160-1 |          |          |          |            |         | cps   |
| Gadolinium | 160-2 |          |          |          |            |         | cps   |
| Holmium    | 165-1 |          |          |          | 103        |         | %     |
| Holmium    | 165-2 |          |          |          | 98         |         | %     |
| Indium     | 115-1 |          |          |          | 98         |         | %     |
| Indium     | 115-2 |          |          |          | 92         |         | %     |
| Iron       | 56-2  | 2935.26  | 2899.87  | 2820.07  | 2885.07    | 2.05    | ppb   |
| Iron       | 57-2  | 3149.31  | 3139.79  | 3052.63  | 3113.91    | 1.71    | ppb   |
| Iron       | 54-2  | 3068.41  | 3046.94  | 2968.09  | 3027.81    | 1.74    | ppb   |
| Krypton    | 83-1  |          |          |          |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-01LX5 Instrumnet Name : P7  
Client Sample ID : MH2GQ3L Dilution Factor : 5  
Date & Time Acquired : 2024-11-27 19:29:34 DataFile Name : 056SMPL.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 235.26  | 235.03  | 235.08  | 235.12     | 0.05    | ppb   |
| Lead       | 207-1 | 232.23  | 228.86  | 228.57  | 229.88     | 0.88    | ppb   |
| Lead       | 208-1 | 229.78  | 232.17  | 229.57  | 230.51     | 0.63    | ppb   |
| Lithium    | 6-1   |         |         |         | 89         |         | %     |
| Magnesium  | 24-2  | 1349.82 | 1332.06 | 1291.82 | 1324.57    | 2.24    | ppb   |
| Manganese  | 55-2  | 221.52  | 215.04  | 210.83  | 215.80     | 2.49    | ppb   |
| Molybdenum | 94-1  | 1.06    | 0.99    | 0.99    | 1.01       | 4.09    | ppb   |
| Molybdenum | 95-1  | 0.15    | 0.15    | 0.15    | 0.15       | 0.76    | ppb   |
| Molybdenum | 96-1  | 0.27    | 0.24    | 0.26    | 0.26       | 4.38    | ppb   |
| Molybdenum | 97-1  | 0.16    | 0.16    | 0.14    | 0.15       | 5.28    | ppb   |
| Molybdenum | 98-1  | 0.16    | 0.15    | 0.15    | 0.16       | 1.78    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 5.27    | 5.08    | 5.00    | 5.11       | 2.74    | ppb   |
| Phosphorus | 31-2  | 1169.81 | 1135.13 | 1136.37 | 1147.10    | 1.72    | ppb   |
| Potassium  | 39-2  | 1145.70 | 1134.06 | 1101.89 | 1127.21    | 2.01    | ppb   |
| Rhodium    | 103-1 |         |         |         | 95         |         | %     |
| Rhodium    | 103-2 |         |         |         | 92         |         | %     |
| Scandium   | 45-1  |         |         |         | 90         |         | %     |
| Scandium   | 45-2  |         |         |         | 88         |         | %     |
| Selenium   | 82-1  | -0.26   | 0.14    | -0.36   | -0.16      |         | ppb   |
| Selenium   | 77-2  | 3.98    | 3.92    | 2.96    | 3.62       | 15.78   | ppb   |
| Selenium   | 78-2  | 0.22    | 0.68    | 0.08    | 0.33       | 95.40   | ppb   |
| Silicon    | 28-1  | 226.38  | 229.15  | 227.57  | 227.70     | 0.61    | ppb   |
| Silver     | 107-1 | 0.61    | 0.62    | 0.61    | 0.62       | 0.51    | ppb   |
| Silver     | 109-1 | 0.60    | 0.61    | 0.61    | 0.60       | 1.34    | ppb   |
| Sodium     | 23-2  | 113.37  | 111.13  | 107.65  | 110.72     | 2.60    | ppb   |
| Strontium  | 86-1  | 2412.38 | 2397.25 | 2425.63 | 2411.76    | 0.59    | ppb   |
| Strontium  | 88-1  | 2402.95 | 2396.38 | 2427.45 | 2408.92    | 0.68    | ppb   |
| Sulfur     | 34-1  | 189.54  | 294.08  | 272.61  | 252.08     | 21.90   | ppb   |
| Terbium    | 159-1 |         |         |         | 103        |         | %     |
| Terbium    | 159-2 |         |         |         | 97         |         | %     |
| Thallium   | 203-1 | 0.07    | 0.07    | 0.07    | 0.07       | 2.72    | ppb   |
| Thallium   | 205-1 | 0.08    | 0.08    | 0.07    | 0.08       | 2.40    | ppb   |
| Tin        | 118-1 | 2.97    | 3.00    | 2.95    | 2.97       | 0.83    | ppb   |
| Titanium   | 47-1  | 21.99   | 22.50   | 22.50   | 22.33      | 1.32    | ppb   |



LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-01LX5

Instrumnet Name :P7

Client Sample ID :MH2GQ3L

Dilution Factor :5

Date & Time Acquired :2024-11-27 19:29:34

DataFile Name :056SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.74    | 0.76    | 0.75    | 0.75       | 1.00    | ppb   |
| Vanadium  | 51-2  | 9.70    | 9.60    | 9.36    | 9.55       | 1.79    | ppb   |
| Yttrium   | 89-1  |         |         |         | 99         |         | %     |
| Yttrium   | 89-2  |         |         |         | 93         |         | %     |
| Zinc      | 66-2  | 237.23  | 231.21  | 227.30  | 231.91     | 2.16    | ppb   |
| Zirconium | 90-1  | 0.50    | 0.50    | 0.49    | 0.50       | 1.12    | ppb   |
| Zirconium | 91-1  | 0.50    | 0.47    | 0.51    | 0.49       | 4.42    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-03 Instrumnet Name : P7  
Client Sample ID : MH2GQ3S Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:32:41 DataFile Name : 057SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 11817.94  | 11854.46  | 11628.88  | 11767.09   | 1.03    | ppb   |
| Antimony   | 121-1 | 20.69     | 20.98     | 21.17     | 20.94      | 1.16    | ppb   |
| Arsenic    | 75-2  | 28.56     | 28.46     | 28.96     | 28.66      | 0.92    | ppb   |
| Barium     | 135-1 | 1190.01   | 1201.75   | 1192.47   | 1194.74    | 0.52    | ppb   |
| Barium     | 137-1 | 1193.47   | 1210.00   | 1210.42   | 1204.63    | 0.80    | ppb   |
| Beryllium  | 9-1   | 11.90     | 11.66     | 11.74     | 11.76      | 1.06    | ppb   |
| Bismuth    | 209-1 |           |           |           | 105        |         | %     |
| Bismuth    | 209-2 |           |           |           | 99         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 18.93     | 19.81     | 19.15     | 19.30      | 2.39    | ppb   |
| Cadmium    | 106-1 | 19.26     | 19.42     | 19.36     | 19.35      | 0.43    | ppb   |
| Cadmium    | 111-1 | 21.31     | 21.28     | 21.21     | 21.26      | 0.22    | ppb   |
| Calcium    | 43-1  | 156281.66 | 157103.44 | 155722.23 | 156369.11  | 0.44    | ppb   |
| Calcium    | 44-1  | 155176.20 | 155761.76 | 155758.92 | 155565.63  | 0.22    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 57.11     | 57.71     | 56.59     | 57.14      | 0.98    | ppb   |
| Cobalt     | 59-2  | 110.71    | 107.14    | 107.69    | 108.51     | 1.77    | ppb   |
| Copper     | 63-2  | 207.79    | 207.72    | 207.30    | 207.60     | 0.13    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 105        |         | %     |
| Holmium    | 165-2 |           |           |           | 100        |         | %     |
| Indium     | 115-1 |           |           |           | 98         |         | %     |
| Indium     | 115-2 |           |           |           | 92         |         | %     |
| Iron       | 56-2  | 14615.47  | 14638.62  | 14538.08  | 14597.39   | 0.36    | ppb   |
| Iron       | 57-2  | 15544.83  | 15442.93  | 15270.17  | 15419.31   | 0.90    | ppb   |
| Iron       | 54-2  | 14789.49  | 14892.95  | 14682.90  | 14788.45   | 0.71    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-03 Instrumnet Name : P7  
Client Sample ID : MH2GQ3S Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:32:41 DataFile Name : 057SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 1192.52  | 1216.59  | 1220.72  | 1209.95    | 1.26    | ppb   |
| Lead       | 207-1 | 1160.64  | 1185.23  | 1185.27  | 1177.05    | 1.21    | ppb   |
| Lead       | 208-1 | 1175.10  | 1194.35  | 1190.82  | 1186.76    | 0.86    | ppb   |
| Lithium    | 6-1   |          |          |          | 90         |         | %     |
| Magnesium  | 24-2  | 6859.25  | 6821.02  | 6826.32  | 6835.53    | 0.30    | ppb   |
| Manganese  | 55-2  | 1154.67  | 1166.95  | 1156.12  | 1159.25    | 0.58    | ppb   |
| Molybdenum | 94-1  | 4.92     | 4.95     | 4.95     | 4.94       | 0.31    | ppb   |
| Molybdenum | 95-1  | 0.71     | 0.72     | 0.72     | 0.72       | 1.03    | ppb   |
| Molybdenum | 96-1  | 1.17     | 1.22     | 1.22     | 1.20       | 2.53    | ppb   |
| Molybdenum | 97-1  | 0.71     | 0.71     | 0.70     | 0.71       | 1.02    | ppb   |
| Molybdenum | 98-1  | 0.67     | 0.71     | 0.70     | 0.69       | 3.03    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 120.28   | 120.60   | 119.68   | 120.19     | 0.39    | ppb   |
| Phosphorus | 31-2  | 5738.30  | 5777.23  | 5663.06  | 5726.20    | 1.01    | ppb   |
| Potassium  | 39-2  | 5368.34  | 5430.74  | 5404.77  | 5401.28    | 0.58    | ppb   |
| Rhodium    | 103-1 |          |          |          | 93         |         | %     |
| Rhodium    | 103-2 |          |          |          | 92         |         | %     |
| Scandium   | 45-1  |          |          |          | 91         |         | %     |
| Scandium   | 45-2  |          |          |          | 90         |         | %     |
| Selenium   | 82-1  | 18.53    | 18.82    | 18.99    | 18.78      | 1.22    | ppb   |
| Selenium   | 77-2  | 33.20    | 33.63    | 34.88    | 33.90      | 2.58    | ppb   |
| Selenium   | 78-2  | 21.35    | 21.99    | 21.00    | 21.45      | 2.32    | ppb   |
| Silicon    | 28-1  | 1220.93  | 1218.04  | 1224.98  | 1221.32    | 0.29    | ppb   |
| Silver     | 107-1 | 12.33    | 12.64    | 12.46    | 12.48      | 1.24    | ppb   |
| Silver     | 109-1 | 12.33    | 12.43    | 12.46    | 12.41      | 0.57    | ppb   |
| Sodium     | 23-2  | 460.95   | 462.29   | 457.98   | 460.40     | 0.48    | ppb   |
| Strontium  | 86-1  | 11194.27 | 11495.66 | 11303.13 | 11331.02   | 1.35    | ppb   |
| Strontium  | 88-1  | 11193.59 | 11347.68 | 11428.20 | 11323.16   | 1.05    | ppb   |
| Sulfur     | 34-1  | 721.92   | 702.93   | 706.76   | 710.53     | 1.41    | ppb   |
| Terbium    | 159-1 |          |          |          | 104        |         | %     |
| Terbium    | 159-2 |          |          |          | 99         |         | %     |
| Thallium   | 203-1 | 9.62     | 9.70     | 9.64     | 9.65       | 0.43    | ppb   |
| Thallium   | 205-1 | 9.47     | 9.72     | 9.72     | 9.64       | 1.50    | ppb   |
| Tin        | 118-1 | 15.32    | 15.70    | 15.38    | 15.47      | 1.31    | ppb   |
| Titanium   | 47-1  | 116.16   | 117.51   | 117.05   | 116.91     | 0.59    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-03

Instrumnet Name :P7

Client Sample ID :MH2GQ3S

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:32:41

DataFile Name :057SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.90    | 3.99    | 3.98    | 3.96       | 1.31    | ppb   |
| Vanadium  | 51-2  | 142.80  | 144.03  | 142.24  | 143.02     | 0.64    | ppb   |
| Yttrium   | 89-1  |         |         |         | 108        |         | %     |
| Yttrium   | 89-2  |         |         |         | 104        |         | %     |
| Zinc      | 66-2  | 1237.82 | 1215.73 | 1230.52 | 1228.02    | 0.92    | ppb   |
| Zirconium | 90-1  | 2.39    | 2.48    | 2.44    | 2.43       | 1.84    | ppb   |
| Zirconium | 91-1  | 2.33    | 2.48    | 2.45    | 2.42       | 3.26    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-04 Instrumnet Name : P7  
Client Sample ID : MH2GS3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:35:40 DataFile Name : 058SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 12169.48  | 12148.53  | 12247.52  | 12188.51   | 0.43    | ppb   |
| Antimony   | 121-1 | 0.68      | 0.71      | 0.69      | 0.69       | 1.55    | ppb   |
| Arsenic    | 75-2  | 17.71     | 17.40     | 17.22     | 17.44      | 1.43    | ppb   |
| Barium     | 135-1 | 771.83    | 799.59    | 806.18    | 792.53     | 2.30    | ppb   |
| Barium     | 137-1 | 764.83    | 791.97    | 798.16    | 784.99     | 2.26    | ppb   |
| Beryllium  | 9-1   | 1.46      | 1.50      | 1.53      | 1.49       | 2.14    | ppb   |
| Bismuth    | 209-1 |           |           |           | 106        |         | %     |
| Bismuth    | 209-2 |           |           |           | 98         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 5.21      | 5.47      | 5.59      | 5.43       | 3.56    | ppb   |
| Cadmium    | 106-1 | 6.05      | 5.84      | 6.49      | 6.12       | 5.47    | ppb   |
| Cadmium    | 111-1 | 5.83      | 6.14      | 6.14      | 6.04       | 2.91    | ppb   |
| Calcium    | 43-1  | 215521.62 | 222068.23 | 224261.16 | 220617.00  | 2.06    | ppb   |
| Calcium    | 44-1  | 214443.23 | 219726.40 | 222411.87 | 218860.50  | 1.85    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 15.72     | 15.81     | 15.90     | 15.81      | 0.57    | ppb   |
| Cobalt     | 59-2  | 13.14     | 13.09     | 13.04     | 13.09      | 0.38    | ppb   |
| Copper     | 63-2  | 73.83     | 73.23     | 73.38     | 73.48      | 0.42    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 106        |         | %     |
| Holmium    | 165-2 |           |           |           | 100        |         | %     |
| Indium     | 115-1 |           |           |           | 99         |         | %     |
| Indium     | 115-2 |           |           |           | 92         |         | %     |
| Iron       | 56-2  | 17359.74  | 17418.89  | 17412.87  | 17397.17   | 0.19    | ppb   |
| Iron       | 57-2  | 18508.45  | 18274.61  | 18502.82  | 18428.62   | 0.72    | ppb   |
| Iron       | 54-2  | 17503.00  | 17491.79  | 17496.81  | 17497.20   | 0.03    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-04 Instrumnet Name : P7  
Client Sample ID : MH2GS3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:35:40 DataFile Name : 058SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 355.81   | 368.93   | 365.59   | 363.44     | 1.88    | ppb   |
| Lead       | 207-1 | 348.86   | 358.26   | 362.63   | 356.58     | 1.97    | ppb   |
| Lead       | 208-1 | 351.38   | 362.99   | 363.46   | 359.28     | 1.91    | ppb   |
| Lithium    | 6-1   |          |          |          | 87         |         | %     |
| Magnesium  | 24-2  | 8909.61  | 8967.53  | 8935.24  | 8937.46    | 0.32    | ppb   |
| Manganese  | 55-2  | 690.33   | 681.77   | 683.97   | 685.36     | 0.65    | ppb   |
| Molybdenum | 94-1  | 4.36     | 4.58     | 4.46     | 4.47       | 2.49    | ppb   |
| Molybdenum | 95-1  | 1.10     | 1.13     | 1.13     | 1.12       | 1.84    | ppb   |
| Molybdenum | 96-1  | 1.49     | 1.57     | 1.54     | 1.53       | 2.43    | ppb   |
| Molybdenum | 97-1  | 1.04     | 1.14     | 1.12     | 1.10       | 4.93    | ppb   |
| Molybdenum | 98-1  | 1.08     | 1.13     | 1.12     | 1.11       | 2.23    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 31.74    | 31.84    | 31.82    | 31.80      | 0.17    | ppb   |
| Phosphorus | 31-2  | 3037.12  | 3062.78  | 3017.92  | 3039.27    | 0.74    | ppb   |
| Potassium  | 39-2  | 2653.52  | 2629.54  | 2696.36  | 2659.81    | 1.27    | ppb   |
| Rhodium    | 103-1 |          |          |          | 93         |         | %     |
| Rhodium    | 103-2 |          |          |          | 91         |         | %     |
| Scandium   | 45-1  |          |          |          | 91         |         | %     |
| Scandium   | 45-2  |          |          |          | 91         |         | %     |
| Selenium   | 82-1  | 0.66     | 0.63     | 0.57     | 0.62       | 7.52    | ppb   |
| Selenium   | 77-2  | 19.19    | 20.72    | 18.23    | 19.38      | 6.48    | ppb   |
| Selenium   | 78-2  | 3.18     | 3.90     | 3.64     | 3.57       | 10.11   | ppb   |
| Silicon    | 28-1  | 1049.88  | 1083.64  | 1094.52  | 1076.01    | 2.16    | ppb   |
| Silver     | 107-1 | 1.14     | 1.19     | 1.18     | 1.17       | 2.23    | ppb   |
| Silver     | 109-1 | 1.17     | 1.19     | 1.20     | 1.19       | 1.66    | ppb   |
| Sodium     | 23-2  | 440.80   | 438.89   | 441.48   | 440.39     | 0.30    | ppb   |
| Strontium  | 86-1  | 12110.06 | 12529.83 | 12447.13 | 12362.34   | 1.80    | ppb   |
| Strontium  | 88-1  | 12081.23 | 12597.73 | 12373.91 | 12350.96   | 2.10    | ppb   |
| Sulfur     | 34-1  | 535.11   | 639.40   | 666.42   | 613.64     | 11.30   | ppb   |
| Terbium    | 159-1 |          |          |          | 106        |         | %     |
| Terbium    | 159-2 |          |          |          | 100        |         | %     |
| Thallium   | 203-1 | 0.44     | 0.46     | 0.46     | 0.45       | 2.99    | ppb   |
| Thallium   | 205-1 | 0.44     | 0.46     | 0.46     | 0.45       | 3.11    | ppb   |
| Tin        | 118-1 | 4.71     | 4.92     | 4.91     | 4.85       | 2.46    | ppb   |
| Titanium   | 47-1  | 98.47    | 101.77   | 101.94   | 100.73     | 1.94    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-04

Instrumnet Name :P7

Client Sample ID :MH2GS3

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:35:40

DataFile Name :058SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 5.29    | 5.50    | 5.56    | 5.45       | 2.66    | ppb   |
| Vanadium  | 51-2  | 67.40   | 66.98   | 67.47   | 67.29      | 0.39    | ppb   |
| Yttrium   | 89-1  |         |         |         | 110        |         | %     |
| Yttrium   | 89-2  |         |         |         | 105        |         | %     |
| Zinc      | 66-2  | 399.99  | 400.73  | 399.02  | 399.91     | 0.21    | ppb   |
| Zirconium | 90-1  | 1.91    | 1.98    | 1.97    | 1.96       | 1.92    | ppb   |
| Zirconium | 91-1  | 1.88    | 2.01    | 2.03    | 1.97       | 4.08    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-05 Instrumnet Name : P7  
Client Sample ID : MH2GS4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:38:41 DataFile Name : 059SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Aluminium  | 27-2  | 10226.16 | 10084.25 | 10194.93 | 10168.45   | 0.73    | ppb   |
| Antimony   | 121-1 | 1.06     | 1.12     | 1.12     | 1.10       | 2.87    | ppb   |
| Arsenic    | 75-2  | 12.84    | 12.57    | 12.92    | 12.77      | 1.45    | ppb   |
| Barium     | 135-1 | 546.92   | 550.54   | 556.62   | 551.36     | 0.89    | ppb   |
| Barium     | 137-1 | 544.42   | 540.57   | 545.61   | 543.53     | 0.49    | ppb   |
| Beryllium  | 9-1   | 1.52     | 1.38     | 1.40     | 1.43       | 5.41    | ppb   |
| Bismuth    | 209-1 |          |          |          | 107        |         | %     |
| Bismuth    | 209-2 |          |          |          | 102        |         | %     |
| Bromine    | 81-1  |          |          |          |            |         | cps   |
| Bromine    | 81-2  |          |          |          |            |         | cps   |
| Cadmium    | 108-1 | 8.83     | 8.79     | 8.88     | 8.83       | 0.49    | ppb   |
| Cadmium    | 106-1 | 9.08     | 8.71     | 8.77     | 8.85       | 2.21    | ppb   |
| Cadmium    | 111-1 | 8.58     | 8.57     | 8.71     | 8.62       | 0.88    | ppb   |
| Calcium    | 43-1  | 97573.55 | 96005.25 | 96378.35 | 96652.39   | 0.85    | ppb   |
| Calcium    | 44-1  | 96219.75 | 96539.69 | 96021.40 | 96260.28   | 0.27    | ppb   |
| Carbon     | 12-1  |          |          |          |            |         | cps   |
| Carbon     | 12-2  |          |          |          |            |         | cps   |
| Chlorine   | 35-1  |          |          |          |            |         | cps   |
| Chlorine   | 35-2  |          |          |          |            |         | cps   |
| Chromium   | 52-2  | 26.26    | 26.10    | 26.44    | 26.27      | 0.65    | ppb   |
| Cobalt     | 59-2  | 9.72     | 10.35    | 9.81     | 9.96       | 3.43    | ppb   |
| Copper     | 63-2  | 105.33   | 108.39   | 106.63   | 106.78     | 1.44    | ppb   |
| Dysprosium | 156-1 |          |          |          |            |         | cps   |
| Dysprosium | 156-2 |          |          |          |            |         | cps   |
| Erbium     | 164-1 |          |          |          |            |         | cps   |
| Erbium     | 164-2 |          |          |          |            |         | cps   |
| Gadolinium | 160-1 |          |          |          |            |         | cps   |
| Gadolinium | 160-2 |          |          |          |            |         | cps   |
| Holmium    | 165-1 |          |          |          | 106        |         | %     |
| Holmium    | 165-2 |          |          |          | 103        |         | %     |
| Indium     | 115-1 |          |          |          | 99         |         | %     |
| Indium     | 115-2 |          |          |          | 94         |         | %     |
| Iron       | 56-2  | 16923.96 | 16736.31 | 17040.44 | 16900.24   | 0.91    | ppb   |
| Iron       | 57-2  | 17223.11 | 17021.40 | 17164.86 | 17136.46   | 0.61    | ppb   |
| Iron       | 54-2  | 17141.92 | 16699.45 | 17205.61 | 17015.66   | 1.62    | ppb   |
| Krypton    | 83-1  |          |          |          |            |         | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-05 Instrumnet Name : P7  
Client Sample ID : MH2GS4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:38:41 DataFile Name : 059SMPL.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 722.51  | 719.50  | 718.88  | 720.30     | 0.27    | ppb   |
| Lead       | 207-1 | 700.33  | 700.79  | 695.66  | 698.93     | 0.41    | ppb   |
| Lead       | 208-1 | 705.37  | 709.55  | 708.37  | 707.76     | 0.30    | ppb   |
| Lithium    | 6-1   |         |         |         | 87         |         | %     |
| Magnesium  | 24-2  | 8127.70 | 8588.71 | 8157.07 | 8291.16    | 3.11    | ppb   |
| Manganese  | 55-2  | 1135.19 | 1117.75 | 1149.98 | 1134.31    | 1.42    | ppb   |
| Molybdenum | 94-1  | 5.57    | 5.63    | 5.70    | 5.63       | 1.10    | ppb   |
| Molybdenum | 95-1  | 0.97    | 0.95    | 0.92    | 0.95       | 2.67    | ppb   |
| Molybdenum | 96-1  | 1.51    | 1.52    | 1.51    | 1.51       | 0.42    | ppb   |
| Molybdenum | 97-1  | 0.98    | 0.96    | 0.94    | 0.96       | 2.06    | ppb   |
| Molybdenum | 98-1  | 0.97    | 0.94    | 0.94    | 0.95       | 1.43    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 18.90   | 19.36   | 18.89   | 19.05      | 1.40    | ppb   |
| Phosphorus | 31-2  | 4297.44 | 4232.66 | 4368.22 | 4299.44    | 1.58    | ppb   |
| Potassium  | 39-2  | 4165.47 | 4183.03 | 4171.06 | 4173.19    | 0.21    | ppb   |
| Rhodium    | 103-1 |         |         |         | 95         |         | %     |
| Rhodium    | 103-2 |         |         |         | 94         |         | %     |
| Scandium   | 45-1  |         |         |         | 89         |         | %     |
| Scandium   | 45-2  |         |         |         | 92         |         | %     |
| Selenium   | 82-1  | 0.77    | 0.94    | 0.47    | 0.72       | 32.98   | ppb   |
| Selenium   | 77-2  | 14.65   | 14.46   | 13.63   | 14.25      | 3.80    | ppb   |
| Selenium   | 78-2  | 3.16    | 3.61    | 3.85    | 3.54       | 9.87    | ppb   |
| Silicon    | 28-1  | 1322.19 | 1307.39 | 1299.08 | 1309.55    | 0.89    | ppb   |
| Silver     | 107-1 | 1.90    | 1.88    | 1.92    | 1.90       | 1.03    | ppb   |
| Silver     | 109-1 | 1.89    | 1.85    | 1.91    | 1.88       | 1.62    | ppb   |
| Sodium     | 23-2  | 416.69  | 694.39  | 434.86  | 515.32     | 30.15   | ppb   |
| Strontium  | 86-1  | 8578.01 | 8488.43 | 8485.77 | 8517.40    | 0.62    | ppb   |
| Strontium  | 88-1  | 8524.09 | 8467.05 | 8413.31 | 8468.15    | 0.65    | ppb   |
| Sulfur     | 34-1  | 936.65  | 875.64  | 873.26  | 895.18     | 4.01    | ppb   |
| Terbium    | 159-1 |         |         |         | 105        |         | %     |
| Terbium    | 159-2 |         |         |         | 102        |         | %     |
| Thallium   | 203-1 | 0.30    | 0.31    | 0.31    | 0.31       | 0.88    | ppb   |
| Thallium   | 205-1 | 0.31    | 0.32    | 0.31    | 0.32       | 2.29    | ppb   |
| Tin        | 118-1 | 12.90   | 13.11   | 13.11   | 13.04      | 0.92    | ppb   |
| Titanium   | 47-1  | 180.21  | 177.30  | 179.41  | 178.97     | 0.84    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-05

Instrumnet Name :P7

Client Sample ID :MH2GS4

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:38:41

DataFile Name :059SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 2.45    | 2.52    | 2.48    | 2.48       | 1.25    | ppb   |
| Vanadium  | 51-2  | 38.34   | 38.73   | 38.70   | 38.59      | 0.56    | ppb   |
| Yttrium   | 89-1  |         |         |         | 107        |         | %     |
| Yttrium   | 89-2  |         |         |         | 104        |         | %     |
| Zinc      | 66-2  | 1560.11 | 1514.81 | 1532.07 | 1535.66    | 1.49    | ppb   |
| Zirconium | 90-1  | 2.68    | 2.68    | 2.68    | 2.68       | 0.08    | ppb   |
| Zirconium | 91-1  | 2.71    | 2.75    | 2.72    | 2.73       | 0.78    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-06 Instrumnet Name : P7  
Client Sample ID : MH2GS5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:41:42 DataFile Name : 060SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 9115.63   | 9256.63   | 9333.64   | 9235.30    | 1.20    | ppb   |
| Antimony   | 121-1 | 1.11      | 1.13      | 1.13      | 1.12       | 1.32    | ppb   |
| Arsenic    | 75-2  | 25.69     | 25.93     | 25.14     | 25.58      | 1.59    | ppb   |
| Barium     | 135-1 | 500.74    | 500.97    | 495.87    | 499.19     | 0.58    | ppb   |
| Barium     | 137-1 | 504.61    | 498.36    | 492.53    | 498.50     | 1.21    | ppb   |
| Beryllium  | 9-1   | 1.37      | 1.37      | 1.37      | 1.37       | 0.26    | ppb   |
| Bismuth    | 209-1 |           |           |           | 108        |         | %     |
| Bismuth    | 209-2 |           |           |           | 101        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 9.71      | 9.74      | 10.41     | 9.96       | 3.98    | ppb   |
| Cadmium    | 106-1 | 10.73     | 10.30     | 9.59      | 10.21      | 5.63    | ppb   |
| Cadmium    | 111-1 | 10.99     | 11.05     | 10.76     | 10.93      | 1.41    | ppb   |
| Calcium    | 43-1  | 104549.40 | 105053.77 | 105634.82 | 105079.33  | 0.52    | ppb   |
| Calcium    | 44-1  | 104821.83 | 105355.77 | 105375.64 | 105184.42  | 0.30    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 13.80     | 14.18     | 14.10     | 14.03      | 1.43    | ppb   |
| Cobalt     | 59-2  | 10.27     | 10.34     | 10.44     | 10.35      | 0.81    | ppb   |
| Copper     | 63-2  | 146.51    | 145.25    | 146.93    | 146.23     | 0.60    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 108        |         | %     |
| Holmium    | 165-2 |           |           |           | 103        |         | %     |
| Indium     | 115-1 |           |           |           | 101        |         | %     |
| Indium     | 115-2 |           |           |           | 95         |         | %     |
| Iron       | 56-2  | 13796.81  | 13916.29  | 13866.41  | 13859.84   | 0.43    | ppb   |
| Iron       | 57-2  | 14182.62  | 14260.58  | 14365.95  | 14269.72   | 0.64    | ppb   |
| Iron       | 54-2  | 13873.88  | 14096.22  | 14103.30  | 14024.47   | 0.93    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-06 Instrumnet Name : P7  
Client Sample ID : MH2GS5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:41:42 DataFile Name : 060SMPL.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 712.26  | 719.71  | 707.93  | 713.30     | 0.84    | ppb   |
| Lead       | 207-1 | 695.55  | 706.62  | 701.98  | 701.38     | 0.79    | ppb   |
| Lead       | 208-1 | 703.96  | 710.73  | 705.96  | 706.88     | 0.49    | ppb   |
| Lithium    | 6-1   |         |         |         | 88         |         | %     |
| Magnesium  | 24-2  | 6162.95 | 6226.89 | 6207.93 | 6199.26    | 0.53    | ppb   |
| Manganese  | 55-2  | 839.81  | 851.03  | 844.65  | 845.16     | 0.67    | ppb   |
| Molybdenum | 94-1  | 3.98    | 3.96    | 3.99    | 3.98       | 0.43    | ppb   |
| Molybdenum | 95-1  | 0.54    | 0.55    | 0.53    | 0.54       | 2.00    | ppb   |
| Molybdenum | 96-1  | 0.96    | 0.92    | 0.97    | 0.95       | 2.58    | ppb   |
| Molybdenum | 97-1  | 0.53    | 0.58    | 0.55    | 0.56       | 4.07    | ppb   |
| Molybdenum | 98-1  | 0.55    | 0.54    | 0.54    | 0.54       | 0.70    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 21.47   | 21.83   | 22.06   | 21.79      | 1.37    | ppb   |
| Phosphorus | 31-2  | 3252.76 | 3282.65 | 3300.90 | 3278.77    | 0.74    | ppb   |
| Potassium  | 39-2  | 3418.94 | 3436.40 | 3518.72 | 3458.02    | 1.54    | ppb   |
| Rhodium    | 103-1 |         |         |         | 96         |         | %     |
| Rhodium    | 103-2 |         |         |         | 96         |         | %     |
| Scandium   | 45-1  |         |         |         | 91         |         | %     |
| Scandium   | 45-2  |         |         |         | 92         |         | %     |
| Selenium   | 82-1  | 1.35    | 1.03    | 0.49    | 0.95       | 45.54   | ppb   |
| Selenium   | 77-2  | 15.20   | 15.64   | 15.88   | 15.57      | 2.21    | ppb   |
| Selenium   | 78-2  | 2.36    | 2.80    | 3.22    | 2.79       | 15.37   | ppb   |
| Silicon    | 28-1  | 1070.05 | 1067.67 | 1062.53 | 1066.75    | 0.36    | ppb   |
| Silver     | 107-1 | 2.45    | 2.48    | 2.43    | 2.46       | 1.07    | ppb   |
| Silver     | 109-1 | 2.47    | 2.47    | 2.42    | 2.45       | 1.17    | ppb   |
| Sodium     | 23-2  | 316.97  | 323.17  | 326.80  | 322.31     | 1.54    | ppb   |
| Strontium  | 86-1  | 7144.58 | 6977.44 | 7144.91 | 7088.97    | 1.36    | ppb   |
| Strontium  | 88-1  | 7109.63 | 7134.78 | 7188.81 | 7144.41    | 0.57    | ppb   |
| Sulfur     | 34-1  | 324.92  | 328.93  | 363.60  | 339.15     | 6.27    | ppb   |
| Terbium    | 159-1 |         |         |         | 107        |         | %     |
| Terbium    | 159-2 |         |         |         | 103        |         | %     |
| Thallium   | 203-1 | 0.35    | 0.37    | 0.35    | 0.36       | 2.96    | ppb   |
| Thallium   | 205-1 | 0.35    | 0.36    | 0.35    | 0.35       | 0.85    | ppb   |
| Tin        | 118-1 | 11.63   | 11.75   | 11.62   | 11.66      | 0.61    | ppb   |
| Titanium   | 47-1  | 107.30  | 107.58  | 108.16  | 107.68     | 0.41    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4957-06

Instrumnet Name :

P7

Client Sample ID :

MH2GS5

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 19:41:42

DataFile Name :

060SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 2.80    | 2.80    | 2.83    | 2.81       | 0.58    | ppb   |
| Vanadium  | 51-2  | 39.85   | 40.57   | 40.06   | 40.16      | 0.92    | ppb   |
| Yttrium   | 89-1  |         |         |         | 110        |         | %     |
| Yttrium   | 89-2  |         |         |         | 106        |         | %     |
| Zinc      | 66-2  | 818.15  | 826.84  | 825.54  | 823.51     | 0.57    | ppb   |
| Zirconium | 90-1  | 1.95    | 1.96    | 1.95    | 1.96       | 0.07    | ppb   |
| Zirconium | 91-1  | 1.92    | 1.97    | 2.00    | 1.96       | 2.14    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-07 Instrumnet Name : P7  
Client Sample ID : MH2GS6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:44:39 DataFile Name : 061SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 9757.40   | 11223.01  | 11092.23  | 10690.88   | 7.59    | ppb   |
| Antimony   | 121-1 | 0.93      | 0.96      | 0.97      | 0.95       | 2.03    | ppb   |
| Arsenic    | 75-2  | 18.20     | 20.73     | 19.89     | 19.61      | 6.58    | ppb   |
| Barium     | 135-1 | 564.93    | 565.30    | 562.86    | 564.36     | 0.23    | ppb   |
| Barium     | 137-1 | 559.15    | 563.44    | 556.61    | 559.73     | 0.62    | ppb   |
| Beryllium  | 9-1   | 1.17      | 1.43      | 1.23      | 1.27       | 10.41   | ppb   |
| Bismuth    | 209-1 |           |           |           | 108        |         | %     |
| Bismuth    | 209-2 |           |           |           | 93         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 4.92      | 5.06      | 4.93      | 4.97       | 1.56    | ppb   |
| Cadmium    | 106-1 | 5.90      | 5.43      | 5.33      | 5.55       | 5.48    | ppb   |
| Cadmium    | 111-1 | 5.52      | 5.54      | 5.51      | 5.52       | 0.27    | ppb   |
| Calcium    | 43-1  | 191208.74 | 197742.34 | 194761.64 | 194570.91  | 1.68    | ppb   |
| Calcium    | 44-1  | 189580.05 | 197046.44 | 196008.28 | 194211.59  | 2.08    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 14.08     | 16.51     | 15.90     | 15.50      | 8.16    | ppb   |
| Cobalt     | 59-2  | 11.09     | 12.89     | 12.61     | 12.20      | 7.92    | ppb   |
| Copper     | 63-2  | 74.40     | 85.94     | 84.68     | 81.67      | 7.75    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 109        |         | %     |
| Holmium    | 165-2 |           |           |           | 94         |         | %     |
| Indium     | 115-1 |           |           |           | 101        |         | %     |
| Indium     | 115-2 |           |           |           | 87         |         | %     |
| Iron       | 56-2  | 12506.87  | 14274.01  | 14085.71  | 13622.20   | 7.12    | ppb   |
| Iron       | 57-2  | 13352.32  | 15362.07  | 14966.36  | 14560.25   | 7.31    | ppb   |
| Iron       | 54-2  | 12673.06  | 14393.21  | 14231.72  | 13766.00   | 6.90    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-07 Instrumnet Name : P7  
Client Sample ID : MH2GS6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:44:39 DataFile Name : 061SMPL.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 229.13  | 238.28  | 240.33  | 235.91     | 2.53    | ppb   |
| Lead       | 207-1 | 226.42  | 234.06  | 236.35  | 232.27     | 2.24    | ppb   |
| Lead       | 208-1 | 226.63  | 234.55  | 237.75  | 232.98     | 2.46    | ppb   |
| Lithium    | 6-1   |         |         |         | 89         |         | %     |
| Magnesium  | 24-2  | 6923.98 | 8042.71 | 7874.04 | 7613.58    | 7.92    | ppb   |
| Manganese  | 55-2  | 626.49  | 719.50  | 716.41  | 687.47     | 7.69    | ppb   |
| Molybdenum | 94-1  | 4.03    | 4.11    | 4.22    | 4.12       | 2.41    | ppb   |
| Molybdenum | 95-1  | 0.66    | 0.66    | 0.70    | 0.67       | 3.85    | ppb   |
| Molybdenum | 96-1  | 1.04    | 1.07    | 1.10    | 1.07       | 2.79    | ppb   |
| Molybdenum | 97-1  | 0.64    | 0.64    | 0.68    | 0.65       | 2.96    | ppb   |
| Molybdenum | 98-1  | 0.63    | 0.68    | 0.67    | 0.66       | 3.90    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 27.66   | 31.73   | 31.01   | 30.13      | 7.21    | ppb   |
| Phosphorus | 31-2  | 3355.63 | 3848.69 | 3771.84 | 3658.72    | 7.25    | ppb   |
| Potassium  | 39-2  | 2843.50 | 3339.10 | 3228.10 | 3136.90    | 8.29    | ppb   |
| Rhodium    | 103-1 |         |         |         | 96         |         | %     |
| Rhodium    | 103-2 |         |         |         | 86         |         | %     |
| Scandium   | 45-1  |         |         |         | 93         |         | %     |
| Scandium   | 45-2  |         |         |         | 85         |         | %     |
| Selenium   | 82-1  | 1.03    | 0.63    | 0.96    | 0.87       | 24.37   | ppb   |
| Selenium   | 77-2  | 20.32   | 19.34   | 20.75   | 20.13      | 3.59    | ppb   |
| Selenium   | 78-2  | 2.81    | 4.24    | 5.52    | 4.19       | 32.40   | ppb   |
| Silicon    | 28-1  | 1055.55 | 1068.99 | 1074.72 | 1066.42    | 0.92    | ppb   |
| Silver     | 107-1 | 1.03    | 1.04    | 1.07    | 1.05       | 1.83    | ppb   |
| Silver     | 109-1 | 1.05    | 1.02    | 1.05    | 1.04       | 1.57    | ppb   |
| Sodium     | 23-2  | 315.74  | 365.88  | 361.02  | 347.55     | 7.96    | ppb   |
| Strontium  | 86-1  | 9498.04 | 9842.13 | 9829.51 | 9723.23    | 2.01    | ppb   |
| Strontium  | 88-1  | 9536.93 | 9737.07 | 9838.26 | 9704.09    | 1.58    | ppb   |
| Sulfur     | 34-1  | 337.92  | 428.79  | 451.53  | 406.08     | 14.80   | ppb   |
| Terbium    | 159-1 |         |         |         | 108        |         | %     |
| Terbium    | 159-2 |         |         |         | 94         |         | %     |
| Thallium   | 203-1 | 0.31    | 0.33    | 0.32    | 0.32       | 3.99    | ppb   |
| Thallium   | 205-1 | 0.32    | 0.33    | 0.33    | 0.33       | 1.43    | ppb   |
| Tin        | 118-1 | 3.79    | 3.82    | 3.80    | 3.80       | 0.36    | ppb   |
| Titanium   | 47-1  | 63.91   | 66.49   | 66.30   | 65.57      | 2.19    | ppb   |

LB Number :  
Lab Sample ID :  
Client Sample ID :  
Date & Time Acquired :

LB133687  
P4957-07  
MH2GS6  
2024-11-27 19:44:39

Operator :  
Instrumnet Name :  
Dilution Factor :  
DataFile Name :

Jaswal  
P7  
1  
061SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.72    | 3.87    | 3.94    | 3.84       | 2.94    | ppb   |
| Vanadium  | 51-2  | 49.10   | 57.24   | 55.69   | 54.01      | 8.00    | ppb   |
| Yttrium   | 89-1  |         |         |         | 113        |         | %     |
| Yttrium   | 89-2  |         |         |         | 100        |         | %     |
| Zinc      | 66-2  | 253.36  | 292.74  | 288.72  | 278.27     | 7.79    | ppb   |
| Zirconium | 90-1  | 1.96    | 2.01    | 2.04    | 2.00       | 2.24    | ppb   |
| Zirconium | 91-1  | 1.95    | 1.96    | 2.05    | 1.99       | 2.58    | ppb   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-08 Instrumnet Name : P7  
Client Sample ID : MH2GS7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:47:42 DataFile Name : 062SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 10850.23  | 10898.81  | 10793.33  | 10847.46   | 0.49    | ppb   |
| Antimony   | 121-1 | 0.44      | 0.45      | 0.45      | 0.44       | 1.34    | ppb   |
| Arsenic    | 75-2  | 9.31      | 9.42      | 9.75      | 9.49       | 2.41    | ppb   |
| Barium     | 135-1 | 733.49    | 764.15    | 771.25    | 756.29     | 2.65    | ppb   |
| Barium     | 137-1 | 740.68    | 762.91    | 748.69    | 750.76     | 1.50    | ppb   |
| Beryllium  | 9-1   | 1.30      | 1.32      | 1.33      | 1.32       | 1.23    | ppb   |
| Bismuth    | 209-1 |           |           |           | 106        |         | %     |
| Bismuth    | 209-2 |           |           |           | 99         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 3.69      | 3.84      | 3.63      | 3.72       | 2.91    | ppb   |
| Cadmium    | 106-1 | 4.34      | 4.80      | 3.80      | 4.31       | 11.52   | ppb   |
| Cadmium    | 111-1 | 3.90      | 4.18      | 3.99      | 4.02       | 3.52    | ppb   |
| Calcium    | 43-1  | 285585.59 | 290089.23 | 293999.95 | 289891.59  | 1.45    | ppb   |
| Calcium    | 44-1  | 285850.18 | 288371.50 | 291696.19 | 288639.29  | 1.02    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 13.10     | 13.01     | 13.37     | 13.16      | 1.41    | ppb   |
| Cobalt     | 59-2  | 12.40     | 12.24     | 12.40     | 12.35      | 0.75    | ppb   |
| Copper     | 63-2  | 37.39     | 36.87     | 37.08     | 37.11      | 0.70    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 109        |         | %     |
| Holmium    | 165-2 |           |           |           | 101        |         | %     |
| Indium     | 115-1 |           |           |           | 100        |         | %     |
| Indium     | 115-2 |           |           |           | 94         |         | %     |
| Iron       | 56-2  | 15119.87  | 15069.34  | 15253.35  | 15147.52   | 0.63    | ppb   |
| Iron       | 57-2  | 16551.90  | 16563.63  | 16515.75  | 16543.76   | 0.15    | ppb   |
| Iron       | 54-2  | 15216.38  | 15116.44  | 15327.08  | 15219.96   | 0.69    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-08 Instrumnet Name : P7  
Client Sample ID : MH2GS7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:47:42 DataFile Name : 062SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 73.52    | 74.96    | 75.60    | 74.70      | 1.42    | ppb   |
| Lead       | 207-1 | 70.03    | 70.92    | 72.72    | 71.22      | 1.92    | ppb   |
| Lead       | 208-1 | 71.54    | 72.73    | 73.55    | 72.61      | 1.39    | ppb   |
| Lithium    | 6-1   |          |          |          | 88         |         | %     |
| Magnesium  | 24-2  | 8554.85  | 8565.23  | 8510.64  | 8543.57    | 0.34    | ppb   |
| Manganese  | 55-2  | 510.91   | 512.45   | 520.86   | 514.74     | 1.04    | ppb   |
| Molybdenum | 94-1  | 3.35     | 3.49     | 3.46     | 3.43       | 2.03    | ppb   |
| Molybdenum | 95-1  | 0.86     | 0.87     | 0.88     | 0.87       | 1.23    | ppb   |
| Molybdenum | 96-1  | 1.20     | 1.26     | 1.20     | 1.22       | 2.41    | ppb   |
| Molybdenum | 97-1  | 0.89     | 0.90     | 0.89     | 0.89       | 0.37    | ppb   |
| Molybdenum | 98-1  | 0.87     | 0.90     | 0.89     | 0.88       | 1.50    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 43.16    | 42.78    | 43.18    | 43.04      | 0.52    | ppb   |
| Phosphorus | 31-2  | 2753.92  | 2733.22  | 2719.01  | 2735.38    | 0.64    | ppb   |
| Potassium  | 39-2  | 2482.88  | 2475.41  | 2472.99  | 2477.09    | 0.21    | ppb   |
| Rhodium    | 103-1 |          |          |          | 95         |         | %     |
| Rhodium    | 103-2 |          |          |          | 92         |         | %     |
| Scandium   | 45-1  |          |          |          | 93         |         | %     |
| Scandium   | 45-2  |          |          |          | 93         |         | %     |
| Selenium   | 82-1  | 0.89     | 0.82     | 0.23     | 0.65       | 55.55   | ppb   |
| Selenium   | 77-2  | 14.70    | 15.31    | 15.29    | 15.10      | 2.31    | ppb   |
| Selenium   | 78-2  | 2.63     | 3.36     | 3.14     | 3.04       | 12.38   | ppb   |
| Silicon    | 28-1  | 1073.11  | 1085.81  | 1096.37  | 1085.10    | 1.07    | ppb   |
| Silver     | 107-1 | 0.37     | 0.39     | 0.38     | 0.38       | 2.48    | ppb   |
| Silver     | 109-1 | 0.37     | 0.38     | 0.38     | 0.38       | 2.27    | ppb   |
| Sodium     | 23-2  | 334.70   | 331.21   | 335.98   | 333.96     | 0.74    | ppb   |
| Strontium  | 86-1  | 14243.21 | 14564.05 | 14259.06 | 14355.44   | 1.26    | ppb   |
| Strontium  | 88-1  | 14194.09 | 14400.42 | 14436.44 | 14343.65   | 0.91    | ppb   |
| Sulfur     | 34-1  | 466.79   | 552.39   | 585.17   | 534.78     | 11.43   | ppb   |
| Terbium    | 159-1 |          |          |          | 108        |         | %     |
| Terbium    | 159-2 |          |          |          | 102        |         | %     |
| Thallium   | 203-1 | 0.37     | 0.36     | 0.38     | 0.37       | 1.46    | ppb   |
| Thallium   | 205-1 | 0.37     | 0.37     | 0.37     | 0.37       | 0.81    | ppb   |
| Tin        | 118-1 | 1.26     | 1.29     | 1.29     | 1.28       | 1.41    | ppb   |
| Titanium   | 47-1  | 57.85    | 60.32    | 60.16    | 59.44      | 2.32    | ppb   |

LB Number :  
Lab Sample ID :  
Client Sample ID :  
Date & Time Acquired :

LB133687  
P4957-08  
MH2GS7  
2024-11-27 19:47:42

Operator :  
Instrumnet Name :  
Dilution Factor :  
DataFile Name :

Jaswal  
P7  
1  
062SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 4.74    | 4.83    | 4.89    | 4.82       | 1.55    | ppb   |
| Vanadium  | 51-2  | 74.31   | 74.34   | 74.68   | 74.44      | 0.28    | ppb   |
| Yttrium   | 89-1  |         |         |         | 112        |         | %     |
| Yttrium   | 89-2  |         |         |         | 106        |         | %     |
| Zinc      | 66-2  | 98.64   | 97.14   | 97.34   | 97.70      | 0.83    | ppb   |
| Zirconium | 90-1  | 1.47    | 1.55    | 1.53    | 1.52       | 2.51    | ppb   |
| Zirconium | 91-1  | 1.45    | 1.56    | 1.57    | 1.53       | 4.34    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-09 Instrumnet Name : P7  
Client Sample ID : MH2GS8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:50:45 DataFile Name : 063SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 5207.66   | 5219.51   | 5163.37   | 5196.85    | 0.57    | ppb   |
| Antimony   | 121-1 | 0.46      | 0.48      | 0.49      | 0.47       | 3.24    | ppb   |
| Arsenic    | 75-2  | 11.68     | 11.96     | 11.61     | 11.75      | 1.56    | ppb   |
| Barium     | 135-1 | 474.04    | 478.07    | 476.18    | 476.10     | 0.42    | ppb   |
| Barium     | 137-1 | 470.24    | 482.42    | 481.39    | 478.02     | 1.41    | ppb   |
| Beryllium  | 9-1   | 1.82      | 1.76      | 1.72      | 1.77       | 2.61    | ppb   |
| Bismuth    | 209-1 |           |           |           | 97         |         | %     |
| Bismuth    | 209-2 |           |           |           | 92         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 4.37      | 3.96      | 4.20      | 4.18       | 4.87    | ppb   |
| Cadmium    | 106-1 | 4.57      | 5.11      | 4.65      | 4.78       | 6.06    | ppb   |
| Cadmium    | 111-1 | 4.66      | 4.74      | 4.76      | 4.72       | 1.08    | ppb   |
| Calcium    | 43-1  | 580404.58 | 578432.41 | 590893.51 | 583243.50  | 1.15    | ppb   |
| Calcium    | 44-1  | 587594.58 | 583830.68 | 588944.83 | 586790.03  | 0.45    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 16.14     | 16.23     | 16.11     | 16.16      | 0.37    | ppb   |
| Cobalt     | 59-2  | 14.67     | 14.68     | 14.49     | 14.61      | 0.74    | ppb   |
| Copper     | 63-2  | 55.82     | 56.04     | 55.84     | 55.90      | 0.22    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 105        |         | %     |
| Holmium    | 165-2 |           |           |           | 101        |         | %     |
| Indium     | 115-1 |           |           |           | 96         |         | %     |
| Indium     | 115-2 |           |           |           | 92         |         | %     |
| Iron       | 56-2  | 6297.47   | 6361.22   | 6267.22   | 6308.63    | 0.76    | ppb   |
| Iron       | 57-2  | 9422.61   | 9578.78   | 9470.01   | 9490.47    | 0.84    | ppb   |
| Iron       | 54-2  | 6336.69   | 6395.88   | 6273.55   | 6335.37    | 0.97    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-09 Instrumnet Name : P7  
Client Sample ID : MH2GS8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:50:45 DataFile Name : 063SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Lead       | 206-1 | 408.52    | 410.60    | 401.72    | 406.95     | 1.14    | ppb   |
| Lead       | 207-1 | 397.54    | 398.04    | 393.99    | 396.52     | 0.56    | ppb   |
| Lead       | 208-1 | 402.54    | 402.31    | 398.53    | 401.13     | 0.56    | ppb   |
| Lithium    | 6-1   |           |           |           | 85         |         | %     |
| Magnesium  | 24-2  | 288428.54 | 290091.12 | 288600.33 | 289040.00  | 0.32    | ppb   |
| Manganese  | 55-2  | 1126.52   | 1134.16   | 1114.18   | 1124.95    | 0.90    | ppb   |
| Molybdenum | 94-1  | 1.47      | 1.48      | 1.53      | 1.49       | 2.18    | ppb   |
| Molybdenum | 95-1  | 0.28      | 0.27      | 0.28      | 0.28       | 1.64    | ppb   |
| Molybdenum | 96-1  | 0.40      | 0.41      | 0.43      | 0.41       | 3.10    | ppb   |
| Molybdenum | 97-1  | 0.26      | 0.26      | 0.26      | 0.26       | 0.57    | ppb   |
| Molybdenum | 98-1  | 0.26      | 0.27      | 0.26      | 0.26       | 2.90    | ppb   |
| Neodymium  | 150-1 |           |           |           |            |         | cps   |
| Neodymium  | 150-2 |           |           |           |            |         | cps   |
| Nickel     | 60-2  | 34.83     | 34.96     | 34.69     | 34.82      | 0.39    | ppb   |
| Phosphorus | 31-2  | 1685.51   | 1656.98   | 1644.85   | 1662.45    | 1.26    | ppb   |
| Potassium  | 39-2  | 1767.02   | 1743.90   | 1741.05   | 1750.65    | 0.81    | ppb   |
| Rhodium    | 103-1 |           |           |           | 90         |         | %     |
| Rhodium    | 103-2 |           |           |           | 90         |         | %     |
| Scandium   | 45-1  |           |           |           | 92         |         | %     |
| Scandium   | 45-2  |           |           |           | 97         |         | %     |
| Selenium   | 82-1  | 1.08      | 0.73      | 0.55      | 0.79       | 33.69   | ppb   |
| Selenium   | 77-2  | 10.89     | 10.60     | 10.23     | 10.57      | 3.10    | ppb   |
| Selenium   | 78-2  | 1.55      | 1.27      | 1.68      | 1.50       | 14.12   | ppb   |
| Silicon    | 28-1  | 980.77    | 975.29    | 1004.71   | 986.93     | 1.59    | ppb   |
| Silver     | 107-1 | 1.20      | 1.23      | 1.24      | 1.23       | 1.65    | ppb   |
| Silver     | 109-1 | 1.20      | 1.22      | 1.26      | 1.23       | 2.29    | ppb   |
| Sodium     | 23-2  | 477.93    | 482.69    | 478.26    | 479.62     | 0.55    | ppb   |
| Strontium  | 86-1  | 6411.56   | 6411.11   | 6495.09   | 6439.25    | 0.75    | ppb   |
| Strontium  | 88-1  | 6373.22   | 6394.13   | 6442.39   | 6403.25    | 0.55    | ppb   |
| Sulfur     | 34-1  | 609.63    | 652.63    | 780.55    | 680.94     | 13.06   | ppb   |
| Terbium    | 159-1 |           |           |           | 105        |         | %     |
| Terbium    | 159-2 |           |           |           | 98         |         | %     |
| Thallium   | 203-1 | 0.20      | 0.20      | 0.20      | 0.20       | 1.43    | ppb   |
| Thallium   | 205-1 | 0.20      | 0.21      | 0.20      | 0.20       | 2.43    | ppb   |
| Tin        | 118-1 | 3.98      | 4.01      | 4.00      | 4.00       | 0.42    | ppb   |
| Titanium   | 47-1  | 60.49     | 61.04     | 61.82     | 61.12      | 1.10    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4957-09

Instrumnet Name :

P7

Client Sample ID :

MH2GS8

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 19:50:45

DataFile Name :

063SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 1.96    | 2.01    | 1.96    | 1.98       | 1.31    | ppb   |
| Vanadium  | 51-2  | 58.85   | 59.79   | 59.18   | 59.27      | 0.81    | ppb   |
| Yttrium   | 89-1  |         |         |         | 104        |         | %     |
| Yttrium   | 89-2  |         |         |         | 102        |         | %     |
| Zinc      | 66-2  | 418.69  | 420.08  | 419.11  | 419.29     | 0.17    | ppb   |
| Zirconium | 90-1  | 0.69    | 0.69    | 0.69    | 0.69       | 0.43    | ppb   |
| Zirconium | 91-1  | 0.75    | 0.68    | 0.69    | 0.70       | 5.15    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-10 Instrumnet Name : P7  
Client Sample ID : MH2GS9 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:53:49 DataFile Name : 064SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 11130.24  | 11284.54  | 11404.23  | 11273.00   | 1.22    | ppb   |
| Antimony   | 121-1 | 1.37      | 1.40      | 1.40      | 1.39       | 1.43    | ppb   |
| Arsenic    | 75-2  | 24.22     | 24.56     | 24.99     | 24.59      | 1.57    | ppb   |
| Barium     | 135-1 | 726.55    | 739.98    | 741.33    | 735.95     | 1.11    | ppb   |
| Barium     | 137-1 | 718.24    | 748.31    | 743.24    | 736.60     | 2.19    | ppb   |
| Beryllium  | 9-1   | 1.73      | 1.82      | 1.76      | 1.77       | 2.49    | ppb   |
| Bismuth    | 209-1 |           |           |           | 107        |         | %     |
| Bismuth    | 209-2 |           |           |           | 100        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 11.98     | 11.60     | 11.87     | 11.82      | 1.63    | ppb   |
| Cadmium    | 106-1 | 12.45     | 12.89     | 12.82     | 12.72      | 1.86    | ppb   |
| Cadmium    | 111-1 | 13.18     | 13.45     | 13.57     | 13.40      | 1.50    | ppb   |
| Calcium    | 43-1  | 162420.52 | 163922.65 | 162461.94 | 162935.04  | 0.53    | ppb   |
| Calcium    | 44-1  | 164156.00 | 163852.45 | 162987.40 | 163665.28  | 0.37    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 17.71     | 17.90     | 17.97     | 17.86      | 0.75    | ppb   |
| Cobalt     | 59-2  | 12.27     | 12.17     | 12.37     | 12.27      | 0.82    | ppb   |
| Copper     | 63-2  | 145.94    | 149.23    | 149.25    | 148.14     | 1.29    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 107        |         | %     |
| Holmium    | 165-2 |           |           |           | 101        |         | %     |
| Indium     | 115-1 |           |           |           | 99         |         | %     |
| Indium     | 115-2 |           |           |           | 94         |         | %     |
| Iron       | 56-2  | 14407.24  | 14634.73  | 14607.01  | 14549.66   | 0.85    | ppb   |
| Iron       | 57-2  | 15304.22  | 15287.25  | 15483.88  | 15358.45   | 0.71    | ppb   |
| Iron       | 54-2  | 14703.23  | 14538.22  | 14631.10  | 14624.18   | 0.57    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-10 Instrumnet Name : P7  
Client Sample ID : MH2GS9 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:53:49 DataFile Name : 064SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 1167.74  | 1180.27  | 1200.51  | 1182.84    | 1.40    | ppb   |
| Lead       | 207-1 | 1152.51  | 1149.83  | 1172.06  | 1158.13    | 1.05    | ppb   |
| Lead       | 208-1 | 1159.70  | 1162.42  | 1177.76  | 1166.63    | 0.83    | ppb   |
| Lithium    | 6-1   |          |          |          | 93         |         | %     |
| Magnesium  | 24-2  | 16588.29 | 16599.97 | 16632.97 | 16607.07   | 0.14    | ppb   |
| Manganese  | 55-2  | 974.79   | 975.55   | 978.62   | 976.32     | 0.21    | ppb   |
| Molybdenum | 94-1  | 5.02     | 5.12     | 5.13     | 5.09       | 1.27    | ppb   |
| Molybdenum | 95-1  | 0.66     | 0.63     | 0.66     | 0.65       | 2.13    | ppb   |
| Molybdenum | 96-1  | 1.12     | 1.17     | 1.16     | 1.15       | 2.03    | ppb   |
| Molybdenum | 97-1  | 0.62     | 0.66     | 0.64     | 0.64       | 2.99    | ppb   |
| Molybdenum | 98-1  | 0.64     | 0.66     | 0.63     | 0.64       | 2.45    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 22.52    | 22.25    | 22.82    | 22.53      | 1.25    | ppb   |
| Phosphorus | 31-2  | 4324.00  | 4342.06  | 4330.21  | 4332.09    | 0.21    | ppb   |
| Potassium  | 39-2  | 2825.65  | 2763.54  | 2794.96  | 2794.72    | 1.11    | ppb   |
| Rhodium    | 103-1 |          |          |          | 94         |         | %     |
| Rhodium    | 103-2 |          |          |          | 93         |         | %     |
| Scandium   | 45-1  |          |          |          | 92         |         | %     |
| Scandium   | 45-2  |          |          |          | 92         |         | %     |
| Selenium   | 82-1  | 1.09     | 0.94     | 0.70     | 0.91       | 21.10   | ppb   |
| Selenium   | 77-2  | 18.43    | 15.63    | 17.42    | 17.16      | 8.26    | ppb   |
| Selenium   | 78-2  | 2.84     | 3.30     | 2.47     | 2.87       | 14.49   | ppb   |
| Silicon    | 28-1  | 1282.52  | 1258.86  | 1274.08  | 1271.82    | 0.94    | ppb   |
| Silver     | 107-1 | 4.45     | 4.53     | 4.50     | 4.49       | 0.92    | ppb   |
| Silver     | 109-1 | 4.39     | 4.45     | 4.52     | 4.45       | 1.45    | ppb   |
| Sodium     | 23-2  | 611.40   | 609.79   | 614.25   | 611.81     | 0.37    | ppb   |
| Strontium  | 86-1  | 9747.48  | 10077.85 | 9878.62  | 9901.32    | 1.68    | ppb   |
| Strontium  | 88-1  | 9894.32  | 9967.79  | 9987.29  | 9949.80    | 0.49    | ppb   |
| Sulfur     | 34-1  | 847.72   | 739.06   | 738.82   | 775.20     | 8.10    | ppb   |
| Terbium    | 159-1 |          |          |          | 107        |         | %     |
| Terbium    | 159-2 |          |          |          | 102        |         | %     |
| Thallium   | 203-1 | 0.39     | 0.40     | 0.40     | 0.39       | 1.38    | ppb   |
| Thallium   | 205-1 | 0.40     | 0.39     | 0.40     | 0.39       | 2.06    | ppb   |
| Tin        | 118-1 | 17.62    | 18.05    | 17.97    | 17.88      | 1.28    | ppb   |
| Titanium   | 47-1  | 122.54   | 122.17   | 122.79   | 122.50     | 0.26    | ppb   |



LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4957-10

Instrumnet Name :

P7

Client Sample ID :

MH2GS9

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 19:53:49

DataFile Name :

064SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.86    | 3.84    | 3.89    | 3.86       | 0.68    | ppb   |
| Vanadium  | 51-2  | 48.08   | 48.08   | 47.92   | 48.03      | 0.19    | ppb   |
| Yttrium   | 89-1  |         |         |         | 109        |         | %     |
| Yttrium   | 89-2  |         |         |         | 105        |         | %     |
| Zinc      | 66-2  | 1141.39 | 1156.48 | 1155.68 | 1151.18    | 0.74    | ppb   |
| Zirconium | 90-1  | 2.53    | 2.55    | 2.56    | 2.55       | 0.65    | ppb   |
| Zirconium | 91-1  | 2.52    | 2.60    | 2.55    | 2.56       | 1.71    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-11 Instrumnet Name : P7  
Client Sample ID : MH2GT0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:56:47 DataFile Name : 065SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 14275.84  | 14009.04  | 14256.72  | 14180.53   | 1.05    | ppb   |
| Antimony   | 121-1 | 1.34      | 1.34      | 1.34      | 1.34       | 0.11    | ppb   |
| Arsenic    | 75-2  | 26.46     | 26.98     | 26.21     | 26.55      | 1.48    | ppb   |
| Barium     | 135-1 | 771.08    | 790.71    | 801.55    | 787.78     | 1.96    | ppb   |
| Barium     | 137-1 | 776.45    | 788.15    | 794.50    | 786.37     | 1.16    | ppb   |
| Beryllium  | 9-1   | 1.66      | 1.83      | 1.63      | 1.71       | 6.23    | ppb   |
| Bismuth    | 209-1 |           |           |           | 107        |         | %     |
| Bismuth    | 209-2 |           |           |           | 99         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 8.52      | 8.80      | 8.56      | 8.62       | 1.80    | ppb   |
| Cadmium    | 106-1 | 9.40      | 8.72      | 8.49      | 8.87       | 5.35    | ppb   |
| Cadmium    | 111-1 | 9.24      | 9.29      | 9.57      | 9.37       | 1.86    | ppb   |
| Calcium    | 43-1  | 214622.96 | 218130.53 | 220325.18 | 217692.89  | 1.32    | ppb   |
| Calcium    | 44-1  | 211471.33 | 217662.90 | 218849.61 | 215994.61  | 1.83    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 19.86     | 19.72     | 19.69     | 19.76      | 0.47    | ppb   |
| Cobalt     | 59-2  | 14.66     | 14.53     | 14.49     | 14.56      | 0.59    | ppb   |
| Copper     | 63-2  | 112.77    | 112.89    | 112.35    | 112.67     | 0.25    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 107        |         | %     |
| Holmium    | 165-2 |           |           |           | 101        |         | %     |
| Indium     | 115-1 |           |           |           | 100        |         | %     |
| Indium     | 115-2 |           |           |           | 92         |         | %     |
| Iron       | 56-2  | 20306.12  | 20065.22  | 20041.05  | 20137.46   | 0.73    | ppb   |
| Iron       | 57-2  | 20942.03  | 20718.57  | 21084.18  | 20914.93   | 0.88    | ppb   |
| Iron       | 54-2  | 20277.10  | 20189.20  | 20225.77  | 20230.69   | 0.22    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-11 Instrumnet Name : P7  
Client Sample ID : MH2GT0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:56:47 DataFile Name : 065SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 712.27   | 734.83   | 732.65   | 726.58     | 1.71    | ppb   |
| Lead       | 207-1 | 696.78   | 714.44   | 710.82   | 707.34     | 1.32    | ppb   |
| Lead       | 208-1 | 704.81   | 720.18   | 718.27   | 714.42     | 1.17    | ppb   |
| Lithium    | 6-1   |          |          |          | 90         |         | %     |
| Magnesium  | 24-2  | 10306.73 | 10258.99 | 10277.45 | 10281.06   | 0.23    | ppb   |
| Manganese  | 55-2  | 845.47   | 832.47   | 839.35   | 839.10     | 0.78    | ppb   |
| Molybdenum | 94-1  | 5.27     | 5.57     | 5.54     | 5.46       | 2.96    | ppb   |
| Molybdenum | 95-1  | 1.31     | 1.33     | 1.31     | 1.32       | 1.07    | ppb   |
| Molybdenum | 96-1  | 1.80     | 1.86     | 1.82     | 1.83       | 1.69    | ppb   |
| Molybdenum | 97-1  | 1.31     | 1.34     | 1.39     | 1.35       | 3.14    | ppb   |
| Molybdenum | 98-1  | 1.30     | 1.33     | 1.32     | 1.32       | 1.03    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 28.51    | 28.75    | 29.19    | 28.82      | 1.20    | ppb   |
| Phosphorus | 31-2  | 4212.74  | 4172.92  | 4226.87  | 4204.18    | 0.67    | ppb   |
| Potassium  | 39-2  | 2993.85  | 2943.50  | 2917.25  | 2951.53    | 1.32    | ppb   |
| Rhodium    | 103-1 |          |          |          | 93         |         | %     |
| Rhodium    | 103-2 |          |          |          | 92         |         | %     |
| Scandium   | 45-1  |          |          |          | 91         |         | %     |
| Scandium   | 45-2  |          |          |          | 90         |         | %     |
| Selenium   | 82-1  | 0.68     | 0.73     | 0.87     | 0.76       | 13.60   | ppb   |
| Selenium   | 77-2  | 16.92    | 18.76    | 16.54    | 17.40      | 6.83    | ppb   |
| Selenium   | 78-2  | 3.44     | 3.62     | 2.90     | 3.32       | 11.27   | ppb   |
| Silicon    | 28-1  | 1217.11  | 1229.37  | 1242.70  | 1229.73    | 1.04    | ppb   |
| Silver     | 107-1 | 3.00     | 3.07     | 3.08     | 3.05       | 1.46    | ppb   |
| Silver     | 109-1 | 2.97     | 3.02     | 3.02     | 3.00       | 1.01    | ppb   |
| Sodium     | 23-2  | 826.83   | 838.83   | 850.00   | 838.55     | 1.38    | ppb   |
| Strontium  | 86-1  | 11857.16 | 11924.33 | 12040.34 | 11940.61   | 0.78    | ppb   |
| Strontium  | 88-1  | 11751.73 | 12040.99 | 12026.78 | 11939.83   | 1.37    | ppb   |
| Sulfur     | 34-1  | 1438.39  | 1425.62  | 1489.21  | 1451.07    | 2.32    | ppb   |
| Terbium    | 159-1 |          |          |          | 106        |         | %     |
| Terbium    | 159-2 |          |          |          | 100        |         | %     |
| Thallium   | 203-1 | 0.51     | 0.53     | 0.50     | 0.52       | 2.48    | ppb   |
| Thallium   | 205-1 | 0.51     | 0.52     | 0.52     | 0.52       | 0.94    | ppb   |
| Tin        | 118-1 | 16.11    | 16.38    | 16.60    | 16.36      | 1.51    | ppb   |
| Titanium   | 47-1  | 128.58   | 131.16   | 133.95   | 131.23     | 2.05    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-11

Instrumnet Name :P7

Client Sample ID :MH2GT0

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:56:47

DataFile Name :065SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 5.90    | 5.94    | 5.92    | 5.92       | 0.33    | ppb   |
| Vanadium  | 51-2  | 65.57   | 65.15   | 65.73   | 65.48      | 0.46    | ppb   |
| Yttrium   | 89-1  |         |         |         | 110        |         | %     |
| Yttrium   | 89-2  |         |         |         | 105        |         | %     |
| Zinc      | 66-2  | 734.62  | 738.04  | 741.38  | 738.01     | 0.46    | ppb   |
| Zirconium | 90-1  | 2.41    | 2.49    | 2.47    | 2.46       | 1.67    | ppb   |
| Zirconium | 91-1  | 2.43    | 2.55    | 2.51    | 2.50       | 2.53    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-12 Instrumnet Name : P7  
Client Sample ID : MH2GT1 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:59:50 DataFile Name : 066SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 13290.86  | 13285.93  | 13335.81  | 13304.20   | 0.21    | ppb   |
| Antimony   | 121-1 | 0.71      | 0.74      | 0.73      | 0.73       | 2.00    | ppb   |
| Arsenic    | 75-2  | 20.34     | 21.13     | 21.12     | 20.86      | 2.16    | ppb   |
| Barium     | 135-1 | 949.74    | 960.04    | 938.43    | 949.41     | 1.14    | ppb   |
| Barium     | 137-1 | 942.68    | 948.72    | 937.41    | 942.94     | 0.60    | ppb   |
| Beryllium  | 9-1   | 1.56      | 1.44      | 1.48      | 1.49       | 4.18    | ppb   |
| Bismuth    | 209-1 |           |           |           | 105        |         | %     |
| Bismuth    | 209-2 |           |           |           | 98         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 4.33      | 4.51      | 4.30      | 4.38       | 2.58    | ppb   |
| Cadmium    | 106-1 | 4.97      | 5.01      | 4.90      | 4.96       | 1.12    | ppb   |
| Cadmium    | 111-1 | 4.77      | 4.74      | 4.80      | 4.77       | 0.69    | ppb   |
| Calcium    | 43-1  | 269375.50 | 269570.14 | 270884.14 | 269943.26  | 0.30    | ppb   |
| Calcium    | 44-1  | 267599.26 | 267179.23 | 268319.19 | 267699.22  | 0.22    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 16.02     | 15.99     | 16.23     | 16.08      | 0.82    | ppb   |
| Cobalt     | 59-2  | 13.52     | 13.80     | 13.80     | 13.70      | 1.19    | ppb   |
| Copper     | 63-2  | 57.77     | 58.28     | 58.27     | 58.11      | 0.50    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 106        |         | %     |
| Holmium    | 165-2 |           |           |           | 101        |         | %     |
| Indium     | 115-1 |           |           |           | 98         |         | %     |
| Indium     | 115-2 |           |           |           | 92         |         | %     |
| Iron       | 56-2  | 17489.97  | 17400.09  | 17346.69  | 17412.25   | 0.42    | ppb   |
| Iron       | 57-2  | 18550.60  | 18664.97  | 18637.92  | 18617.83   | 0.32    | ppb   |
| Iron       | 54-2  | 17505.74  | 17386.77  | 17605.88  | 17499.46   | 0.63    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-12 Instrumnet Name : P7  
Client Sample ID : MH2GT1 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:59:50 DataFile Name : 066SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 219.44   | 219.18   | 218.62   | 219.08     | 0.19    | ppb   |
| Lead       | 207-1 | 211.61   | 208.70   | 213.83   | 211.38     | 1.22    | ppb   |
| Lead       | 208-1 | 213.47   | 213.02   | 215.37   | 213.95     | 0.58    | ppb   |
| Lithium    | 6-1   |          |          |          | 91         |         | %     |
| Magnesium  | 24-2  | 11033.17 | 10956.82 | 11181.22 | 11057.07   | 1.03    | ppb   |
| Manganese  | 55-2  | 604.68   | 591.53   | 603.36   | 599.86     | 1.21    | ppb   |
| Molybdenum | 94-1  | 3.80     | 3.85     | 3.87     | 3.84       | 0.96    | ppb   |
| Molybdenum | 95-1  | 0.98     | 0.97     | 1.01     | 0.98       | 1.87    | ppb   |
| Molybdenum | 96-1  | 1.31     | 1.33     | 1.34     | 1.33       | 0.90    | ppb   |
| Molybdenum | 97-1  | 0.96     | 0.96     | 1.01     | 0.98       | 2.96    | ppb   |
| Molybdenum | 98-1  | 0.94     | 0.97     | 0.97     | 0.96       | 1.51    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 37.40    | 37.31    | 37.14    | 37.28      | 0.36    | ppb   |
| Phosphorus | 31-2  | 2908.65  | 2942.06  | 2967.10  | 2939.27    | 1.00    | ppb   |
| Potassium  | 39-2  | 2593.86  | 2606.43  | 2620.12  | 2606.80    | 0.50    | ppb   |
| Rhodium    | 103-1 |          |          |          | 93         |         | %     |
| Rhodium    | 103-2 |          |          |          | 91         |         | %     |
| Scandium   | 45-1  |          |          |          | 92         |         | %     |
| Scandium   | 45-2  |          |          |          | 90         |         | %     |
| Selenium   | 82-1  | 0.69     | 1.07     | 1.03     | 0.93       | 22.20   | ppb   |
| Selenium   | 77-2  | 18.17    | 19.32    | 19.46    | 18.99      | 3.72    | ppb   |
| Selenium   | 78-2  | 2.87     | 3.26     | 3.05     | 3.06       | 6.39    | ppb   |
| Silicon    | 28-1  | 1198.94  | 1201.40  | 1228.16  | 1209.50    | 1.34    | ppb   |
| Silver     | 107-1 | 1.39     | 1.39     | 1.41     | 1.40       | 0.78    | ppb   |
| Silver     | 109-1 | 1.35     | 1.37     | 1.40     | 1.37       | 1.92    | ppb   |
| Sodium     | 23-2  | 696.99   | 700.01   | 708.58   | 701.86     | 0.86    | ppb   |
| Strontium  | 86-1  | 12881.64 | 12866.06 | 13011.66 | 12919.79   | 0.62    | ppb   |
| Strontium  | 88-1  | 12834.87 | 12921.75 | 13063.75 | 12940.12   | 0.89    | ppb   |
| Sulfur     | 34-1  | 2150.22  | 2174.63  | 2279.33  | 2201.40    | 3.12    | ppb   |
| Terbium    | 159-1 |          |          |          | 106        |         | %     |
| Terbium    | 159-2 |          |          |          | 100        |         | %     |
| Thallium   | 203-1 | 0.47     | 0.46     | 0.45     | 0.46       | 1.53    | ppb   |
| Thallium   | 205-1 | 0.47     | 0.47     | 0.46     | 0.46       | 0.40    | ppb   |
| Tin        | 118-1 | 6.34     | 6.50     | 6.48     | 6.44       | 1.37    | ppb   |
| Titanium   | 47-1  | 88.01    | 89.43    | 89.60    | 89.02      | 0.98    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-12

Instrumnet Name :P7

Client Sample ID :MH2GT1

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:59:50

DataFile Name :066SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 5.49    | 5.50    | 5.56    | 5.52       | 0.67    | ppb   |
| Vanadium  | 51-2  | 70.47   | 70.44   | 70.98   | 70.63      | 0.42    | ppb   |
| Yttrium   | 89-1  |         |         |         | 108        |         | %     |
| Yttrium   | 89-2  |         |         |         | 103        |         | %     |
| Zinc      | 66-2  | 271.80  | 274.23  | 273.59  | 273.21     | 0.46    | ppb   |
| Zirconium | 90-1  | 1.68    | 1.71    | 1.71    | 1.70       | 1.12    | ppb   |
| Zirconium | 91-1  | 1.67    | 1.73    | 1.74    | 1.72       | 2.17    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-15 Instrumnet Name : P7  
Client Sample ID : MH2GT4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:09:22 DataFile Name : 069SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 7803.05   | 7779.88   | 7809.23   | 7797.39    | 0.20    | ppb   |
| Antimony   | 121-1 | 0.65      | 0.65      | 0.66      | 0.65       | 1.01    | ppb   |
| Arsenic    | 75-2  | 15.07     | 15.17     | 14.89     | 15.04      | 0.97    | ppb   |
| Barium     | 135-1 | 525.60    | 526.19    | 527.79    | 526.53     | 0.22    | ppb   |
| Barium     | 137-1 | 521.28    | 520.89    | 524.82    | 522.33     | 0.41    | ppb   |
| Beryllium  | 9-1   | 1.17      | 1.21      | 1.09      | 1.16       | 5.23    | ppb   |
| Bismuth    | 209-1 |           |           |           | 102        |         | %     |
| Bismuth    | 209-2 |           |           |           | 98         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 5.57      | 5.39      | 5.32      | 5.43       | 2.40    | ppb   |
| Cadmium    | 106-1 | 6.70      | 5.52      | 6.27      | 6.16       | 9.71    | ppb   |
| Cadmium    | 111-1 | 6.18      | 6.02      | 6.02      | 6.07       | 1.53    | ppb   |
| Calcium    | 43-1  | 116017.74 | 115420.11 | 113297.37 | 114911.74  | 1.24    | ppb   |
| Calcium    | 44-1  | 114247.28 | 114939.19 | 113395.90 | 114194.12  | 0.68    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 8.89      | 8.92      | 8.84      | 8.88       | 0.41    | ppb   |
| Cobalt     | 59-2  | 8.86      | 8.85      | 8.79      | 8.83       | 0.43    | ppb   |
| Copper     | 63-2  | 75.93     | 75.83     | 76.39     | 76.05      | 0.40    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 102        |         | %     |
| Holmium    | 165-2 |           |           |           | 98         |         | %     |
| Indium     | 115-1 |           |           |           | 97         |         | %     |
| Indium     | 115-2 |           |           |           | 91         |         | %     |
| Iron       | 56-2  | 6821.41   | 6798.34   | 6766.14   | 6795.30    | 0.41    | ppb   |
| Iron       | 57-2  | 7408.11   | 7249.69   | 7357.95   | 7338.58    | 1.10    | ppb   |
| Iron       | 54-2  | 6976.03   | 6861.12   | 6917.47   | 6918.21    | 0.83    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-15 Instrumnet Name : P7  
Client Sample ID : MH2GT4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:09:22 DataFile Name : 069SMPL.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 508.99  | 529.62  | 515.79  | 518.14     | 2.03    | ppb   |
| Lead       | 207-1 | 497.72  | 511.41  | 504.28  | 504.47     | 1.36    | ppb   |
| Lead       | 208-1 | 501.86  | 517.43  | 508.33  | 509.21     | 1.54    | ppb   |
| Lithium    | 6-1   |         |         |         | 98         |         | %     |
| Magnesium  | 24-2  | 5259.30 | 5301.97 | 5293.76 | 5285.01    | 0.43    | ppb   |
| Manganese  | 55-2  | 682.37  | 673.61  | 668.43  | 674.80     | 1.04    | ppb   |
| Molybdenum | 94-1  | 2.22    | 2.23    | 2.28    | 2.24       | 1.30    | ppb   |
| Molybdenum | 95-1  | 0.31    | 0.30    | 0.33    | 0.31       | 4.94    | ppb   |
| Molybdenum | 96-1  | 0.51    | 0.51    | 0.54    | 0.52       | 3.01    | ppb   |
| Molybdenum | 97-1  | 0.31    | 0.29    | 0.30    | 0.30       | 3.10    | ppb   |
| Molybdenum | 98-1  | 0.29    | 0.30    | 0.30    | 0.30       | 1.66    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 14.67   | 14.75   | 14.62   | 14.68      | 0.47    | ppb   |
| Phosphorus | 31-2  | 4070.45 | 4073.45 | 4052.46 | 4065.45    | 0.28    | ppb   |
| Potassium  | 39-2  | 2118.77 | 2128.89 | 2141.57 | 2129.74    | 0.54    | ppb   |
| Rhodium    | 103-1 |         |         |         | 91         |         | %     |
| Rhodium    | 103-2 |         |         |         | 90         |         | %     |
| Scandium   | 45-1  |         |         |         | 91         |         | %     |
| Scandium   | 45-2  |         |         |         | 90         |         | %     |
| Selenium   | 82-1  | 0.52    | 0.47    | 0.57    | 0.52       | 9.26    | ppb   |
| Selenium   | 77-2  | 13.68   | 16.97   | 14.90   | 15.19      | 10.95   | ppb   |
| Selenium   | 78-2  | 1.62    | 3.05    | 3.23    | 2.64       | 33.42   | ppb   |
| Silicon    | 28-1  | 1213.56 | 1228.28 | 1209.96 | 1217.27    | 0.80    | ppb   |
| Silver     | 107-1 | 0.88    | 0.85    | 0.87    | 0.87       | 2.25    | ppb   |
| Silver     | 109-1 | 0.86    | 0.86    | 0.87    | 0.86       | 1.05    | ppb   |
| Sodium     | 23-2  | 237.45  | 240.18  | 238.08  | 238.57     | 0.60    | ppb   |
| Strontium  | 86-1  | 7051.09 | 7044.56 | 7136.04 | 7077.23    | 0.72    | ppb   |
| Strontium  | 88-1  | 7026.02 | 6937.39 | 7101.40 | 7021.60    | 1.17    | ppb   |
| Sulfur     | 34-1  | 436.05  | 458.43  | 411.55  | 435.34     | 5.39    | ppb   |
| Terbium    | 159-1 |         |         |         | 102        |         | %     |
| Terbium    | 159-2 |         |         |         | 99         |         | %     |
| Thallium   | 203-1 | 0.18    | 0.19    | 0.18    | 0.18       | 3.23    | ppb   |
| Thallium   | 205-1 | 0.18    | 0.19    | 0.19    | 0.19       | 1.34    | ppb   |
| Tin        | 118-1 | 0.18    | 0.16    | 0.16    | 0.17       | 6.77    | ppb   |
| Titanium   | 47-1  | 36.77   | 37.04   | 36.14   | 36.65      | 1.25    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4957-15

Instrumnet Name :

P7

Client Sample ID :

MH2GT4

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 20:09:22

DataFile Name :

069SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.11    | 3.21    | 3.17    | 3.16       | 1.60    | ppb   |
| Vanadium  | 51-2  | 27.66   | 27.85   | 27.60   | 27.71      | 0.47    | ppb   |
| Yttrium   | 89-1  |         |         |         | 106        |         | %     |
| Yttrium   | 89-2  |         |         |         | 102        |         | %     |
| Zinc      | 66-2  | 457.78  | 463.74  | 465.18  | 462.23     | 0.85    | ppb   |
| Zirconium | 90-1  | 1.12    | 1.13    | 1.11    | 1.12       | 1.18    | ppb   |
| Zirconium | 91-1  | 1.09    | 1.12    | 1.14    | 1.12       | 2.21    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-16 Instrumnet Name : P7  
Client Sample ID : MH2GT5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:12:29 DataFile Name : 070SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 6374.99   | 6149.94   | 6309.59   | 6278.18    | 1.84    | ppb   |
| Antimony   | 121-1 | 0.57      | 0.58      | 0.59      | 0.58       | 1.79    | ppb   |
| Arsenic    | 75-2  | 17.74     | 17.83     | 17.61     | 17.73      | 0.63    | ppb   |
| Barium     | 135-1 | 525.72    | 537.80    | 544.92    | 536.14     | 1.81    | ppb   |
| Barium     | 137-1 | 525.61    | 545.30    | 542.46    | 537.79     | 1.98    | ppb   |
| Beryllium  | 9-1   | 1.06      | 0.99      | 0.95      | 1.00       | 5.44    | ppb   |
| Bismuth    | 209-1 |           |           |           | 101        |         | %     |
| Bismuth    | 209-2 |           |           |           | 96         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 3.50      | 3.82      | 3.84      | 3.72       | 5.09    | ppb   |
| Cadmium    | 106-1 | 4.46      | 4.11      | 4.26      | 4.28       | 4.14    | ppb   |
| Cadmium    | 111-1 | 4.19      | 4.14      | 4.27      | 4.20       | 1.61    | ppb   |
| Calcium    | 43-1  | 162554.47 | 166571.50 | 166105.69 | 165077.22  | 1.33    | ppb   |
| Calcium    | 44-1  | 162850.43 | 167168.76 | 164392.44 | 164803.88  | 1.33    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 7.48      | 7.43      | 7.38      | 7.43       | 0.68    | ppb   |
| Cobalt     | 59-2  | 7.87      | 7.77      | 7.78      | 7.81       | 0.70    | ppb   |
| Copper     | 63-2  | 53.84     | 52.79     | 53.41     | 53.34      | 0.99    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 101        |         | %     |
| Holmium    | 165-2 |           |           |           | 98         |         | %     |
| Indium     | 115-1 |           |           |           | 95         |         | %     |
| Indium     | 115-2 |           |           |           | 91         |         | %     |
| Iron       | 56-2  | 4534.35   | 4498.53   | 4554.45   | 4529.11    | 0.63    | ppb   |
| Iron       | 57-2  | 5441.07   | 5379.11   | 5445.73   | 5421.97    | 0.69    | ppb   |
| Iron       | 54-2  | 4606.87   | 4468.36   | 4576.79   | 4550.67    | 1.60    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-16 Instrumnet Name : P7  
Client Sample ID : MH2GT5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:12:29 DataFile Name : 070SMPL.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 369.89  | 378.21  | 374.43  | 374.17     | 1.11    | ppb   |
| Lead       | 207-1 | 363.34  | 364.45  | 363.79  | 363.86     | 0.15    | ppb   |
| Lead       | 208-1 | 365.23  | 369.91  | 368.65  | 367.93     | 0.66    | ppb   |
| Lithium    | 6-1   |         |         |         | 96         |         | %     |
| Magnesium  | 24-2  | 4959.41 | 4830.54 | 4874.98 | 4888.31    | 1.34    | ppb   |
| Manganese  | 55-2  | 585.54  | 582.12  | 583.44  | 583.70     | 0.30    | ppb   |
| Molybdenum | 94-1  | 2.28    | 2.41    | 2.38    | 2.36       | 2.74    | ppb   |
| Molybdenum | 95-1  | 0.47    | 0.46    | 0.50    | 0.47       | 5.02    | ppb   |
| Molybdenum | 96-1  | 0.67    | 0.69    | 0.67    | 0.68       | 1.71    | ppb   |
| Molybdenum | 97-1  | 0.45    | 0.48    | 0.46    | 0.47       | 4.07    | ppb   |
| Molybdenum | 98-1  | 0.46    | 0.47    | 0.44    | 0.46       | 2.66    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 27.60   | 27.23   | 27.65   | 27.49      | 0.84    | ppb   |
| Phosphorus | 31-2  | 3500.37 | 3407.63 | 3488.54 | 3465.51    | 1.46    | ppb   |
| Potassium  | 39-2  | 1629.28 | 1580.82 | 1621.39 | 1610.50    | 1.61    | ppb   |
| Rhodium    | 103-1 |         |         |         | 90         |         | %     |
| Rhodium    | 103-2 |         |         |         | 88         |         | %     |
| Scandium   | 45-1  |         |         |         | 90         |         | %     |
| Scandium   | 45-2  |         |         |         | 89         |         | %     |
| Selenium   | 82-1  | 0.43    | 0.73    | 0.38    | 0.52       | 37.15   | ppb   |
| Selenium   | 77-2  | 13.37   | 12.26   | 11.37   | 12.33      | 8.13    | ppb   |
| Selenium   | 78-2  | 2.35    | 2.35    | 3.13    | 2.61       | 17.29   | ppb   |
| Silicon    | 28-1  | 1039.60 | 1076.33 | 1042.92 | 1052.95    | 1.93    | ppb   |
| Silver     | 107-1 | 0.53    | 0.54    | 0.53    | 0.54       | 1.16    | ppb   |
| Silver     | 109-1 | 0.53    | 0.53    | 0.54    | 0.53       | 1.40    | ppb   |
| Sodium     | 23-2  | 274.33  | 272.84  | 273.95  | 273.71     | 0.28    | ppb   |
| Strontium  | 86-1  | 9103.69 | 9282.49 | 9229.84 | 9205.34    | 1.00    | ppb   |
| Strontium  | 88-1  | 9118.45 | 9277.71 | 9179.26 | 9191.81    | 0.87    | ppb   |
| Sulfur     | 34-1  | 478.75  | 583.96  | 555.86  | 539.52     | 10.10   | ppb   |
| Terbium    | 159-1 |         |         |         | 100        |         | %     |
| Terbium    | 159-2 |         |         |         | 98         |         | %     |
| Thallium   | 203-1 | 0.12    | 0.11    | 0.11    | 0.12       | 3.71    | ppb   |
| Thallium   | 205-1 | 0.12    | 0.12    | 0.12    | 0.12       | 1.37    | ppb   |
| Tin        | 118-1 | 0.13    | 0.14    | 0.13    | 0.13       | 4.50    | ppb   |
| Titanium   | 47-1  | 25.70   | 26.20   | 25.96   | 25.95      | 0.96    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4957-16

Instrumnet Name :

P7

Client Sample ID :

MH2GT5

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 20:12:29

DataFile Name :

070SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.31    | 3.30    | 3.31    | 3.31       | 0.16    | ppb   |
| Vanadium  | 51-2  | 28.15   | 27.75   | 28.39   | 28.10      | 1.15    | ppb   |
| Yttrium   | 89-1  |         |         |         | 102        |         | %     |
| Yttrium   | 89-2  |         |         |         | 100        |         | %     |
| Zinc      | 66-2  | 267.16  | 263.89  | 265.60  | 265.55     | 0.62    | ppb   |
| Zirconium | 90-1  | 1.10    | 1.10    | 1.09    | 1.10       | 0.17    | ppb   |
| Zirconium | 91-1  | 1.10    | 1.11    | 1.14    | 1.11       | 1.84    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-13 Instrumnet Name : P7  
Client Sample ID : MH2GT2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:15:34 DataFile Name : 071SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 11772.82  | 11707.72  | 11712.45  | 11731.00   | 0.31    | ppb   |
| Antimony   | 121-1 | 0.91      | 0.92      | 0.93      | 0.92       | 1.02    | ppb   |
| Arsenic    | 75-2  | 14.26     | 14.33     | 14.09     | 14.23      | 0.88    | ppb   |
| Barium     | 135-1 | 707.21    | 716.12    | 708.48    | 710.60     | 0.68    | ppb   |
| Barium     | 137-1 | 709.47    | 712.19    | 722.78    | 714.81     | 0.98    | ppb   |
| Beryllium  | 9-1   | 1.79      | 1.69      | 1.61      | 1.70       | 5.32    | ppb   |
| Bismuth    | 209-1 |           |           |           | 106        |         | %     |
| Bismuth    | 209-2 |           |           |           | 100        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 9.96      | 9.68      | 9.59      | 9.74       | 2.00    | ppb   |
| Cadmium    | 106-1 | 10.16     | 10.11     | 9.99      | 10.09      | 0.84    | ppb   |
| Cadmium    | 111-1 | 10.52     | 10.76     | 10.74     | 10.68      | 1.24    | ppb   |
| Calcium    | 43-1  | 104529.99 | 104530.73 | 103582.86 | 104214.53  | 0.52    | ppb   |
| Calcium    | 44-1  | 104006.02 | 102489.31 | 103846.82 | 103447.38  | 0.81    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 30.49     | 30.62     | 30.43     | 30.51      | 0.31    | ppb   |
| Cobalt     | 59-2  | 13.17     | 13.02     | 13.11     | 13.10      | 0.57    | ppb   |
| Copper     | 63-2  | 127.33    | 127.98    | 128.79    | 128.03     | 0.57    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 105        |         | %     |
| Holmium    | 165-2 |           |           |           | 101        |         | %     |
| Indium     | 115-1 |           |           |           | 98         |         | %     |
| Indium     | 115-2 |           |           |           | 93         |         | %     |
| Iron       | 56-2  | 19234.31  | 19273.18  | 19424.63  | 19310.71   | 0.52    | ppb   |
| Iron       | 57-2  | 19515.32  | 19527.12  | 19434.37  | 19492.27   | 0.26    | ppb   |
| Iron       | 54-2  | 19159.75  | 19275.04  | 19304.57  | 19246.45   | 0.40    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-13 Instrumnet Name : P7  
Client Sample ID : MH2GT2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:15:34 DataFile Name : 071SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 1068.23  | 1099.77  | 1074.72  | 1080.90    | 1.54    | ppb   |
| Lead       | 207-1 | 1045.98  | 1076.55  | 1052.94  | 1058.49    | 1.51    | ppb   |
| Lead       | 208-1 | 1056.18  | 1079.90  | 1060.16  | 1065.41    | 1.19    | ppb   |
| Lithium    | 6-1   |          |          |          | 96         |         | %     |
| Magnesium  | 24-2  | 19530.35 | 19496.08 | 19543.87 | 19523.43   | 0.13    | ppb   |
| Manganese  | 55-2  | 1157.20  | 1162.21  | 1166.79  | 1162.06    | 0.41    | ppb   |
| Molybdenum | 94-1  | 4.92     | 5.08     | 5.03     | 5.01       | 1.65    | ppb   |
| Molybdenum | 95-1  | 0.79     | 0.83     | 0.82     | 0.82       | 2.36    | ppb   |
| Molybdenum | 96-1  | 1.29     | 1.31     | 1.26     | 1.29       | 1.94    | ppb   |
| Molybdenum | 97-1  | 0.79     | 0.76     | 0.82     | 0.79       | 3.84    | ppb   |
| Molybdenum | 98-1  | 0.78     | 0.78     | 0.77     | 0.78       | 1.03    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 27.31    | 27.08    | 27.53    | 27.31      | 0.83    | ppb   |
| Phosphorus | 31-2  | 4550.74  | 4644.58  | 4629.34  | 4608.22    | 1.09    | ppb   |
| Potassium  | 39-2  | 4471.36  | 4509.75  | 4459.24  | 4480.12    | 0.59    | ppb   |
| Rhodium    | 103-1 |          |          |          | 92         |         | %     |
| Rhodium    | 103-2 |          |          |          | 93         |         | %     |
| Scandium   | 45-1  |          |          |          | 89         |         | %     |
| Scandium   | 45-2  |          |          |          | 89         |         | %     |
| Selenium   | 82-1  | 0.85     | 0.90     | 0.86     | 0.87       | 2.76    | ppb   |
| Selenium   | 77-2  | 14.82    | 15.95    | 17.61    | 16.12      | 8.71    | ppb   |
| Selenium   | 78-2  | 3.38     | 3.24     | 2.56     | 3.06       | 14.40   | ppb   |
| Silicon    | 28-1  | 1480.07  | 1493.56  | 1481.63  | 1485.08    | 0.50    | ppb   |
| Silver     | 107-1 | 2.73     | 2.74     | 2.79     | 2.76       | 1.26    | ppb   |
| Silver     | 109-1 | 2.76     | 2.75     | 2.76     | 2.76       | 0.39    | ppb   |
| Sodium     | 23-2  | 320.78   | 321.84   | 324.78   | 322.47     | 0.64    | ppb   |
| Strontium  | 86-1  | 7281.07  | 7499.02  | 7318.33  | 7366.14    | 1.58    | ppb   |
| Strontium  | 88-1  | 7272.67  | 7368.36  | 7279.58  | 7306.87    | 0.73    | ppb   |
| Sulfur     | 34-1  | 723.39   | 772.99   | 797.05   | 764.48     | 4.91    | ppb   |
| Terbium    | 159-1 |          |          |          | 105        |         | %     |
| Terbium    | 159-2 |          |          |          | 100        |         | %     |
| Thallium   | 203-1 | 0.37     | 0.39     | 0.38     | 0.38       | 2.93    | ppb   |
| Thallium   | 205-1 | 0.39     | 0.39     | 0.38     | 0.39       | 1.72    | ppb   |
| Tin        | 118-1 | 10.49    | 10.62    | 10.58    | 10.57      | 0.63    | ppb   |
| Titanium   | 47-1  | 165.41   | 165.77   | 166.60   | 165.92     | 0.37    | ppb   |

LB Number :  
Lab Sample ID :  
Client Sample ID :  
Date & Time Acquired :

LB133687  
P4957-13  
MH2GT2  
2024-11-27 20:15:34

Operator :  
Instrumnet Name :  
Dilution Factor :  
DataFile Name :

Jaswal  
P7  
1  
071SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.42    | 3.56    | 3.47    | 3.48       | 1.96    | ppb   |
| Vanadium  | 51-2  | 46.70   | 46.65   | 46.87   | 46.74      | 0.24    | ppb   |
| Yttrium   | 89-1  |         |         |         | 107        |         | %     |
| Yttrium   | 89-2  |         |         |         | 103        |         | %     |
| Zinc      | 66-2  | 1670.55 | 1639.66 | 1650.94 | 1653.71    | 0.95    | ppb   |
| Zirconium | 90-1  | 2.46    | 2.50    | 2.40    | 2.45       | 1.93    | ppb   |
| Zirconium | 91-1  | 2.42    | 2.54    | 2.40    | 2.45       | 3.02    | ppb   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-14 Instrumnet Name : P7  
Client Sample ID : MH2GT3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:18:37 DataFile Name : 072SMPL.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 9387.06   | 9392.98   | 9238.79   | 9339.61    | 0.94    | ppb   |
| Antimony   | 121-1 | 0.68      | 0.70      | 0.72      | 0.70       | 2.64    | ppb   |
| Arsenic    | 75-2  | 14.32     | 14.73     | 14.42     | 14.49      | 1.48    | ppb   |
| Barium     | 135-1 | 729.95    | 753.18    | 752.26    | 745.13     | 1.77    | ppb   |
| Barium     | 137-1 | 727.38    | 752.54    | 755.93    | 745.28     | 2.09    | ppb   |
| Beryllium  | 9-1   | 1.73      | 1.53      | 1.66      | 1.64       | 6.24    | ppb   |
| Bismuth    | 209-1 |           |           |           | 107        |         | %     |
| Bismuth    | 209-2 |           |           |           | 100        |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 10.58     | 11.42     | 11.28     | 11.09      | 4.01    | ppb   |
| Cadmium    | 106-1 | 11.22     | 11.61     | 11.34     | 11.39      | 1.77    | ppb   |
| Cadmium    | 111-1 | 11.88     | 12.17     | 12.14     | 12.06      | 1.31    | ppb   |
| Calcium    | 43-1  | 106891.81 | 108240.14 | 107003.38 | 107378.44  | 0.70    | ppb   |
| Calcium    | 44-1  | 105937.08 | 107191.89 | 106908.18 | 106679.05  | 0.62    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 15.36     | 15.22     | 15.29     | 15.29      | 0.44    | ppb   |
| Cobalt     | 59-2  | 10.81     | 10.72     | 10.77     | 10.77      | 0.42    | ppb   |
| Copper     | 63-2  | 133.15    | 132.93    | 133.21    | 133.10     | 0.11    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 106        |         | %     |
| Holmium    | 165-2 |           |           |           | 101        |         | %     |
| Indium     | 115-1 |           |           |           | 98         |         | %     |
| Indium     | 115-2 |           |           |           | 94         |         | %     |
| Iron       | 56-2  | 8946.39   | 8931.40   | 8952.23   | 8943.34    | 0.12    | ppb   |
| Iron       | 57-2  | 9494.72   | 9346.53   | 9448.90   | 9430.05    | 0.80    | ppb   |
| Iron       | 54-2  | 9047.50   | 8874.04   | 8999.91   | 8973.82    | 1.00    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-14 Instrumnet Name : P7  
Client Sample ID : MH2GT3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:18:37 DataFile Name : 072SMPL.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 1167.68 | 1169.37 | 1156.85 | 1164.64    | 0.58    | ppb   |
| Lead       | 207-1 | 1132.14 | 1148.21 | 1140.97 | 1140.44    | 0.71    | ppb   |
| Lead       | 208-1 | 1141.83 | 1158.88 | 1152.16 | 1150.96    | 0.75    | ppb   |
| Lithium    | 6-1   |         |         |         | 98         |         | %     |
| Magnesium  | 24-2  | 7245.63 | 7289.50 | 7237.87 | 7257.67    | 0.38    | ppb   |
| Manganese  | 55-2  | 1016.39 | 1017.79 | 1004.52 | 1012.90    | 0.72    | ppb   |
| Molybdenum | 94-1  | 2.76    | 2.87    | 2.77    | 2.80       | 2.05    | ppb   |
| Molybdenum | 95-1  | 0.28    | 0.29    | 0.27    | 0.28       | 3.65    | ppb   |
| Molybdenum | 96-1  | 0.55    | 0.58    | 0.59    | 0.58       | 3.38    | ppb   |
| Molybdenum | 97-1  | 0.26    | 0.30    | 0.28    | 0.28       | 6.99    | ppb   |
| Molybdenum | 98-1  | 0.26    | 0.28    | 0.27    | 0.27       | 4.39    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 22.76   | 22.46   | 22.59   | 22.60      | 0.68    | ppb   |
| Phosphorus | 31-2  | 4294.52 | 4319.38 | 4299.50 | 4304.47    | 0.31    | ppb   |
| Potassium  | 39-2  | 3145.27 | 3200.95 | 3180.09 | 3175.44    | 0.89    | ppb   |
| Rhodium    | 103-1 |         |         |         | 94         |         | %     |
| Rhodium    | 103-2 |         |         |         | 93         |         | %     |
| Scandium   | 45-1  |         |         |         | 92         |         | %     |
| Scandium   | 45-2  |         |         |         | 91         |         | %     |
| Selenium   | 82-1  | 0.67    | 0.78    | 0.70    | 0.72       | 8.28    | ppb   |
| Selenium   | 77-2  | 15.69   | 15.00   | 14.27   | 14.99      | 4.76    | ppb   |
| Selenium   | 78-2  | 3.21    | 3.23    | 3.26    | 3.23       | 0.74    | ppb   |
| Silicon    | 28-1  | 1456.61 | 1482.35 | 1470.77 | 1469.91    | 0.88    | ppb   |
| Silver     | 107-1 | 1.63    | 1.72    | 1.68    | 1.68       | 2.60    | ppb   |
| Silver     | 109-1 | 1.67    | 1.69    | 1.70    | 1.68       | 0.90    | ppb   |
| Sodium     | 23-2  | 282.60  | 283.58  | 284.49  | 283.56     | 0.33    | ppb   |
| Strontium  | 86-1  | 7658.42 | 7780.51 | 7750.87 | 7729.93    | 0.82    | ppb   |
| Strontium  | 88-1  | 7576.40 | 7732.42 | 7897.82 | 7735.55    | 2.08    | ppb   |
| Sulfur     | 34-1  | 419.78  | 481.38  | 493.61  | 464.92     | 8.51    | ppb   |
| Terbium    | 159-1 |         |         |         | 105        |         | %     |
| Terbium    | 159-2 |         |         |         | 101        |         | %     |
| Thallium   | 203-1 | 0.29    | 0.29    | 0.28    | 0.29       | 1.99    | ppb   |
| Thallium   | 205-1 | 0.28    | 0.28    | 0.28    | 0.28       | 1.01    | ppb   |
| Tin        | 118-1 | 0.51    | 0.56    | 0.55    | 0.54       | 4.61    | ppb   |
| Titanium   | 47-1  | 55.61   | 56.67   | 56.61   | 56.30      | 1.06    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-14

Instrumnet Name :P7

Client Sample ID :MH2GT3

Dilution Factor :1

Date & Time Acquired :2024-11-27 20:18:37

DataFile Name :072SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.64    | 3.66    | 3.68    | 3.66       | 0.56    | ppb   |
| Vanadium  | 51-2  | 34.17   | 34.35   | 34.26   | 34.26      | 0.26    | ppb   |
| Yttrium   | 89-1  |         |         |         | 109        |         | %     |
| Yttrium   | 89-2  |         |         |         | 105        |         | %     |
| Zinc      | 66-2  | 1247.58 | 1258.47 | 1267.15 | 1257.73    | 0.78    | ppb   |
| Zirconium | 90-1  | 1.37    | 1.43    | 1.46    | 1.42       | 3.35    | ppb   |
| Zirconium | 91-1  | 1.36    | 1.44    | 1.48    | 1.43       | 4.09    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-01 Instrumnet Name : P7  
Client Sample ID : MH2GW5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:21:35 DataFile Name : 073SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Aluminium  | 27-2  | 6889.28  | 6949.98  | 6837.87  | 6892.38    | 0.81    | ppb   |
| Antimony   | 121-1 | 14.66    | 15.10    | 15.21    | 14.99      | 1.93    | ppb   |
| Arsenic    | 75-2  | 8.18     | 7.81     | 7.77     | 7.92       | 2.86    | ppb   |
| Barium     | 135-1 | 395.96   | 413.15   | 418.03   | 409.05     | 2.83    | ppb   |
| Barium     | 137-1 | 405.17   | 412.49   | 412.87   | 410.18     | 1.06    | ppb   |
| Beryllium  | 9-1   | 0.93     | 0.94     | 0.95     | 0.94       | 0.93    | ppb   |
| Bismuth    | 209-1 |          |          |          | 109        |         | %     |
| Bismuth    | 209-2 |          |          |          | 103        |         | %     |
| Bromine    | 81-1  |          |          |          |            |         | cps   |
| Bromine    | 81-2  |          |          |          |            |         | cps   |
| Cadmium    | 108-1 | 18.43    | 19.24    | 19.93    | 19.20      | 3.90    | ppb   |
| Cadmium    | 106-1 | 18.02    | 18.82    | 20.09    | 18.98      | 5.50    | ppb   |
| Cadmium    | 111-1 | 21.21    | 21.68    | 22.12    | 21.67      | 2.09    | ppb   |
| Calcium    | 43-1  | 76521.00 | 77272.85 | 78599.03 | 77464.29   | 1.36    | ppb   |
| Calcium    | 44-1  | 76399.16 | 77258.12 | 77671.59 | 77109.63   | 0.84    | ppb   |
| Carbon     | 12-1  |          |          |          |            |         | cps   |
| Carbon     | 12-2  |          |          |          |            |         | cps   |
| Chlorine   | 35-1  |          |          |          |            |         | cps   |
| Chlorine   | 35-2  |          |          |          |            |         | cps   |
| Chromium   | 52-2  | 58.08    | 57.84    | 57.87    | 57.93      | 0.22    | ppb   |
| Cobalt     | 59-2  | 7.05     | 7.04     | 7.01     | 7.03       | 0.28    | ppb   |
| Copper     | 63-2  | 105.30   | 104.61   | 104.47   | 104.79     | 0.42    | ppb   |
| Dysprosium | 156-1 |          |          |          |            |         | cps   |
| Dysprosium | 156-2 |          |          |          |            |         | cps   |
| Erbium     | 164-1 |          |          |          |            |         | cps   |
| Erbium     | 164-2 |          |          |          |            |         | cps   |
| Gadolinium | 160-1 |          |          |          |            |         | cps   |
| Gadolinium | 160-2 |          |          |          |            |         | cps   |
| Holmium    | 165-1 |          |          |          | 108        |         | %     |
| Holmium    | 165-2 |          |          |          | 102        |         | %     |
| Indium     | 115-1 |          |          |          | 100        |         | %     |
| Indium     | 115-2 |          |          |          | 94         |         | %     |
| Iron       | 56-2  | 14035.93 | 13975.66 | 13938.66 | 13983.42   | 0.35    | ppb   |
| Iron       | 57-2  | 14395.39 | 14265.19 | 14163.82 | 14274.80   | 0.81    | ppb   |
| Iron       | 54-2  | 13855.57 | 14120.43 | 14038.21 | 14004.74   | 0.97    | ppb   |
| Krypton    | 83-1  |          |          |          |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-01 Instrumnet Name : P7  
Client Sample ID : MH2GW5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:21:35 DataFile Name : 073SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 127.40   | 128.46   | 126.87   | 127.58     | 0.63    | ppb   |
| Lead       | 207-1 | 121.90   | 125.44   | 124.73   | 124.02     | 1.51    | ppb   |
| Lead       | 208-1 | 123.75   | 125.48   | 125.03   | 124.75     | 0.72    | ppb   |
| Lithium    | 6-1   |          |          |          | 97         |         | %     |
| Magnesium  | 24-2  | 9213.68  | 9127.90  | 9240.64  | 9194.07    | 0.64    | ppb   |
| Manganese  | 55-2  | 848.86   | 850.85   | 849.17   | 849.63     | 0.13    | ppb   |
| Molybdenum | 94-1  | 8.83     | 9.00     | 8.97     | 8.93       | 1.05    | ppb   |
| Molybdenum | 95-1  | 2.88     | 2.97     | 2.90     | 2.92       | 1.55    | ppb   |
| Molybdenum | 96-1  | 3.54     | 3.66     | 3.52     | 3.57       | 2.15    | ppb   |
| Molybdenum | 97-1  | 2.85     | 2.91     | 2.90     | 2.89       | 1.16    | ppb   |
| Molybdenum | 98-1  | 2.90     | 2.97     | 2.89     | 2.92       | 1.51    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 36.45    | 36.51    | 35.80    | 36.25      | 1.09    | ppb   |
| Phosphorus | 31-2  | 2707.77  | 2655.57  | 2658.71  | 2674.02    | 1.09    | ppb   |
| Potassium  | 39-2  | 6781.37  | 6824.79  | 6685.81  | 6763.99    | 1.05    | ppb   |
| Rhodium    | 103-1 |          |          |          | 94         |         | %     |
| Rhodium    | 103-2 |          |          |          | 94         |         | %     |
| Scandium   | 45-1  |          |          |          | 90         |         | %     |
| Scandium   | 45-2  |          |          |          | 90         |         | %     |
| Selenium   | 82-1  | 1.08     | 1.03     | 0.75     | 0.95       | 18.82   | ppb   |
| Selenium   | 77-2  | 11.05    | 10.50    | 8.65     | 10.07      | 12.48   | ppb   |
| Selenium   | 78-2  | 1.44     | 1.57     | 1.96     | 1.66       | 16.18   | ppb   |
| Silicon    | 28-1  | 1334.91  | 1332.29  | 1341.83  | 1336.35    | 0.37    | ppb   |
| Silver     | 107-1 | 0.82     | 0.84     | 0.88     | 0.85       | 3.45    | ppb   |
| Silver     | 109-1 | 0.82     | 0.84     | 0.86     | 0.84       | 2.45    | ppb   |
| Sodium     | 23-2  | 15609.63 | 15799.00 | 15634.14 | 15680.92   | 0.66    | ppb   |
| Strontium  | 86-1  | 7399.29  | 7542.70  | 7249.92  | 7397.30    | 1.98    | ppb   |
| Strontium  | 88-1  | 7242.25  | 7425.84  | 7227.06  | 7298.38    | 1.52    | ppb   |
| Sulfur     | 34-1  | 5954.62  | 6027.98  | 6115.15  | 6032.59    | 1.33    | ppb   |
| Terbium    | 159-1 |          |          |          | 107        |         | %     |
| Terbium    | 159-2 |          |          |          | 103        |         | %     |
| Thallium   | 203-1 | 0.24     | 0.24     | 0.23     | 0.24       | 1.87    | ppb   |
| Thallium   | 205-1 | 0.23     | 0.24     | 0.24     | 0.24       | 1.09    | ppb   |
| Tin        | 118-1 | 11.77    | 12.15    | 12.16    | 12.03      | 1.83    | ppb   |
| Titanium   | 47-1  | 175.15   | 178.37   | 179.75   | 177.76     | 1.33    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-01 Instrumnet Name : P7  
Client Sample ID : MH2GW5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:21:35 DataFile Name : 073SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 4.04    | 4.12    | 4.05    | 4.07       | 1.08    | ppb   |
| Vanadium  | 51-2  | 19.96   | 20.05   | 19.78   | 19.93      | 0.68    | ppb   |
| Yttrium   | 89-1  |         |         |         | 102        |         | %     |
| Yttrium   | 89-2  |         |         |         | 99         |         | %     |
| Zinc      | 66-2  | 1335.92 | 1351.26 | 1327.52 | 1338.23    | 0.90    | ppb   |
| Zirconium | 90-1  | 3.50    | 3.64    | 3.54    | 3.56       | 1.92    | ppb   |
| Zirconium | 91-1  | 3.49    | 3.70    | 3.65    | 3.61       | 2.97    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-02 Instrumnet Name : P7  
Client Sample ID : MH2GW6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:24:34 DataFile Name : 074SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Aluminium  | 27-2  | 6461.43  | 6404.43  | 6397.12  | 6421.00    | 0.55    | ppb   |
| Antimony   | 121-1 | 66.83    | 66.65    | 64.63    | 66.04      | 1.85    | ppb   |
| Arsenic    | 75-2  | 5.97     | 5.87     | 5.92     | 5.92       | 0.85    | ppb   |
| Barium     | 135-1 | 281.08   | 284.48   | 275.10   | 280.22     | 1.70    | ppb   |
| Barium     | 137-1 | 277.81   | 280.01   | 277.00   | 278.27     | 0.56    | ppb   |
| Beryllium  | 9-1   | 0.70     | 0.62     | 0.53     | 0.62       | 13.57   | ppb   |
| Bismuth    | 209-1 |          |          |          | 109        |         | %     |
| Bismuth    | 209-2 |          |          |          | 103        |         | %     |
| Bromine    | 81-1  |          |          |          |            |         | cps   |
| Bromine    | 81-2  |          |          |          |            |         | cps   |
| Cadmium    | 108-1 | 6.18     | 5.96     | 5.86     | 6.00       | 2.76    | ppb   |
| Cadmium    | 106-1 | 9.31     | 8.86     | 8.87     | 9.01       | 2.85    | ppb   |
| Cadmium    | 111-1 | 2.91     | 2.93     | 2.87     | 2.91       | 1.04    | ppb   |
| Calcium    | 43-1  | 80165.68 | 81067.80 | 80136.04 | 80456.51   | 0.66    | ppb   |
| Calcium    | 44-1  | 80018.79 | 80562.82 | 80009.69 | 80197.10   | 0.39    | ppb   |
| Carbon     | 12-1  |          |          |          |            |         | cps   |
| Carbon     | 12-2  |          |          |          |            |         | cps   |
| Chlorine   | 35-1  |          |          |          |            |         | cps   |
| Chlorine   | 35-2  |          |          |          |            |         | cps   |
| Chromium   | 52-2  | 40.73    | 40.86    | 40.77    | 40.79      | 0.15    | ppb   |
| Cobalt     | 59-2  | 4.37     | 4.33     | 4.32     | 4.34       | 0.56    | ppb   |
| Copper     | 63-2  | 103.69   | 103.45   | 104.15   | 103.77     | 0.34    | ppb   |
| Dysprosium | 156-1 |          |          |          |            |         | cps   |
| Dysprosium | 156-2 |          |          |          |            |         | cps   |
| Erbium     | 164-1 |          |          |          |            |         | cps   |
| Erbium     | 164-2 |          |          |          |            |         | cps   |
| Gadolinium | 160-1 |          |          |          |            |         | cps   |
| Gadolinium | 160-2 |          |          |          |            |         | cps   |
| Holmium    | 165-1 |          |          |          | 106        |         | %     |
| Holmium    | 165-2 |          |          |          | 103        |         | %     |
| Indium     | 115-1 |          |          |          | 99         |         | %     |
| Indium     | 115-2 |          |          |          | 93         |         | %     |
| Iron       | 56-2  | 10233.98 | 10310.46 | 10182.30 | 10242.25   | 0.63    | ppb   |
| Iron       | 57-2  | 10553.92 | 10726.94 | 10547.15 | 10609.34   | 0.96    | ppb   |
| Iron       | 54-2  | 10292.29 | 10281.92 | 10321.49 | 10298.57   | 0.20    | ppb   |
| Krypton    | 83-1  |          |          |          |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-02 Instrumnet Name : P7  
Client Sample ID : MH2GW6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:24:34 DataFile Name : 074SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 89.69    | 92.02    | 90.69    | 90.80      | 1.29    | ppb   |
| Lead       | 207-1 | 85.54    | 87.08    | 86.73    | 86.45      | 0.93    | ppb   |
| Lead       | 208-1 | 87.05    | 88.37    | 87.97    | 87.80      | 0.77    | ppb   |
| Lithium    | 6-1   |          |          |          | 94         |         | %     |
| Magnesium  | 24-2  | 8020.62  | 8113.28  | 8100.29  | 8078.07    | 0.62    | ppb   |
| Manganese  | 55-2  | 650.63   | 648.39   | 646.48   | 648.50     | 0.32    | ppb   |
| Molybdenum | 94-1  | 78.09    | 77.67    | 77.97    | 77.91      | 0.28    | ppb   |
| Molybdenum | 95-1  | 2.62     | 2.72     | 2.69     | 2.68       | 1.82    | ppb   |
| Molybdenum | 96-1  | 10.58    | 10.55    | 10.57    | 10.57      | 0.12    | ppb   |
| Molybdenum | 97-1  | 2.59     | 2.71     | 2.69     | 2.66       | 2.41    | ppb   |
| Molybdenum | 98-1  | 2.65     | 2.66     | 2.70     | 2.67       | 1.05    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 17.85    | 17.81    | 17.94    | 17.87      | 0.37    | ppb   |
| Phosphorus | 31-2  | 2065.97  | 2089.59  | 2048.03  | 2067.86    | 1.01    | ppb   |
| Potassium  | 39-2  | 9554.17  | 9592.10  | 9527.94  | 9558.07    | 0.34    | ppb   |
| Rhodium    | 103-1 |          |          |          | 95         |         | %     |
| Rhodium    | 103-2 |          |          |          | 94         |         | %     |
| Scandium   | 45-1  |          |          |          | 90         |         | %     |
| Scandium   | 45-2  |          |          |          | 89         |         | %     |
| Selenium   | 82-1  | 1.18     | 1.09     | 0.69     | 0.99       | 26.15   | ppb   |
| Selenium   | 77-2  | 7.77     | 6.85     | 7.80     | 7.47       | 7.28    | ppb   |
| Selenium   | 78-2  | 1.78     | 1.74     | 1.29     | 1.60       | 17.04   | ppb   |
| Silicon    | 28-1  | 959.67   | 980.34   | 980.70   | 973.57     | 1.24    | ppb   |
| Silver     | 107-1 | 1.15     | 1.16     | 1.14     | 1.15       | 0.54    | ppb   |
| Silver     | 109-1 | 1.10     | 1.10     | 1.12     | 1.11       | 0.97    | ppb   |
| Sodium     | 23-2  | 18494.13 | 18460.57 | 18486.29 | 18480.33   | 0.09    | ppb   |
| Strontium  | 86-1  | 5842.65  | 5912.60  | 5886.15  | 5880.46    | 0.60    | ppb   |
| Strontium  | 88-1  | 5870.69  | 5869.90  | 5929.99  | 5890.20    | 0.59    | ppb   |
| Sulfur     | 34-1  | 7242.92  | 7321.50  | 7345.36  | 7303.26    | 0.73    | ppb   |
| Terbium    | 159-1 |          |          |          | 106        |         | %     |
| Terbium    | 159-2 |          |          |          | 102        |         | %     |
| Thallium   | 203-1 | 0.16     | 0.16     | 0.16     | 0.16       | 1.42    | ppb   |
| Thallium   | 205-1 | 0.16     | 0.16     | 0.16     | 0.16       | 2.43    | ppb   |
| Tin        | 118-1 | 17.51    | 17.67    | 17.56    | 17.58      | 0.45    | ppb   |
| Titanium   | 47-1  | 172.48   | 173.45   | 173.25   | 173.06     | 0.29    | ppb   |



LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4955-02

Instrumnet Name :

P7

Client Sample ID :

MH2GW6

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 20:24:34

DataFile Name :

074SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 3.28    | 3.34    | 3.33    | 3.32       | 0.94    | ppb   |
| Vanadium  | 51-2  | 14.12   | 14.47   | 14.20   | 14.27      | 1.28    | ppb   |
| Yttrium   | 89-1  |         |         |         | 101        |         | %     |
| Yttrium   | 89-2  |         |         |         | 96         |         | %     |
| Zinc      | 66-2  | 1863.37 | 1855.27 | 1853.50 | 1857.38    | 0.28    | ppb   |
| Zirconium | 90-1  | 41.72   | 42.69   | 41.53   | 41.98      | 1.48    | ppb   |
| Zirconium | 91-1  | 41.39   | 42.64   | 41.87   | 41.97      | 1.50    | ppb   |

LB Number :  
Lab Sample ID :  
Client Sample ID :  
Date & Time Acquired :

LB133687  
P4955-03  
MH2GW7  
2024-11-27 20:27:32

Operator :  
Instrumnet Name :  
Dilution Factor :  
DataFile Name :

Jaswal  
P7  
1  
075SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Aluminium  | 27-2  | 5870.93  | 5816.75  | 5806.41  | 5831.36    | 0.59    | ppb   |
| Antimony   | 121-1 | 79.81    | 78.52    | 81.41    | 79.91      | 1.81    | ppb   |
| Arsenic    | 75-2  | 7.50     | 7.60     | 7.76     | 7.62       | 1.73    | ppb   |
| Barium     | 135-1 | 209.20   | 209.24   | 210.76   | 209.73     | 0.42    | ppb   |
| Barium     | 137-1 | 216.03   | 209.80   | 213.80   | 213.21     | 1.48    | ppb   |
| Beryllium  | 9-1   | 0.84     | 0.80     | 0.83     | 0.82       | 2.56    | ppb   |
| Bismuth    | 209-1 |          |          |          | 109        |         | %     |
| Bismuth    | 209-2 |          |          |          | 103        |         | %     |
| Bromine    | 81-1  |          |          |          |            |         | cps   |
| Bromine    | 81-2  |          |          |          |            |         | cps   |
| Cadmium    | 108-1 | 3.96     | 3.90     | 4.01     | 3.96       | 1.36    | ppb   |
| Cadmium    | 106-1 | 4.36     | 4.73     | 4.01     | 4.37       | 8.31    | ppb   |
| Cadmium    | 111-1 | 3.69     | 3.71     | 3.62     | 3.67       | 1.21    | ppb   |
| Calcium    | 43-1  | 86646.61 | 87021.17 | 85103.13 | 86256.97   | 1.18    | ppb   |
| Calcium    | 44-1  | 85314.77 | 85355.90 | 85216.51 | 85295.72   | 0.08    | ppb   |
| Carbon     | 12-1  |          |          |          |            |         | cps   |
| Carbon     | 12-2  |          |          |          |            |         | cps   |
| Chlorine   | 35-1  |          |          |          |            |         | cps   |
| Chlorine   | 35-2  |          |          |          |            |         | cps   |
| Chromium   | 52-2  | 37.85    | 37.90    | 37.78    | 37.84      | 0.16    | ppb   |
| Cobalt     | 59-2  | 5.35     | 5.29     | 5.44     | 5.36       | 1.41    | ppb   |
| Copper     | 63-2  | 119.54   | 119.32   | 119.30   | 119.39     | 0.11    | ppb   |
| Dysprosium | 156-1 |          |          |          |            |         | cps   |
| Dysprosium | 156-2 |          |          |          |            |         | cps   |
| Erbium     | 164-1 |          |          |          |            |         | cps   |
| Erbium     | 164-2 |          |          |          |            |         | cps   |
| Gadolinium | 160-1 |          |          |          |            |         | cps   |
| Gadolinium | 160-2 |          |          |          |            |         | cps   |
| Holmium    | 165-1 |          |          |          | 108        |         | %     |
| Holmium    | 165-2 |          |          |          | 102        |         | %     |
| Indium     | 115-1 |          |          |          | 99         |         | %     |
| Indium     | 115-2 |          |          |          | 92         |         | %     |
| Iron       | 56-2  | 12211.58 | 12140.74 | 12066.27 | 12139.53   | 0.60    | ppb   |
| Iron       | 57-2  | 12561.68 | 12611.17 | 12386.19 | 12519.68   | 0.94    | ppb   |
| Iron       | 54-2  | 12325.39 | 12270.06 | 12196.01 | 12263.82   | 0.53    | ppb   |
| Krypton    | 83-1  |          |          |          |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-03 Instrumnet Name : P7  
Client Sample ID : MH2GW7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:27:32 DataFile Name : 075SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 75.40    | 74.60    | 73.95    | 74.65      | 0.97    | ppb   |
| Lead       | 207-1 | 70.73    | 70.97    | 70.40    | 70.70      | 0.40    | ppb   |
| Lead       | 208-1 | 72.65    | 72.90    | 71.99    | 72.51      | 0.65    | ppb   |
| Lithium    | 6-1   |          |          |          | 94         |         | %     |
| Magnesium  | 24-2  | 8599.03  | 8540.54  | 8613.76  | 8584.44    | 0.45    | ppb   |
| Manganese  | 55-2  | 697.19   | 691.23   | 685.21   | 691.21     | 0.87    | ppb   |
| Molybdenum | 94-1  | 18.59    | 18.62    | 18.61    | 18.61      | 0.08    | ppb   |
| Molybdenum | 95-1  | 4.12     | 4.12     | 4.17     | 4.13       | 0.70    | ppb   |
| Molybdenum | 96-1  | 5.62     | 5.70     | 5.66     | 5.66       | 0.70    | ppb   |
| Molybdenum | 97-1  | 4.04     | 4.03     | 4.06     | 4.04       | 0.45    | ppb   |
| Molybdenum | 98-1  | 4.07     | 4.10     | 4.11     | 4.09       | 0.46    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 20.05    | 20.14    | 20.18    | 20.12      | 0.33    | ppb   |
| Phosphorus | 31-2  | 2275.02  | 2342.74  | 2293.57  | 2303.78    | 1.52    | ppb   |
| Potassium  | 39-2  | 8841.22  | 8752.61  | 8723.03  | 8772.29    | 0.70    | ppb   |
| Rhodium    | 103-1 |          |          |          | 94         |         | %     |
| Rhodium    | 103-2 |          |          |          | 93         |         | %     |
| Scandium   | 45-1  |          |          |          | 89         |         | %     |
| Scandium   | 45-2  |          |          |          | 89         |         | %     |
| Selenium   | 82-1  | 0.91     | 0.96     | 1.01     | 0.96       | 5.28    | ppb   |
| Selenium   | 77-2  | 9.76     | 9.51     | 8.73     | 9.34       | 5.75    | ppb   |
| Selenium   | 78-2  | 1.46     | 1.88     | 1.65     | 1.67       | 12.72   | ppb   |
| Silicon    | 28-1  | 1119.48  | 1111.88  | 1123.07  | 1118.15    | 0.51    | ppb   |
| Silver     | 107-1 | 0.94     | 0.93     | 0.94     | 0.93       | 0.63    | ppb   |
| Silver     | 109-1 | 0.92     | 0.93     | 0.94     | 0.93       | 1.29    | ppb   |
| Sodium     | 23-2  | 22698.33 | 22615.96 | 22472.15 | 22595.48   | 0.51    | ppb   |
| Strontium  | 86-1  | 6660.63  | 6696.24  | 6734.23  | 6697.03    | 0.55    | ppb   |
| Strontium  | 88-1  | 6701.83  | 6613.76  | 6713.56  | 6676.39    | 0.82    | ppb   |
| Sulfur     | 34-1  | 11333.68 | 11294.74 | 11391.17 | 11339.86   | 0.43    | ppb   |
| Terbium    | 159-1 |          |          |          | 106        |         | %     |
| Terbium    | 159-2 |          |          |          | 101        |         | %     |
| Thallium   | 203-1 | 0.19     | 0.20     | 0.20     | 0.20       | 1.08    | ppb   |
| Thallium   | 205-1 | 0.20     | 0.20     | 0.20     | 0.20       | 1.53    | ppb   |
| Tin        | 118-1 | 17.04    | 17.06    | 17.14    | 17.08      | 0.30    | ppb   |
| Titanium   | 47-1  | 174.33   | 175.89   | 177.18   | 175.80     | 0.81    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-03 Instrumnet Name : P7  
Client Sample ID : MH2GW7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:27:32 DataFile Name : 075SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 4.25    | 4.16    | 4.16    | 4.19       | 1.22    | ppb   |
| Vanadium  | 51-2  | 15.19   | 14.89   | 15.07   | 15.05      | 1.02    | ppb   |
| Yttrium   | 89-1  |         |         |         | 101        |         | %     |
| Yttrium   | 89-2  |         |         |         | 97         |         | %     |
| Zinc      | 66-2  | 1056.14 | 1044.72 | 1053.82 | 1051.56    | 0.57    | ppb   |
| Zirconium | 90-1  | 8.34    | 8.46    | 8.36    | 8.39       | 0.74    | ppb   |
| Zirconium | 91-1  | 8.52    | 8.61    | 8.78    | 8.63       | 1.51    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-04 Instrumnet Name : P7  
Client Sample ID : MH2GW8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:30:33 DataFile Name : 076SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Aluminium  | 27-2  | 6566.76  | 6719.14  | 6673.98  | 6653.29    | 1.18    | ppb   |
| Antimony   | 121-1 | 0.99     | 1.03     | 1.04     | 1.02       | 2.74    | ppb   |
| Arsenic    | 75-2  | 7.75     | 7.49     | 7.81     | 7.69       | 2.19    | ppb   |
| Barium     | 135-1 | 332.15   | 338.32   | 345.51   | 338.66     | 1.97    | ppb   |
| Barium     | 137-1 | 329.23   | 338.01   | 341.47   | 336.24     | 1.88    | ppb   |
| Beryllium  | 9-1   | 1.15     | 1.26     | 1.38     | 1.27       | 9.19    | ppb   |
| Bismuth    | 209-1 |          |          |          | 107        |         | %     |
| Bismuth    | 209-2 |          |          |          | 100        |         | %     |
| Bromine    | 81-1  |          |          |          |            |         | cps   |
| Bromine    | 81-2  |          |          |          |            |         | cps   |
| Cadmium    | 108-1 | 21.93    | 21.78    | 21.61    | 21.78      | 0.74    | ppb   |
| Cadmium    | 106-1 | 20.92    | 20.99    | 21.63    | 21.18      | 1.85    | ppb   |
| Cadmium    | 111-1 | 23.59    | 24.34    | 24.87    | 24.27      | 2.64    | ppb   |
| Calcium    | 43-1  | 98771.61 | 98120.94 | 98514.97 | 98469.18   | 0.33    | ppb   |
| Calcium    | 44-1  | 97758.27 | 98515.07 | 97783.57 | 98018.97   | 0.44    | ppb   |
| Carbon     | 12-1  |          |          |          |            |         | cps   |
| Carbon     | 12-2  |          |          |          |            |         | cps   |
| Chlorine   | 35-1  |          |          |          |            |         | cps   |
| Chlorine   | 35-2  |          |          |          |            |         | cps   |
| Chromium   | 52-2  | 29.08    | 29.07    | 29.34    | 29.17      | 0.53    | ppb   |
| Cobalt     | 59-2  | 7.15     | 7.12     | 7.23     | 7.17       | 0.81    | ppb   |
| Copper     | 63-2  | 58.38    | 59.27    | 59.34    | 59.00      | 0.90    | ppb   |
| Dysprosium | 156-1 |          |          |          |            |         | cps   |
| Dysprosium | 156-2 |          |          |          |            |         | cps   |
| Erbium     | 164-1 |          |          |          |            |         | cps   |
| Erbium     | 164-2 |          |          |          |            |         | cps   |
| Gadolinium | 160-1 |          |          |          |            |         | cps   |
| Gadolinium | 160-2 |          |          |          |            |         | cps   |
| Holmium    | 165-1 |          |          |          | 107        |         | %     |
| Holmium    | 165-2 |          |          |          | 101        |         | %     |
| Indium     | 115-1 |          |          |          | 98         |         | %     |
| Indium     | 115-2 |          |          |          | 91         |         | %     |
| Iron       | 56-2  | 17378.78 | 17497.23 | 17408.05 | 17428.02   | 0.35    | ppb   |
| Iron       | 57-2  | 17687.01 | 17864.40 | 17759.52 | 17770.31   | 0.50    | ppb   |
| Iron       | 54-2  | 17360.96 | 17582.61 | 17345.41 | 17429.66   | 0.76    | ppb   |
| Krypton    | 83-1  |          |          |          |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-04 Instrumnet Name : P7  
Client Sample ID : MH2GW8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:30:33 DataFile Name : 076SMPL.d

| Parameter  | Mass  | ConRep1  | ConRep2  | ConRep3  | Avg. Conc. | ConcRSD | Units |
|------------|-------|----------|----------|----------|------------|---------|-------|
| Lead       | 206-1 | 355.91   | 357.51   | 359.31   | 357.58     | 0.48    | ppb   |
| Lead       | 207-1 | 366.14   | 369.47   | 364.24   | 366.61     | 0.72    | ppb   |
| Lead       | 208-1 | 361.73   | 363.73   | 358.90   | 361.45     | 0.67    | ppb   |
| Lithium    | 6-1   |          |          |          | 91         |         | %     |
| Magnesium  | 24-2  | 27772.17 | 28253.01 | 27916.97 | 27980.72   | 0.88    | ppb   |
| Manganese  | 55-2  | 722.25   | 732.13   | 727.62   | 727.33     | 0.68    | ppb   |
| Molybdenum | 94-1  | 6.43     | 6.53     | 6.47     | 6.48       | 0.81    | ppb   |
| Molybdenum | 95-1  | 3.10     | 3.08     | 3.18     | 3.12       | 1.62    | ppb   |
| Molybdenum | 96-1  | 3.59     | 3.55     | 3.60     | 3.58       | 0.70    | ppb   |
| Molybdenum | 97-1  | 3.16     | 3.17     | 3.12     | 3.15       | 0.81    | ppb   |
| Molybdenum | 98-1  | 3.10     | 3.12     | 3.19     | 3.14       | 1.51    | ppb   |
| Neodymium  | 150-1 |          |          |          |            |         | cps   |
| Neodymium  | 150-2 |          |          |          |            |         | cps   |
| Nickel     | 60-2  | 31.49    | 32.10    | 31.72    | 31.77      | 0.98    | ppb   |
| Phosphorus | 31-2  | 2868.54  | 2845.69  | 2828.61  | 2847.61    | 0.70    | ppb   |
| Potassium  | 39-2  | 4741.93  | 4801.17  | 4720.62  | 4754.57    | 0.88    | ppb   |
| Rhodium    | 103-1 |          |          |          | 92         |         | %     |
| Rhodium    | 103-2 |          |          |          | 92         |         | %     |
| Scandium   | 45-1  |          |          |          | 89         |         | %     |
| Scandium   | 45-2  |          |          |          | 88         |         | %     |
| Selenium   | 82-1  | 1.87     | 1.93     | 1.93     | 1.91       | 1.68    | ppb   |
| Selenium   | 77-2  | 12.71    | 12.38    | 15.79    | 13.63      | 13.82   | ppb   |
| Selenium   | 78-2  | 2.72     | 3.40     | 3.39     | 3.17       | 12.27   | ppb   |
| Silicon    | 28-1  | 1126.98  | 1108.32  | 1108.88  | 1114.73    | 0.95    | ppb   |
| Silver     | 107-1 | 0.39     | 0.40     | 0.40     | 0.40       | 2.27    | ppb   |
| Silver     | 109-1 | 0.39     | 0.39     | 0.40     | 0.39       | 0.17    | ppb   |
| Sodium     | 23-2  | 27766.47 | 28066.69 | 28070.78 | 27967.98   | 0.62    | ppb   |
| Strontium  | 86-1  | 7621.91  | 7904.31  | 7819.09  | 7781.77    | 1.86    | ppb   |
| Strontium  | 88-1  | 7665.31  | 7727.11  | 7719.34  | 7703.92    | 0.44    | ppb   |
| Sulfur     | 34-1  | 13333.45 | 13061.58 | 13248.46 | 13214.49   | 1.05    | ppb   |
| Terbium    | 159-1 |          |          |          | 107        |         | %     |
| Terbium    | 159-2 |          |          |          | 100        |         | %     |
| Thallium   | 203-1 | 0.26     | 0.25     | 0.26     | 0.26       | 1.44    | ppb   |
| Thallium   | 205-1 | 0.26     | 0.26     | 0.26     | 0.26       | 0.56    | ppb   |
| Tin        | 118-1 | 6.48     | 6.72     | 6.84     | 6.68       | 2.78    | ppb   |
| Titanium   | 47-1  | 67.79    | 67.70    | 68.44    | 67.98      | 0.60    | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4955-04

Instrumnet Name :P7

Client Sample ID :MH2GW8

Dilution Factor :1

Date & Time Acquired :2024-11-27 20:30:33

DataFile Name :076SMPL.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 8.74    | 8.98    | 8.92    | 8.88       | 1.43    | ppb   |
| Vanadium  | 51-2  | 19.45   | 19.63   | 19.62   | 19.56      | 0.51    | ppb   |
| Yttrium   | 89-1  |         |         |         | 104        |         | %     |
| Yttrium   | 89-2  |         |         |         | 99         |         | %     |
| Zinc      | 66-2  | 363.03  | 364.70  | 367.16  | 364.97     | 0.57    | ppb   |
| Zirconium | 90-1  | 2.18    | 2.18    | 2.20    | 2.19       | 0.56    | ppb   |
| Zirconium | 91-1  | 2.18    | 2.19    | 2.21    | 2.19       | 0.71    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCV003 Instrumnet Name : P7  
Client Sample ID : CCV003 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:33:33 DataFile Name : 077CCV.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Aluminium  | 27-2  | 46097.58  | 46680.49  | 46557.92  | 46445.33   | 0.66    | ppb   |
| Antimony   | 121-1 | 467.01    | 472.94    | 471.59    | 470.51     | 0.66    | ppb   |
| Arsenic    | 75-2  | 497.49    | 504.01    | 500.27    | 500.59     | 0.65    | ppb   |
| Barium     | 135-1 | 2330.06   | 2381.30   | 2366.80   | 2359.39    | 1.12    | ppb   |
| Barium     | 137-1 | 2319.63   | 2365.34   | 2367.90   | 2350.96    | 1.16    | ppb   |
| Beryllium  | 9-1   | 506.27    | 513.38    | 484.58    | 501.41     | 2.99    | ppb   |
| Bismuth    | 209-1 |           |           |           | 92         |         | %     |
| Bismuth    | 209-2 |           |           |           | 86         |         | %     |
| Bromine    | 81-1  |           |           |           |            |         | cps   |
| Bromine    | 81-2  |           |           |           |            |         | cps   |
| Cadmium    | 108-1 | 478.07    | 489.20    | 485.31    | 484.19     | 1.17    | ppb   |
| Cadmium    | 106-1 | 485.37    | 487.86    | 489.32    | 487.52     | 0.41    | ppb   |
| Cadmium    | 111-1 | 477.17    | 484.99    | 490.01    | 484.06     | 1.34    | ppb   |
| Calcium    | 43-1  | 234727.25 | 240700.71 | 241017.04 | 238815.00  | 1.48    | ppb   |
| Calcium    | 44-1  | 233608.79 | 237898.58 | 240572.77 | 237360.05  | 1.48    | ppb   |
| Carbon     | 12-1  |           |           |           |            |         | cps   |
| Carbon     | 12-2  |           |           |           |            |         | cps   |
| Chlorine   | 35-1  |           |           |           |            |         | cps   |
| Chlorine   | 35-2  |           |           |           |            |         | cps   |
| Chromium   | 52-2  | 460.49    | 468.10    | 462.07    | 463.55     | 0.87    | ppb   |
| Cobalt     | 59-2  | 458.09    | 459.23    | 457.69    | 458.33     | 0.17    | ppb   |
| Copper     | 63-2  | 4693.01   | 4706.99   | 4697.42   | 4699.14    | 0.15    | ppb   |
| Dysprosium | 156-1 |           |           |           |            |         | cps   |
| Dysprosium | 156-2 |           |           |           |            |         | cps   |
| Erbium     | 164-1 |           |           |           |            |         | cps   |
| Erbium     | 164-2 |           |           |           |            |         | cps   |
| Gadolinium | 160-1 |           |           |           |            |         | cps   |
| Gadolinium | 160-2 |           |           |           |            |         | cps   |
| Holmium    | 165-1 |           |           |           | 97         |         | %     |
| Holmium    | 165-2 |           |           |           | 93         |         | %     |
| Indium     | 115-1 |           |           |           | 88         |         | %     |
| Indium     | 115-2 |           |           |           | 84         |         | %     |
| Iron       | 56-2  | 121341.54 | 121276.14 | 121519.12 | 121378.93  | 0.10    | ppb   |
| Iron       | 57-2  | 120628.10 | 120665.32 | 120240.31 | 120511.24  | 0.20    | ppb   |
| Iron       | 54-2  | 121554.99 | 121482.44 | 121565.79 | 121534.41  | 0.04    | ppb   |
| Krypton    | 83-1  |           |           |           |            |         | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCV003 Instrumnet Name : P7  
Client Sample ID : CCV003 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:33:33 DataFile Name : 077CCV.d

| Parameter  | Mass  | ConRep1   | ConRep2   | ConRep3   | Avg. Conc. | ConcRSD | Units |
|------------|-------|-----------|-----------|-----------|------------|---------|-------|
| Lead       | 206-1 | 2355.44   | 2372.98   | 2321.79   | 2350.07    | 1.11    | ppb   |
| Lead       | 207-1 | 2356.09   | 2371.76   | 2327.07   | 2351.64    | 0.96    | ppb   |
| Lead       | 208-1 | 2357.81   | 2363.71   | 2331.21   | 2350.91    | 0.74    | ppb   |
| Lithium    | 6-1   |           |           |           | 83         |         | %     |
| Magnesium  | 24-2  | 235300.51 | 235635.29 | 234484.27 | 235140.02  | 0.25    | ppb   |
| Manganese  | 55-2  | 4548.84   | 4573.75   | 4557.41   | 4560.00    | 0.28    | ppb   |
| Molybdenum | 94-1  | 4687.03   | 4683.87   | 4787.48   | 4719.46    | 1.25    | ppb   |
| Molybdenum | 95-1  | 4666.97   | 4645.78   | 4804.65   | 4705.80    | 1.83    | ppb   |
| Molybdenum | 96-1  | 4676.53   | 4659.92   | 4801.62   | 4712.69    | 1.64    | ppb   |
| Molybdenum | 97-1  | 4698.09   | 4668.45   | 4773.15   | 4713.23    | 1.15    | ppb   |
| Molybdenum | 98-1  | 4668.97   | 4667.17   | 4794.13   | 4710.09    | 1.55    | ppb   |
| Neodymium  | 150-1 |           |           |           |            |         | cps   |
| Neodymium  | 150-2 |           |           |           |            |         | cps   |
| Nickel     | 60-2  | 457.51    | 456.88    | 448.67    | 454.35     | 1.09    | ppb   |
| Phosphorus | 31-2  | 9397.52   | 9485.32   | 9474.07   | 9452.30    | 0.51    | ppb   |
| Potassium  | 39-2  | 115895.09 | 117917.50 | 116570.11 | 116794.23  | 0.88    | ppb   |
| Rhodium    | 103-1 |           |           |           | 83         |         | %     |
| Rhodium    | 103-2 |           |           |           | 81         |         | %     |
| Scandium   | 45-1  |           |           |           | 84         |         | %     |
| Scandium   | 45-2  |           |           |           | 85         |         | %     |
| Selenium   | 82-1  | 485.30    | 484.68    | 494.80    | 488.26     | 1.16    | ppb   |
| Selenium   | 77-2  | 468.49    | 472.91    | 475.97    | 472.46     | 0.80    | ppb   |
| Selenium   | 78-2  | 484.51    | 482.41    | 481.90    | 482.94     | 0.29    | ppb   |
| Silicon    | 28-1  | 434.47    | 457.76    | 456.88    | 449.70     | 2.94    | ppb   |
| Silver     | 107-1 | 457.15    | 464.54    | 458.51    | 460.06     | 0.85    | ppb   |
| Silver     | 109-1 | 459.67    | 464.24    | 475.77    | 466.56     | 1.78    | ppb   |
| Sodium     | 23-2  | 232382.75 | 236827.72 | 232217.31 | 233809.26  | 1.12    | ppb   |
| Strontium  | 86-1  | 11658.95  | 11748.20  | 11825.79  | 11744.32   | 0.71    | ppb   |
| Strontium  | 88-1  | 11620.45  | 11632.17  | 11771.80  | 11674.81   | 0.72    | ppb   |
| Sulfur     | 34-1  | 8949.99   | 9144.99   | 9236.18   | 9110.39    | 1.60    | ppb   |
| Terbium    | 159-1 |           |           |           | 96         |         | %     |
| Terbium    | 159-2 |           |           |           | 92         |         | %     |
| Thallium   | 203-1 | 469.05    | 476.71    | 468.01    | 471.26     | 1.01    | ppb   |
| Thallium   | 205-1 | 469.64    | 476.38    | 466.31    | 470.77     | 1.09    | ppb   |
| Tin        | 118-1 | 464.64    | 470.54    | 469.52    | 468.23     | 0.67    | ppb   |
| Titanium   | 47-1  | 4643.75   | 4695.04   | 4721.03   | 4686.60    | 0.84    | ppb   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

CCV003

Instrumnet Name :

P7

Client Sample ID :

CCV003

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 20:33:33

DataFile Name :

077CCV.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 467.59  | 470.45  | 467.20  | 468.41     | 0.38    | ppb   |
| Vanadium  | 51-2  | 471.48  | 468.73  | 477.63  | 472.61     | 0.96    | ppb   |
| Yttrium   | 89-1  |         |         |         | 89         |         | %     |
| Yttrium   | 89-2  |         |         |         | 86         |         | %     |
| Zinc      | 66-2  | 4800.90 | 4826.63 | 4780.47 | 4802.67    | 0.48    | ppb   |
| Zirconium | 90-1  | 467.81  | 468.57  | 473.14  | 469.84     | 0.61    | ppb   |
| Zirconium | 91-1  | 467.20  | 466.22  | 479.47  | 470.96     | 1.57    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCB003 Instrumnet Name : P7  
Client Sample ID : CCB003 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:36:16 DataFile Name : 078CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Aluminium  | 27-2  | 2.82    | 2.51    | 2.17    | 2.50       | 12.88   | ppb   |
| Antimony   | 121-1 | 0.13    | 0.17    | 0.23    | 0.18       | 28.55   | ppb   |
| Arsenic    | 75-2  | 0.04    | 0.03    | 0.04    | 0.04       | 11.83   | ppb   |
| Barium     | 135-1 | 0.21    | 0.19    | 0.18    | 0.19       | 7.60    | ppb   |
| Barium     | 137-1 | 0.21    | 0.19    | 0.18    | 0.20       | 8.04    | ppb   |
| Beryllium  | 9-1   | 0.06    | 0.05    | 0.06    | 0.06       | 9.34    | ppb   |
| Bismuth    | 209-1 |         |         |         | 102        |         | %     |
| Bismuth    | 209-2 |         |         |         | 99         |         | %     |
| Bromine    | 81-1  |         |         |         |            |         | cps   |
| Bromine    | 81-2  |         |         |         |            |         | cps   |
| Cadmium    | 108-1 | 0.06    | 0.09    | 0.07    | 0.07       | 21.61   | ppb   |
| Cadmium    | 106-1 | 0.25    | -0.15   | -0.70   | -0.20      |         | ppb   |
| Cadmium    | 111-1 | 0.06    | 0.03    | -0.01   | 0.03       | 125.24  | ppb   |
| Calcium    | 43-1  | 25.76   | 22.05   | 20.37   | 22.73      | 12.14   | ppb   |
| Calcium    | 44-1  | 27.50   | 23.09   | 22.72   | 24.44      | 10.89   | ppb   |
| Carbon     | 12-1  |         |         |         |            |         | cps   |
| Carbon     | 12-2  |         |         |         |            |         | cps   |
| Chlorine   | 35-1  |         |         |         |            |         | cps   |
| Chlorine   | 35-2  |         |         |         |            |         | cps   |
| Chromium   | 52-2  | 0.03    | 0.02    | 0.02    | 0.02       | 22.11   | ppb   |
| Cobalt     | 59-2  | 0.02    | 0.02    | 0.02    | 0.02       | 8.69    | ppb   |
| Copper     | 63-2  | 0.37    | 0.34    | 0.29    | 0.33       | 11.46   | ppb   |
| Dysprosium | 156-1 |         |         |         |            |         | cps   |
| Dysprosium | 156-2 |         |         |         |            |         | cps   |
| Erbium     | 164-1 |         |         |         |            |         | cps   |
| Erbium     | 164-2 |         |         |         |            |         | cps   |
| Gadolinium | 160-1 |         |         |         |            |         | cps   |
| Gadolinium | 160-2 |         |         |         |            |         | cps   |
| Holmium    | 165-1 |         |         |         | 99         |         | %     |
| Holmium    | 165-2 |         |         |         | 95         |         | %     |
| Indium     | 115-1 |         |         |         | 94         |         | %     |
| Indium     | 115-2 |         |         |         | 90         |         | %     |
| Iron       | 56-2  | 8.14    | 7.23    | 6.75    | 7.37       | 9.60    | ppb   |
| Iron       | 57-2  | 6.99    | 7.85    | 5.75    | 6.86       | 15.38   | ppb   |
| Iron       | 54-2  | 8.52    | 7.54    | 6.80    | 7.62       | 11.33   | ppb   |
| Krypton    | 83-1  |         |         |         |            |         | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCB003 Instrumnet Name : P7  
Client Sample ID : CCB003 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:36:16 DataFile Name : 078CCBE.d

| Parameter  | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|------------|-------|---------|---------|---------|------------|---------|-------|
| Lead       | 206-1 | 0.30    | 0.25    | 0.22    | 0.26       | 15.62   | ppb   |
| Lead       | 207-1 | 0.28    | 0.23    | 0.22    | 0.24       | 14.64   | ppb   |
| Lead       | 208-1 | 0.29    | 0.24    | 0.22    | 0.25       | 13.74   | ppb   |
| Lithium    | 6-1   |         |         |         | 93         |         | %     |
| Magnesium  | 24-2  | 14.25   | 12.94   | 11.63   | 12.94      | 10.13   | ppb   |
| Manganese  | 55-2  | 0.29    | 0.26    | 0.24    | 0.26       | 10.49   | ppb   |
| Molybdenum | 94-1  | 0.48    | 0.44    | 0.45    | 0.46       | 4.82    | ppb   |
| Molybdenum | 95-1  | 0.45    | 0.43    | 0.44    | 0.44       | 2.25    | ppb   |
| Molybdenum | 96-1  | 0.47    | 0.43    | 0.44    | 0.45       | 5.21    | ppb   |
| Molybdenum | 97-1  | 0.47    | 0.45    | 0.46    | 0.46       | 2.86    | ppb   |
| Molybdenum | 98-1  | 0.46    | 0.44    | 0.46    | 0.45       | 2.83    | ppb   |
| Neodymium  | 150-1 |         |         |         |            |         | cps   |
| Neodymium  | 150-2 |         |         |         |            |         | cps   |
| Nickel     | 60-2  | 0.67    | 0.65    | 0.66    | 0.66       | 1.30    | ppb   |
| Phosphorus | 31-2  | -20.53  | -17.91  | -18.92  | -19.12     |         | ppb   |
| Potassium  | 39-2  | 17.04   | 16.32   | 14.72   | 16.03      | 7.40    | ppb   |
| Rhodium    | 103-1 |         |         |         | 92         |         | %     |
| Rhodium    | 103-2 |         |         |         | 91         |         | %     |
| Scandium   | 45-1  |         |         |         | 86         |         | %     |
| Scandium   | 45-2  |         |         |         | 86         |         | %     |
| Selenium   | 82-1  | -0.29   | -0.63   | -0.45   | -0.45      |         | ppb   |
| Selenium   | 77-2  | 0.29    | 0.00    | 0.19    | 0.16       | 91.61   | ppb   |
| Selenium   | 78-2  | -0.74   | -0.55   | -0.13   | -0.47      |         | ppb   |
| Silicon    | 28-1  | 3.74    | 2.50    | 1.82    | 2.69       | 36.05   | ppb   |
| Silver     | 107-1 | 0.08    | 0.06    | 0.05    | 0.06       | 19.04   | ppb   |
| Silver     | 109-1 | 0.08    | 0.06    | 0.06    | 0.07       | 15.79   | ppb   |
| Sodium     | 23-2  | 32.10   | 30.67   | 28.90   | 30.56      | 5.26    | ppb   |
| Strontium  | 86-1  | 1.48    | 1.15    | 1.35    | 1.33       | 12.63   | ppb   |
| Strontium  | 88-1  | 1.28    | 1.15    | 1.13    | 1.19       | 6.89    | ppb   |
| Sulfur     | 34-1  | 314.00  | 251.47  | 293.51  | 286.33     | 11.13   | ppb   |
| Terbium    | 159-1 |         |         |         | 98         |         | %     |
| Terbium    | 159-2 |         |         |         | 96         |         | %     |
| Thallium   | 203-1 | 0.10    | 0.08    | 0.08    | 0.09       | 14.71   | ppb   |
| Thallium   | 205-1 | 0.11    | 0.09    | 0.07    | 0.09       | 18.89   | ppb   |
| Tin        | 118-1 | 0.05    | 0.02    | 0.01    | 0.03       | 62.05   | ppb   |
| Titanium   | 47-1  | 0.38    | 0.32    | 0.28    | 0.32       | 15.87   | ppb   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :CCB003

Instrumnet Name :P7

Client Sample ID :CCB003

Dilution Factor :1

Date & Time Acquired :2024-11-27 20:36:16

DataFile Name :078CCBE.d

| Parameter | Mass  | ConRep1 | ConRep2 | ConRep3 | Avg. Conc. | ConcRSD | Units |
|-----------|-------|---------|---------|---------|------------|---------|-------|
| Uranium   | 238-1 | 0.04    | 0.03    | 0.03    | 0.03       | 11.14   | ppb   |
| Vanadium  | 51-2  | 0.03    | 0.02    | 0.03    | 0.03       | 20.14   | ppb   |
| Yttrium   | 89-1  |         |         |         | 91         |         | %     |
| Yttrium   | 89-2  |         |         |         | 89         |         | %     |
| Zinc      | 66-2  | 0.41    | 0.33    | 0.39    | 0.38       | 10.34   | ppb   |
| Zirconium | 90-1  | 0.05    | 0.05    | 0.05    | 0.05       | 6.46    | ppb   |
| Zirconium | 91-1  | 0.05    | 0.05    | 0.05    | 0.05       | 5.85    | ppb   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S0 Instrumnet Name : P7  
Client Sample ID : S0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:10:16 DataFile Name : 006CALB.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 253      | 250      | 267      | 257      | 3.44   | cps   |
| Antimony   | 121-1 | 50       | 60       | 50       | 53       | 10.83  | cps   |
| Arsenic    | 75-2  | 17       | 17       | 17       | 17       | 0.00   | cps   |
| Barium     | 135-1 | 113      | 133      | 113      | 120      | 9.62   | cps   |
| Barium     | 137-1 | 200      | 150      | 190      | 180      | 14.70  | cps   |
| Beryllium  | 9-1   | 106      | 117      | 106      | 109      | 5.87   | cps   |
| Bismuth    | 209-1 | 16756844 | 16476610 | 16330489 | 16521314 | 1.31   | cps   |
| Bismuth    | 209-2 | 12800379 | 12758255 | 12617754 | 12725462 | 0.75   | cps   |
| Bromine    | 81-1  | 18765    | 18735    | 18922    | 18808    | 0.53   | cps   |
| Bromine    | 81-2  | 143      | 153      | 190      | 162      | 15.14  | cps   |
| Cadmium    | 108-1 | 20       | 10       | 20       | 17       | 34.64  | cps   |
| Cadmium    | 106-1 | 6955     | 7008     | 7035     | 7000     | 0.58   | cps   |
| Cadmium    | 111-1 | 4905     | 4936     | 4971     | 4937     | 0.67   | cps   |
| Calcium    | 43-1  | 993      | 1023     | 977      | 998      | 2.37   | cps   |
| Calcium    | 44-1  | 27679    | 27615    | 27709    | 27668    | 0.17   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 2640     | 2714     | 2514     | 2622     | 3.86   | cps   |
| Cobalt     | 59-2  | 163      | 187      | 200      | 183      | 10.12  | cps   |
| Copper     | 63-2  | 1413     | 1460     | 1427     | 1433     | 1.68   | cps   |
| Dysprosium | 156-1 | 33       | 33       | 17       | 28       | 34.63  | cps   |
| Dysprosium | 156-2 | 10       | 3        | 0        | 4        | 114.60 | cps   |
| Erbium     | 164-1 | 77       | 110      | 87       | 91       | 18.77  | cps   |
| Erbium     | 164-2 | 77       | 67       | 83       | 76       | 11.10  | cps   |
| Gadolinium | 160-1 | 117      | 120      | 130      | 122      | 5.68   | cps   |
| Gadolinium | 160-2 | 1033     | 1127     | 1100     | 1087     | 4.42   | cps   |
| Holmium    | 165-1 | 27279058 | 26797926 | 26543892 | 26873625 | 1.39   | cps   |
| Holmium    | 165-2 | 18259437 | 18228441 | 17783968 | 18090615 | 1.47   | cps   |
| Indium     | 115-1 | 22247041 | 22064972 | 21950970 | 22087661 | 0.68   | cps   |
| Indium     | 115-2 | 7826725  | 7695795  | 7780002  | 7767507  | 0.85   | cps   |
| Iron       | 56-2  | 28510    | 28026    | 28126    | 28221    | 0.91   | cps   |
| Iron       | 57-2  | 1407     | 1467     | 1350     | 1408     | 4.14   | cps   |
| Iron       | 54-2  | 3464     | 3324     | 3497     | 3428     | 2.68   | cps   |
| Krypton    | 83-1  | 313      | 297      | 283      | 298      | 5.05   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S0 Instrumnet Name : P7  
Client Sample ID : S0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:10:16 DataFile Name : 006CALB.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 940      | 973      | 870      | 928      | 5.68   | cps   |
| Lead       | 207-1 | 817      | 787      | 890      | 831      | 6.40   | cps   |
| Lead       | 208-1 | 3714     | 3784     | 3730     | 3742     | 0.98   | cps   |
| Lithium    | 6-1   | 2285394  | 2397393  | 2401018  | 2361268  | 2.78   | cps   |
| Magnesium  | 24-2  | 2105     | 2179     | 2166     | 2150     | 1.82   | cps   |
| Manganese  | 55-2  | 1757     | 1860     | 1800     | 1806     | 2.87   | cps   |
| Molybdenum | 94-1  | 493      | 547      | 510      | 517      | 5.28   | cps   |
| Molybdenum | 95-1  | 300      | 263      | 263      | 276      | 7.68   | cps   |
| Molybdenum | 96-1  | 517      | 447      | 437      | 467      | 9.34   | cps   |
| Molybdenum | 97-1  | 190      | 193      | 207      | 197      | 4.48   | cps   |
| Molybdenum | 98-1  | 487      | 420      | 463      | 457      | 7.41   | cps   |
| Neodymium  | 150-1 | 27       | 10       | 10       | 16       | 61.87  | cps   |
| Neodymium  | 150-2 | 3        | 3        | 3        | 3        | 0.00   | cps   |
| Nickel     | 60-2  | 1706     | 1638     | 1939     | 1761     | 8.97   | cps   |
| Phosphorus | 31-2  | 310      | 273      | 320      | 301      | 8.16   | cps   |
| Potassium  | 39-2  | 70924    | 71192    | 71557    | 71224    | 0.45   | cps   |
| Rhodium    | 103-1 | 21335334 | 21300700 | 20861461 | 21165831 | 1.25   | cps   |
| Rhodium    | 103-2 | 12647541 | 12506006 | 12400086 | 12517878 | 0.99   | cps   |
| Scandium   | 45-1  | 11942927 | 11832034 | 11705515 | 11826825 | 1.00   | cps   |
| Scandium   | 45-2  | 1028799  | 1017656  | 1017798  | 1021417  | 0.63   | cps   |
| Selenium   | 82-1  | 898      | 903      | 874      | 892      | 1.78   | cps   |
| Selenium   | 77-2  | 0        | 0        | 0        | 0        | 0.00   | cps   |
| Selenium   | 78-2  | 587      | 547      | 497      | 543      | 8.30   | cps   |
| Silicon    | 28-1  | 1295913  | 1255634  | 1246523  | 1266023  | 2.08   | cps   |
| Silver     | 107-1 | 150      | 123      | 130      | 134      | 10.32  | cps   |
| Silver     | 109-1 | 57       | 60       | 40       | 52       | 20.52  | cps   |
| Sodium     | 23-2  | 38605    | 38732    | 38775    | 38704    | 0.23   | cps   |
| Strontium  | 86-1  | 543      | 620      | 590      | 584      | 6.61   | cps   |
| Strontium  | 88-1  | 593      | 697      | 683      | 658      | 8.55   | cps   |
| Sulfur     | 34-1  | 296475   | 294440   | 291920   | 294278   | 0.78   | cps   |
| Terbium    | 159-1 | 27313906 | 27456743 | 27395098 | 27388582 | 0.26   | cps   |
| Terbium    | 159-2 | 17935396 | 17741748 | 17725751 | 17800965 | 0.66   | cps   |
| Thallium   | 203-1 | 417      | 403      | 383      | 401      | 4.18   | cps   |
| Thallium   | 205-1 | 917      | 887      | 933      | 912      | 2.59   | cps   |
| Tin        | 118-1 | 5238     | 5218     | 5268     | 5241     | 0.48   | cps   |
| Titanium   | 47-1  | 133      | 187      | 200      | 173      | 20.35  | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :S00

Instrumnet Name :P7

Client Sample ID :S0

Dilution Factor :1

Date & Time Acquired :2024-11-27 16:10:16

DataFile Name :006CALB.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 53       | 30       | 43       | 42       | 27.72  | cps   |
| Vanadium  | 51-2  | 20       | 17       | 37       | 24       | 43.83  | cps   |
| Yttrium   | 89-1  | 25616180 | 25755300 | 25481412 | 25617631 | 0.53   | cps   |
| Yttrium   | 89-2  | 6627806  | 6635713  | 6560658  | 6608059  | 0.62   | cps   |
| Zinc      | 66-2  | 1320     | 1297     | 1270     | 1296     | 1.93   | cps   |
| Zirconium | 90-1  | 1267     | 1077     | 1157     | 1167     | 8.18   | cps   |
| Zirconium | 91-1  | 243      | 227      | 207      | 226      | 8.14   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S02 Instrumnet Name : P7  
Client Sample ID : S02 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:16:54 DataFile Name : 008CAL.S.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 10013    | 10193    | 9993     | 10067    | 1.10   | cps   |
| Antimony   | 121-1 | 49863    | 49655    | 48725    | 49414    | 1.23   | cps   |
| Arsenic    | 75-2  | 1357     | 1450     | 1360     | 1389     | 3.81   | cps   |
| Barium     | 135-1 | 61452    | 61057    | 61268    | 61259    | 0.32   | cps   |
| Barium     | 137-1 | 106176   | 104628   | 104725   | 105176   | 0.82   | cps   |
| Beryllium  | 9-1   | 2750     | 2773     | 2600     | 2708     | 3.46   | cps   |
| Bismuth    | 209-1 | 16556757 | 16337191 | 16146345 | 16346764 | 1.26   | cps   |
| Bismuth    | 209-2 | 12763104 | 12573861 | 12567617 | 12634861 | 0.88   | cps   |
| Bromine    | 81-1  | 18829    | 18712    | 18492    | 18677    | 0.92   | cps   |
| Bromine    | 81-2  | 133      | 107      | 63       | 101      | 34.95  | cps   |
| Cadmium    | 108-1 | 570      | 473      | 473      | 506      | 11.04  | cps   |
| Cadmium    | 106-1 | 8192     | 7745     | 7532     | 7823     | 4.31   | cps   |
| Cadmium    | 111-1 | 12157    | 11772    | 11813    | 11914    | 1.78   | cps   |
| Calcium    | 43-1  | 33731    | 33554    | 33337    | 33540    | 0.59   | cps   |
| Calcium    | 44-1  | 557780   | 556822   | 553244   | 555949   | 0.43   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 22734    | 22520    | 22540    | 22598    | 0.52   | cps   |
| Cobalt     | 59-2  | 17127    | 17407    | 17123    | 17219    | 0.95   | cps   |
| Copper     | 63-2  | 24604    | 24253    | 24610    | 24489    | 0.83   | cps   |
| Dysprosium | 156-1 | 37       | 33       | 30       | 33       | 10.01  | cps   |
| Dysprosium | 156-2 | 7        | 17       | 40       | 21       | 81.01  | cps   |
| Erbium     | 164-1 | 100      | 107      | 97       | 101      | 5.04   | cps   |
| Erbium     | 164-2 | 87       | 60       | 33       | 60       | 44.45  | cps   |
| Gadolinium | 160-1 | 130      | 143      | 133      | 136      | 5.12   | cps   |
| Gadolinium | 160-2 | 1007     | 1083     | 1047     | 1046     | 3.67   | cps   |
| Holmium    | 165-1 | 27049863 | 26274170 | 26248359 | 26524131 | 1.72   | cps   |
| Holmium    | 165-2 | 17797960 | 17579879 | 17660268 | 17679369 | 0.62   | cps   |
| Indium     | 115-1 | 22144221 | 22040033 | 21477158 | 21887137 | 1.64   | cps   |
| Indium     | 115-2 | 7670070  | 7609597  | 7512114  | 7597260  | 1.05   | cps   |
| Iron       | 56-2  | 502004   | 505129   | 504231   | 503788   | 0.32   | cps   |
| Iron       | 57-2  | 14063    | 13890    | 14551    | 14168    | 2.42   | cps   |
| Iron       | 54-2  | 29846    | 30845    | 29856    | 30182    | 1.90   | cps   |
| Krypton    | 83-1  | 330      | 297      | 317      | 314      | 5.34   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S02 Instrumnet Name : P7  
Client Sample ID : S02 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:16:54 DataFile Name : 008CAL.S.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 19347    | 19154    | 19157    | 19219    | 0.58   | cps   |
| Lead       | 207-1 | 17164    | 16590    | 16981    | 16912    | 1.73   | cps   |
| Lead       | 208-1 | 78011    | 77003    | 76979    | 77331    | 0.76   | cps   |
| Lithium    | 6-1   | 2447911  | 2405206  | 2365370  | 2406162  | 1.72   | cps   |
| Magnesium  | 24-2  | 436984   | 434385   | 432228   | 434532   | 0.55   | cps   |
| Manganese  | 55-2  | 9473     | 9683     | 9316     | 9491     | 1.94   | cps   |
| Molybdenum | 94-1  | 52490    | 49928    | 50778    | 51065    | 2.56   | cps   |
| Molybdenum | 95-1  | 62951    | 62375    | 63038    | 62788    | 0.57   | cps   |
| Molybdenum | 96-1  | 69367    | 69815    | 69196    | 69459    | 0.46   | cps   |
| Molybdenum | 97-1  | 38654    | 39012    | 38544    | 38737    | 0.63   | cps   |
| Molybdenum | 98-1  | 100781   | 101187   | 100691   | 100886   | 0.26   | cps   |
| Neodymium  | 150-1 | 17       | 27       | 17       | 20       | 28.86  | cps   |
| Neodymium  | 150-2 | 7        | 10       | 3        | 7        | 50.03  | cps   |
| Nickel     | 60-2  | 6891     | 6978     | 6846     | 6905     | 0.98   | cps   |
| Phosphorus | 31-2  | 1100     | 1193     | 1130     | 1141     | 4.18   | cps   |
| Potassium  | 39-2  | 606722   | 611063   | 605675   | 607820   | 0.47   | cps   |
| Rhodium    | 103-1 | 21280980 | 20844583 | 20741787 | 20955783 | 1.37   | cps   |
| Rhodium    | 103-2 | 12245603 | 12079943 | 12168176 | 12164574 | 0.68   | cps   |
| Scandium   | 45-1  | 11973898 | 11677137 | 11637912 | 11762982 | 1.56   | cps   |
| Scandium   | 45-2  | 1008128  | 1013438  | 1003159  | 1008242  | 0.51   | cps   |
| Selenium   | 82-1  | 2967     | 2881     | 2915     | 2921     | 1.47   | cps   |
| Selenium   | 77-2  | 200      | 203      | 217      | 207      | 4.27   | cps   |
| Selenium   | 78-2  | 1060     | 1197     | 1197     | 1151     | 6.85   | cps   |
| Silicon    | 28-1  | 1291616  | 1298919  | 1322483  | 1304339  | 1.24   | cps   |
| Silver     | 107-1 | 32810    | 33378    | 32921    | 33036    | 0.91   | cps   |
| Silver     | 109-1 | 31160    | 31207    | 31447    | 31271    | 0.49   | cps   |
| Sodium     | 23-2  | 703835   | 701082   | 699776   | 701564   | 0.30   | cps   |
| Strontium  | 86-1  | 8349     | 8152     | 8216     | 8239     | 1.22   | cps   |
| Strontium  | 88-1  | 69640    | 68297    | 68602    | 68847    | 1.02   | cps   |
| Sulfur     | 34-1  | 305652   | 306689   | 302973   | 305105   | 0.63   | cps   |
| Terbium    | 159-1 | 27269368 | 27257631 | 26654195 | 27060398 | 1.30   | cps   |
| Terbium    | 159-2 | 17467361 | 17672405 | 17552251 | 17564006 | 0.59   | cps   |
| Thallium   | 203-1 | 23009    | 23517    | 23080    | 23202    | 1.19   | cps   |
| Thallium   | 205-1 | 54974    | 56647    | 55613    | 55745    | 1.51   | cps   |
| Tin        | 118-1 | 110452   | 110503   | 107588   | 109514   | 1.52   | cps   |
| Titanium   | 47-1  | 15251    | 15601    | 15188    | 15347    | 1.45   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :S02

Instrumnet Name :P7

Client Sample ID :S02

Dilution Factor :1

Date & Time Acquired :2024-11-27 16:16:54

DataFile Name :008CALS.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 67822    | 68049    | 66960    | 67610    | 0.85   | cps   |
| Vanadium  | 51-2  | 42961    | 43522    | 42399    | 42961    | 1.31   | cps   |
| Yttrium   | 89-1  | 25764544 | 25125652 | 25115058 | 25335085 | 1.47   | cps   |
| Yttrium   | 89-2  | 6527745  | 6506470  | 6354878  | 6463031  | 1.46   | cps   |
| Zinc      | 66-2  | 11324    | 11078    | 11274    | 11225    | 1.16   | cps   |
| Zirconium | 90-1  | 43317    | 42859    | 42167    | 42781    | 1.35   | cps   |
| Zirconium | 91-1  | 9720     | 9620     | 9213     | 9518     | 2.82   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S03 Instrumnet Name : P7  
Client Sample ID : S03 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:20:12 DataFile Name : 009CAL.S.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 508204   | 501041   | 503338   | 504195   | 0.73   | cps   |
| Antimony   | 121-1 | 1188155  | 1201783  | 1199808  | 1196582  | 0.62   | cps   |
| Arsenic    | 75-2  | 61360    | 61540    | 62153    | 61684    | 0.67   | cps   |
| Barium     | 135-1 | 1511058  | 1517503  | 1514723  | 1514428  | 0.21   | cps   |
| Barium     | 137-1 | 2637170  | 2615779  | 2614489  | 2622479  | 0.49   | cps   |
| Beryllium  | 9-1   | 121448   | 123016   | 121918   | 122128   | 0.66   | cps   |
| Bismuth    | 209-1 | 15306580 | 15616305 | 15684298 | 15535728 | 1.30   | cps   |
| Bismuth    | 209-2 | 12202929 | 11789061 | 12004382 | 11998791 | 1.73   | cps   |
| Bromine    | 81-1  | 17561    | 17771    | 17230    | 17521    | 1.56   | cps   |
| Bromine    | 81-2  | 120      | 113      | 90       | 108      | 14.62  | cps   |
| Cadmium    | 108-1 | 24364    | 24424    | 24664    | 24484    | 0.65   | cps   |
| Cadmium    | 106-1 | 40292    | 40958    | 41051    | 40767    | 1.01   | cps   |
| Cadmium    | 111-1 | 328657   | 328819   | 331998   | 329825   | 0.57   | cps   |
| Calcium    | 43-1  | 321649   | 322923   | 321387   | 321986   | 0.26   | cps   |
| Calcium    | 44-1  | 4945698  | 5050533  | 5060488  | 5018906  | 1.27   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 488925   | 490803   | 484900   | 488209   | 0.62   | cps   |
| Cobalt     | 59-2  | 788057   | 787462   | 778298   | 784606   | 0.70   | cps   |
| Copper     | 63-2  | 5907433  | 5852112  | 5833224  | 5864256  | 0.66   | cps   |
| Dysprosium | 156-1 | 50       | 77       | 60       | 62       | 21.65  | cps   |
| Dysprosium | 156-2 | 123      | 93       | 97       | 104      | 15.75  | cps   |
| Erbium     | 164-1 | 137      | 103      | 107      | 116      | 15.89  | cps   |
| Erbium     | 164-2 | 63       | 77       | 100      | 80       | 23.20  | cps   |
| Gadolinium | 160-1 | 147      | 143      | 137      | 142      | 3.58   | cps   |
| Gadolinium | 160-2 | 1010     | 880      | 1150     | 1013     | 13.33  | cps   |
| Holmium    | 165-1 | 24723243 | 25468167 | 25269340 | 25153584 | 1.53   | cps   |
| Holmium    | 165-2 | 17349808 | 16939401 | 17394206 | 17227805 | 1.46   | cps   |
| Indium     | 115-1 | 20198550 | 20592101 | 20684116 | 20491589 | 1.26   | cps   |
| Indium     | 115-2 | 7236532  | 7061737  | 6996879  | 7098382  | 1.75   | cps   |
| Iron       | 56-2  | 22631757 | 22575712 | 22581737 | 22596402 | 0.14   | cps   |
| Iron       | 57-2  | 590836   | 587690   | 577285   | 585270   | 1.21   | cps   |
| Iron       | 54-2  | 1300663  | 1288287  | 1286628  | 1291859  | 0.59   | cps   |
| Krypton    | 83-1  | 317      | 300      | 267      | 294      | 8.65   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S03 Instrumnet Name : P7  
Client Sample ID : S03 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:20:12 DataFile Name : 009CAL.S.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 4585386  | 4675460  | 4629420  | 4630089  | 0.97   | cps   |
| Lead       | 207-1 | 4014647  | 4133335  | 4157471  | 4101818  | 1.86   | cps   |
| Lead       | 208-1 | 18347467 | 18759165 | 18710900 | 18605844 | 1.21   | cps   |
| Lithium    | 6-1   | 2304441  | 2329754  | 2334711  | 2322968  | 0.70   | cps   |
| Magnesium  | 24-2  | 4374315  | 4321307  | 4388648  | 4361423  | 0.81   | cps   |
| Manganese  | 55-2  | 3804262  | 3771869  | 3785519  | 3787217  | 0.43   | cps   |
| Molybdenum | 94-1  | 4301962  | 4339703  | 4261380  | 4301015  | 0.91   | cps   |
| Molybdenum | 95-1  | 6253227  | 6360221  | 6178128  | 6263859  | 1.46   | cps   |
| Molybdenum | 96-1  | 6813015  | 6895633  | 6730331  | 6812993  | 1.21   | cps   |
| Molybdenum | 97-1  | 3893353  | 3892844  | 3894699  | 3893632  | 0.02   | cps   |
| Molybdenum | 98-1  | 10082078 | 10205169 | 10153517 | 10146921 | 0.61   | cps   |
| Neodymium  | 150-1 | 103      | 93       | 80       | 92       | 12.69  | cps   |
| Neodymium  | 150-2 | 33       | 43       | 20       | 32       | 36.33  | cps   |
| Nickel     | 60-2  | 275952   | 272657   | 272806   | 273805   | 0.68   | cps   |
| Phosphorus | 31-2  | 24917    | 25471    | 25348    | 25245    | 1.15   | cps   |
| Potassium  | 39-2  | 2674781  | 2624559  | 2585715  | 2628352  | 1.70   | cps   |
| Rhodium    | 103-1 | 19412103 | 19418753 | 19769390 | 19533415 | 1.05   | cps   |
| Rhodium    | 103-2 | 11513906 | 11337386 | 11226572 | 11359288 | 1.28   | cps   |
| Scandium   | 45-1  | 10902374 | 11008417 | 10852315 | 10921035 | 0.73   | cps   |
| Scandium   | 45-2  | 949406   | 925402   | 934690   | 936499   | 1.29   | cps   |
| Selenium   | 82-1  | 19264    | 19744    | 19696    | 19568    | 1.35   | cps   |
| Selenium   | 77-2  | 1860     | 1800     | 1930     | 1863     | 3.49   | cps   |
| Selenium   | 78-2  | 6928     | 6852     | 6531     | 6771     | 3.11   | cps   |
| Silicon    | 28-1  | 4230830  | 4298703  | 4288358  | 4272630  | 0.86   | cps   |
| Silver     | 107-1 | 1640360  | 1630588  | 1659481  | 1643477  | 0.89   | cps   |
| Silver     | 109-1 | 1575240  | 1582089  | 1595535  | 1584288  | 0.65   | cps   |
| Sodium     | 23-2  | 6933863  | 6922227  | 6879285  | 6911792  | 0.42   | cps   |
| Strontium  | 86-1  | 380041   | 380900   | 379910   | 380283   | 0.14   | cps   |
| Strontium  | 88-1  | 3224339  | 3351209  | 3248529  | 3274692  | 2.06   | cps   |
| Sulfur     | 34-1  | 378232   | 373834   | 369972   | 374013   | 1.10   | cps   |
| Terbium    | 159-1 | 25761293 | 25806263 | 26182141 | 25916566 | 0.89   | cps   |
| Terbium    | 159-2 | 16988922 | 16469156 | 16863210 | 16773763 | 1.62   | cps   |
| Thallium   | 203-1 | 1151479  | 1162347  | 1181042  | 1164956  | 1.28   | cps   |
| Thallium   | 205-1 | 2728823  | 2769497  | 2782521  | 2760280  | 1.01   | cps   |
| Tin        | 118-1 | 1028480  | 1045974  | 1040770  | 1038408  | 0.87   | cps   |
| Titanium   | 47-1  | 1473769  | 1489184  | 1471148  | 1478034  | 0.66   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S03 Instrumnet Name : P7  
Client Sample ID : S03 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:20:12 DataFile Name : 009CALS.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 3566329  | 3592706  | 3573545  | 3577526  | 0.38   | cps   |
| Vanadium  | 51-2  | 417610   | 416685   | 417131   | 417142   | 0.11   | cps   |
| Yttrium   | 89-1  | 23457535 | 23786770 | 23645610 | 23629972 | 0.70   | cps   |
| Yttrium   | 89-2  | 6182158  | 6020166  | 5994457  | 6065594  | 1.68   | cps   |
| Zinc      | 66-2  | 938040   | 937789   | 928403   | 934744   | 0.59   | cps   |
| Zirconium | 90-1  | 2094181  | 2101161  | 2133393  | 2109579  | 0.99   | cps   |
| Zirconium | 91-1  | 461358   | 467147   | 468068   | 465524   | 0.78   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S04 Instrumnet Name : P7  
Client Sample ID : S04 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:23:11 DataFile Name : 010CAL.S.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 1228306  | 1207939  | 1203084  | 1213110  | 1.10   | cps   |
| Antimony   | 121-1 | 2938386  | 3012216  | 3036316  | 2995639  | 1.70   | cps   |
| Arsenic    | 75-2  | 150154   | 146814   | 146777   | 147915   | 1.31   | cps   |
| Barium     | 135-1 | 3741731  | 3778101  | 3724780  | 3748204  | 0.73   | cps   |
| Barium     | 137-1 | 6430564  | 6585113  | 6555357  | 6523678  | 1.26   | cps   |
| Beryllium  | 9-1   | 306332   | 308360   | 305447   | 306713   | 0.49   | cps   |
| Bismuth    | 209-1 | 16269094 | 16242808 | 16123285 | 16211729 | 0.48   | cps   |
| Bismuth    | 209-2 | 12369091 | 12255833 | 12364326 | 12329750 | 0.52   | cps   |
| Bromine    | 81-1  | 16159    | 16373    | 15945    | 16159    | 1.32   | cps   |
| Bromine    | 81-2  | 70       | 70       | 63       | 68       | 5.68   | cps   |
| Cadmium    | 108-1 | 59742    | 60703    | 59531    | 59992    | 1.04   | cps   |
| Cadmium    | 106-1 | 88836    | 88484    | 90724    | 89348    | 1.35   | cps   |
| Cadmium    | 111-1 | 790273   | 804850   | 807854   | 800992   | 1.17   | cps   |
| Calcium    | 43-1  | 763524   | 768529   | 767171   | 766408   | 0.34   | cps   |
| Calcium    | 44-1  | 11907613 | 11900318 | 11856660 | 11888197 | 0.23   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 1149407  | 1144023  | 1143803  | 1145744  | 0.28   | cps   |
| Cobalt     | 59-2  | 1880640  | 1840315  | 1840830  | 1853929  | 1.25   | cps   |
| Copper     | 63-2  | 13917890 | 13899439 | 13758461 | 13858597 | 0.63   | cps   |
| Dysprosium | 156-1 | 140      | 80       | 130      | 117      | 27.55  | cps   |
| Dysprosium | 156-2 | 207      | 187      | 270      | 221      | 19.68  | cps   |
| Erbium     | 164-1 | 127      | 130      | 147      | 134      | 7.97   | cps   |
| Erbium     | 164-2 | 97       | 100      | 117      | 104      | 10.26  | cps   |
| Gadolinium | 160-1 | 180      | 193      | 170      | 181      | 6.47   | cps   |
| Gadolinium | 160-2 | 1033     | 1063     | 1163     | 1087     | 6.26   | cps   |
| Holmium    | 165-1 | 26375776 | 26479193 | 25943923 | 26266297 | 1.08   | cps   |
| Holmium    | 165-2 | 17479455 | 17447029 | 17555155 | 17493880 | 0.32   | cps   |
| Indium     | 115-1 | 20885218 | 20917854 | 20815911 | 20872995 | 0.25   | cps   |
| Indium     | 115-2 | 7067699  | 7027596  | 7089606  | 7061634  | 0.45   | cps   |
| Iron       | 56-2  | 53975649 | 53349163 | 52863231 | 53396014 | 1.04   | cps   |
| Iron       | 57-2  | 1351689  | 1381110  | 1370093  | 1367631  | 1.09   | cps   |
| Iron       | 54-2  | 2987772  | 2978614  | 2940004  | 2968797  | 0.85   | cps   |
| Krypton    | 83-1  | 227      | 263      | 280      | 257      | 10.63  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S04 Instrumnet Name : P7  
Client Sample ID : S04 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:23:11 DataFile Name : 010CAL.S.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 11623893 | 11720651 | 11823174 | 11722572 | 0.85   | cps   |
| Lead       | 207-1 | 10357095 | 10418233 | 10426628 | 10400652 | 0.36   | cps   |
| Lead       | 208-1 | 46672517 | 47274095 | 47360469 | 47102360 | 0.80   | cps   |
| Lithium    | 6-1   | 2465800  | 2474209  | 2422966  | 2454325  | 1.12   | cps   |
| Magnesium  | 24-2  | 10354017 | 10262211 | 10198986 | 10271738 | 0.76   | cps   |
| Manganese  | 55-2  | 9068717  | 8934857  | 8945474  | 8983016  | 0.83   | cps   |
| Molybdenum | 94-1  | 10468271 | 10513489 | 10513635 | 10498465 | 0.25   | cps   |
| Molybdenum | 95-1  | 15077095 | 15311915 | 15216246 | 15201752 | 0.78   | cps   |
| Molybdenum | 96-1  | 16403613 | 16755126 | 16656407 | 16605049 | 1.09   | cps   |
| Molybdenum | 97-1  | 9525000  | 9445204  | 9482410  | 9484205  | 0.42   | cps   |
| Molybdenum | 98-1  | 24584573 | 24515485 | 24821140 | 24640399 | 0.65   | cps   |
| Neodymium  | 150-1 | 240      | 213      | 223      | 226      | 5.97   | cps   |
| Neodymium  | 150-2 | 27       | 33       | 63       | 41       | 47.50  | cps   |
| Nickel     | 60-2  | 650777   | 642774   | 642980   | 645510   | 0.71   | cps   |
| Phosphorus | 31-2  | 58344    | 57183    | 56939    | 57489    | 1.31   | cps   |
| Potassium  | 39-2  | 6160800  | 6142552  | 6057562  | 6120305  | 0.90   | cps   |
| Rhodium    | 103-1 | 19542446 | 19408946 | 19538761 | 19496717 | 0.39   | cps   |
| Rhodium    | 103-2 | 11244257 | 11289506 | 11151392 | 11228385 | 0.63   | cps   |
| Scandium   | 45-1  | 11021170 | 10813314 | 10691127 | 10841870 | 1.54   | cps   |
| Scandium   | 45-2  | 915895   | 917011   | 914386   | 915764   | 0.14   | cps   |
| Selenium   | 82-1  | 45992    | 46562    | 45965    | 46173    | 0.73   | cps   |
| Selenium   | 77-2  | 4641     | 4541     | 4514     | 4565     | 1.46   | cps   |
| Selenium   | 78-2  | 15775    | 15829    | 15345    | 15649    | 1.70   | cps   |
| Silicon    | 28-1  | 8402733  | 8459047  | 8326980  | 8396254  | 0.79   | cps   |
| Silver     | 107-1 | 3973793  | 4028737  | 3922738  | 3975089  | 1.33   | cps   |
| Silver     | 109-1 | 3810964  | 3858495  | 3845152  | 3838204  | 0.64   | cps   |
| Sodium     | 23-2  | 16532694 | 16359056 | 16131034 | 16340928 | 1.23   | cps   |
| Strontium  | 86-1  | 920222   | 927828   | 925214   | 924421   | 0.42   | cps   |
| Strontium  | 88-1  | 7959637  | 8023466  | 8061511  | 8014871  | 0.64   | cps   |
| Sulfur     | 34-1  | 473404   | 475945   | 467494   | 472281   | 0.92   | cps   |
| Terbium    | 159-1 | 26939831 | 26707615 | 26299611 | 26649019 | 1.22   | cps   |
| Terbium    | 159-2 | 17164656 | 17247688 | 17279665 | 17230670 | 0.34   | cps   |
| Thallium   | 203-1 | 2974420  | 2949099  | 2976544  | 2966687  | 0.51   | cps   |
| Thallium   | 205-1 | 6908193  | 7133019  | 7040712  | 7027308  | 1.61   | cps   |
| Tin        | 118-1 | 2536207  | 2547325  | 2573619  | 2552384  | 0.75   | cps   |
| Titanium   | 47-1  | 3528073  | 3560036  | 3536687  | 3541599  | 0.47   | cps   |



LB Number :LB133687

Operator :Jaswal

Lab Sample ID :S04

Instrumnet Name :P7

Client Sample ID :S04

Dilution Factor :1

Date & Time Acquired :2024-11-27 16:23:11

DataFile Name :010CAL.S.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 8949415  | 9241825  | 9248240  | 9146493  | 1.87   | cps   |
| Vanadium  | 51-2  | 991235   | 985364   | 970795   | 982464   | 1.07   | cps   |
| Yttrium   | 89-1  | 23957060 | 23927961 | 23834143 | 23906388 | 0.27   | cps   |
| Yttrium   | 89-2  | 6072332  | 5991409  | 5954044  | 6005928  | 1.01   | cps   |
| Zinc      | 66-2  | 2236240  | 2194215  | 2216761  | 2215739  | 0.95   | cps   |
| Zirconium | 90-1  | 5021448  | 5092900  | 5139297  | 5084548  | 1.17   | cps   |
| Zirconium | 91-1  | 1130706  | 1141479  | 1141730  | 1137972  | 0.55   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S05 Instrumnet Name : P7  
Client Sample ID : S05 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:25:58 DataFile Name : 011CAL.S.d

| Parameter  | Mass  | CPS1      | CPS2     | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 2282445   | 2273253  | 2269426   | 2275041   | 0.29   | cps   |
| Antimony   | 121-1 | 5647470   | 5737821  | 5713922   | 5699738   | 0.82   | cps   |
| Arsenic    | 75-2  | 278857    | 278412   | 278134    | 278467    | 0.13   | cps   |
| Barium     | 135-1 | 7181936   | 7305936  | 7294457   | 7260776   | 0.94   | cps   |
| Barium     | 137-1 | 12609996  | 12688486 | 12463628  | 12587370  | 0.91   | cps   |
| Beryllium  | 9-1   | 586584    | 585046   | 577379    | 583003    | 0.85   | cps   |
| Bismuth    | 209-1 | 15731458  | 15833374 | 15849149  | 15804660  | 0.40   | cps   |
| Bismuth    | 209-2 | 11975579  | 12022718 | 12092584  | 12030293  | 0.49   | cps   |
| Bromine    | 81-1  | 15191     | 15131    | 14524     | 14949     | 2.47   | cps   |
| Bromine    | 81-2  | 93        | 93       | 107       | 98        | 7.88   | cps   |
| Cadmium    | 108-1 | 114148    | 113694   | 113432    | 113758    | 0.32   | cps   |
| Cadmium    | 106-1 | 164004    | 164243   | 166778    | 165008    | 0.93   | cps   |
| Cadmium    | 111-1 | 1515051   | 1518031  | 1522369   | 1518484   | 0.24   | cps   |
| Calcium    | 43-1  | 1382139   | 1361008  | 1383439   | 1375529   | 0.92   | cps   |
| Calcium    | 44-1  | 22318051  | 22154456 | 22013907  | 22162138  | 0.69   | cps   |
| Carbon     | 12-1  |           |          |           |           |        | cps   |
| Carbon     | 12-2  |           |          |           |           |        | cps   |
| Chlorine   | 35-1  |           |          |           |           |        | cps   |
| Chlorine   | 35-2  |           |          |           |           |        | cps   |
| Chromium   | 52-2  | 2177828   | 2154791  | 2146345   | 2159655   | 0.75   | cps   |
| Cobalt     | 59-2  | 3458376   | 3485002  | 3461009   | 3468129   | 0.42   | cps   |
| Copper     | 63-2  | 26018265  | 25742705 | 25687419  | 25816130  | 0.69   | cps   |
| Dysprosium | 156-1 | 130       | 170      | 123       | 141       | 17.88  | cps   |
| Dysprosium | 156-2 | 357       | 373      | 357       | 362       | 2.66   | cps   |
| Erbium     | 164-1 | 200       | 150      | 213       | 188       | 17.78  | cps   |
| Erbium     | 164-2 | 147       | 127      | 103       | 126       | 17.28  | cps   |
| Gadolinium | 160-1 | 197       | 157      | 177       | 177       | 11.32  | cps   |
| Gadolinium | 160-2 | 983       | 950      | 1030      | 988       | 4.07   | cps   |
| Holmium    | 165-1 | 25532314  | 25661448 | 25456387  | 25550050  | 0.41   | cps   |
| Holmium    | 165-2 | 17296165  | 17238498 | 17348016  | 17294226  | 0.32   | cps   |
| Indium     | 115-1 | 19674360  | 19815444 | 19849316  | 19779707  | 0.47   | cps   |
| Indium     | 115-2 | 6769735   | 6778646  | 6726773   | 6758385   | 0.41   | cps   |
| Iron       | 56-2  | 101099135 | 99996475 | 101087732 | 100727781 | 0.63   | cps   |
| Iron       | 57-2  | 2552651   | 2494290  | 2534097   | 2527012   | 1.18   | cps   |
| Iron       | 54-2  | 5575808   | 5610950  | 5547633   | 5578130   | 0.57   | cps   |
| Krypton    | 83-1  | 307       | 280      | 260       | 282       | 8.30   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S05 Instrumnet Name : P7  
Client Sample ID : S05 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:25:58 DataFile Name : 011CAL.S.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 23026320 | 23218185 | 23219355 | 23154620 | 0.48   | cps   |
| Lead       | 207-1 | 20269013 | 20288449 | 20613448 | 20390303 | 0.95   | cps   |
| Lead       | 208-1 | 92281815 | 92882022 | 93184761 | 92782866 | 0.50   | cps   |
| Lithium    | 6-1   | 2410152  | 2425617  | 2350165  | 2395311  | 1.66   | cps   |
| Magnesium  | 24-2  | 19421481 | 19317383 | 19353657 | 19364174 | 0.27   | cps   |
| Manganese  | 55-2  | 17072075 | 16917971 | 16943353 | 16977799 | 0.49   | cps   |
| Molybdenum | 94-1  | 19948711 | 19935799 | 19821515 | 19902008 | 0.35   | cps   |
| Molybdenum | 95-1  | 29073549 | 29044161 | 28891980 | 29003230 | 0.34   | cps   |
| Molybdenum | 96-1  | 31787154 | 31554070 | 31231005 | 31524076 | 0.89   | cps   |
| Molybdenum | 97-1  | 18079754 | 18063178 | 17996841 | 18046591 | 0.24   | cps   |
| Molybdenum | 98-1  | 46747989 | 47338841 | 46837324 | 46974718 | 0.68   | cps   |
| Neodymium  | 150-1 | 370      | 397      | 410      | 392      | 5.19   | cps   |
| Neodymium  | 150-2 | 70       | 67       | 60       | 66       | 7.77   | cps   |
| Nickel     | 60-2  | 1191897  | 1201104  | 1199181  | 1197394  | 0.41   | cps   |
| Phosphorus | 31-2  | 105836   | 104487   | 105131   | 105151   | 0.64   | cps   |
| Potassium  | 39-2  | 11367376 | 11131732 | 11243730 | 11247612 | 1.05   | cps   |
| Rhodium    | 103-1 | 18582418 | 18245624 | 18234132 | 18354058 | 1.08   | cps   |
| Rhodium    | 103-2 | 10867460 | 10815422 | 10707521 | 10796801 | 0.76   | cps   |
| Scandium   | 45-1  | 10102637 | 10052691 | 9894627  | 10016651 | 1.08   | cps   |
| Scandium   | 45-2  | 863024   | 854243   | 861944   | 859737   | 0.56   | cps   |
| Selenium   | 82-1  | 86804    | 85655    | 85449    | 85969    | 0.85   | cps   |
| Selenium   | 77-2  | 8149     | 8606     | 8573     | 8442     | 3.02   | cps   |
| Selenium   | 78-2  | 29079    | 28344    | 29102    | 28841    | 1.49   | cps   |
| Silicon    | 28-1  | 14673532 | 14502350 | 14345832 | 14507238 | 1.13   | cps   |
| Silver     | 107-1 | 7566687  | 7556885  | 7543490  | 7555687  | 0.15   | cps   |
| Silver     | 109-1 | 7275779  | 7265116  | 7305661  | 7282185  | 0.29   | cps   |
| Sodium     | 23-2  | 30684048 | 30355866 | 30327721 | 30455878 | 0.65   | cps   |
| Strontium  | 86-1  | 1766307  | 1764301  | 1747737  | 1759448  | 0.58   | cps   |
| Strontium  | 88-1  | 15467036 | 15357244 | 15253742 | 15359341 | 0.69   | cps   |
| Sulfur     | 34-1  | 629733   | 616440   | 613304   | 619826   | 1.41   | cps   |
| Terbium    | 159-1 | 25974337 | 25851929 | 25771507 | 25865924 | 0.39   | cps   |
| Terbium    | 159-2 | 17030870 | 16926545 | 17090281 | 17015899 | 0.49   | cps   |
| Thallium   | 203-1 | 5801725  | 5791792  | 5805744  | 5799754  | 0.12   | cps   |
| Thallium   | 205-1 | 13863660 | 13883965 | 13885411 | 13877679 | 0.09   | cps   |
| Tin        | 118-1 | 4838827  | 4887143  | 4893570  | 4873180  | 0.61   | cps   |
| Titanium   | 47-1  | 6657047  | 6592852  | 6491112  | 6580337  | 1.27   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :S05

Instrumnet Name :P7

Client Sample ID :S05

Dilution Factor :1

Date & Time Acquired :2024-11-27 16:25:58

DataFile Name :011CALS.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 18025555 | 18353513 | 18404437 | 18261168 | 1.13   | cps   |
| Vanadium  | 51-2  | 1883355  | 1857078  | 1862952  | 1867795  | 0.74   | cps   |
| Yttrium   | 89-1  | 22777709 | 22765335 | 22541688 | 22694911 | 0.59   | cps   |
| Yttrium   | 89-2  | 5817466  | 5800838  | 5680269  | 5766191  | 1.30   | cps   |
| Zinc      | 66-2  | 4214257  | 4206602  | 4158637  | 4193165  | 0.72   | cps   |
| Zirconium | 90-1  | 9769304  | 9705630  | 9653062  | 9709332  | 0.60   | cps   |
| Zirconium | 91-1  | 2172491  | 2163719  | 2139468  | 2158559  | 0.79   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S06 Instrumnet Name : P7  
Client Sample ID : S06 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:28:44 DataFile Name : 012CALS.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 4599071   | 4605240   | 4568417   | 4590909   | 0.43   | cps   |
| Antimony   | 121-1 | 11817940  | 11655344  | 11856940  | 11776741  | 0.91   | cps   |
| Arsenic    | 75-2  | 573783    | 572016    | 570686    | 572162    | 0.27   | cps   |
| Barium     | 135-1 | 14922315  | 14991777  | 14990193  | 14968095  | 0.26   | cps   |
| Barium     | 137-1 | 25696224  | 26095032  | 25929189  | 25906815  | 0.77   | cps   |
| Beryllium  | 9-1   | 1232739   | 1213033   | 1225939   | 1223904   | 0.82   | cps   |
| Bismuth    | 209-1 | 16067821  | 15894832  | 16257626  | 16073426  | 1.13   | cps   |
| Bismuth    | 209-2 | 12064529  | 12061449  | 12248923  | 12124967  | 0.89   | cps   |
| Bromine    | 81-1  | 14777     | 14971     | 15548     | 15099     | 2.66   | cps   |
| Bromine    | 81-2  | 100       | 93        | 107       | 100       | 6.67   | cps   |
| Cadmium    | 108-1 | 228139    | 227945    | 229027    | 228370    | 0.25   | cps   |
| Cadmium    | 106-1 | 325394    | 325660    | 325660    | 325571    | 0.05   | cps   |
| Cadmium    | 111-1 | 3084303   | 3094990   | 3096285   | 3091859   | 0.21   | cps   |
| Calcium    | 43-1  | 2773976   | 2785471   | 2762751   | 2774066   | 0.41   | cps   |
| Calcium    | 44-1  | 45223001  | 45002978  | 45141923  | 45122634  | 0.25   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 4387851   | 4382462   | 4384506   | 4384940   | 0.06   | cps   |
| Cobalt     | 59-2  | 7132146   | 7032504   | 7063458   | 7076036   | 0.72   | cps   |
| Copper     | 63-2  | 52874449  | 52716486  | 52381646  | 52657527  | 0.48   | cps   |
| Dysprosium | 156-1 | 280       | 247       | 360       | 296       | 19.71  | cps   |
| Dysprosium | 156-2 | 713       | 577       | 580       | 623       | 12.51  | cps   |
| Erbium     | 164-1 | 363       | 290       | 287       | 313       | 13.83  | cps   |
| Erbium     | 164-2 | 197       | 217       | 177       | 197       | 10.17  | cps   |
| Gadolinium | 160-1 | 270       | 260       | 317       | 282       | 10.72  | cps   |
| Gadolinium | 160-2 | 1113      | 1060      | 1017      | 1063      | 4.55   | cps   |
| Holmium    | 165-1 | 26154607  | 26330254  | 26076620  | 26187160  | 0.50   | cps   |
| Holmium    | 165-2 | 17494058  | 17704113  | 17543107  | 17580426  | 0.63   | cps   |
| Indium     | 115-1 | 19901418  | 19527859  | 19844231  | 19757836  | 1.02   | cps   |
| Indium     | 115-2 | 6775997   | 6709253   | 6774948   | 6753399   | 0.57   | cps   |
| Iron       | 56-2  | 206969997 | 207002764 | 205451250 | 206474670 | 0.43   | cps   |
| Iron       | 57-2  | 5196785   | 5160044   | 5154739   | 5170522   | 0.44   | cps   |
| Iron       | 54-2  | 11394719  | 11294907  | 11319811  | 11336479  | 0.46   | cps   |
| Krypton    | 83-1  | 267       | 270       | 300       | 279       | 6.58   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S06 Instrumnet Name : P7  
Client Sample ID : S06 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:28:44 DataFile Name : 012CAL.S.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 47593053  | 48439461  | 48370276  | 48134263  | 0.98   | cps   |
| Lead       | 207-1 | 42006219  | 42751799  | 42838543  | 42532187  | 1.08   | cps   |
| Lead       | 208-1 | 191355520 | 193807049 | 194301270 | 193154613 | 0.82   | cps   |
| Lithium    | 6-1   | 2412955   | 2372696   | 2392025   | 2392559   | 0.84   | cps   |
| Magnesium  | 24-2  | 39269352  | 38911513  | 39149909  | 39110258  | 0.47   | cps   |
| Manganese  | 55-2  | 34690596  | 34901686  | 34782821  | 34791701  | 0.30   | cps   |
| Molybdenum | 94-1  | 40819141  | 40668960  | 40901694  | 40796599  | 0.29   | cps   |
| Molybdenum | 95-1  | 59059952  | 59406559  | 59425317  | 59297276  | 0.35   | cps   |
| Molybdenum | 96-1  | 63692486  | 64661162  | 64427326  | 64260325  | 0.79   | cps   |
| Molybdenum | 97-1  | 36810536  | 36876843  | 36698739  | 36795373  | 0.24   | cps   |
| Molybdenum | 98-1  | 95591085  | 96330422  | 95881105  | 95934204  | 0.39   | cps   |
| Neodymium  | 150-1 | 813       | 703       | 837       | 784       | 9.08   | cps   |
| Neodymium  | 150-2 | 133       | 170       | 157       | 153       | 12.10  | cps   |
| Nickel     | 60-2  | 2482881   | 2451626   | 2444904   | 2459804   | 0.82   | cps   |
| Phosphorus | 31-2  | 215339    | 215339    | 215454    | 215378    | 0.03   | cps   |
| Potassium  | 39-2  | 22804342  | 22854052  | 22712036  | 22790144  | 0.32   | cps   |
| Rhodium    | 103-1 | 18352578  | 18064770  | 17997678  | 18138342  | 1.04   | cps   |
| Rhodium    | 103-2 | 10731609  | 10656025  | 10724609  | 10704081  | 0.39   | cps   |
| Scandium   | 45-1  | 10029497  | 9918927   | 9955279   | 9967901   | 0.57   | cps   |
| Scandium   | 45-2  | 869218    | 860416    | 864279    | 864638    | 0.51   | cps   |
| Selenium   | 82-1  | 172098    | 173604    | 173421    | 173041    | 0.47   | cps   |
| Selenium   | 77-2  | 17160     | 16936     | 17414     | 17170     | 1.39   | cps   |
| Selenium   | 78-2  | 58448     | 58070     | 57879     | 58132     | 0.50   | cps   |
| Silicon    | 28-1  | 27685416  | 27597401  | 27624868  | 27635895  | 0.16   | cps   |
| Silver     | 107-1 | 15128546  | 15292123  | 15144023  | 15188231  | 0.59   | cps   |
| Silver     | 109-1 | 14636012  | 14734104  | 14605169  | 14658428  | 0.46   | cps   |
| Sodium     | 23-2  | 62908156  | 62041391  | 62180167  | 62376571  | 0.75   | cps   |
| Strontium  | 86-1  | 3594161   | 3617411   | 3559001   | 3590191   | 0.82   | cps   |
| Strontium  | 88-1  | 31357120  | 31121970  | 31276603  | 31251898  | 0.38   | cps   |
| Sulfur     | 34-1  | 1001927   | 996055    | 994581    | 997521    | 0.39   | cps   |
| Terbium    | 159-1 | 26204805  | 26618556  | 26484676  | 26436013  | 0.80   | cps   |
| Terbium    | 159-2 | 17238769  | 17156281  | 17354567  | 17249873  | 0.58   | cps   |
| Thallium   | 203-1 | 12009290  | 12172417  | 12039171  | 12073626  | 0.72   | cps   |
| Thallium   | 205-1 | 28927770  | 29327130  | 28995831  | 29083577  | 0.73   | cps   |
| Tin        | 118-1 | 10009073  | 9955589   | 9970033   | 9978232   | 0.28   | cps   |
| Titanium   | 47-1  | 13373260  | 13354827  | 13431321  | 13386469  | 0.30   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S06 Instrumnet Name : P7  
Client Sample ID : S06 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:28:44 DataFile Name : 012CALS.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 38784079 | 39204518 | 39209963 | 39066187 | 0.63   | cps   |
| Vanadium  | 51-2  | 3811102  | 3753300  | 3782340  | 3782248  | 0.76   | cps   |
| Yttrium   | 89-1  | 22750484 | 22530064 | 22710658 | 22663735 | 0.52   | cps   |
| Yttrium   | 89-2  | 5807425  | 5750889  | 5841577  | 5799964  | 0.79   | cps   |
| Zinc      | 66-2  | 8483843  | 8508341  | 8472884  | 8488356  | 0.21   | cps   |
| Zirconium | 90-1  | 19719598 | 19814482 | 19854660 | 19796247 | 0.35   | cps   |
| Zirconium | 91-1  | 4409915  | 4406475  | 4368500  | 4394963  | 0.52   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S07 Instrumnet Name : P7  
Client Sample ID : S07 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:31:28 DataFile Name : 013CALS.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 9349792   | 9229994   | 9354599   | 9311462   | 0.76   | cps   |
| Antimony   | 121-1 | 23673658  | 23754775  | 23670562  | 23699665  | 0.20   | cps   |
| Arsenic    | 75-2  | 1155619   | 1153729   | 1153371   | 1154240   | 0.10   | cps   |
| Barium     | 135-1 | 30202499  | 30210309  | 30130090  | 30180966  | 0.15   | cps   |
| Barium     | 137-1 | 52561811  | 52013943  | 52293653  | 52289802  | 0.52   | cps   |
| Beryllium  | 9-1   | 2426383   | 2390896   | 2384254   | 2400511   | 0.94   | cps   |
| Bismuth    | 209-1 | 16240228  | 16174212  | 16195690  | 16203376  | 0.21   | cps   |
| Bismuth    | 209-2 | 12000178  | 11917429  | 11910478  | 11942695  | 0.42   | cps   |
| Bromine    | 81-1  | 15779     | 16132     | 15668     | 15860     | 1.53   | cps   |
| Bromine    | 81-2  | 100       | 90        | 137       | 109       | 22.57  | cps   |
| Cadmium    | 108-1 | 460979    | 459565    | 456277    | 458940    | 0.53   | cps   |
| Cadmium    | 106-1 | 649805    | 645455    | 650960    | 648740    | 0.45   | cps   |
| Cadmium    | 111-1 | 6101348   | 6121271   | 6096346   | 6106321   | 0.22   | cps   |
| Calcium    | 43-1  | 5647087   | 5627865   | 5631539   | 5635497   | 0.18   | cps   |
| Calcium    | 44-1  | 91555665  | 91381395  | 90875615  | 91270892  | 0.39   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 8955093   | 8822350   | 8832189   | 8869878   | 0.83   | cps   |
| Cobalt     | 59-2  | 14201594  | 14187491  | 14162560  | 14183882  | 0.14   | cps   |
| Copper     | 63-2  | 105068338 | 103513888 | 103837492 | 104139906 | 0.79   | cps   |
| Dysprosium | 156-1 | 507       | 630       | 613       | 583       | 11.47  | cps   |
| Dysprosium | 156-2 | 1407      | 1327      | 1293      | 1342      | 4.34   | cps   |
| Erbium     | 164-1 | 460       | 500       | 460       | 473       | 4.88   | cps   |
| Erbium     | 164-2 | 297       | 330       | 350       | 326       | 8.28   | cps   |
| Gadolinium | 160-1 | 457       | 403       | 373       | 411       | 10.27  | cps   |
| Gadolinium | 160-2 | 1100      | 1020      | 1110      | 1077      | 4.58   | cps   |
| Holmium    | 165-1 | 26994275  | 26660196  | 26645918  | 26766797  | 0.74   | cps   |
| Holmium    | 165-2 | 17894343  | 17779488  | 17585103  | 17752978  | 0.88   | cps   |
| Indium     | 115-1 | 19786306  | 19609968  | 19464671  | 19620315  | 0.82   | cps   |
| Indium     | 115-2 | 6789403   | 6760102   | 6727344   | 6758950   | 0.46   | cps   |
| Iron       | 56-2  | 416321394 | 411061154 | 412338887 | 413240478 | 0.66   | cps   |
| Iron       | 57-2  | 10283302  | 10228713  | 10322097  | 10278038  | 0.46   | cps   |
| Iron       | 54-2  | 22654149  | 22781148  | 22670473  | 22701923  | 0.30   | cps   |
| Krypton    | 83-1  | 283       | 340       | 300       | 308       | 9.46   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S07 Instrumnet Name : P7  
Client Sample ID : S07 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:31:28 DataFile Name : 013CALS.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 95204275  | 96638549  | 96229915  | 96024246  | 0.77   | cps   |
| Lead       | 207-1 | 84676315  | 84559197  | 84640644  | 84625385  | 0.07   | cps   |
| Lead       | 208-1 | 385934241 | 386098243 | 385566929 | 385866471 | 0.07   | cps   |
| Lithium    | 6-1   | 2417998   | 2389049   | 2389352   | 2398800   | 0.69   | cps   |
| Magnesium  | 24-2  | 81109868  | 80080325  | 81307996  | 80832730  | 0.82   | cps   |
| Manganese  | 55-2  | 70125212  | 69460942  | 69922279  | 69836145  | 0.49   | cps   |
| Molybdenum | 94-1  | 82926164  | 82640842  | 82152484  | 82573163  | 0.47   | cps   |
| Molybdenum | 95-1  | 120313712 | 120763645 | 119710035 | 120262464 | 0.44   | cps   |
| Molybdenum | 96-1  | 131155251 | 131550015 | 130643495 | 131116254 | 0.35   | cps   |
| Molybdenum | 97-1  | 74989234  | 75077841  | 75674614  | 75247229  | 0.50   | cps   |
| Molybdenum | 98-1  | 195047150 | 196060090 | 194562704 | 195223315 | 0.39   | cps   |
| Neodymium  | 150-1 | 1500      | 1613      | 1543      | 1552      | 3.68   | cps   |
| Neodymium  | 150-2 | 390       | 350       | 390       | 377       | 6.13   | cps   |
| Nickel     | 60-2  | 4894079   | 4859609   | 4908345   | 4887345   | 0.51   | cps   |
| Phosphorus | 31-2  | 437162    | 438398    | 437894    | 437818    | 0.14   | cps   |
| Potassium  | 39-2  | 46396636  | 46052531  | 46397811  | 46282326  | 0.43   | cps   |
| Rhodium    | 103-1 | 18176549  | 18228501  | 18001626  | 18135559  | 0.66   | cps   |
| Rhodium    | 103-2 | 10696537  | 10705801  | 10604619  | 10668986  | 0.52   | cps   |
| Scandium   | 45-1  | 10260953  | 10198366  | 10174416  | 10211245  | 0.44   | cps   |
| Scandium   | 45-2  | 893293    | 883847    | 887341    | 888160    | 0.54   | cps   |
| Selenium   | 82-1  | 351366    | 350729    | 350370    | 350822    | 0.14   | cps   |
| Selenium   | 77-2  | 35289     | 34874     | 35579     | 35247     | 1.01   | cps   |
| Selenium   | 78-2  | 117320    | 116783    | 116621    | 116908    | 0.31   | cps   |
| Silicon    | 28-1  | 64388067  | 63874752  | 63211314  | 63824711  | 0.92   | cps   |
| Silver     | 107-1 | 31180111  | 30835399  | 30894798  | 30970103  | 0.60   | cps   |
| Silver     | 109-1 | 29953309  | 29901175  | 29593909  | 29816131  | 0.65   | cps   |
| Sodium     | 23-2  | 125917318 | 125496805 | 125537595 | 125650573 | 0.18   | cps   |
| Strontium  | 86-1  | 7247957   | 7294458   | 7244753   | 7262389   | 0.38   | cps   |
| Strontium  | 88-1  | 63640211  | 63805351  | 63479199  | 63641587  | 0.26   | cps   |
| Sulfur     | 34-1  | 1912064   | 1849596   | 1858885   | 1873515   | 1.80   | cps   |
| Terbium    | 159-1 | 26729997  | 27058633  | 26504242  | 26764291  | 1.04   | cps   |
| Terbium    | 159-2 | 17389154  | 17103181  | 17476430  | 17322921  | 1.13   | cps   |
| Thallium   | 203-1 | 24357287  | 24267249  | 24328698  | 24317745  | 0.19   | cps   |
| Thallium   | 205-1 | 57813162  | 57398472  | 57986112  | 57732582  | 0.52   | cps   |
| Tin        | 118-1 | 19863447  | 20059084  | 19979635  | 19967389  | 0.49   | cps   |
| Titanium   | 47-1  | 26848759  | 27117635  | 27045507  | 27003967  | 0.52   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S07 Instrumnet Name : P7  
Client Sample ID : S07 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:31:28 DataFile Name : 013CALS.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 78718780 | 78674674 | 79064010 | 78819155 | 0.27   | cps   |
| Vanadium  | 51-2  | 7690688  | 7740241  | 7710849  | 7713926  | 0.32   | cps   |
| Yttrium   | 89-1  | 23173227 | 23307442 | 22882073 | 23120914 | 0.94   | cps   |
| Yttrium   | 89-2  | 5985214  | 5918914  | 5843452  | 5915860  | 1.20   | cps   |
| Zinc      | 66-2  | 16871051 | 16646556 | 16679450 | 16732352 | 0.72   | cps   |
| Zirconium | 90-1  | 40334929 | 40466213 | 40272948 | 40358030 | 0.24   | cps   |
| Zirconium | 91-1  | 8978852  | 8961109  | 8925624  | 8955195  | 0.30   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S08 Instrumnet Name : P7  
Client Sample ID : S08 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:34:14 DataFile Name : 014CALS.d

| Parameter  | Mass  | CPS1       | CPS2       | CPS3       | CPSMean    | CPSRSD | Units |
|------------|-------|------------|------------|------------|------------|--------|-------|
| Aluminium  | 27-2  | 47882369   | 48378816   | 49061759   | 48440982   | 1.22   | cps   |
| Antimony   | 121-1 | 10657      | 11942      | 13870      | 12156      | 13.30  | cps   |
| Arsenic    | 75-2  | 673        | 660        | 637        | 657        | 2.83   | cps   |
| Barium     | 135-1 | 13476      | 13283      | 12269      | 13009      | 4.99   | cps   |
| Barium     | 137-1 | 22915      | 22568      | 22104      | 22529      | 1.81   | cps   |
| Beryllium  | 9-1   | 494        | 517        | 456        | 489        | 6.33   | cps   |
| Bismuth    | 209-1 | 14309561   | 14050056   | 13912592   | 14090736   | 1.43   | cps   |
| Bismuth    | 209-2 | 10533682   | 10486834   | 10457343   | 10492619   | 0.37   | cps   |
| Bromine    | 81-1  | 17087      | 17380      | 18085      | 17517      | 2.93   | cps   |
| Bromine    | 81-2  | 143        | 120        | 177        | 147        | 19.42  | cps   |
| Cadmium    | 108-1 | 243        | 193        | 240        | 226        | 12.39  | cps   |
| Cadmium    | 106-1 | 6898       | 6568       | 6802       | 6756       | 2.51   | cps   |
| Cadmium    | 111-1 | 6142       | 5993       | 6007       | 6047       | 1.36   | cps   |
| Calcium    | 43-1  | 27368073   | 27267479   | 27230641   | 27288731   | 0.26   | cps   |
| Calcium    | 44-1  | 445007767  | 443037873  | 445787367  | 444611002  | 0.32   | cps   |
| Carbon     | 12-1  |            |            |            |            |        | cps   |
| Carbon     | 12-2  |            |            |            |            |        | cps   |
| Chlorine   | 35-1  |            |            |            |            |        | cps   |
| Chlorine   | 35-2  |            |            |            |            |        | cps   |
| Chromium   | 52-2  | 15044      | 17237      | 15502      | 15928      | 7.26   | cps   |
| Cobalt     | 59-2  | 37179      | 36571      | 37189      | 36980      | 0.96   | cps   |
| Copper     | 63-2  | 22851      | 22303      | 21392      | 22182      | 3.32   | cps   |
| Dysprosium | 156-1 | 1003       | 893        | 940        | 946        | 5.84   | cps   |
| Dysprosium | 156-2 | 703        | 780        | 757        | 747        | 5.26   | cps   |
| Erbium     | 164-1 | 1143       | 1093       | 1093       | 1110       | 2.60   | cps   |
| Erbium     | 164-2 | 680        | 743        | 707        | 710        | 4.48   | cps   |
| Gadolinium | 160-1 | 907        | 1003       | 910        | 940        | 5.84   | cps   |
| Gadolinium | 160-2 | 1437       | 1560       | 1473       | 1490       | 4.25   | cps   |
| Holmium    | 165-1 | 25841250   | 25702795   | 25040470   | 25528172   | 1.68   | cps   |
| Holmium    | 165-2 | 16973924   | 17026747   | 17041864   | 17014178   | 0.21   | cps   |
| Indium     | 115-1 | 18947614   | 18883211   | 18859182   | 18896669   | 0.24   | cps   |
| Indium     | 115-2 | 6704770    | 6701998    | 6696782    | 6701183    | 0.06   | cps   |
| Iron       | 56-2  | 1996683757 | 2005577783 | 2014890690 | 2005717410 | 0.45   | cps   |
| Iron       | 57-2  | 50037478   | 50071351   | 50675143   | 50261324   | 0.71   | cps   |
| Iron       | 54-2  | 108553438  | 107691178  | 108533385  | 108259334  | 0.45   | cps   |
| Krypton    | 83-1  | 373        | 367        | 373        | 371        | 1.04   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : S08 Instrumnet Name : P7  
Client Sample ID : S08 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 16:34:14 DataFile Name : 014CALS.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 18059     | 16927     | 15709     | 16898     | 6.95   | cps   |
| Lead       | 207-1 | 16000     | 14745     | 14091     | 14945     | 6.49   | cps   |
| Lead       | 208-1 | 71734     | 67553     | 63672     | 67653     | 5.96   | cps   |
| Lithium    | 6-1   | 2251953   | 2283337   | 2259106   | 2264799   | 0.73   | cps   |
| Magnesium  | 24-2  | 403243259 | 411052720 | 410290379 | 408195453 | 1.05   | cps   |
| Manganese  | 55-2  | 39328     | 39214     | 39071     | 39204     | 0.33   | cps   |
| Molybdenum | 94-1  | 23743     | 23198     | 22467     | 23136     | 2.77   | cps   |
| Molybdenum | 95-1  | 24110     | 24317     | 23292     | 23906     | 2.27   | cps   |
| Molybdenum | 96-1  | 43765     | 43096     | 39687     | 42183     | 5.19   | cps   |
| Molybdenum | 97-1  | 14924     | 15245     | 14781     | 14983     | 1.58   | cps   |
| Molybdenum | 98-1  | 38975     | 37481     | 35750     | 37402     | 4.32   | cps   |
| Neodymium  | 150-1 | 517       | 463       | 483       | 488       | 5.52   | cps   |
| Neodymium  | 150-2 | 277       | 320       | 267       | 288       | 9.85   | cps   |
| Nickel     | 60-2  | 15290     | 14940     | 15174     | 15135     | 1.18   | cps   |
| Phosphorus | 31-2  | 467       | 567       | 493       | 509       | 10.18  | cps   |
| Potassium  | 39-2  | 239168050 | 240069930 | 240500776 | 239912919 | 0.28   | cps   |
| Rhodium    | 103-1 | 16906660  | 16613326  | 16512880  | 16677622  | 1.23   | cps   |
| Rhodium    | 103-2 | 10120973  | 10073830  | 9976210   | 10057004  | 0.73   | cps   |
| Scandium   | 45-1  | 10365329  | 10373429  | 10360004  | 10366254  | 0.07   | cps   |
| Scandium   | 45-2  | 930004    | 930847    | 930576    | 930476    | 0.05   | cps   |
| Selenium   | 82-1  | 1038      | 909       | 858       | 935       | 9.94   | cps   |
| Selenium   | 77-2  | 0         | 17        | 13        | 10        | 88.20  | cps   |
| Selenium   | 78-2  | 467       | 500       | 530       | 499       | 6.35   | cps   |
| Silicon    | 28-1  | 1301591   | 1286149   | 1250064   | 1279268   | 2.07   | cps   |
| Silver     | 107-1 | 6548      | 5851      | 4904      | 5768      | 14.31  | cps   |
| Silver     | 109-1 | 6098      | 5725      | 4811      | 5544      | 11.94  | cps   |
| Sodium     | 23-2  | 636498617 | 638902390 | 638350417 | 637917142 | 0.20   | cps   |
| Strontium  | 86-1  | 24273     | 24003     | 24731     | 24336     | 1.51   | cps   |
| Strontium  | 88-1  | 210879    | 208254    | 204724    | 207952    | 1.49   | cps   |
| Sulfur     | 34-1  | 223175    | 229978    | 237342    | 230165    | 3.08   | cps   |
| Terbium    | 159-1 | 26133903  | 25578405  | 25377228  | 25696512  | 1.53   | cps   |
| Terbium    | 159-2 | 16800889  | 16864919  | 16480329  | 16715379  | 1.23   | cps   |
| Thallium   | 203-1 | 3871      | 3287      | 2677      | 3278      | 18.21  | cps   |
| Thallium   | 205-1 | 9353      | 7809      | 7042      | 8068      | 14.59  | cps   |
| Tin        | 118-1 | 9433      | 8846      | 8493      | 8924      | 5.32   | cps   |
| Titanium   | 47-1  | 4494      | 4414      | 3974      | 4294      | 6.52   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :S08

Instrumnet Name :P7

Client Sample ID :S08

Dilution Factor :1

Date & Time Acquired :2024-11-27 16:34:14

DataFile Name :014CALS.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 9290     | 8373     | 7232     | 8298     | 12.42  | cps   |
| Vanadium  | 51-2  | 2454     | 2384     | 2287     | 2375     | 3.52   | cps   |
| Yttrium   | 89-1  | 22909820 | 22716300 | 22550311 | 22725477 | 0.79   | cps   |
| Yttrium   | 89-2  | 6027501  | 5997327  | 5959066  | 5994631  | 0.57   | cps   |
| Zinc      | 66-2  | 5808     | 5578     | 5608     | 5664     | 2.21   | cps   |
| Zirconium | 90-1  | 23208    | 23869    | 22995    | 23358    | 1.95   | cps   |
| Zirconium | 91-1  | 5738     | 5101     | 5054     | 5298     | 7.21   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICV001 Instrumnet Name : P7  
Client Sample ID : ICV001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:16:22 DataFile Name : 015ICV.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 228847   | 228911   | 227327   | 228362   | 0.39   | cps   |
| Antimony   | 121-1 | 4723227  | 4747454  | 4672112  | 4714264  | 0.82   | cps   |
| Arsenic    | 75-2  | 245580   | 241022   | 236633   | 241078   | 1.86   | cps   |
| Barium     | 135-1 | 591781   | 597931   | 595170   | 594961   | 0.52   | cps   |
| Barium     | 137-1 | 1024793  | 1030655  | 1026279  | 1027242  | 0.30   | cps   |
| Beryllium  | 9-1   | 248793   | 246820   | 244274   | 246629   | 0.92   | cps   |
| Bismuth    | 209-1 | 16349761 | 16463790 | 16646852 | 16486801 | 0.91   | cps   |
| Bismuth    | 209-2 | 12715341 | 12827414 | 12712490 | 12751748 | 0.51   | cps   |
| Bromine    | 81-1  | 18138    | 16706    | 16773    | 17206    | 4.70   | cps   |
| Bromine    | 81-2  | 67       | 87       | 107      | 87       | 23.08  | cps   |
| Cadmium    | 108-1 | 72758    | 72888    | 71736    | 72461    | 0.87   | cps   |
| Cadmium    | 106-1 | 109845   | 110348   | 108794   | 109662   | 0.72   | cps   |
| Cadmium    | 111-1 | 673804   | 679237   | 669488   | 674177   | 0.72   | cps   |
| Calcium    | 43-1  | 138962   | 136860   | 138828   | 138217   | 0.85   | cps   |
| Calcium    | 44-1  | 2140937  | 2084433  | 2046840  | 2090737  | 2.27   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 944899   | 942111   | 929178   | 938729   | 0.89   | cps   |
| Cobalt     | 59-2  | 1534885  | 1490527  | 1523070  | 1516160  | 1.52   | cps   |
| Copper     | 63-2  | 1079736  | 1062446  | 1059126  | 1067102  | 1.04   | cps   |
| Dysprosium | 156-1 | 47       | 40       | 70       | 52       | 30.16  | cps   |
| Dysprosium | 156-2 | 43       | 47       | 47       | 46       | 4.23   | cps   |
| Erbium     | 164-1 | 147      | 110      | 103      | 120      | 19.45  | cps   |
| Erbium     | 164-2 | 87       | 67       | 60       | 71       | 19.52  | cps   |
| Gadolinium | 160-1 | 120      | 123      | 157      | 133      | 15.21  | cps   |
| Gadolinium | 160-2 | 933      | 953      | 970      | 952      | 1.93   | cps   |
| Holmium    | 165-1 | 26410033 | 25956924 | 25991561 | 26119506 | 0.97   | cps   |
| Holmium    | 165-2 | 17860124 | 17804327 | 17687166 | 17783872 | 0.50   | cps   |
| Indium     | 115-1 | 21444298 | 20970679 | 21012352 | 21142443 | 1.24   | cps   |
| Indium     | 115-2 | 7267121  | 7329661  | 7270430  | 7289071  | 0.48   | cps   |
| Iron       | 56-2  | 17051499 | 16865238 | 16700474 | 16872404 | 1.04   | cps   |
| Iron       | 57-2  | 440485   | 435882   | 431752   | 436039   | 1.00   | cps   |
| Iron       | 54-2  | 992982   | 990258   | 970490   | 984577   | 1.25   | cps   |
| Krypton    | 83-1  | 333      | 357      | 307      | 332      | 7.53   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICV001 Instrumnet Name : P7  
Client Sample ID : ICV001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:16:22 DataFile Name : 015ICV.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 3808441   | 3783541   | 3903423   | 3831802   | 1.65   | cps   |
| Lead       | 207-1 | 3203189   | 3251692   | 3289386   | 3248089   | 1.33   | cps   |
| Lead       | 208-1 | 14859250  | 14991080  | 15165618  | 15005316  | 1.02   | cps   |
| Lithium    | 6-1   | 2405315   | 2476471   | 2445411   | 2442399   | 1.46   | cps   |
| Magnesium  | 24-2  | 920825    | 914041    | 909280    | 914715    | 0.63   | cps   |
| Manganese  | 55-2  | 721715    | 716797    | 708894    | 715802    | 0.90   | cps   |
| Molybdenum | 94-1  | 43339239  | 43113316  | 42565518  | 43006024  | 0.93   | cps   |
| Molybdenum | 95-1  | 64154111  | 63875432  | 63318754  | 63782766  | 0.67   | cps   |
| Molybdenum | 96-1  | 69411067  | 69062031  | 68681801  | 69051633  | 0.53   | cps   |
| Molybdenum | 97-1  | 40029559  | 39593064  | 39148277  | 39590300  | 1.11   | cps   |
| Molybdenum | 98-1  | 104088132 | 102263232 | 102589125 | 102980163 | 0.95   | cps   |
| Neodymium  | 150-1 | 67        | 47        | 63        | 59        | 18.19  | cps   |
| Neodymium  | 150-2 | 13        | 13        | 17        | 14        | 13.35  | cps   |
| Nickel     | 60-2  | 537943    | 528759    | 527539    | 531414    | 1.07   | cps   |
| Phosphorus | 31-2  | 343       | 403       | 307       | 351       | 13.90  | cps   |
| Potassium  | 39-2  | 1926832   | 1930989   | 1867485   | 1908435   | 1.86   | cps   |
| Rhodium    | 103-1 | 20551072  | 20156959  | 20147625  | 20285219  | 1.14   | cps   |
| Rhodium    | 103-2 | 11886176  | 11886685  | 11629615  | 11800825  | 1.26   | cps   |
| Scandium   | 45-1  | 11775404  | 11330515  | 11157821  | 11421246  | 2.79   | cps   |
| Scandium   | 45-2  | 961144    | 954098    | 949134    | 954792    | 0.63   | cps   |
| Selenium   | 82-1  | 77619     | 77337     | 76864     | 77274     | 0.49   | cps   |
| Selenium   | 77-2  | 7519      | 7662      | 7592      | 7591      | 0.94   | cps   |
| Selenium   | 78-2  | 26531     | 25869     | 25515     | 25972     | 1.98   | cps   |
| Silicon    | 28-1  | 6077406   | 6061434   | 6185181   | 6108007   | 1.10   | cps   |
| Silver     | 107-1 | 1589200   | 1579744   | 1583692   | 1584212   | 0.30   | cps   |
| Silver     | 109-1 | 1509233   | 1519687   | 1488871   | 1505930   | 1.04   | cps   |
| Sodium     | 23-2  | 2529765   | 2541524   | 2509033   | 2526774   | 0.65   | cps   |
| Strontium  | 86-1  | 3612228   | 3590269   | 3556669   | 3586389   | 0.78   | cps   |
| Strontium  | 88-1  | 31575330  | 31252947  | 31001004  | 31276427  | 0.92   | cps   |
| Sulfur     | 34-1  | 278768    | 270568    | 265794    | 271710    | 2.41   | cps   |
| Terbium    | 159-1 | 27247605  | 26619100  | 26873830  | 26913512  | 1.17   | cps   |
| Terbium    | 159-2 | 17665495  | 17581712  | 17456902  | 17568036  | 0.60   | cps   |
| Thallium   | 203-1 | 4722261   | 4703728   | 4747810   | 4724600   | 0.47   | cps   |
| Thallium   | 205-1 | 11258514  | 11168554  | 11302393  | 11243154  | 0.61   | cps   |
| Tin        | 118-1 | 9625887   | 9577151   | 9629831   | 9610956   | 0.31   | cps   |
| Titanium   | 47-1  | 15368029  | 15221419  | 14830594  | 15140014  | 1.83   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICV001 Instrumnet Name : P7  
Client Sample ID : ICV001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:16:22 DataFile Name : 015ICV.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 36722629 | 38004998 | 38038447 | 37588691 | 2.00   | cps   |
| Vanadium  | 51-2  | 786443   | 773729   | 765935   | 775369   | 1.34   | cps   |
| Yttrium   | 89-1  | 25194578 | 24549996 | 24449462 | 24731345 | 1.63   | cps   |
| Yttrium   | 89-2  | 6258843  | 6258452  | 6164846  | 6227380  | 0.87   | cps   |
| Zinc      | 66-2  | 363372   | 360872   | 354959   | 359734   | 1.20   | cps   |
| Zirconium | 90-1  | 19670615 | 19311058 | 19138600 | 19373424 | 1.40   | cps   |
| Zirconium | 91-1  | 4326908  | 4309937  | 4254604  | 4297150  | 0.88   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICB001 Instrumnet Name : P7  
Client Sample ID : ICB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:26:42 DataFile Name : 016CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 290      | 310      | 303      | 301      | 3.38   | cps   |
| Antimony   | 121-1 | 320      | 380      | 597      | 432      | 33.67  | cps   |
| Arsenic    | 75-2  | 7        | 20       | 10       | 12       | 56.76  | cps   |
| Barium     | 135-1 | 103      | 143      | 77       | 108      | 31.13  | cps   |
| Barium     | 137-1 | 307      | 203      | 223      | 244      | 22.42  | cps   |
| Beryllium  | 9-1   | 106      | 117      | 189      | 137      | 33.02  | cps   |
| Bismuth    | 209-1 | 15873396 | 15717534 | 15769419 | 15786783 | 0.50   | cps   |
| Bismuth    | 209-2 | 12334211 | 12186279 | 12385908 | 12302133 | 0.84   | cps   |
| Bromine    | 81-1  | 16813    | 16633    | 17457    | 16968    | 2.55   | cps   |
| Bromine    | 81-2  | 123      | 60       | 103      | 96       | 33.88  | cps   |
| Cadmium    | 108-1 | 3        | 13       | 30       | 16       | 86.63  | cps   |
| Cadmium    | 106-1 | 5725     | 5935     | 5715     | 5791     | 2.15   | cps   |
| Cadmium    | 111-1 | 4042     | 4188     | 4042     | 4091     | 2.06   | cps   |
| Calcium    | 43-1  | 1250     | 1307     | 1363     | 1307     | 4.34   | cps   |
| Calcium    | 44-1  | 33811    | 34276    | 34657    | 34248    | 1.24   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 3587     | 3504     | 3404     | 3498     | 2.62   | cps   |
| Cobalt     | 59-2  | 143      | 200      | 193      | 179      | 17.31  | cps   |
| Copper     | 63-2  | 1443     | 1707     | 1623     | 1591     | 8.46   | cps   |
| Dysprosium | 156-1 | 20       | 23       | 43       | 29       | 43.68  | cps   |
| Dysprosium | 156-2 | 3        | 10       | 20       | 11       | 75.52  | cps   |
| Erbium     | 164-1 | 143      | 110      | 90       | 114      | 23.55  | cps   |
| Erbium     | 164-2 | 60       | 53       | 63       | 59       | 8.65   | cps   |
| Gadolinium | 160-1 | 123      | 140      | 110      | 124      | 12.08  | cps   |
| Gadolinium | 160-2 | 950      | 1043     | 987      | 993      | 4.73   | cps   |
| Holmium    | 165-1 | 25563635 | 25122155 | 25406747 | 25364179 | 0.88   | cps   |
| Holmium    | 165-2 | 17621361 | 17364448 | 17620197 | 17535335 | 0.84   | cps   |
| Indium     | 115-1 | 20851508 | 20559969 | 21006835 | 20806104 | 1.09   | cps   |
| Indium     | 115-2 | 7408582  | 7459376  | 7393790  | 7420583  | 0.46   | cps   |
| Iron       | 56-2  | 37180    | 36815    | 36207    | 36734    | 1.34   | cps   |
| Iron       | 57-2  | 1617     | 1493     | 1547     | 1552     | 3.99   | cps   |
| Iron       | 54-2  | 4374     | 4617     | 4421     | 4471     | 2.89   | cps   |
| Krypton    | 83-1  | 273      | 260      | 300      | 278      | 7.33   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICB001 Instrumnet Name : P7  
Client Sample ID : ICB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:26:42 DataFile Name : 016CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 1137     | 1240     | 1310     | 1229     | 7.10   | cps   |
| Lead       | 207-1 | 1140     | 1143     | 1093     | 1126     | 2.48   | cps   |
| Lead       | 208-1 | 4907     | 4900     | 5017     | 4942     | 1.33   | cps   |
| Lithium    | 6-1   | 2358887  | 2280881  | 2343931  | 2327900  | 1.78   | cps   |
| Magnesium  | 24-2  | 2228     | 2149     | 2202     | 2193     | 1.85   | cps   |
| Manganese  | 55-2  | 2367     | 2280     | 2327     | 2325     | 1.87   | cps   |
| Molybdenum | 94-1  | 1223     | 1490     | 1393     | 1369     | 9.86   | cps   |
| Molybdenum | 95-1  | 1047     | 1017     | 903      | 989      | 7.64   | cps   |
| Molybdenum | 96-1  | 1203     | 1177     | 1227     | 1202     | 2.08   | cps   |
| Molybdenum | 97-1  | 590      | 560      | 587      | 579      | 2.84   | cps   |
| Molybdenum | 98-1  | 1557     | 1460     | 1620     | 1546     | 5.21   | cps   |
| Neodymium  | 150-1 | 7        | 17       | 3        | 9        | 78.08  | cps   |
| Neodymium  | 150-2 | 7        | 7        | 3        | 6        | 34.70  | cps   |
| Nickel     | 60-2  | 2341     | 2330     | 2309     | 2327     | 0.69   | cps   |
| Phosphorus | 31-2  | 393      | 387      | 280      | 353      | 18.00  | cps   |
| Potassium  | 39-2  | 66940    | 67880    | 67164    | 67328    | 0.73   | cps   |
| Rhodium    | 103-1 | 19658313 | 19463528 | 19726124 | 19615988 | 0.69   | cps   |
| Rhodium    | 103-2 | 11906511 | 11887650 | 11872298 | 11888819 | 0.14   | cps   |
| Scandium   | 45-1  | 11006890 | 11045723 | 11211704 | 11088106 | 0.98   | cps   |
| Scandium   | 45-2  | 976264   | 975066   | 971015   | 974115   | 0.28   | cps   |
| Selenium   | 82-1  | 855      | 756      | 727      | 779      | 8.61   | cps   |
| Selenium   | 77-2  | 0        | 0        | 0        | 0        | 0.00   | cps   |
| Selenium   | 78-2  | 427      | 490      | 527      | 481      | 10.51  | cps   |
| Silicon    | 28-1  | 875901   | 872635   | 879968   | 876168   | 0.42   | cps   |
| Silver     | 107-1 | 213      | 153      | 157      | 174      | 19.33  | cps   |
| Silver     | 109-1 | 127      | 80       | 107      | 104      | 22.42  | cps   |
| Sodium     | 23-2  | 40774    | 40172    | 41105    | 40684    | 1.16   | cps   |
| Strontium  | 86-1  | 630      | 693      | 597      | 640      | 7.67   | cps   |
| Strontium  | 88-1  | 1077     | 1123     | 900      | 1033     | 11.40  | cps   |
| Sulfur     | 34-1  | 270084   | 269867   | 272906   | 270952   | 0.63   | cps   |
| Terbium    | 159-1 | 25864716 | 25891830 | 25967257 | 25907935 | 0.21   | cps   |
| Terbium    | 159-2 | 17470796 | 17298180 | 17255556 | 17341511 | 0.66   | cps   |
| Thallium   | 203-1 | 383      | 397      | 433      | 404      | 6.40   | cps   |
| Thallium   | 205-1 | 990      | 917      | 1043     | 983      | 6.47   | cps   |
| Tin        | 118-1 | 4157     | 3947     | 4284     | 4130     | 4.12   | cps   |
| Titanium   | 47-1  | 283      | 360      | 310      | 318      | 12.25  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICB001 Instrumnet Name : P7  
Client Sample ID : ICB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:26:42 DataFile Name : 016CCBE.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 380      | 343      | 300      | 341      | 11.74  | cps   |
| Vanadium  | 51-2  | 13       | 27       | 23       | 21       | 32.88  | cps   |
| Yttrium   | 89-1  | 23963385 | 23879170 | 23962162 | 23934906 | 0.20   | cps   |
| Yttrium   | 89-2  | 6322079  | 6308890  | 6297251  | 6309406  | 0.20   | cps   |
| Zinc      | 66-2  | 2557     | 2757     | 2777     | 2697     | 4.51   | cps   |
| Zirconium | 90-1  | 1863     | 2157     | 2600     | 2207     | 16.81  | cps   |
| Zirconium | 91-1  | 400      | 453      | 543      | 466      | 15.56  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICSA001 Instrumnet Name : P7  
Client Sample ID : ICSA001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:30:01 DataFile Name : 017ICSA.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 45962698  | 45816668  | 45681323  | 45820229  | 0.31   | cps   |
| Antimony   | 121-1 | 28017     | 28598     | 28021     | 28212     | 1.19   | cps   |
| Arsenic    | 75-2  | 453       | 453       | 450       | 452       | 0.43   | cps   |
| Barium     | 135-1 | 8940      | 8976      | 9090      | 9002      | 0.87   | cps   |
| Barium     | 137-1 | 15609     | 15428     | 15585     | 15541     | 0.63   | cps   |
| Beryllium  | 9-1   | 783       | 778       | 678       | 746       | 7.96   | cps   |
| Bismuth    | 209-1 | 16320312  | 16447182  | 16401021  | 16389505  | 0.39   | cps   |
| Bismuth    | 209-2 | 12288736  | 12087942  | 12253793  | 12210157  | 0.88   | cps   |
| Bromine    | 81-1  | 18221     | 18502     | 18515     | 18413     | 0.90   | cps   |
| Bromine    | 81-2  | 233       | 333       | 307       | 291       | 17.79  | cps   |
| Cadmium    | 108-1 | 4697      | 4447      | 4397      | 4514      | 3.56   | cps   |
| Cadmium    | 106-1 | 6522      | 6528      | 6428      | 6493      | 0.86   | cps   |
| Cadmium    | 111-1 | 7051      | 7128      | 6633      | 6937      | 3.84   | cps   |
| Calcium    | 43-1  | 5907764   | 5941778   | 5848464   | 5899335   | 0.80   | cps   |
| Calcium    | 44-1  | 95484645  | 96751822  | 95319399  | 95851955  | 0.82   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 193974    | 193417    | 192066    | 193152    | 0.51   | cps   |
| Cobalt     | 59-2  | 18965     | 19219     | 19329     | 19171     | 0.97   | cps   |
| Copper     | 63-2  | 83505     | 83726     | 83270     | 83500     | 0.27   | cps   |
| Dysprosium | 156-1 | 87        | 107       | 130       | 108       | 20.12  | cps   |
| Dysprosium | 156-2 | 83        | 57        | 57        | 66        | 23.48  | cps   |
| Erbium     | 164-1 | 213       | 217       | 193       | 208       | 6.07   | cps   |
| Erbium     | 164-2 | 147       | 103       | 130       | 127       | 17.26  | cps   |
| Gadolinium | 160-1 | 227       | 173       | 203       | 201       | 13.29  | cps   |
| Gadolinium | 160-2 | 1020      | 997       | 1050      | 1022      | 2.62   | cps   |
| Holmium    | 165-1 | 28090398  | 28118020  | 27849136  | 28019185  | 0.53   | cps   |
| Holmium    | 165-2 | 18518293  | 18418003  | 18749013  | 18561770  | 0.91   | cps   |
| Indium     | 115-1 | 21196756  | 21229057  | 21396268  | 21274027  | 0.50   | cps   |
| Indium     | 115-2 | 7406264   | 7316984   | 7352551   | 7358600   | 0.61   | cps   |
| Iron       | 56-2  | 871158974 | 868478654 | 872124387 | 870587338 | 0.22   | cps   |
| Iron       | 57-2  | 21359817  | 21677875  | 21738521  | 21592071  | 0.94   | cps   |
| Iron       | 54-2  | 47445559  | 47345261  | 47475224  | 47422015  | 0.14   | cps   |
| Krypton    | 83-1  | 307       | 277       | 260       | 281       | 8.41   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICSA001 Instrumnet Name : P7  
Client Sample ID : ICSA001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:30:01 DataFile Name : 017ICSA.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 97375     | 94905     | 92700     | 94993     | 2.46   | cps   |
| Lead       | 207-1 | 77851     | 75076     | 73963     | 75630     | 2.65   | cps   |
| Lead       | 208-1 | 367883    | 355885    | 347615    | 357128    | 2.85   | cps   |
| Lithium    | 6-1   | 2304029   | 2239399   | 2187604   | 2243678   | 2.60   | cps   |
| Magnesium  | 24-2  | 80026362  | 79840938  | 80029040  | 79965447  | 0.13   | cps   |
| Manganese  | 55-2  | 59925     | 60986     | 61636     | 60849     | 1.42   | cps   |
| Molybdenum | 94-1  | 13702839  | 13769653  | 13694334  | 13722275  | 0.30   | cps   |
| Molybdenum | 95-1  | 24427214  | 24487185  | 24611929  | 24508776  | 0.38   | cps   |
| Molybdenum | 96-1  | 25988155  | 25940954  | 26054935  | 25994682  | 0.22   | cps   |
| Molybdenum | 97-1  | 15278259  | 15234652  | 15042796  | 15185235  | 0.82   | cps   |
| Molybdenum | 98-1  | 39525279  | 39672085  | 39290290  | 39495885  | 0.49   | cps   |
| Neodymium  | 150-1 | 97        | 110       | 137       | 114       | 17.80  | cps   |
| Neodymium  | 150-2 | 60        | 53        | 73        | 62        | 16.37  | cps   |
| Nickel     | 60-2  | 25314     | 25631     | 25067     | 25337     | 1.11   | cps   |
| Phosphorus | 31-2  | 2329683   | 2381115   | 2335504   | 2348768   | 1.20   | cps   |
| Potassium  | 39-2  | 96670322  | 98091729  | 98084752  | 97615601  | 0.84   | cps   |
| Rhodium    | 103-1 | 19492635  | 19439035  | 19141244  | 19357638  | 0.98   | cps   |
| Rhodium    | 103-2 | 11594350  | 11439428  | 11565821  | 11533200  | 0.71   | cps   |
| Scandium   | 45-1  | 11142742  | 11050698  | 10982239  | 11058559  | 0.73   | cps   |
| Scandium   | 45-2  | 967143    | 967965    | 981671    | 972260    | 0.84   | cps   |
| Selenium   | 82-1  | 938       | 931       | 903       | 924       | 1.99   | cps   |
| Selenium   | 77-2  | 3         | 10        | 17        | 10        | 66.70  | cps   |
| Selenium   | 78-2  | 480       | 470       | 450       | 467       | 3.27   | cps   |
| Silicon    | 28-1  | 1210948   | 1205592   | 1207404   | 1207981   | 0.23   | cps   |
| Silver     | 107-1 | 867       | 803       | 850       | 840       | 3.91   | cps   |
| Silver     | 109-1 | 810       | 730       | 727       | 756       | 6.24   | cps   |
| Sodium     | 23-2  | 130661091 | 131182231 | 131704621 | 131182648 | 0.40   | cps   |
| Strontium  | 86-1  | 261998    | 264359    | 265791    | 264049    | 0.73   | cps   |
| Strontium  | 88-1  | 2326139   | 2307284   | 2336657   | 2323360   | 0.64   | cps   |
| Sulfur     | 34-1  | 8499002   | 8551168   | 8365740   | 8471970   | 1.13   | cps   |
| Terbium    | 159-1 | 28249676  | 28407967  | 28298252  | 28318632  | 0.29   | cps   |
| Terbium    | 159-2 | 18255337  | 17975221  | 18223059  | 18151206  | 0.84   | cps   |
| Thallium   | 203-1 | 2540      | 3250      | 3407      | 3066      | 15.07  | cps   |
| Thallium   | 205-1 | 6632      | 7632      | 8052      | 7439      | 9.81   | cps   |
| Tin        | 118-1 | 8363      | 7856      | 7689      | 7969      | 4.40   | cps   |
| Titanium   | 47-1  | 5749785   | 5773857   | 5729355   | 5750999   | 0.39   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :ICSA001

Instrumnet Name :P7

Client Sample ID :ICSA001

Dilution Factor :1

Date & Time Acquired :2024-11-27 17:30:01

DataFile Name :017ICSA.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 1347     | 1290     | 1353     | 1330     | 2.62   | cps   |
| Vanadium  | 51-2  | 1540     | 1340     | 1513     | 1465     | 7.42   | cps   |
| Yttrium   | 89-1  | 25171347 | 25019560 | 25183378 | 25124762 | 0.36   | cps   |
| Yttrium   | 89-2  | 6489304  | 6368572  | 6444588  | 6434155  | 0.95   | cps   |
| Zinc      | 66-2  | 21879    | 21966    | 22193    | 22013    | 0.74   | cps   |
| Zirconium | 90-1  | 1770     | 1870     | 2077     | 1906     | 8.21   | cps   |
| Zirconium | 91-1  | 407      | 367      | 463      | 412      | 11.78  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICSAB001 Instrumnet Name : P7  
Client Sample ID : ICSAB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:33:04 DataFile Name : 018ICSB.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 45057973  | 45224223  | 45076086  | 45119427  | 0.20   | cps   |
| Antimony   | 121-1 | 540661    | 542350    | 544825    | 542612    | 0.39   | cps   |
| Arsenic    | 75-2  | 26140     | 25672     | 25876     | 25896     | 0.91   | cps   |
| Barium     | 135-1 | 138388    | 139317    | 139481    | 139062    | 0.42   | cps   |
| Barium     | 137-1 | 238352    | 239594    | 237830    | 238592    | 0.38   | cps   |
| Beryllium  | 9-1   | 46848     | 44859     | 43996     | 45234     | 3.23   | cps   |
| Bismuth    | 209-1 | 16984673  | 16806855  | 16627914  | 16806481  | 1.06   | cps   |
| Bismuth    | 209-2 | 12483141  | 12374149  | 12588721  | 12482004  | 0.86   | cps   |
| Bromine    | 81-1  | 21058     | 21092     | 21733     | 21294     | 1.78   | cps   |
| Bromine    | 81-2  | 637       | 620       | 613       | 623       | 1.93   | cps   |
| Cadmium    | 108-1 | 13149     | 12809     | 12936     | 12965     | 1.33   | cps   |
| Cadmium    | 106-1 | 19076     | 18725     | 17975     | 18592     | 3.03   | cps   |
| Cadmium    | 111-1 | 138337    | 140116    | 137965    | 138806    | 0.83   | cps   |
| Calcium    | 43-1  | 5888259   | 5928837   | 5849896   | 5888997   | 0.67   | cps   |
| Calcium    | 44-1  | 95560052  | 96296312  | 94914535  | 95590300  | 0.72   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 385213    | 388223    | 385500    | 386312    | 0.43   | cps   |
| Cobalt     | 59-2  | 330422    | 328382    | 326885    | 328563    | 0.54   | cps   |
| Copper     | 63-2  | 299466    | 295960    | 296461    | 297296    | 0.64   | cps   |
| Dysprosium | 156-1 | 163       | 93        | 113       | 123       | 29.24  | cps   |
| Dysprosium | 156-2 | 107       | 67        | 127       | 100       | 30.55  | cps   |
| Erbium     | 164-1 | 237       | 243       | 183       | 221       | 14.87  | cps   |
| Erbium     | 164-2 | 107       | 120       | 107       | 111       | 6.93   | cps   |
| Gadolinium | 160-1 | 223       | 183       | 240       | 216       | 13.51  | cps   |
| Gadolinium | 160-2 | 1017      | 957       | 1067      | 1013      | 5.44   | cps   |
| Holmium    | 165-1 | 29124185  | 28932163  | 28488471  | 28848273  | 1.13   | cps   |
| Holmium    | 165-2 | 18920523  | 18971593  | 19099715  | 18997277  | 0.49   | cps   |
| Indium     | 115-1 | 22315440  | 21996908  | 22073898  | 22128749  | 0.75   | cps   |
| Indium     | 115-2 | 7567491   | 7430683   | 7426660   | 7474945   | 1.07   | cps   |
| Iron       | 56-2  | 863896894 | 878093720 | 861143961 | 867711525 | 1.05   | cps   |
| Iron       | 57-2  | 21916778  | 21687582  | 21545128  | 21716496  | 0.86   | cps   |
| Iron       | 54-2  | 47107799  | 47250909  | 47024518  | 47127742  | 0.24   | cps   |
| Krypton    | 83-1  | 337       | 257       | 300       | 298       | 13.45  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICSAB001 Instrumnet Name : P7  
Client Sample ID : ICSAB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:33:04 DataFile Name : 018ICSB.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 511014    | 512011    | 511255    | 511427    | 0.10   | cps   |
| Lead       | 207-1 | 430842    | 433743    | 429195    | 431260    | 0.53   | cps   |
| Lead       | 208-1 | 1990346   | 1990226   | 1983079   | 1987884   | 0.21   | cps   |
| Lithium    | 6-1   | 2155311   | 2171966   | 2115864   | 2147713   | 1.34   | cps   |
| Magnesium  | 24-2  | 79345200  | 78842533  | 78833809  | 79007181  | 0.37   | cps   |
| Manganese  | 55-2  | 208301    | 208193    | 206804    | 207766    | 0.40   | cps   |
| Molybdenum | 94-1  | 13933448  | 13834606  | 13906628  | 13891561  | 0.37   | cps   |
| Molybdenum | 95-1  | 24717267  | 24605176  | 24605356  | 24642600  | 0.26   | cps   |
| Molybdenum | 96-1  | 26335827  | 26131630  | 26417691  | 26295049  | 0.56   | cps   |
| Molybdenum | 97-1  | 15361238  | 15250375  | 15255381  | 15288998  | 0.41   | cps   |
| Molybdenum | 98-1  | 40341576  | 39728288  | 39439445  | 39836436  | 1.16   | cps   |
| Neodymium  | 150-1 | 160       | 137       | 137       | 144       | 9.32   | cps   |
| Neodymium  | 150-2 | 77        | 63        | 67        | 69        | 10.08  | cps   |
| Nickel     | 60-2  | 131178    | 130693    | 130823    | 130898    | 0.19   | cps   |
| Phosphorus | 31-2  | 2298099   | 2373736   | 2332174   | 2334669   | 1.62   | cps   |
| Potassium  | 39-2  | 97570102  | 97470755  | 97055155  | 97365337  | 0.28   | cps   |
| Rhodium    | 103-1 | 20238035  | 20166398  | 19810673  | 20071702  | 1.14   | cps   |
| Rhodium    | 103-2 | 11939161  | 11780608  | 11872666  | 11864145  | 0.67   | cps   |
| Scandium   | 45-1  | 11445388  | 11447056  | 11286021  | 11392821  | 0.81   | cps   |
| Scandium   | 45-2  | 993770    | 997491    | 993895    | 995052    | 0.21   | cps   |
| Selenium   | 82-1  | 8546      | 8814      | 8871      | 8744      | 1.98   | cps   |
| Selenium   | 77-2  | 843       | 827       | 777       | 816       | 4.25   | cps   |
| Selenium   | 78-2  | 3020      | 3167      | 2874      | 3020      | 4.86   | cps   |
| Silicon    | 28-1  | 1261145   | 1265921   | 1254174   | 1260413   | 0.47   | cps   |
| Silver     | 107-1 | 632028    | 630594    | 625954    | 629525    | 0.50   | cps   |
| Silver     | 109-1 | 606916    | 606010    | 606809    | 606579    | 0.08   | cps   |
| Sodium     | 23-2  | 128897418 | 131034728 | 130363428 | 130098525 | 0.84   | cps   |
| Strontium  | 86-1  | 269007    | 265493    | 266328    | 266943    | 0.69   | cps   |
| Strontium  | 88-1  | 2381463   | 2354740   | 2341807   | 2359337   | 0.86   | cps   |
| Sulfur     | 34-1  | 8556501   | 8558434   | 8450087   | 8521674   | 0.73   | cps   |
| Terbium    | 159-1 | 29694757  | 29517236  | 28903848  | 29371947  | 1.41   | cps   |
| Terbium    | 159-2 | 18618860  | 18424405  | 18351926  | 18465064  | 0.75   | cps   |
| Thallium   | 203-1 | 527325    | 532613    | 528923    | 529620    | 0.51   | cps   |
| Thallium   | 205-1 | 1266594   | 1260682   | 1259065   | 1262113   | 0.31   | cps   |
| Tin        | 118-1 | 7405      | 7672      | 7699      | 7592      | 2.14   | cps   |
| Titanium   | 47-1  | 5849330   | 5748708   | 5813782   | 5803940   | 0.88   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : ICSAB001 Instrumnet Name : P7  
Client Sample ID : ICSAB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:33:04 DataFile Name : 018ICSB.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 1387     | 1353     | 1267     | 1336     | 4.64   | cps   |
| Vanadium  | 51-2  | 166914   | 167174   | 166605   | 166898   | 0.17   | cps   |
| Yttrium   | 89-1  | 26364767 | 26119211 | 25673370 | 26052449 | 1.35   | cps   |
| Yttrium   | 89-2  | 6550421  | 6500113  | 6569315  | 6539949  | 0.55   | cps   |
| Zinc      | 66-2  | 58658    | 57691    | 57989    | 58112    | 0.85   | cps   |
| Zirconium | 90-1  | 1840     | 1850     | 2354     | 2015     | 14.57  | cps   |
| Zirconium | 91-1  | 430      | 450      | 440      | 440      | 2.27   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCV001 Instrumnet Name : P7  
Client Sample ID : CCV001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:36:05 DataFile Name : 019CCV.d

| Parameter  | Mass  | CPS1       | CPS2       | CPS3       | CPSMean    | CPSRSD | Units |
|------------|-------|------------|------------|------------|------------|--------|-------|
| Aluminium  | 27-2  | 25086072   | 25332912   | 25252880   | 25223955   | 0.50   | cps   |
| Antimony   | 121-1 | 12486558   | 12568201   | 12421781   | 12492180   | 0.59   | cps   |
| Arsenic    | 75-2  | 634741     | 630159     | 631419     | 632106     | 0.37   | cps   |
| Barium     | 135-1 | 15993858   | 15940849   | 15743130   | 15892612   | 0.83   | cps   |
| Barium     | 137-1 | 27606711   | 27434622   | 27230050   | 27423794   | 0.69   | cps   |
| Beryllium  | 9-1   | 1152364    | 1155231    | 1138172    | 1148589    | 0.80   | cps   |
| Bismuth    | 209-1 | 16137000   | 16123223   | 15997206   | 16085810   | 0.48   | cps   |
| Bismuth    | 209-2 | 11681838   | 11629849   | 11630932   | 11647540   | 0.26   | cps   |
| Bromine    | 81-1  | 19940      | 19653      | 19586      | 19727      | 0.95   | cps   |
| Bromine    | 81-2  | 133        | 147        | 137        | 139        | 4.99   | cps   |
| Cadmium    | 108-1 | 250047     | 247073     | 246179     | 247766     | 0.82   | cps   |
| Cadmium    | 106-1 | 356593     | 353221     | 352698     | 354171     | 0.60   | cps   |
| Cadmium    | 111-1 | 3308938    | 3313604    | 3309304    | 3310615    | 0.08   | cps   |
| Calcium    | 43-1  | 15009374   | 15085977   | 14906659   | 15000670   | 0.60   | cps   |
| Calcium    | 44-1  | 242908063  | 243996570  | 243223303  | 243375979  | 0.23   | cps   |
| Carbon     | 12-1  |            |            |            |            |        | cps   |
| Carbon     | 12-2  |            |            |            |            |        | cps   |
| Chlorine   | 35-1  |            |            |            |            |        | cps   |
| Chlorine   | 35-2  |            |            |            |            |        | cps   |
| Chromium   | 52-2  | 4816699    | 4741851    | 4723491    | 4760681    | 1.04   | cps   |
| Cobalt     | 59-2  | 7678797    | 7752619    | 7722685    | 7718034    | 0.48   | cps   |
| Copper     | 63-2  | 57465551   | 57312306   | 57208342   | 57328733   | 0.23   | cps   |
| Dysprosium | 156-1 | 747        | 707        | 810        | 754        | 6.91   | cps   |
| Dysprosium | 156-2 | 1023       | 1090       | 1113       | 1076       | 4.34   | cps   |
| Erbium     | 164-1 | 853        | 767        | 827        | 816        | 5.44   | cps   |
| Erbium     | 164-2 | 500        | 557        | 497        | 518        | 6.51   | cps   |
| Gadolinium | 160-1 | 617        | 617        | 737        | 657        | 10.55  | cps   |
| Gadolinium | 160-2 | 1327       | 1267       | 1257       | 1283       | 2.95   | cps   |
| Holmium    | 165-1 | 28241452   | 28011267   | 27871135   | 28041285   | 0.67   | cps   |
| Holmium    | 165-2 | 18283628   | 18016574   | 18036953   | 18112385   | 0.82   | cps   |
| Indium     | 115-1 | 21297896   | 21244788   | 21082023   | 21208236   | 0.53   | cps   |
| Indium     | 115-2 | 7074030    | 7067465    | 7089996    | 7077164    | 0.16   | cps   |
| Iron       | 56-2  | 1080981184 | 1070046917 | 1065552944 | 1072193682 | 0.74   | cps   |
| Iron       | 57-2  | 26757291   | 27121521   | 26688122   | 26855645   | 0.87   | cps   |
| Iron       | 54-2  | 58484902   | 57660927   | 57959706   | 58035179   | 0.72   | cps   |
| Krypton    | 83-1  | 380        | 383        | 307        | 357        | 12.15  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCV001 Instrumnet Name : P7  
Client Sample ID : CCV001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:36:05 DataFile Name : 019CCV.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 48129158  | 48727873  | 47950908  | 48269313  | 0.84   | cps   |
| Lead       | 207-1 | 42942793  | 42654145  | 42459580  | 42685506  | 0.57   | cps   |
| Lead       | 208-1 | 195058092 | 194205790 | 192911926 | 194058603 | 0.56   | cps   |
| Lithium    | 6-1   | 2052326   | 2100961   | 2105377   | 2086221   | 1.41   | cps   |
| Magnesium  | 24-2  | 213477125 | 209151390 | 211239144 | 211289219 | 1.02   | cps   |
| Manganese  | 55-2  | 37563422  | 36909438  | 36897988  | 37123616  | 1.03   | cps   |
| Molybdenum | 94-1  | 44592238  | 44345501  | 44690461  | 44542733  | 0.40   | cps   |
| Molybdenum | 95-1  | 65787159  | 64814481  | 65021329  | 65207656  | 0.79   | cps   |
| Molybdenum | 96-1  | 71181816  | 70976751  | 70797622  | 70985396  | 0.27   | cps   |
| Molybdenum | 97-1  | 40855231  | 40590640  | 40308941  | 40584937  | 0.67   | cps   |
| Molybdenum | 98-1  | 106763718 | 105322905 | 103977105 | 105354576 | 1.32   | cps   |
| Neodymium  | 150-1 | 967       | 1137      | 1023      | 1042      | 8.31   | cps   |
| Neodymium  | 150-2 | 393       | 413       | 290       | 366       | 18.11  | cps   |
| Nickel     | 60-2  | 2649538   | 2652926   | 2658339   | 2653601   | 0.17   | cps   |
| Phosphorus | 31-2  | 237437    | 235572    | 238293    | 237101    | 0.59   | cps   |
| Potassium  | 39-2  | 125257181 | 124171281 | 125023171 | 124817211 | 0.46   | cps   |
| Rhodium    | 103-1 | 19314308  | 19188896  | 18852874  | 19118693  | 1.25   | cps   |
| Rhodium    | 103-2 | 11015505  | 11082562  | 11063070  | 11053712  | 0.31   | cps   |
| Scandium   | 45-1  | 11203969  | 11202133  | 11050824  | 11152308  | 0.79   | cps   |
| Scandium   | 45-2  | 966760    | 970192    | 976476    | 971143    | 0.51   | cps   |
| Selenium   | 82-1  | 193995    | 193055    | 192330    | 193126    | 0.43   | cps   |
| Selenium   | 77-2  | 18879     | 18849     | 18949     | 18892     | 0.27   | cps   |
| Selenium   | 78-2  | 62652     | 63676     | 64105     | 63477     | 1.18   | cps   |
| Silicon    | 28-1  | 32005029  | 31879214  | 31448548  | 31777597  | 0.92   | cps   |
| Silver     | 107-1 | 16244862  | 15980426  | 16257814  | 16161034  | 0.97   | cps   |
| Silver     | 109-1 | 15588083  | 15690536  | 15374990  | 15551203  | 1.04   | cps   |
| Sodium     | 23-2  | 328183775 | 333050895 | 333441062 | 331558577 | 0.88   | cps   |
| Strontium  | 86-1  | 3913859   | 3900691   | 3953180   | 3922576   | 0.70   | cps   |
| Strontium  | 88-1  | 34498293  | 34165359  | 34399167  | 34354273  | 0.50   | cps   |
| Sulfur     | 34-1  | 1068738   | 1061991   | 1056388   | 1062372   | 0.58   | cps   |
| Terbium    | 159-1 | 28688008  | 28164260  | 27997915  | 28283394  | 1.27   | cps   |
| Terbium    | 159-2 | 17993999  | 17941573  | 18114960  | 18016844  | 0.49   | cps   |
| Thallium   | 203-1 | 12184287  | 12303748  | 12125274  | 12204436  | 0.75   | cps   |
| Thallium   | 205-1 | 28912451  | 29016220  | 28854448  | 28927707  | 0.28   | cps   |
| Tin        | 118-1 | 10678685  | 10629127  | 10507114  | 10604976  | 0.83   | cps   |
| Titanium   | 47-1  | 14624748  | 14740628  | 14540929  | 14635435  | 0.69   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :CCV001

Instrumnet Name :P7

Client Sample ID :CCV001

Dilution Factor :1

Date & Time Acquired :2024-11-27 17:36:05

DataFile Name :019CCV.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 40066883 | 39603582 | 39439023 | 39703162 | 0.82   | cps   |
| Vanadium  | 51-2  | 4135073  | 4108172  | 4183791  | 4142345  | 0.93   | cps   |
| Yttrium   | 89-1  | 25483464 | 24897375 | 24972757 | 25117865 | 1.27   | cps   |
| Yttrium   | 89-2  | 6318411  | 6376006  | 6389471  | 6361296  | 0.59   | cps   |
| Zinc      | 66-2  | 8991791  | 9098869  | 9109019  | 9066560  | 0.72   | cps   |
| Zirconium | 90-1  | 22114355 | 21822376 | 21742295 | 21893009 | 0.89   | cps   |
| Zirconium | 91-1  | 4925488  | 4800504  | 4832469  | 4852821  | 1.34   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCB001 Instrumnet Name : P7  
Client Sample ID : CCB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:38:47 DataFile Name : 020CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 3286     | 1603     | 1413     | 2101     | 49.05  | cps   |
| Antimony   | 121-1 | 3110     | 4251     | 6261     | 4541     | 35.14  | cps   |
| Arsenic    | 75-2  | 247      | 57       | 63       | 122      | 88.23  | cps   |
| Barium     | 135-1 | 680      | 497      | 733      | 637      | 19.50  | cps   |
| Barium     | 137-1 | 1020     | 903      | 1343     | 1089     | 20.93  | cps   |
| Beryllium  | 9-1   | 167      | 256      | 267      | 230      | 23.87  | cps   |
| Bismuth    | 209-1 | 18253227 | 17973388 | 17872201 | 18032939 | 1.09   | cps   |
| Bismuth    | 209-2 | 13541015 | 13315580 | 13369337 | 13408644 | 0.88   | cps   |
| Bromine    | 81-1  | 18455    | 18372    | 18568    | 18465    | 0.54   | cps   |
| Bromine    | 81-2  | 107      | 83       | 93       | 94       | 12.40  | cps   |
| Cadmium    | 108-1 | 37       | 33       | 17       | 29       | 37.08  | cps   |
| Cadmium    | 106-1 | 7619     | 7115     | 7162     | 7299     | 3.81   | cps   |
| Cadmium    | 111-1 | 5601     | 5237     | 5292     | 5377     | 3.65   | cps   |
| Calcium    | 43-1  | 1460     | 1303     | 1647     | 1470     | 11.69  | cps   |
| Calcium    | 44-1  | 37558    | 35659    | 39331    | 37516    | 4.90   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 2744     | 2817     | 2870     | 2810     | 2.26   | cps   |
| Cobalt     | 59-2  | 677      | 517      | 537      | 577      | 15.12  | cps   |
| Copper     | 63-2  | 14092    | 4807     | 4918     | 7939     | 67.12  | cps   |
| Dysprosium | 156-1 | 10       | 17       | 23       | 17       | 39.99  | cps   |
| Dysprosium | 156-2 | 3        | 20       | 7        | 10       | 88.20  | cps   |
| Erbium     | 164-1 | 130      | 123      | 127      | 127      | 2.63   | cps   |
| Erbium     | 164-2 | 97       | 77       | 87       | 87       | 11.54  | cps   |
| Gadolinium | 160-1 | 127      | 100      | 117      | 114      | 11.77  | cps   |
| Gadolinium | 160-2 | 910      | 1017     | 1033     | 987      | 6.78   | cps   |
| Holmium    | 165-1 | 29384032 | 28427890 | 28490892 | 28767605 | 1.86   | cps   |
| Holmium    | 165-2 | 18829936 | 18689136 | 18586196 | 18701756 | 0.65   | cps   |
| Indium     | 115-1 | 23020785 | 22700695 | 22735356 | 22818945 | 0.77   | cps   |
| Indium     | 115-2 | 7696772  | 7699038  | 7683192  | 7693000  | 0.11   | cps   |
| Iron       | 56-2  | 118167   | 89293    | 86748    | 98069    | 17.80  | cps   |
| Iron       | 57-2  | 3177     | 2664     | 2800     | 2880     | 9.23   | cps   |
| Iron       | 54-2  | 8320     | 6525     | 6398     | 7081     | 15.18  | cps   |
| Krypton    | 83-1  | 297      | 277      | 363      | 312      | 14.53  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCB001 Instrumnet Name : P7  
Client Sample ID : CCB001 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:38:47 DataFile Name : 020CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 4838     | 5021     | 5331     | 5063     | 4.93   | cps   |
| Lead       | 207-1 | 4534     | 4054     | 4384     | 4324     | 5.68   | cps   |
| Lead       | 208-1 | 19783    | 19029    | 20796    | 19869    | 4.46   | cps   |
| Lithium    | 6-1   | 2379525  | 2331237  | 2311854  | 2340872  | 1.49   | cps   |
| Magnesium  | 24-2  | 17498    | 12324    | 11546    | 13789    | 23.46  | cps   |
| Manganese  | 55-2  | 4084     | 3761     | 3280     | 3708     | 10.90  | cps   |
| Molybdenum | 94-1  | 2760     | 2907     | 3877     | 3182     | 19.08  | cps   |
| Molybdenum | 95-1  | 3694     | 3444     | 4771     | 3970     | 17.76  | cps   |
| Molybdenum | 96-1  | 3927     | 3777     | 5134     | 4280     | 17.38  | cps   |
| Molybdenum | 97-1  | 2217     | 2080     | 2764     | 2354     | 15.37  | cps   |
| Molybdenum | 98-1  | 5555     | 5751     | 7585     | 6297     | 17.79  | cps   |
| Neodymium  | 150-1 | 13       | 7        | 23       | 14       | 58.06  | cps   |
| Neodymium  | 150-2 | 13       | 0        | 7        | 7        | 99.98  | cps   |
| Nickel     | 60-2  | 2305     | 2240     | 2276     | 2274     | 1.42   | cps   |
| Phosphorus | 31-2  | 370      | 293      | 283      | 316      | 15.03  | cps   |
| Potassium  | 39-2  | 86106    | 81208    | 81403    | 82906    | 3.35   | cps   |
| Rhodium    | 103-1 | 21465729 | 21253978 | 21254926 | 21324877 | 0.57   | cps   |
| Rhodium    | 103-2 | 12601819 | 12495251 | 12548271 | 12548447 | 0.42   | cps   |
| Scandium   | 45-1  | 11715760 | 11513594 | 11445836 | 11558397 | 1.21   | cps   |
| Scandium   | 45-2  | 989100   | 987496   | 990973   | 989190   | 0.18   | cps   |
| Selenium   | 82-1  | 871      | 807      | 749      | 809      | 7.55   | cps   |
| Selenium   | 77-2  | 7        | 0        | 3        | 3        | 100.05 | cps   |
| Selenium   | 78-2  | 423      | 400      | 520      | 448      | 14.21  | cps   |
| Silicon    | 28-1  | 845050   | 843085   | 849356   | 845830   | 0.38   | cps   |
| Silver     | 107-1 | 2040     | 1697     | 1770     | 1836     | 9.85   | cps   |
| Silver     | 109-1 | 1837     | 1350     | 1463     | 1550     | 16.43  | cps   |
| Sodium     | 23-2  | 102658   | 87547    | 84939    | 91715    | 10.43  | cps   |
| Strontium  | 86-1  | 680      | 653      | 740      | 691      | 6.42   | cps   |
| Strontium  | 88-1  | 1937     | 1760     | 2130     | 1942     | 9.53   | cps   |
| Sulfur     | 34-1  | 254207   | 258016   | 258036   | 256753   | 0.86   | cps   |
| Terbium    | 159-1 | 29481166 | 29153301 | 28819108 | 29151192 | 1.14   | cps   |
| Terbium    | 159-2 | 18454148 | 18697723 | 18294299 | 18482057 | 1.10   | cps   |
| Thallium   | 203-1 | 2984     | 2714     | 2750     | 2816     | 5.20   | cps   |
| Thallium   | 205-1 | 6985     | 6225     | 6392     | 6534     | 6.12   | cps   |
| Tin        | 118-1 | 6061     | 5508     | 5851     | 5807     | 4.81   | cps   |
| Titanium   | 47-1  | 887      | 623      | 783      | 764      | 17.36  | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :CCB001

Instrumnet Name :P7

Client Sample ID :CCB001

Dilution Factor :1

Date & Time Acquired :2024-11-27 17:38:47

DataFile Name :020CCBE.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 1130     | 1157     | 1663     | 1317     | 22.82  | cps   |
| Vanadium  | 51-2  | 313      | 243      | 227      | 261      | 17.61  | cps   |
| Yttrium   | 89-1  | 26350275 | 25922428 | 25846412 | 26039705 | 1.04   | cps   |
| Yttrium   | 89-2  | 6583302  | 6521794  | 6484055  | 6529717  | 0.77   | cps   |
| Zinc      | 66-2  | 4008     | 1843     | 1917     | 2590     | 47.47  | cps   |
| Zirconium | 90-1  | 2307     | 2280     | 2807     | 2465     | 12.04  | cps   |
| Zirconium | 91-1  | 500      | 513      | 690      | 568      | 18.68  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165206BL Instrumnet Name : P7  
Client Sample ID : PBS206 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:42:02 DataFile Name : 021CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 410      | 387      | 403      | 400      | 3.01   | cps   |
| Antimony   | 121-1 | 917      | 1383     | 1917     | 1406     | 35.60  | cps   |
| Arsenic    | 75-2  | 30       | 13       | 23       | 22       | 37.76  | cps   |
| Barium     | 135-1 | 147      | 187      | 187      | 173      | 13.32  | cps   |
| Barium     | 137-1 | 350      | 233      | 290      | 291      | 20.04  | cps   |
| Beryllium  | 9-1   | 150      | 156      | 117      | 141      | 14.94  | cps   |
| Bismuth    | 209-1 | 17843272 | 16357712 | 17058264 | 17086416 | 4.35   | cps   |
| Bismuth    | 209-2 | 12933138 | 12701959 | 12845354 | 12826817 | 0.91   | cps   |
| Bromine    | 81-1  | 18989    | 18799    | 18812    | 18867    | 0.56   | cps   |
| Bromine    | 81-2  | 73       | 97       | 103      | 91       | 17.29  | cps   |
| Cadmium    | 108-1 | 30       | 23       | 23       | 26       | 15.07  | cps   |
| Cadmium    | 106-1 | 7389     | 6828     | 6645     | 6954     | 5.57   | cps   |
| Cadmium    | 111-1 | 5301     | 4890     | 4755     | 4982     | 5.71   | cps   |
| Calcium    | 43-1  | 853      | 770      | 863      | 829      | 6.18   | cps   |
| Calcium    | 44-1  | 27375    | 26059    | 25722    | 26385    | 3.31   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 2910     | 2857     | 2900     | 2889     | 0.98   | cps   |
| Cobalt     | 59-2  | 227      | 217      | 220      | 221      | 2.30   | cps   |
| Copper     | 63-2  | 1973     | 1943     | 1990     | 1969     | 1.20   | cps   |
| Dysprosium | 156-1 | 10       | 23       | 20       | 18       | 39.03  | cps   |
| Dysprosium | 156-2 | 3        | 3        | 3        | 3        | 0.00   | cps   |
| Erbium     | 164-1 | 133      | 113      | 110      | 119      | 10.62  | cps   |
| Erbium     | 164-2 | 87       | 60       | 67       | 71       | 19.52  | cps   |
| Gadolinium | 160-1 | 123      | 120      | 127      | 123      | 2.70   | cps   |
| Gadolinium | 160-2 | 970      | 920      | 1063     | 984      | 7.39   | cps   |
| Holmium    | 165-1 | 28405986 | 25979666 | 27398239 | 27261297 | 4.47   | cps   |
| Holmium    | 165-2 | 18330313 | 18193250 | 18309496 | 18277687 | 0.40   | cps   |
| Indium     | 115-1 | 22438187 | 20906964 | 21977205 | 21774119 | 3.61   | cps   |
| Indium     | 115-2 | 7575384  | 7483366  | 7547494  | 7535415  | 0.63   | cps   |
| Iron       | 56-2  | 35489    | 35024    | 34934    | 35149    | 0.85   | cps   |
| Iron       | 57-2  | 1463     | 1477     | 1460     | 1467     | 0.60   | cps   |
| Iron       | 54-2  | 3954     | 3991     | 3714     | 3886     | 3.87   | cps   |
| Krypton    | 83-1  | 303      | 310      | 300      | 304      | 1.67   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165206BL Instrumnet Name : P7  
Client Sample ID : PBS206 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:42:02 DataFile Name : 021CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 2720     | 2444     | 2564     | 2576     | 5.39   | cps   |
| Lead       | 207-1 | 2197     | 2040     | 2120     | 2119     | 3.70   | cps   |
| Lead       | 208-1 | 10555    | 9932     | 9791     | 10093    | 4.03   | cps   |
| Lithium    | 6-1   | 2295155  | 2135538  | 2286108  | 2238934  | 4.00   | cps   |
| Magnesium  | 24-2  | 3259     | 3156     | 3173     | 3196     | 1.74   | cps   |
| Manganese  | 55-2  | 1420     | 1473     | 1390     | 1428     | 2.96   | cps   |
| Molybdenum | 94-1  | 1277     | 1257     | 1340     | 1291     | 3.37   | cps   |
| Molybdenum | 95-1  | 1003     | 1027     | 1220     | 1083     | 10.98  | cps   |
| Molybdenum | 96-1  | 1103     | 1140     | 1350     | 1198     | 11.11  | cps   |
| Molybdenum | 97-1  | 630      | 683      | 640      | 651      | 4.35   | cps   |
| Molybdenum | 98-1  | 1627     | 1570     | 1650     | 1616     | 2.55   | cps   |
| Neodymium  | 150-1 | 7        | 10       | 3        | 7        | 50.03  | cps   |
| Neodymium  | 150-2 | 13       | 10       | 7        | 10       | 33.30  | cps   |
| Nickel     | 60-2  | 2192     | 2301     | 2091     | 2195     | 4.78   | cps   |
| Phosphorus | 31-2  | 353      | 343      | 307      | 334      | 7.35   | cps   |
| Potassium  | 39-2  | 74005    | 74049    | 74065    | 74040    | 0.04   | cps   |
| Rhodium    | 103-1 | 21235642 | 19594431 | 20806650 | 20545575 | 4.14   | cps   |
| Rhodium    | 103-2 | 12242954 | 12262674 | 12258832 | 12254820 | 0.09   | cps   |
| Scandium   | 45-1  | 11404159 | 10661739 | 11163720 | 11076539 | 3.42   | cps   |
| Scandium   | 45-2  | 972811   | 975379   | 967448   | 971879   | 0.42   | cps   |
| Selenium   | 82-1  | 805      | 710      | 659      | 725      | 10.23  | cps   |
| Selenium   | 77-2  | 0        | 0        | 0        | 0        | 0.00   | cps   |
| Selenium   | 78-2  | 433      | 417      | 477      | 442      | 7.00   | cps   |
| Silicon    | 28-1  | 833137   | 836403   | 832658   | 834066   | 0.24   | cps   |
| Silver     | 107-1 | 563      | 520      | 547      | 543      | 4.02   | cps   |
| Silver     | 109-1 | 527      | 450      | 387      | 454      | 15.43  | cps   |
| Sodium     | 23-2  | 59340    | 59330    | 58701    | 59124    | 0.62   | cps   |
| Strontium  | 86-1  | 433      | 550      | 457      | 480      | 12.86  | cps   |
| Strontium  | 88-1  | 913      | 737      | 623      | 758      | 19.29  | cps   |
| Sulfur     | 34-1  | 264624   | 267347   | 268798   | 266923   | 0.79   | cps   |
| Terbium    | 159-1 | 28509608 | 26770124 | 28229173 | 27836302 | 3.36   | cps   |
| Terbium    | 159-2 | 17862466 | 17854260 | 17690056 | 17802261 | 0.55   | cps   |
| Thallium   | 203-1 | 1637     | 1727     | 1617     | 1660     | 3.53   | cps   |
| Thallium   | 205-1 | 4137     | 3787     | 3727     | 3884     | 5.70   | cps   |
| Tin        | 118-1 | 4401     | 3954     | 4571     | 4308     | 7.40   | cps   |
| Titanium   | 47-1  | 263      | 250      | 277      | 263      | 5.06   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

PB165206BL

Instrumnet Name :

P7

Client Sample ID :

PBS206

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 17:42:02

DataFile Name :

021CCBE.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 247      | 227      | 167      | 213      | 19.52  | cps   |
| Vanadium  | 51-2  | 47       | 43       | 57       | 49       | 14.20  | cps   |
| Yttrium   | 89-1  | 25861133 | 23855304 | 25295455 | 25003964 | 4.14   | cps   |
| Yttrium   | 89-2  | 6407061  | 6328355  | 6414788  | 6383401  | 0.75   | cps   |
| Zinc      | 66-2  | 1170     | 1140     | 1180     | 1163     | 1.79   | cps   |
| Zirconium | 90-1  | 1800     | 1917     | 2164     | 1960     | 9.46   | cps   |
| Zirconium | 91-1  | 380      | 393      | 473      | 416      | 12.15  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165206BS Instrumnet Name : P7  
Client Sample ID : LCS206 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:45:20 DataFile Name : 022LCSE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 24366    | 24613    | 24910    | 24630    | 1.11   | cps   |
| Antimony   | 121-1 | 112160   | 112163   | 111461   | 111928   | 0.36   | cps   |
| Arsenic    | 75-2  | 2897     | 2924     | 3067     | 2963     | 3.09   | cps   |
| Barium     | 135-1 | 136133   | 135023   | 134273   | 135143   | 0.69   | cps   |
| Barium     | 137-1 | 237654   | 237094   | 234401   | 236383   | 0.74   | cps   |
| Beryllium  | 9-1   | 5551     | 5140     | 4823     | 5171     | 7.06   | cps   |
| Bismuth    | 209-1 | 17701958 | 17288175 | 17509156 | 17499763 | 1.18   | cps   |
| Bismuth    | 209-2 | 13193892 | 13196431 | 13136534 | 13175619 | 0.26   | cps   |
| Bromine    | 81-1  | 18185    | 18148    | 18185    | 18172    | 0.12   | cps   |
| Bromine    | 81-2  | 73       | 90       | 103      | 89       | 16.91  | cps   |
| Cadmium    | 108-1 | 1037     | 1103     | 973      | 1038     | 6.26   | cps   |
| Cadmium    | 106-1 | 8496     | 8433     | 8609     | 8513     | 1.05   | cps   |
| Cadmium    | 111-1 | 20226    | 19881    | 19832    | 19980    | 1.07   | cps   |
| Calcium    | 43-1  | 68242    | 68922    | 67238    | 68134    | 1.24   | cps   |
| Calcium    | 44-1  | 1118983  | 1113882  | 1096623  | 1109829  | 1.06   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 47401    | 47270    | 46565    | 47079    | 0.96   | cps   |
| Cobalt     | 59-2  | 36401    | 34877    | 36230    | 35836    | 2.33   | cps   |
| Copper     | 63-2  | 56225    | 55633    | 55757    | 55871    | 0.56   | cps   |
| Dysprosium | 156-1 | 40       | 37       | 20       | 32       | 33.25  | cps   |
| Dysprosium | 156-2 | 23       | 20       | 23       | 22       | 8.65   | cps   |
| Erbium     | 164-1 | 127      | 100      | 77       | 101      | 24.74  | cps   |
| Erbium     | 164-2 | 107      | 63       | 80       | 83       | 26.23  | cps   |
| Gadolinium | 160-1 | 100      | 177      | 110      | 129      | 32.34  | cps   |
| Gadolinium | 160-2 | 1073     | 987      | 1053     | 1038     | 4.37   | cps   |
| Holmium    | 165-1 | 28652927 | 28410580 | 27868657 | 28310722 | 1.42   | cps   |
| Holmium    | 165-2 | 18863276 | 18542809 | 18406146 | 18604077 | 1.26   | cps   |
| Indium     | 115-1 | 23201156 | 22777879 | 22497751 | 22825595 | 1.55   | cps   |
| Indium     | 115-2 | 7757907  | 7734477  | 7598290  | 7696891  | 1.12   | cps   |
| Iron       | 56-2  | 4099499  | 4031002  | 4023396  | 4051299  | 1.03   | cps   |
| Iron       | 57-2  | 106295   | 104939   | 105718   | 105651   | 0.64   | cps   |
| Iron       | 54-2  | 232456   | 229137   | 232118   | 231237   | 0.79   | cps   |
| Krypton    | 83-1  | 290      | 260      | 303      | 284      | 7.80   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165206BS Instrumnet Name : P7  
Client Sample ID : LCS206 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:45:20 DataFile Name : 022LCSE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 45101    | 45402    | 45068    | 45190    | 0.41   | cps   |
| Lead       | 207-1 | 40159    | 39845    | 39785    | 39930    | 0.50   | cps   |
| Lead       | 208-1 | 184157   | 181814   | 180962   | 182311   | 0.91   | cps   |
| Lithium    | 6-1   | 2315404  | 2363097  | 2334245  | 2337582  | 1.03   | cps   |
| Magnesium  | 24-2  | 928616   | 927968   | 927544   | 928042   | 0.06   | cps   |
| Manganese  | 55-2  | 19499    | 19182    | 19002    | 19228    | 1.31   | cps   |
| Molybdenum | 94-1  | 113226   | 114675   | 112793   | 113565   | 0.87   | cps   |
| Molybdenum | 95-1  | 139978   | 138144   | 137650   | 138591   | 0.89   | cps   |
| Molybdenum | 96-1  | 153653   | 152960   | 153034   | 153216   | 0.25   | cps   |
| Molybdenum | 97-1  | 87305    | 87553    | 86249    | 87036    | 0.80   | cps   |
| Molybdenum | 98-1  | 226928   | 227457   | 221923   | 225436   | 1.35   | cps   |
| Neodymium  | 150-1 | 27       | 33       | 30       | 30       | 11.10  | cps   |
| Neodymium  | 150-2 | 0        | 10       | 7        | 6        | 91.64  | cps   |
| Nickel     | 60-2  | 12718    | 12631    | 12897    | 12749    | 1.06   | cps   |
| Phosphorus | 31-2  | 263      | 260      | 290      | 271      | 6.07   | cps   |
| Potassium  | 39-2  | 1230602  | 1183895  | 1237552  | 1217350  | 2.40   | cps   |
| Rhodium    | 103-1 | 21772871 | 21351669 | 21241047 | 21455196 | 1.31   | cps   |
| Rhodium    | 103-2 | 12538376 | 12604714 | 12466214 | 12536435 | 0.55   | cps   |
| Scandium   | 45-1  | 11711681 | 11734524 | 11561998 | 11669401 | 0.80   | cps   |
| Scandium   | 45-2  | 1005342  | 1012808  | 1010392  | 1009514  | 0.38   | cps   |
| Selenium   | 82-1  | 5278     | 5244     | 5238     | 5253     | 0.41   | cps   |
| Selenium   | 77-2  | 407      | 420      | 433      | 420      | 3.17   | cps   |
| Selenium   | 78-2  | 1920     | 2000     | 1950     | 1957     | 2.07   | cps   |
| Silicon    | 28-1  | 1336652  | 1354555  | 1346462  | 1345890  | 0.67   | cps   |
| Silver     | 107-1 | 73391    | 73347    | 72396    | 73045    | 0.77   | cps   |
| Silver     | 109-1 | 69050    | 70936    | 69991    | 69992    | 1.35   | cps   |
| Sodium     | 23-2  | 1550707  | 1571508  | 1520939  | 1547718  | 1.64   | cps   |
| Strontium  | 86-1  | 18372    | 17918    | 17357    | 17882    | 2.84   | cps   |
| Strontium  | 88-1  | 150571   | 149649   | 150534   | 150252   | 0.35   | cps   |
| Sulfur     | 34-1  | 272346   | 274128   | 273870   | 273448   | 0.35   | cps   |
| Terbium    | 159-1 | 29261794 | 28778344 | 28681116 | 28907085 | 1.08   | cps   |
| Terbium    | 159-2 | 18197185 | 18360976 | 18526439 | 18361533 | 0.90   | cps   |
| Thallium   | 203-1 | 55328    | 54927    | 53715    | 54657    | 1.54   | cps   |
| Thallium   | 205-1 | 132894   | 131282   | 128750   | 130975   | 1.60   | cps   |
| Tin        | 118-1 | 5631     | 5711     | 5688     | 5677     | 0.73   | cps   |
| Titanium   | 47-1  | 32321    | 32632    | 31960    | 32304    | 1.04   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165206BS Instrumnet Name : P7  
Client Sample ID : LCS206 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:45:20 DataFile Name : 022LCSE.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 163118   | 160979   | 159748   | 161282   | 1.06   | cps   |
| Vanadium  | 51-2  | 92803    | 92548    | 92867    | 92739    | 0.18   | cps   |
| Yttrium   | 89-1  | 26198196 | 25866170 | 25538224 | 25867530 | 1.28   | cps   |
| Yttrium   | 89-2  | 6590377  | 6605407  | 6509910  | 6568565  | 0.78   | cps   |
| Zinc      | 66-2  | 24363    | 23395    | 23632    | 23797    | 2.12   | cps   |
| Zirconium | 90-1  | 97293    | 95263    | 93790    | 95448    | 1.84   | cps   |
| Zirconium | 91-1  | 21159    | 21446    | 20952    | 21185    | 1.17   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165205BL Instrumnet Name : P7  
Client Sample ID : PBS205 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:48:32 DataFile Name : 023CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 307      | 303      | 313      | 308      | 1.65   | cps   |
| Antimony   | 121-1 | 367      | 403      | 537      | 436      | 20.54  | cps   |
| Arsenic    | 75-2  | 7        | 13       | 10       | 10       | 33.30  | cps   |
| Barium     | 135-1 | 147      | 130      | 103      | 127      | 17.25  | cps   |
| Barium     | 137-1 | 240      | 203      | 207      | 217      | 9.36   | cps   |
| Beryllium  | 9-1   | 78       | 78       | 100      | 85       | 15.06  | cps   |
| Bismuth    | 209-1 | 17156351 | 17034954 | 17088816 | 17093374 | 0.36   | cps   |
| Bismuth    | 209-2 | 12983254 | 12896489 | 12993181 | 12957641 | 0.41   | cps   |
| Bromine    | 81-1  | 17334    | 18128    | 18011    | 17824    | 2.41   | cps   |
| Bromine    | 81-2  | 97       | 117      | 83       | 99       | 16.97  | cps   |
| Cadmium    | 108-1 | 20       | 23       | 13       | 19       | 26.96  | cps   |
| Cadmium    | 106-1 | 6828     | 6622     | 6668     | 6706     | 1.62   | cps   |
| Cadmium    | 111-1 | 4839     | 4705     | 4732     | 4759     | 1.49   | cps   |
| Calcium    | 43-1  | 760      | 767      | 800      | 776      | 2.76   | cps   |
| Calcium    | 44-1  | 26003    | 25682    | 25525    | 25736    | 0.95   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 3074     | 3070     | 3044     | 3063     | 0.54   | cps   |
| Cobalt     | 59-2  | 170      | 193      | 223      | 196      | 13.67  | cps   |
| Copper     | 63-2  | 1720     | 1763     | 1630     | 1705     | 3.99   | cps   |
| Dysprosium | 156-1 | 33       | 13       | 20       | 22       | 45.83  | cps   |
| Dysprosium | 156-2 | 17       | 0        | 10       | 9        | 94.38  | cps   |
| Erbium     | 164-1 | 90       | 80       | 83       | 84       | 6.03   | cps   |
| Erbium     | 164-2 | 80       | 80       | 80       | 80       | 0.00   | cps   |
| Gadolinium | 160-1 | 123      | 147      | 97       | 122      | 20.47  | cps   |
| Gadolinium | 160-2 | 930      | 1117     | 933      | 993      | 10.75  | cps   |
| Holmium    | 165-1 | 27393130 | 27345815 | 27085245 | 27274730 | 0.61   | cps   |
| Holmium    | 165-2 | 18415944 | 18188808 | 18180459 | 18261737 | 0.73   | cps   |
| Indium     | 115-1 | 22122045 | 21977690 | 21976450 | 22025395 | 0.38   | cps   |
| Indium     | 115-2 | 7644113  | 7659726  | 7623469  | 7642436  | 0.24   | cps   |
| Iron       | 56-2  | 34600    | 34854    | 34910    | 34788    | 0.48   | cps   |
| Iron       | 57-2  | 1577     | 1670     | 1560     | 1602     | 3.70   | cps   |
| Iron       | 54-2  | 4034     | 4084     | 3894     | 4004     | 2.46   | cps   |
| Krypton    | 83-1  | 343      | 320      | 290      | 318      | 8.41   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165205BL Instrumnet Name : P7  
Client Sample ID : PBS205 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:48:32 DataFile Name : 023CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 1733     | 1730     | 1663     | 1709     | 2.31   | cps   |
| Lead       | 207-1 | 1547     | 1680     | 1437     | 1555     | 7.84   | cps   |
| Lead       | 208-1 | 6901     | 6901     | 6651     | 6817     | 2.12   | cps   |
| Lithium    | 6-1   | 2197777  | 2243696  | 2351810  | 2264427  | 3.49   | cps   |
| Magnesium  | 24-2  | 2709     | 2882     | 2693     | 2761     | 3.81   | cps   |
| Manganese  | 55-2  | 1247     | 1350     | 1277     | 1291     | 4.12   | cps   |
| Molybdenum | 94-1  | 760      | 880      | 970      | 870      | 12.11  | cps   |
| Molybdenum | 95-1  | 460      | 510      | 547      | 506      | 8.61   | cps   |
| Molybdenum | 96-1  | 613      | 673      | 777      | 688      | 12.01  | cps   |
| Molybdenum | 97-1  | 310      | 270      | 367      | 316      | 15.39  | cps   |
| Molybdenum | 98-1  | 820      | 750      | 790      | 787      | 4.46   | cps   |
| Neodymium  | 150-1 | 13       | 13       | 10       | 12       | 15.73  | cps   |
| Neodymium  | 150-2 | 7        | 7        | 3        | 6        | 34.70  | cps   |
| Nickel     | 60-2  | 2140     | 2082     | 2162     | 2128     | 1.94   | cps   |
| Phosphorus | 31-2  | 290      | 333      | 323      | 316      | 7.19   | cps   |
| Potassium  | 39-2  | 72736    | 73309    | 74467    | 73504    | 1.20   | cps   |
| Rhodium    | 103-1 | 20779666 | 20748664 | 20759156 | 20762496 | 0.08   | cps   |
| Rhodium    | 103-2 | 12448493 | 12416614 | 12327415 | 12397507 | 0.51   | cps   |
| Scandium   | 45-1  | 11335770 | 11266877 | 11426469 | 11343039 | 0.71   | cps   |
| Scandium   | 45-2  | 1000951  | 992080   | 1001424  | 998151   | 0.53   | cps   |
| Selenium   | 82-1  | 743      | 866      | 778      | 796      | 7.99   | cps   |
| Selenium   | 77-2  | 0        | 0        | 0        | 0        | 0.00   | cps   |
| Selenium   | 78-2  | 473      | 590      | 520      | 528      | 11.13  | cps   |
| Silicon    | 28-1  | 858730   | 864661   | 866553   | 863315   | 0.47   | cps   |
| Silver     | 107-1 | 407      | 313      | 320      | 347      | 15.02  | cps   |
| Silver     | 109-1 | 257      | 203      | 203      | 221      | 13.92  | cps   |
| Sodium     | 23-2  | 50857    | 50228    | 51847    | 50977    | 1.60   | cps   |
| Strontium  | 86-1  | 560      | 487      | 603      | 550      | 10.72  | cps   |
| Strontium  | 88-1  | 560      | 583      | 510      | 551      | 6.80   | cps   |
| Sulfur     | 34-1  | 266075   | 265752   | 266123   | 265983   | 0.08   | cps   |
| Terbium    | 159-1 | 27938880 | 28113244 | 28084476 | 28045533 | 0.33   | cps   |
| Terbium    | 159-2 | 18150205 | 17737242 | 17659111 | 17848853 | 1.48   | cps   |
| Thallium   | 203-1 | 960      | 840      | 967      | 922      | 7.73   | cps   |
| Thallium   | 205-1 | 2230     | 2270     | 2177     | 2226     | 2.10   | cps   |
| Tin        | 118-1 | 4114     | 4244     | 4234     | 4197     | 1.72   | cps   |
| Titanium   | 47-1  | 227      | 197      | 173      | 199      | 13.44  | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

PB165205BL

Instrumnet Name :

P7

Client Sample ID :

PBS205

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 17:48:32

DataFile Name :

023CCBE.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 97       | 40       | 40       | 59       | 55.56  | cps   |
| Vanadium  | 51-2  | 33       | 30       | 13       | 26       | 41.94  | cps   |
| Yttrium   | 89-1  | 25475396 | 24878921 | 25222568 | 25192295 | 1.19   | cps   |
| Yttrium   | 89-2  | 6416500  | 6465096  | 6459016  | 6446870  | 0.41   | cps   |
| Zinc      | 66-2  | 1083     | 1257     | 1073     | 1138     | 9.06   | cps   |
| Zirconium | 90-1  | 1417     | 1673     | 1913     | 1668     | 14.89  | cps   |
| Zirconium | 91-1  | 317      | 377      | 393      | 362      | 11.13  | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165205BS Instrumnet Name : P7  
Client Sample ID : LCS205 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:51:50 DataFile Name : 024CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 22744    | 22443    | 22403    | 22530    | 0.83   | cps   |
| Antimony   | 121-1 | 114091   | 112448   | 112771   | 113104   | 0.77   | cps   |
| Arsenic    | 75-2  | 3050     | 2940     | 3037     | 3009     | 2.00   | cps   |
| Barium     | 135-1 | 137503   | 137624   | 138217   | 137781   | 0.28   | cps   |
| Barium     | 137-1 | 242049   | 237825   | 236295   | 238723   | 1.25   | cps   |
| Beryllium  | 9-1   | 5401     | 5268     | 5340     | 5336     | 1.25   | cps   |
| Bismuth    | 209-1 | 17985085 | 17579854 | 17610469 | 17725136 | 1.27   | cps   |
| Bismuth    | 209-2 | 13414957 | 13163819 | 13288941 | 13289239 | 0.94   | cps   |
| Bromine    | 81-1  | 18505    | 18495    | 18145    | 18382    | 1.12   | cps   |
| Bromine    | 81-2  | 127      | 103      | 113      | 114      | 10.23  | cps   |
| Cadmium    | 108-1 | 1087     | 1030     | 1077     | 1064     | 2.84   | cps   |
| Cadmium    | 106-1 | 9133     | 8576     | 8816     | 8842     | 3.16   | cps   |
| Cadmium    | 111-1 | 20640    | 20116    | 20399    | 20385    | 1.29   | cps   |
| Calcium    | 43-1  | 69237    | 68406    | 67636    | 68427    | 1.17   | cps   |
| Calcium    | 44-1  | 1142180  | 1126017  | 1120220  | 1129472  | 1.01   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 47999    | 48147    | 47952    | 48033    | 0.21   | cps   |
| Cobalt     | 59-2  | 36925    | 37503    | 36735    | 37055    | 1.08   | cps   |
| Copper     | 63-2  | 56443    | 56372    | 56928    | 56581    | 0.53   | cps   |
| Dysprosium | 156-1 | 47       | 33       | 40       | 40       | 16.68  | cps   |
| Dysprosium | 156-2 | 33       | 23       | 37       | 31       | 22.31  | cps   |
| Erbium     | 164-1 | 110      | 120      | 143      | 124      | 13.75  | cps   |
| Erbium     | 164-2 | 83       | 60       | 83       | 76       | 17.83  | cps   |
| Gadolinium | 160-1 | 153      | 167      | 150      | 157      | 5.63   | cps   |
| Gadolinium | 160-2 | 1017     | 947      | 1033     | 999      | 4.60   | cps   |
| Holmium    | 165-1 | 29108419 | 28556907 | 28109327 | 28591551 | 1.75   | cps   |
| Holmium    | 165-2 | 19129663 | 18723831 | 18521687 | 18791727 | 1.65   | cps   |
| Indium     | 115-1 | 23094426 | 22912182 | 22955288 | 22987298 | 0.41   | cps   |
| Indium     | 115-2 | 7997307  | 7816622  | 7972392  | 7928774  | 1.24   | cps   |
| Iron       | 56-2  | 4088765  | 4076053  | 4115370  | 4093396  | 0.49   | cps   |
| Iron       | 57-2  | 109052   | 108024   | 107702   | 108260   | 0.65   | cps   |
| Iron       | 54-2  | 237899   | 236697   | 236694   | 237097   | 0.29   | cps   |
| Krypton    | 83-1  | 310      | 283      | 347      | 313      | 10.15  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165205BS Instrumnet Name : P7  
Client Sample ID : LCS205 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:51:50 DataFile Name : 024CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 46693    | 46292    | 44991    | 45992    | 1.93   | cps   |
| Lead       | 207-1 | 40152    | 40156    | 39417    | 39908    | 1.07   | cps   |
| Lead       | 208-1 | 184953   | 183820   | 180713   | 183162   | 1.20   | cps   |
| Lithium    | 6-1   | 2355727  | 2317709  | 2304982  | 2326139  | 1.14   | cps   |
| Magnesium  | 24-2  | 955053   | 948716   | 946362   | 950044   | 0.47   | cps   |
| Manganese  | 55-2  | 18912    | 19409    | 19483    | 19268    | 1.61   | cps   |
| Molybdenum | 94-1  | 116122   | 114342   | 114281   | 114915   | 0.91   | cps   |
| Molybdenum | 95-1  | 141310   | 141170   | 139769   | 140750   | 0.61   | cps   |
| Molybdenum | 96-1  | 158350   | 156314   | 154725   | 156463   | 1.16   | cps   |
| Molybdenum | 97-1  | 89693    | 88006    | 86776    | 88158    | 1.66   | cps   |
| Molybdenum | 98-1  | 229820   | 228723   | 227440   | 228661   | 0.52   | cps   |
| Neodymium  | 150-1 | 23       | 7        | 30       | 20       | 60.08  | cps   |
| Neodymium  | 150-2 | 13       | 10       | 3        | 9        | 57.30  | cps   |
| Nickel     | 60-2  | 14446    | 14104    | 14572    | 14374    | 1.68   | cps   |
| Phosphorus | 31-2  | 297      | 327      | 283      | 302      | 7.34   | cps   |
| Potassium  | 39-2  | 1230035  | 1216121  | 1226779  | 1224312  | 0.59   | cps   |
| Rhodium    | 103-1 | 21871965 | 21712850 | 21608246 | 21731020 | 0.61   | cps   |
| Rhodium    | 103-2 | 12817061 | 12712984 | 12676490 | 12735512 | 0.57   | cps   |
| Scandium   | 45-1  | 11936747 | 11761642 | 11706959 | 11801783 | 1.02   | cps   |
| Scandium   | 45-2  | 1040781  | 1035573  | 1040804  | 1039052  | 0.29   | cps   |
| Selenium   | 82-1  | 5628     | 5543     | 5416     | 5529     | 1.93   | cps   |
| Selenium   | 77-2  | 423      | 507      | 413      | 448      | 11.44  | cps   |
| Selenium   | 78-2  | 1937     | 1883     | 1920     | 1913     | 1.43   | cps   |
| Silicon    | 28-1  | 1400725  | 1372607  | 1401950  | 1391761  | 1.19   | cps   |
| Silver     | 107-1 | 73980    | 74805    | 75994    | 74926    | 1.35   | cps   |
| Silver     | 109-1 | 71562    | 72135    | 70675    | 71457    | 1.03   | cps   |
| Sodium     | 23-2  | 1579058  | 1548786  | 1578236  | 1568694  | 1.10   | cps   |
| Strontium  | 86-1  | 18195    | 17707    | 18281    | 18061    | 1.71   | cps   |
| Strontium  | 88-1  | 156617   | 152868   | 152380   | 153955   | 1.51   | cps   |
| Sulfur     | 34-1  | 278037   | 275455   | 280185   | 277892   | 0.85   | cps   |
| Terbium    | 159-1 | 29511285 | 28773855 | 29109700 | 29131614 | 1.27   | cps   |
| Terbium    | 159-2 | 18377481 | 18366159 | 18505747 | 18416463 | 0.42   | cps   |
| Thallium   | 203-1 | 54625    | 54438    | 53464    | 54176    | 1.15   | cps   |
| Thallium   | 205-1 | 131317   | 128685   | 127871   | 129291   | 1.39   | cps   |
| Tin        | 118-1 | 5898     | 5631     | 5481     | 5670     | 3.72   | cps   |
| Titanium   | 47-1  | 33464    | 32705    | 32912    | 33027    | 1.19   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165205BS Instrumnet Name : P7  
Client Sample ID : LCS205 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:51:50 DataFile Name : 024CCBE.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 164546   | 163574   | 161418   | 163179   | 0.98   | cps   |
| Vanadium  | 51-2  | 94617    | 94909    | 95184    | 94904    | 0.30   | cps   |
| Yttrium   | 89-1  | 26538123 | 26426635 | 25991175 | 26318644 | 1.10   | cps   |
| Yttrium   | 89-2  | 6761743  | 6748473  | 6692313  | 6734177  | 0.55   | cps   |
| Zinc      | 66-2  | 23729    | 24233    | 23245    | 23736    | 2.08   | cps   |
| Zirconium | 90-1  | 99531    | 96454    | 96631    | 97539    | 1.77   | cps   |
| Zirconium | 91-1  | 21856    | 21319    | 21069    | 21415    | 1.88   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165214BL Instrumnet Name : P7  
Client Sample ID : PBS214 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:55:02 DataFile Name : 025CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 263      | 333      | 343      | 313      | 13.91  | cps   |
| Antimony   | 121-1 | 180      | 343      | 413      | 312      | 38.35  | cps   |
| Arsenic    | 75-2  | 10       | 33       | 13       | 19       | 66.81  | cps   |
| Barium     | 135-1 | 110      | 130      | 117      | 119      | 8.57   | cps   |
| Barium     | 137-1 | 180      | 197      | 223      | 200      | 10.93  | cps   |
| Beryllium  | 9-1   | 94       | 106      | 144      | 115      | 22.87  | cps   |
| Bismuth    | 209-1 | 17260723 | 17137995 | 17165071 | 17187930 | 0.38   | cps   |
| Bismuth    | 209-2 | 13064316 | 12992494 | 12896405 | 12984405 | 0.65   | cps   |
| Bromine    | 81-1  | 18699    | 18922    | 19036    | 18886    | 0.91   | cps   |
| Bromine    | 81-2  | 130      | 93       | 140      | 121      | 20.29  | cps   |
| Cadmium    | 108-1 | 13       | 17       | 23       | 18       | 28.64  | cps   |
| Cadmium    | 106-1 | 7305     | 7455     | 6935     | 7232     | 3.70   | cps   |
| Cadmium    | 111-1 | 5168     | 5274     | 4892     | 5111     | 3.86   | cps   |
| Calcium    | 43-1  | 763      | 890      | 750      | 801      | 9.64   | cps   |
| Calcium    | 44-1  | 26918    | 26660    | 27185    | 26921    | 0.97   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 2990     | 2757     | 3037     | 2928     | 5.12   | cps   |
| Cobalt     | 59-2  | 163      | 147      | 190      | 167      | 13.11  | cps   |
| Copper     | 63-2  | 1630     | 1763     | 1593     | 1662     | 5.38   | cps   |
| Dysprosium | 156-1 | 13       | 30       | 17       | 20       | 44.10  | cps   |
| Dysprosium | 156-2 | 10       | 3        | 3        | 6        | 69.34  | cps   |
| Erbium     | 164-1 | 100      | 73       | 107      | 93       | 18.90  | cps   |
| Erbium     | 164-2 | 70       | 90       | 70       | 77       | 15.06  | cps   |
| Gadolinium | 160-1 | 107      | 133      | 100      | 113      | 15.57  | cps   |
| Gadolinium | 160-2 | 970      | 1063     | 987      | 1007     | 4.95   | cps   |
| Holmium    | 165-1 | 28086451 | 28050499 | 27732146 | 27956365 | 0.70   | cps   |
| Holmium    | 165-2 | 18526471 | 18413180 | 18232539 | 18390730 | 0.81   | cps   |
| Indium     | 115-1 | 22392712 | 22615419 | 22208813 | 22405648 | 0.91   | cps   |
| Indium     | 115-2 | 7761398  | 7785574  | 7748737  | 7765237  | 0.24   | cps   |
| Iron       | 56-2  | 31563    | 31122    | 30711    | 31132    | 1.37   | cps   |
| Iron       | 57-2  | 1333     | 1337     | 1360     | 1343     | 1.08   | cps   |
| Iron       | 54-2  | 4011     | 3730     | 3817     | 3853     | 3.72   | cps   |
| Krypton    | 83-1  | 230      | 350      | 260      | 280      | 22.30  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165214BL Instrumnet Name : P7  
Client Sample ID : PBS214 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:55:02 DataFile Name : 025CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 1410     | 1563     | 1423     | 1466     | 5.80   | cps   |
| Lead       | 207-1 | 1247     | 1210     | 1177     | 1211     | 2.89   | cps   |
| Lead       | 208-1 | 5637     | 5644     | 5691     | 5657     | 0.51   | cps   |
| Lithium    | 6-1   | 2364634  | 2331193  | 2303294  | 2333040  | 1.32   | cps   |
| Magnesium  | 24-2  | 2835     | 2805     | 2732     | 2791     | 1.90   | cps   |
| Manganese  | 55-2  | 1813     | 1800     | 1820     | 1811     | 0.56   | cps   |
| Molybdenum | 94-1  | 730      | 790      | 923      | 814      | 12.15  | cps   |
| Molybdenum | 95-1  | 387      | 410      | 543      | 447      | 18.92  | cps   |
| Molybdenum | 96-1  | 520      | 577      | 640      | 579      | 10.37  | cps   |
| Molybdenum | 97-1  | 280      | 273      | 337      | 297      | 11.73  | cps   |
| Molybdenum | 98-1  | 697      | 770      | 843      | 770      | 9.52   | cps   |
| Neodymium  | 150-1 | 13       | 10       | 0        | 8        | 89.21  | cps   |
| Neodymium  | 150-2 | 3        | 3        | 7        | 4        | 43.40  | cps   |
| Nickel     | 60-2  | 3189     | 3185     | 3145     | 3173     | 0.76   | cps   |
| Phosphorus | 31-2  | 303      | 367      | 323      | 331      | 9.78   | cps   |
| Potassium  | 39-2  | 72699    | 73456    | 72829    | 72995    | 0.55   | cps   |
| Rhodium    | 103-1 | 21409339 | 21073545 | 20989329 | 21157404 | 1.05   | cps   |
| Rhodium    | 103-2 | 12666788 | 12564185 | 12453177 | 12561383 | 0.85   | cps   |
| Scandium   | 45-1  | 11631017 | 11535035 | 11573097 | 11579717 | 0.42   | cps   |
| Scandium   | 45-2  | 1010022  | 1010747  | 1013264  | 1011344  | 0.17   | cps   |
| Selenium   | 82-1  | 1017     | 777      | 854      | 883      | 13.88  | cps   |
| Selenium   | 77-2  | 0        | 0        | 3        | 1        | 173.21 | cps   |
| Selenium   | 78-2  | 517      | 463      | 457      | 479      | 6.87   | cps   |
| Silicon    | 28-1  | 877860   | 871233   | 874437   | 874510   | 0.38   | cps   |
| Silver     | 107-1 | 313      | 400      | 293      | 336      | 16.90  | cps   |
| Silver     | 109-1 | 250      | 207      | 163      | 207      | 20.97  | cps   |
| Sodium     | 23-2  | 47195    | 48626    | 47446    | 47756    | 1.60   | cps   |
| Strontium  | 86-1  | 570      | 480      | 510      | 520      | 8.81   | cps   |
| Strontium  | 88-1  | 550      | 583      | 640      | 591      | 7.70   | cps   |
| Sulfur     | 34-1  | 279526   | 276974   | 276357   | 277619   | 0.61   | cps   |
| Terbium    | 159-1 | 28081491 | 28363596 | 28377192 | 28274093 | 0.59   | cps   |
| Terbium    | 159-2 | 18036979 | 18169376 | 18051062 | 18085806 | 0.40   | cps   |
| Thallium   | 203-1 | 827      | 733      | 760      | 773      | 6.22   | cps   |
| Thallium   | 205-1 | 1753     | 1707     | 1780     | 1747     | 2.12   | cps   |
| Tin        | 118-1 | 3971     | 4001     | 4111     | 4027     | 1.83   | cps   |
| Titanium   | 47-1  | 237      | 220      | 267      | 241      | 9.81   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :PB165214BL

Instrumnet Name :P7

Client Sample ID :PBS214

Dilution Factor :1

Date & Time Acquired :2024-11-27 17:55:02

DataFile Name :025CCBE.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 60       | 80       | 83       | 74       | 16.95  | cps   |
| Vanadium  | 51-2  | 33       | 27       | 27       | 29       | 13.31  | cps   |
| Yttrium   | 89-1  | 25822644 | 25796870 | 25472706 | 25697407 | 0.76   | cps   |
| Yttrium   | 89-2  | 6647075  | 6558686  | 6617324  | 6607695  | 0.68   | cps   |
| Zinc      | 66-2  | 1177     | 1230     | 1230     | 1212     | 2.54   | cps   |
| Zirconium | 90-1  | 1450     | 1537     | 1797     | 1595     | 11.32  | cps   |
| Zirconium | 91-1  | 260      | 307      | 347      | 304      | 14.25  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165214BS Instrumnet Name : P7  
Client Sample ID : LCS214 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:58:19 DataFile Name : 026LCSE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 22530    | 22019    | 22179    | 22243    | 1.17   | cps   |
| Antimony   | 121-1 | 111172   | 112909   | 110080   | 111387   | 1.28   | cps   |
| Arsenic    | 75-2  | 2980     | 3010     | 2810     | 2934     | 3.68   | cps   |
| Barium     | 135-1 | 136202   | 136733   | 134895   | 135943   | 0.70   | cps   |
| Barium     | 137-1 | 240607   | 235379   | 233843   | 236610   | 1.50   | cps   |
| Beryllium  | 9-1   | 5490     | 5006     | 5101     | 5199     | 4.93   | cps   |
| Bismuth    | 209-1 | 18568091 | 17772053 | 17377520 | 17905888 | 3.39   | cps   |
| Bismuth    | 209-2 | 13401138 | 13393645 | 13230771 | 13341851 | 0.72   | cps   |
| Bromine    | 81-1  | 19246    | 19440    | 19359    | 19348    | 0.50   | cps   |
| Bromine    | 81-2  | 110      | 100      | 123      | 111      | 10.54  | cps   |
| Cadmium    | 108-1 | 1193     | 1210     | 1137     | 1180     | 3.26   | cps   |
| Cadmium    | 106-1 | 9396     | 8599     | 8993     | 8996     | 4.43   | cps   |
| Cadmium    | 111-1 | 20370    | 19696    | 20120    | 20062    | 1.70   | cps   |
| Calcium    | 43-1  | 68791    | 68959    | 69307    | 69019    | 0.38   | cps   |
| Calcium    | 44-1  | 1131323  | 1129672  | 1121584  | 1127527  | 0.46   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 46990    | 47254    | 46672    | 46972    | 0.62   | cps   |
| Cobalt     | 59-2  | 36488    | 36722    | 36220    | 36477    | 0.69   | cps   |
| Copper     | 63-2  | 56489    | 56034    | 56995    | 56506    | 0.85   | cps   |
| Dysprosium | 156-1 | 37       | 30       | 40       | 36       | 14.32  | cps   |
| Dysprosium | 156-2 | 30       | 43       | 10       | 28       | 60.40  | cps   |
| Erbium     | 164-1 | 150      | 120      | 90       | 120      | 25.00  | cps   |
| Erbium     | 164-2 | 97       | 80       | 80       | 86       | 11.25  | cps   |
| Gadolinium | 160-1 | 143      | 110      | 163      | 139      | 19.40  | cps   |
| Gadolinium | 160-2 | 1133     | 1040     | 990      | 1054     | 6.90   | cps   |
| Holmium    | 165-1 | 29726726 | 28671933 | 28371291 | 28923317 | 2.46   | cps   |
| Holmium    | 165-2 | 19019898 | 18850657 | 18702995 | 18857850 | 0.84   | cps   |
| Indium     | 115-1 | 24192536 | 23318197 | 22953021 | 23487918 | 2.71   | cps   |
| Indium     | 115-2 | 7987553  | 7884378  | 7876102  | 7916011  | 0.78   | cps   |
| Iron       | 56-2  | 4086312  | 4030710  | 4054325  | 4057116  | 0.69   | cps   |
| Iron       | 57-2  | 107440   | 106162   | 105607   | 106403   | 0.88   | cps   |
| Iron       | 54-2  | 234947   | 236326   | 233894   | 235056   | 0.52   | cps   |
| Krypton    | 83-1  | 323      | 317      | 290      | 310      | 5.69   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165214BS Instrumnet Name : P7  
Client Sample ID : LCS214 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 17:58:19 DataFile Name : 026LCSE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 46071    | 44559    | 44957    | 45196    | 1.73   | cps   |
| Lead       | 207-1 | 40092    | 40808    | 39220    | 40040    | 1.99   | cps   |
| Lead       | 208-1 | 183824   | 180174   | 179244   | 181081   | 1.34   | cps   |
| Lithium    | 6-1   | 2458225  | 2394363  | 2388757  | 2413781  | 1.60   | cps   |
| Magnesium  | 24-2  | 947809   | 937948   | 936730   | 940829   | 0.65   | cps   |
| Manganese  | 55-2  | 19473    | 19242    | 19119    | 19278    | 0.93   | cps   |
| Molybdenum | 94-1  | 114664   | 114050   | 115313   | 114675   | 0.55   | cps   |
| Molybdenum | 95-1  | 142449   | 140375   | 138626   | 140483   | 1.36   | cps   |
| Molybdenum | 96-1  | 157888   | 155945   | 153920   | 155918   | 1.27   | cps   |
| Molybdenum | 97-1  | 87915    | 87262    | 87537    | 87571    | 0.37   | cps   |
| Molybdenum | 98-1  | 229218   | 228307   | 225757   | 227761   | 0.79   | cps   |
| Neodymium  | 150-1 | 20       | 30       | 27       | 26       | 19.92  | cps   |
| Neodymium  | 150-2 | 10       | 10       | 0        | 7        | 86.60  | cps   |
| Nickel     | 60-2  | 14005    | 14177    | 14561    | 14247    | 2.00   | cps   |
| Phosphorus | 31-2  | 230      | 313      | 347      | 297      | 20.26  | cps   |
| Potassium  | 39-2  | 1216392  | 1223307  | 1201387  | 1213695  | 0.92   | cps   |
| Rhodium    | 103-1 | 22773743 | 21967024 | 21481361 | 22074043 | 2.96   | cps   |
| Rhodium    | 103-2 | 12959614 | 12603889 | 12735074 | 12766192 | 1.41   | cps   |
| Scandium   | 45-1  | 12237109 | 12003761 | 11939059 | 12059976 | 1.30   | cps   |
| Scandium   | 45-2  | 1046852  | 1032444  | 1036669  | 1038655  | 0.71   | cps   |
| Selenium   | 82-1  | 5442     | 5529     | 5359     | 5443     | 1.56   | cps   |
| Selenium   | 77-2  | 473      | 423      | 473      | 457      | 6.32   | cps   |
| Selenium   | 78-2  | 2127     | 1913     | 2080     | 2040     | 5.50   | cps   |
| Silicon    | 28-1  | 1387361  | 1369250  | 1363540  | 1373383  | 0.91   | cps   |
| Silver     | 107-1 | 73682    | 72962    | 73089    | 73245    | 0.53   | cps   |
| Silver     | 109-1 | 69482    | 71143    | 70058    | 70228    | 1.20   | cps   |
| Sodium     | 23-2  | 1570511  | 1572965  | 1542892  | 1562123  | 1.07   | cps   |
| Strontium  | 86-1  | 18085    | 17994    | 17828    | 17969    | 0.73   | cps   |
| Strontium  | 88-1  | 152946   | 151952   | 152312   | 152403   | 0.33   | cps   |
| Sulfur     | 34-1  | 286958   | 284812   | 288116   | 286629   | 0.58   | cps   |
| Terbium    | 159-1 | 30004633 | 29296964 | 28780880 | 29360825 | 2.09   | cps   |
| Terbium    | 159-2 | 18713271 | 18559412 | 18437868 | 18570183 | 0.74   | cps   |
| Thallium   | 203-1 | 53695    | 53718    | 53491    | 53635    | 0.23   | cps   |
| Thallium   | 205-1 | 128920   | 128712   | 127756   | 128463   | 0.48   | cps   |
| Tin        | 118-1 | 5985     | 5768     | 5628     | 5793     | 3.10   | cps   |
| Titanium   | 47-1  | 32465    | 33494    | 32418    | 32792    | 1.85   | cps   |



LB Number :LB133687

Operator :Jaswal

Lab Sample ID :PB165214BS

Instrumnet Name :P7

Client Sample ID :LCS214

Dilution Factor :1

Date & Time Acquired :2024-11-27 17:58:19

DataFile Name :026LCSE.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 161533   | 161654   | 158147   | 160445   | 1.24   | cps   |
| Vanadium  | 51-2  | 93792    | 95204    | 93017    | 94005    | 1.18   | cps   |
| Yttrium   | 89-1  | 27848103 | 26692357 | 26584682 | 27041714 | 2.59   | cps   |
| Yttrium   | 89-2  | 6861300  | 6696601  | 6682157  | 6746686  | 1.48   | cps   |
| Zinc      | 66-2  | 23308    | 23679    | 23832    | 23607    | 1.14   | cps   |
| Zirconium | 90-1  | 97326    | 96427    | 94595    | 96116    | 1.45   | cps   |
| Zirconium | 91-1  | 21703    | 22190    | 21482    | 21792    | 1.66   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165208BL Instrumnet Name : P7  
Client Sample ID : PBS208 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:01:32 DataFile Name : 027CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 400      | 387      | 387      | 391      | 1.97   | cps   |
| Antimony   | 121-1 | 237      | 277      | 383      | 299      | 25.37  | cps   |
| Arsenic    | 75-2  | 7        | 17       | 33       | 19       | 71.30  | cps   |
| Barium     | 135-1 | 113      | 110      | 110      | 111      | 1.74   | cps   |
| Barium     | 137-1 | 257      | 180      | 227      | 221      | 17.47  | cps   |
| Beryllium  | 9-1   | 106      | 61       | 106      | 91       | 28.28  | cps   |
| Bismuth    | 209-1 | 17698274 | 17066381 | 17024174 | 17262943 | 2.19   | cps   |
| Bismuth    | 209-2 | 13001985 | 12924897 | 13099718 | 13008866 | 0.67   | cps   |
| Bromine    | 81-1  | 19807    | 20414    | 19196    | 19806    | 3.08   | cps   |
| Bromine    | 81-2  | 110      | 167      | 133      | 137      | 20.84  | cps   |
| Cadmium    | 108-1 | 27       | 20       | 13       | 20       | 33.35  | cps   |
| Cadmium    | 106-1 | 7182     | 7339     | 6958     | 7160     | 2.67   | cps   |
| Cadmium    | 111-1 | 5055     | 5150     | 4902     | 5036     | 2.49   | cps   |
| Calcium    | 43-1  | 820      | 783      | 793      | 799      | 2.37   | cps   |
| Calcium    | 44-1  | 26717    | 26236    | 25375    | 26109    | 2.60   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 3017     | 3044     | 2934     | 2998     | 1.91   | cps   |
| Cobalt     | 59-2  | 197      | 207      | 207      | 203      | 2.84   | cps   |
| Copper     | 63-2  | 1740     | 1680     | 1557     | 1659     | 5.64   | cps   |
| Dysprosium | 156-1 | 40       | 27       | 10       | 26       | 58.81  | cps   |
| Dysprosium | 156-2 | 7        | 17       | 3        | 9        | 78.08  | cps   |
| Erbium     | 164-1 | 120      | 107      | 103      | 110      | 8.02   | cps   |
| Erbium     | 164-2 | 80       | 57       | 97       | 78       | 25.83  | cps   |
| Gadolinium | 160-1 | 127      | 147      | 93       | 122      | 22.05  | cps   |
| Gadolinium | 160-2 | 967      | 1060     | 1033     | 1020     | 4.71   | cps   |
| Holmium    | 165-1 | 28720297 | 27591671 | 27490828 | 27934265 | 2.44   | cps   |
| Holmium    | 165-2 | 18550624 | 18357764 | 18518427 | 18475605 | 0.56   | cps   |
| Indium     | 115-1 | 23347874 | 22148598 | 22254196 | 22583556 | 2.94   | cps   |
| Indium     | 115-2 | 7761053  | 7738237  | 7664849  | 7721380  | 0.65   | cps   |
| Iron       | 56-2  | 32268    | 32542    | 32392    | 32400    | 0.42   | cps   |
| Iron       | 57-2  | 1453     | 1477     | 1520     | 1483     | 2.28   | cps   |
| Iron       | 54-2  | 3904     | 3994     | 3894     | 3931     | 1.40   | cps   |
| Krypton    | 83-1  | 257      | 277      | 303      | 279      | 8.40   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165208BL Instrumnet Name : P7  
Client Sample ID : PBS208 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:01:32 DataFile Name : 027CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 1367     | 1320     | 1380     | 1356     | 2.32   | cps   |
| Lead       | 207-1 | 1117     | 1113     | 1237     | 1156     | 6.08   | cps   |
| Lead       | 208-1 | 5214     | 5300     | 5240     | 5252     | 0.85   | cps   |
| Lithium    | 6-1   | 2380240  | 2347080  | 2298445  | 2341922  | 1.76   | cps   |
| Magnesium  | 24-2  | 2769     | 2782     | 2779     | 2777     | 0.25   | cps   |
| Manganese  | 55-2  | 1217     | 1187     | 1110     | 1171     | 4.70   | cps   |
| Molybdenum | 94-1  | 790      | 777      | 1330     | 966      | 32.70  | cps   |
| Molybdenum | 95-1  | 477      | 517      | 1344     | 779      | 62.85  | cps   |
| Molybdenum | 96-1  | 720      | 670      | 1177     | 856      | 32.66  | cps   |
| Molybdenum | 97-1  | 363      | 300      | 567      | 410      | 33.99  | cps   |
| Molybdenum | 98-1  | 837      | 717      | 1210     | 921      | 27.94  | cps   |
| Neodymium  | 150-1 | 0        | 13       | 3        | 6        | 124.93 | cps   |
| Neodymium  | 150-2 | 10       | 0        | 7        | 6        | 91.64  | cps   |
| Nickel     | 60-2  | 3903     | 3783     | 3844     | 3843     | 1.55   | cps   |
| Phosphorus | 31-2  | 323      | 330      | 323      | 326      | 1.18   | cps   |
| Potassium  | 39-2  | 73835    | 73905    | 72759    | 73500    | 0.87   | cps   |
| Rhodium    | 103-1 | 21864299 | 21145111 | 20957836 | 21322415 | 2.24   | cps   |
| Rhodium    | 103-2 | 12486460 | 12453511 | 12578800 | 12506257 | 0.52   | cps   |
| Scandium   | 45-1  | 12014384 | 11632713 | 11571304 | 11739467 | 2.04   | cps   |
| Scandium   | 45-2  | 1011072  | 1015195  | 1015717  | 1013995  | 0.25   | cps   |
| Selenium   | 82-1  | 893      | 944      | 776      | 871      | 9.92   | cps   |
| Selenium   | 77-2  | 0        | 0        | 3        | 1        | 173.21 | cps   |
| Selenium   | 78-2  | 590      | 507      | 460      | 519      | 12.69  | cps   |
| Silicon    | 28-1  | 870793   | 872261   | 876003   | 873019   | 0.31   | cps   |
| Silver     | 107-1 | 300      | 257      | 343      | 300      | 14.44  | cps   |
| Silver     | 109-1 | 260      | 247      | 140      | 216      | 30.51  | cps   |
| Sodium     | 23-2  | 45203    | 45801    | 44568    | 45191    | 1.37   | cps   |
| Strontium  | 86-1  | 550      | 573      | 660      | 594      | 9.75   | cps   |
| Strontium  | 88-1  | 630      | 547      | 1050     | 742      | 36.37  | cps   |
| Sulfur     | 34-1  | 286211   | 288258   | 283946   | 286138   | 0.75   | cps   |
| Terbium    | 159-1 | 29064616 | 28115797 | 28074113 | 28418175 | 1.97   | cps   |
| Terbium    | 159-2 | 18009790 | 17995933 | 17956876 | 17987533 | 0.15   | cps   |
| Thallium   | 203-1 | 803      | 630      | 817      | 750      | 13.89  | cps   |
| Thallium   | 205-1 | 1913     | 1797     | 1670     | 1793     | 6.79   | cps   |
| Tin        | 118-1 | 4107     | 3697     | 4024     | 3943     | 5.50   | cps   |
| Titanium   | 47-1  | 237      | 223      | 263      | 241      | 8.45   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

PB165208BL

Instrumnet Name :

P7

Client Sample ID :

PBS208

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:01:32

DataFile Name :

027CCBE.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 100      | 123      | 123      | 116      | 11.66  | cps   |
| Vanadium  | 51-2  | 43       | 57       | 27       | 42       | 35.60  | cps   |
| Yttrium   | 89-1  | 26616795 | 25763598 | 25513461 | 25964618 | 2.23   | cps   |
| Yttrium   | 89-2  | 6514915  | 6644288  | 6575265  | 6578156  | 0.98   | cps   |
| Zinc      | 66-2  | 1063     | 933      | 993      | 997      | 6.53   | cps   |
| Zirconium | 90-1  | 1490     | 1647     | 2020     | 1719     | 15.84  | cps   |
| Zirconium | 91-1  | 300      | 337      | 397      | 344      | 14.17  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165208BS Instrumnet Name : P7  
Client Sample ID : LCS208 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:04:49 DataFile Name : 028LCSE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 22023    | 22450    | 22443    | 22305    | 1.10   | cps   |
| Antimony   | 121-1 | 111165   | 110739   | 110053   | 110652   | 0.51   | cps   |
| Arsenic    | 75-2  | 2890     | 2884     | 2800     | 2858     | 1.76   | cps   |
| Barium     | 135-1 | 135561   | 134633   | 132937   | 134377   | 0.99   | cps   |
| Barium     | 137-1 | 235160   | 232332   | 229980   | 232491   | 1.12   | cps   |
| Beryllium  | 9-1   | 5484     | 5490     | 5140     | 5371     | 3.73   | cps   |
| Bismuth    | 209-1 | 17531716 | 17659731 | 17481455 | 17557634 | 0.52   | cps   |
| Bismuth    | 209-2 | 11977805 | 11553282 | 13157200 | 12229429 | 6.80   | cps   |
| Bromine    | 81-1  | 19994    | 20077    | 20151    | 20074    | 0.39   | cps   |
| Bromine    | 81-2  | 157      | 130      | 147      | 144      | 9.33   | cps   |
| Cadmium    | 108-1 | 1057     | 1000     | 1157     | 1071     | 7.41   | cps   |
| Cadmium    | 106-1 | 9043     | 8929     | 9026     | 9000     | 0.68   | cps   |
| Cadmium    | 111-1 | 20368    | 20051    | 19926    | 20115    | 1.13   | cps   |
| Calcium    | 43-1  | 68751    | 68547    | 67379    | 68226    | 1.09   | cps   |
| Calcium    | 44-1  | 1128421  | 1114739  | 1109970  | 1117710  | 0.86   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 47725    | 46722    | 46037    | 46828    | 1.81   | cps   |
| Cobalt     | 59-2  | 36698    | 35976    | 35666    | 36113    | 1.47   | cps   |
| Copper     | 63-2  | 55891    | 55402    | 55860    | 55718    | 0.49   | cps   |
| Dysprosium | 156-1 | 40       | 63       | 53       | 52       | 22.41  | cps   |
| Dysprosium | 156-2 | 23       | 13       | 7        | 14       | 58.06  | cps   |
| Erbium     | 164-1 | 90       | 137      | 153      | 127      | 25.92  | cps   |
| Erbium     | 164-2 | 73       | 77       | 70       | 73       | 4.55   | cps   |
| Gadolinium | 160-1 | 120      | 147      | 163      | 143      | 15.25  | cps   |
| Gadolinium | 160-2 | 963      | 913      | 1110     | 996      | 10.27  | cps   |
| Holmium    | 165-1 | 28603745 | 28577247 | 27940390 | 28373794 | 1.32   | cps   |
| Holmium    | 165-2 | 16812632 | 16200137 | 18328560 | 17113776 | 6.40   | cps   |
| Indium     | 115-1 | 23268974 | 22591445 | 23038640 | 22966353 | 1.50   | cps   |
| Indium     | 115-2 | 7066223  | 6862863  | 7791946  | 7240344  | 6.75   | cps   |
| Iron       | 56-2  | 4073186  | 4075133  | 4013107  | 4053809  | 0.87   | cps   |
| Iron       | 57-2  | 106232   | 105856   | 104758   | 105615   | 0.72   | cps   |
| Iron       | 54-2  | 235384   | 233506   | 231154   | 233348   | 0.91   | cps   |
| Krypton    | 83-1  | 323      | 310      | 293      | 309      | 4.87   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : PB165208BS Instrumnet Name : P7  
Client Sample ID : LCS208 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:04:49 DataFile Name : 028LCSE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 44586    | 44125    | 43824    | 44178    | 0.87   | cps   |
| Lead       | 207-1 | 38952    | 38789    | 39069    | 38937    | 0.36   | cps   |
| Lead       | 208-1 | 179088   | 176201   | 175815   | 177035   | 1.01   | cps   |
| Lithium    | 6-1   | 2390553  | 2387761  | 2378714  | 2385676  | 0.26   | cps   |
| Magnesium  | 24-2  | 938780   | 942170   | 933017   | 937989   | 0.49   | cps   |
| Manganese  | 55-2  | 19246    | 18612    | 18675    | 18844    | 1.85   | cps   |
| Molybdenum | 94-1  | 113206   | 113865   | 112484   | 113185   | 0.61   | cps   |
| Molybdenum | 95-1  | 140153   | 139039   | 137300   | 138831   | 1.04   | cps   |
| Molybdenum | 96-1  | 154523   | 153889   | 152724   | 153712   | 0.59   | cps   |
| Molybdenum | 97-1  | 86008    | 86356    | 84858    | 85741    | 0.91   | cps   |
| Molybdenum | 98-1  | 225694   | 224187   | 222344   | 224075   | 0.75   | cps   |
| Neodymium  | 150-1 | 10       | 10       | 20       | 13       | 43.30  | cps   |
| Neodymium  | 150-2 | 20       | 3        | 3        | 9        | 108.30 | cps   |
| Nickel     | 60-2  | 15253    | 15564    | 14930    | 15249    | 2.08   | cps   |
| Phosphorus | 31-2  | 257      | 333      | 303      | 298      | 12.97  | cps   |
| Potassium  | 39-2  | 1211467  | 1211866  | 1234187  | 1219173  | 1.07   | cps   |
| Rhodium    | 103-1 | 21643845 | 21748624 | 21642686 | 21678385 | 0.28   | cps   |
| Rhodium    | 103-2 | 11463464 | 11165848 | 12479566 | 11702959 | 5.89   | cps   |
| Scandium   | 45-1  | 12133615 | 12012773 | 11725401 | 11957263 | 1.75   | cps   |
| Scandium   | 45-2  | 940284   | 907973   | 1016854  | 955037   | 5.86   | cps   |
| Selenium   | 82-1  | 5449     | 5231     | 5450     | 5377     | 2.35   | cps   |
| Selenium   | 77-2  | 453      | 403      | 500      | 452      | 10.69  | cps   |
| Selenium   | 78-2  | 2137     | 1967     | 1973     | 2026     | 4.75   | cps   |
| Silicon    | 28-1  | 1383307  | 1380353  | 1393113  | 1385591  | 0.48   | cps   |
| Silver     | 107-1 | 72299    | 72697    | 72379    | 72459    | 0.29   | cps   |
| Silver     | 109-1 | 70021    | 70259    | 69030    | 69770    | 0.93   | cps   |
| Sodium     | 23-2  | 1554541  | 1563290  | 1542610  | 1553480  | 0.67   | cps   |
| Strontium  | 86-1  | 17928    | 17607    | 17547    | 17694    | 1.16   | cps   |
| Strontium  | 88-1  | 150619   | 150914   | 148679   | 150071   | 0.81   | cps   |
| Sulfur     | 34-1  | 295425   | 297301   | 297176   | 296634   | 0.35   | cps   |
| Terbium    | 159-1 | 28911922 | 28566050 | 28823595 | 28767189 | 0.62   | cps   |
| Terbium    | 159-2 | 16671610 | 16196571 | 18040866 | 16969682 | 5.64   | cps   |
| Thallium   | 203-1 | 53682    | 53504    | 53327    | 53505    | 0.33   | cps   |
| Thallium   | 205-1 | 125603   | 125765   | 125274   | 125547   | 0.20   | cps   |
| Tin        | 118-1 | 5568     | 5805     | 5581     | 5651     | 2.35   | cps   |
| Titanium   | 47-1  | 32755    | 33003    | 32685    | 32815    | 0.51   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

PB165208BS

Instrumnet Name :

P7

Client Sample ID :

LCS208

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:04:49

DataFile Name :

028LCSE.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 157080   | 159543   | 155724   | 157449   | 1.23   | cps   |
| Vanadium  | 51-2  | 93152    | 94332    | 93306    | 93597    | 0.69   | cps   |
| Yttrium   | 89-1  | 26396835 | 26369398 | 26396100 | 26387444 | 0.06   | cps   |
| Yttrium   | 89-2  | 6079309  | 5832448  | 6571010  | 6160922  | 6.10   | cps   |
| Zinc      | 66-2  | 24073    | 23949    | 24216    | 24079    | 0.56   | cps   |
| Zirconium | 90-1  | 96071    | 95541    | 93519    | 95044    | 1.42   | cps   |
| Zirconium | 91-1  | 21366    | 21102    | 20865    | 21111    | 1.19   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-01 Instrumnet Name : P7  
Client Sample ID : MH2GQ2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:08:02 DataFile Name : 029SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5696260   | 5650530   | 5686182   | 5677657   | 0.42   | cps   |
| Antimony   | 121-1 | 31017     | 32199     | 32163     | 31793     | 2.11   | cps   |
| Arsenic    | 75-2  | 25305     | 24497     | 24413     | 24738     | 1.99   | cps   |
| Barium     | 135-1 | 4544968   | 4532863   | 4526028   | 4534620   | 0.21   | cps   |
| Barium     | 137-1 | 7859608   | 7901045   | 7873205   | 7877953   | 0.27   | cps   |
| Beryllium  | 9-1   | 4306      | 3973      | 4201      | 4160      | 4.10   | cps   |
| Bismuth    | 209-1 | 17829557  | 17665600  | 17696006  | 17730388  | 0.49   | cps   |
| Bismuth    | 209-2 | 13107189  | 13064774  | 12989456  | 13053807  | 0.46   | cps   |
| Bromine    | 81-1  | 36248     | 37197     | 38694     | 37379     | 3.30   | cps   |
| Bromine    | 81-2  | 3821      | 3924      | 3894      | 3879      | 1.37   | cps   |
| Cadmium    | 108-1 | 4804      | 4824      | 4701      | 4776      | 1.39   | cps   |
| Cadmium    | 106-1 | 14991     | 14668     | 15001     | 14887     | 1.28   | cps   |
| Cadmium    | 111-1 | 74001     | 73556     | 72707     | 73421     | 0.90   | cps   |
| Calcium    | 43-1  | 9501311   | 9345037   | 9335878   | 9394075   | 0.99   | cps   |
| Calcium    | 44-1  | 153248751 | 151053654 | 152157418 | 152153274 | 0.72   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 164277    | 164182    | 165295    | 164585    | 0.37   | cps   |
| Cobalt     | 59-2  | 209972    | 209596    | 209545    | 209704    | 0.11   | cps   |
| Copper     | 63-2  | 1698731   | 1751131   | 1707094   | 1718985   | 1.64   | cps   |
| Dysprosium | 156-1 | 266839    | 268131    | 268539    | 267837    | 0.33   | cps   |
| Dysprosium | 156-2 | 206126    | 206086    | 206793    | 206335    | 0.19   | cps   |
| Erbium     | 164-1 | 239717    | 242114    | 242404    | 241412    | 0.61   | cps   |
| Erbium     | 164-2 | 157315    | 156024    | 155474    | 156271    | 0.60   | cps   |
| Gadolinium | 160-1 | 260715    | 257124    | 258012    | 258617    | 0.72   | cps   |
| Gadolinium | 160-2 | 176102    | 176743    | 177357    | 176734    | 0.36   | cps   |
| Holmium    | 165-1 | 29506570  | 29114996  | 28996177  | 29205914  | 0.91   | cps   |
| Holmium    | 165-2 | 19245776  | 19065363  | 18929578  | 19080239  | 0.83   | cps   |
| Indium     | 115-1 | 23125703  | 22988380  | 22821599  | 22978561  | 0.66   | cps   |
| Indium     | 115-2 | 7547731   | 7705677   | 7757738   | 7670382   | 1.43   | cps   |
| Iron       | 56-2  | 135679231 | 135079701 | 134126598 | 134961844 | 0.58   | cps   |
| Iron       | 57-2  | 3556645   | 3473320   | 3534686   | 3521550   | 1.23   | cps   |
| Iron       | 54-2  | 7298893   | 7362575   | 7276211   | 7312559   | 0.61   | cps   |
| Krypton    | 83-1  | 600       | 633       | 737       | 657       | 10.85  | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-01 Instrumnet Name : P7  
Client Sample ID : MH2GQ2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:08:02 DataFile Name : 029SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 16286526  | 16236268  | 16416331  | 16313041  | 0.57   | cps   |
| Lead       | 207-1 | 14130989  | 14198277  | 14059987  | 14129751  | 0.49   | cps   |
| Lead       | 208-1 | 64663315  | 64642182  | 64950960  | 64752152  | 0.27   | cps   |
| Lithium    | 6-1   | 2397371   | 2320642   | 2292093   | 2336702   | 2.33   | cps   |
| Magnesium  | 24-2  | 24097609  | 23758407  | 24127858  | 23994625  | 0.85   | cps   |
| Manganese  | 55-2  | 9552079   | 9606249   | 9502847   | 9553725   | 0.54   | cps   |
| Molybdenum | 94-1  | 60588     | 60421     | 60708     | 60572     | 0.24   | cps   |
| Molybdenum | 95-1  | 13229     | 13393     | 13410     | 13344     | 0.75   | cps   |
| Molybdenum | 96-1  | 23359     | 24434     | 24497     | 24097     | 2.66   | cps   |
| Molybdenum | 97-1  | 8136      | 7952      | 8092      | 8060      | 1.19   | cps   |
| Molybdenum | 98-1  | 21052     | 21790     | 21162     | 21335     | 1.87   | cps   |
| Neodymium  | 150-1 | 430965    | 433154    | 428213    | 430777    | 0.57   | cps   |
| Neodymium  | 150-2 | 239533    | 241670    | 238355    | 239853    | 0.70   | cps   |
| Nickel     | 60-2  | 139630    | 139909    | 140526    | 140022    | 0.33   | cps   |
| Phosphorus | 31-2  | 111807    | 110230    | 108383    | 110140    | 1.56   | cps   |
| Potassium  | 39-2  | 4969946   | 4817052   | 4890678   | 4892559   | 1.56   | cps   |
| Rhodium    | 103-1 | 21482186  | 21190710  | 20903779  | 21192225  | 1.36   | cps   |
| Rhodium    | 103-2 | 12255674  | 12380945  | 12324240  | 12320286  | 0.51   | cps   |
| Scandium   | 45-1  | 12390226  | 12057155  | 11953689  | 12133690  | 1.88   | cps   |
| Scandium   | 45-2  | 1032871   | 1030697   | 1030085   | 1031218   | 0.14   | cps   |
| Selenium   | 82-1  | 1632      | 1457      | 1280      | 1456      | 12.11  | cps   |
| Selenium   | 77-2  | 807       | 727       | 797       | 777       | 5.61   | cps   |
| Selenium   | 78-2  | 1170      | 1017      | 1137      | 1108      | 7.28   | cps   |
| Silicon    | 28-1  | 110163948 | 107965998 | 107590145 | 108573364 | 1.28   | cps   |
| Silver     | 107-1 | 87947     | 88336     | 88330     | 88204     | 0.25   | cps   |
| Silver     | 109-1 | 84581     | 84803     | 84028     | 84471     | 0.47   | cps   |
| Sodium     | 23-2  | 633961    | 630292    | 631414    | 631889    | 0.30   | cps   |
| Strontium  | 86-1  | 3469003   | 3489351   | 3442297   | 3466884   | 0.68   | cps   |
| Strontium  | 88-1  | 29776935  | 30014348  | 29968167  | 29919817  | 0.42   | cps   |
| Sulfur     | 34-1  | 348197    | 347211    | 345255    | 346888    | 0.43   | cps   |
| Terbium    | 159-1 | 30363157  | 29590994  | 29596025  | 29850058  | 1.49   | cps   |
| Terbium    | 159-2 | 18649898  | 18460532  | 18490613  | 18533681  | 0.55   | cps   |
| Thallium   | 203-1 | 12659     | 13917     | 14658     | 13745     | 7.35   | cps   |
| Thallium   | 205-1 | 30661     | 33321     | 34604     | 32862     | 6.12   | cps   |
| Tin        | 118-1 | 249007    | 251584    | 248749    | 249780    | 0.63   | cps   |
| Titanium   | 47-1  | 399028    | 399862    | 397755    | 398882    | 0.27   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-01

Instrumnet Name :P7

Client Sample ID :MH2GQ2

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:08:02

DataFile Name :029SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 353228   | 355649   | 352622   | 353833   | 0.45   | cps   |
| Vanadium  | 51-2  | 407694   | 401796   | 404157   | 404549   | 0.73   | cps   |
| Yttrium   | 89-1  | 30442990 | 29822568 | 29902122 | 30055893 | 1.12   | cps   |
| Yttrium   | 89-2  | 7569018  | 7483531  | 7477010  | 7509853  | 0.68   | cps   |
| Zinc      | 66-2  | 1641777  | 1646627  | 1676888  | 1655098  | 1.15   | cps   |
| Zirconium | 90-1  | 144499   | 144859   | 145940   | 145100   | 0.52   | cps   |
| Zirconium | 91-1  | 32650    | 31928    | 32720    | 32432    | 1.35   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-02 Instrumnet Name : P7  
Client Sample ID : MH2GQ2D Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:11:04 DataFile Name : 030SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5503687   | 5438008   | 5468376   | 5470024   | 0.60   | cps   |
| Antimony   | 121-1 | 31244     | 31394     | 31568     | 31402     | 0.52   | cps   |
| Arsenic    | 75-2  | 24657     | 24590     | 24487     | 24578     | 0.35   | cps   |
| Barium     | 135-1 | 4390198   | 4312592   | 4285636   | 4329476   | 1.25   | cps   |
| Barium     | 137-1 | 7585904   | 7417923   | 7492342   | 7498723   | 1.12   | cps   |
| Beryllium  | 9-1   | 3756      | 3973      | 3717      | 3815      | 3.61   | cps   |
| Bismuth    | 209-1 | 17860504  | 17187694  | 17224510  | 17424236  | 2.17   | cps   |
| Bismuth    | 209-2 | 12693197  | 12560271  | 12515088  | 12589518  | 0.74   | cps   |
| Bromine    | 81-1  | 33782     | 34711     | 34520     | 34338     | 1.43   | cps   |
| Bromine    | 81-2  | 3924      | 3811      | 3624      | 3786      | 4.00   | cps   |
| Cadmium    | 108-1 | 4557      | 4541      | 4601      | 4566      | 0.68   | cps   |
| Cadmium    | 106-1 | 14694     | 14531     | 13823     | 14349     | 3.23   | cps   |
| Cadmium    | 111-1 | 71699     | 71683     | 71397     | 71593     | 0.24   | cps   |
| Calcium    | 43-1  | 9018467   | 8909890   | 8874013   | 8934123   | 0.84   | cps   |
| Calcium    | 44-1  | 147852094 | 144445628 | 143169795 | 145155839 | 1.67   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 159681    | 159816    | 159295    | 159597    | 0.17   | cps   |
| Cobalt     | 59-2  | 201254    | 201028    | 200984    | 201089    | 0.07   | cps   |
| Copper     | 63-2  | 1677886   | 1649797   | 1695204   | 1674296   | 1.37   | cps   |
| Dysprosium | 156-1 | 258832    | 258084    | 256926    | 257947    | 0.37   | cps   |
| Dysprosium | 156-2 | 198141    | 196538    | 199034    | 197904    | 0.64   | cps   |
| Erbium     | 164-1 | 235113    | 232379    | 232963    | 233485    | 0.62   | cps   |
| Erbium     | 164-2 | 150777    | 150181    | 149767    | 150242    | 0.34   | cps   |
| Gadolinium | 160-1 | 252366    | 246945    | 252840    | 250717    | 1.31   | cps   |
| Gadolinium | 160-2 | 171111    | 171604    | 170271    | 170995    | 0.39   | cps   |
| Holmium    | 165-1 | 29721199  | 28327065  | 28514416  | 28854227  | 2.62   | cps   |
| Holmium    | 165-2 | 18734011  | 18650896  | 18295561  | 18560156  | 1.25   | cps   |
| Indium     | 115-1 | 23136539  | 22205411  | 22470804  | 22604251  | 2.12   | cps   |
| Indium     | 115-2 | 7562348   | 7554266   | 7476071   | 7530895   | 0.63   | cps   |
| Iron       | 56-2  | 130632545 | 131266841 | 129126435 | 130341940 | 0.84   | cps   |
| Iron       | 57-2  | 3404378   | 3413103   | 3385256   | 3400912   | 0.42   | cps   |
| Iron       | 54-2  | 7078867   | 7081910   | 7045505   | 7068761   | 0.29   | cps   |
| Krypton    | 83-1  | 707       | 693       | 603       | 668       | 8.42   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-02 Instrumnet Name : P7  
Client Sample ID : MH2GQ2D Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:11:04 DataFile Name : 030SMPL.d

| Parameter  | Mass  | CPS1      | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|-----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 16081835  | 15824817 | 15814581 | 15907078 | 0.95   | cps   |
| Lead       | 207-1 | 13818352  | 13651728 | 13757025 | 13742368 | 0.61   | cps   |
| Lead       | 208-1 | 63504152  | 62635910 | 63272500 | 63137521 | 0.71   | cps   |
| Lithium    | 6-1   | 2254659   | 2145159  | 2143200  | 2181006  | 2.92   | cps   |
| Magnesium  | 24-2  | 23648924  | 23207832 | 22750075 | 23202277 | 1.94   | cps   |
| Manganese  | 55-2  | 9370116   | 9292793  | 9131894  | 9264934  | 1.31   | cps   |
| Molybdenum | 94-1  | 58918     | 58817    | 58737    | 58824    | 0.15   | cps   |
| Molybdenum | 95-1  | 13336     | 13073    | 13887    | 13432    | 3.09   | cps   |
| Molybdenum | 96-1  | 23379     | 23432    | 23522    | 23444    | 0.31   | cps   |
| Molybdenum | 97-1  | 8006      | 8102     | 7822     | 7977     | 1.78   | cps   |
| Molybdenum | 98-1  | 21589     | 20815    | 21266    | 21223    | 1.83   | cps   |
| Neodymium  | 150-1 | 417795    | 415284   | 415386   | 416155   | 0.34   | cps   |
| Neodymium  | 150-2 | 233445    | 233682   | 231364   | 232830   | 0.55   | cps   |
| Nickel     | 60-2  | 136780    | 137808   | 138851   | 137813   | 0.75   | cps   |
| Phosphorus | 31-2  | 108944    | 107182   | 107303   | 107810   | 0.91   | cps   |
| Potassium  | 39-2  | 4730186   | 4715339  | 4697239  | 4714255  | 0.35   | cps   |
| Rhodium    | 103-1 | 21165586  | 20243245 | 20496999 | 20635277 | 2.31   | cps   |
| Rhodium    | 103-2 | 12202091  | 12053924 | 12058029 | 12104681 | 0.70   | cps   |
| Scandium   | 45-1  | 12157299  | 11613276 | 11593278 | 11787951 | 2.71   | cps   |
| Scandium   | 45-2  | 1020397   | 1015392  | 1020393  | 1018727  | 0.28   | cps   |
| Selenium   | 82-1  | 1295      | 1393     | 1444     | 1377     | 5.50   | cps   |
| Selenium   | 77-2  | 757       | 767      | 727      | 750      | 2.78   | cps   |
| Selenium   | 78-2  | 1050      | 1080     | 1113     | 1081     | 2.93   | cps   |
| Silicon    | 28-1  | 101091045 | 98597132 | 99850405 | 99846194 | 1.25   | cps   |
| Silver     | 107-1 | 85466     | 84434    | 85932    | 85277    | 0.90   | cps   |
| Silver     | 109-1 | 82020     | 81477    | 81862    | 81787    | 0.34   | cps   |
| Sodium     | 23-2  | 641701    | 637628   | 632647   | 637325   | 0.71   | cps   |
| Strontium  | 86-1  | 3354312   | 3287263  | 3363085  | 3334887  | 1.24   | cps   |
| Strontium  | 88-1  | 29164850  | 29175815 | 28531019 | 28957228 | 1.27   | cps   |
| Sulfur     | 34-1  | 333310    | 335336   | 331521   | 333389   | 0.57   | cps   |
| Terbium    | 159-1 | 30339895  | 28917143 | 28763621 | 29340220 | 2.96   | cps   |
| Terbium    | 159-2 | 18334670  | 18108107 | 17997228 | 18146668 | 0.95   | cps   |
| Thallium   | 203-1 | 12533     | 13133    | 14084    | 13250    | 5.90   | cps   |
| Thallium   | 205-1 | 29639     | 32084    | 33618    | 31781    | 6.32   | cps   |
| Tin        | 118-1 | 250602    | 249019   | 249447   | 249689   | 0.33   | cps   |
| Titanium   | 47-1  | 377213    | 377791   | 373559   | 376188   | 0.61   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-02 Instrumnet Name : P7  
Client Sample ID : MH2GQ2D Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:11:04 DataFile Name : 030SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 344635   | 339591   | 338828   | 341018   | 0.93   | cps   |
| Vanadium  | 51-2  | 393867   | 388381   | 389430   | 390559   | 0.75   | cps   |
| Yttrium   | 89-1  | 30343858 | 29390713 | 28837096 | 29523889 | 2.58   | cps   |
| Yttrium   | 89-2  | 7387447  | 7256786  | 7216537  | 7286923  | 1.23   | cps   |
| Zinc      | 66-2  | 1672948  | 1654570  | 1608337  | 1645285  | 2.02   | cps   |
| Zirconium | 90-1  | 141473   | 140686   | 141766   | 141308   | 0.40   | cps   |
| Zirconium | 91-1  | 31444    | 31327    | 31561    | 31444    | 0.37   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-01LX5 Instrumnet Name : P7  
Client Sample ID : MH2GQ2L Dilution Factor : 5  
Date & Time Acquired : 2024-11-27 18:14:01 DataFile Name : 031SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 1028164  | 1018048  | 1026266  | 1024159  | 0.53   | cps   |
| Antimony   | 121-1 | 6502     | 6552     | 6371     | 6475     | 1.44   | cps   |
| Arsenic    | 75-2  | 4654     | 4671     | 4901     | 4742     | 2.91   | cps   |
| Barium     | 135-1 | 814188   | 819099   | 812068   | 815118   | 0.44   | cps   |
| Barium     | 137-1 | 1411768  | 1399963  | 1411567  | 1407766  | 0.48   | cps   |
| Beryllium  | 9-1   | 806      | 811      | 917      | 844      | 7.41   | cps   |
| Bismuth    | 209-1 | 17255333 | 17309798 | 17092313 | 17219148 | 0.66   | cps   |
| Bismuth    | 209-2 | 12779858 | 12886020 | 12872389 | 12846089 | 0.45   | cps   |
| Bromine    | 81-1  | 20201    | 20745    | 20711    | 20552    | 1.48   | cps   |
| Bromine    | 81-2  | 843      | 883      | 830      | 852      | 3.26   | cps   |
| Cadmium    | 108-1 | 997      | 917      | 850      | 921      | 7.97   | cps   |
| Cadmium    | 106-1 | 8643     | 8606     | 8239     | 8496     | 2.63   | cps   |
| Cadmium    | 111-1 | 18098    | 18365    | 18078    | 18180    | 0.88   | cps   |
| Calcium    | 43-1  | 1766152  | 1738142  | 1740587  | 1748293  | 0.89   | cps   |
| Calcium    | 44-1  | 28409567 | 28251885 | 28294950 | 28318800 | 0.29   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 32699    | 32552    | 32789    | 32680    | 0.37   | cps   |
| Cobalt     | 59-2  | 39318    | 39712    | 39880    | 39637    | 0.73   | cps   |
| Copper     | 63-2  | 336395   | 335050   | 335097   | 335514   | 0.23   | cps   |
| Dysprosium | 156-1 | 48002    | 48788    | 49219    | 48669    | 1.27   | cps   |
| Dysprosium | 156-2 | 37323    | 37741    | 38697    | 37920    | 1.86   | cps   |
| Erbium     | 164-1 | 44250    | 44470    | 43942    | 44221    | 0.60   | cps   |
| Erbium     | 164-2 | 29187    | 28670    | 28867    | 28908    | 0.90   | cps   |
| Gadolinium | 160-1 | 47534    | 47534    | 46774    | 47281    | 0.93   | cps   |
| Gadolinium | 160-2 | 33563    | 34085    | 33938    | 33862    | 0.79   | cps   |
| Holmium    | 165-1 | 28259219 | 27755404 | 27991994 | 28002205 | 0.90   | cps   |
| Holmium    | 165-2 | 18692853 | 18524603 | 18355038 | 18524165 | 0.91   | cps   |
| Indium     | 115-1 | 22718880 | 22673515 | 22581164 | 22657853 | 0.31   | cps   |
| Indium     | 115-2 | 7725474  | 7678621  | 7694848  | 7699648  | 0.31   | cps   |
| Iron       | 56-2  | 24500725 | 24453113 | 24384066 | 24445968 | 0.24   | cps   |
| Iron       | 57-2  | 661079   | 661806   | 665151   | 662679   | 0.33   | cps   |
| Iron       | 54-2  | 1334922  | 1385672  | 1350657  | 1357084  | 1.91   | cps   |
| Krypton    | 83-1  | 313      | 340      | 397      | 350      | 12.16  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-01LX5 Instrumnet Name : P7  
Client Sample ID : MH2GQ2L Dilution Factor : 5  
Date & Time Acquired : 2024-11-27 18:14:01 DataFile Name : 031SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 3072960  | 3120545  | 3113129  | 3102211  | 0.83   | cps   |
| Lead       | 207-1 | 2675998  | 2716519  | 2701995  | 2698171  | 0.76   | cps   |
| Lead       | 208-1 | 12176607 | 12286166 | 12248498 | 12237090 | 0.45   | cps   |
| Lithium    | 6-1   | 2032900  | 2086146  | 2151404  | 2090150  | 2.84   | cps   |
| Magnesium  | 24-2  | 4637875  | 4527542  | 4566895  | 4577437  | 1.22   | cps   |
| Manganese  | 55-2  | 1800795  | 1787833  | 1804759  | 1797796  | 0.49   | cps   |
| Molybdenum | 94-1  | 11334    | 11651    | 11468    | 11485    | 1.39   | cps   |
| Molybdenum | 95-1  | 3307     | 3567     | 3470     | 3448     | 3.81   | cps   |
| Molybdenum | 96-1  | 5451     | 5528     | 5421     | 5467     | 1.01   | cps   |
| Molybdenum | 97-1  | 2137     | 2004     | 2140     | 2094     | 3.72   | cps   |
| Molybdenum | 98-1  | 5501     | 5568     | 5451     | 5507     | 1.06   | cps   |
| Neodymium  | 150-1 | 78889    | 79462    | 78792    | 79048    | 0.46   | cps   |
| Neodymium  | 150-2 | 44654    | 44761    | 44343    | 44586    | 0.49   | cps   |
| Nickel     | 60-2  | 31141    | 31381    | 31538    | 31353    | 0.64   | cps   |
| Phosphorus | 31-2  | 20778    | 21629    | 21292    | 21233    | 2.02   | cps   |
| Potassium  | 39-2  | 1013872  | 1013787  | 1010150  | 1012603  | 0.21   | cps   |
| Rhodium    | 103-1 | 21196061 | 21172832 | 21035806 | 21134900 | 0.41   | cps   |
| Rhodium    | 103-2 | 12469424 | 12386366 | 12443019 | 12432937 | 0.34   | cps   |
| Scandium   | 45-1  | 11540361 | 11472351 | 11469099 | 11493937 | 0.35   | cps   |
| Scandium   | 45-2  | 1018657  | 1018094  | 1016588  | 1017780  | 0.11   | cps   |
| Selenium   | 82-1  | 1044     | 987      | 844      | 958      | 10.73  | cps   |
| Selenium   | 77-2  | 130      | 130      | 150      | 137      | 8.45   | cps   |
| Selenium   | 78-2  | 673      | 583      | 520      | 592      | 13.01  | cps   |
| Silicon    | 28-1  | 19263660 | 19160763 | 19486931 | 19303785 | 0.86   | cps   |
| Silver     | 107-1 | 17407    | 17187    | 17134    | 17243    | 0.84   | cps   |
| Silver     | 109-1 | 16499    | 16212    | 15649    | 16120    | 2.69   | cps   |
| Sodium     | 23-2  | 181988   | 179381   | 180761   | 180710   | 0.72   | cps   |
| Strontium  | 86-1  | 636831   | 640317   | 640180   | 639110   | 0.31   | cps   |
| Strontium  | 88-1  | 5612496  | 5494668  | 5586863  | 5564676  | 1.11   | cps   |
| Sulfur     | 34-1  | 287828   | 289287   | 283403   | 286839   | 1.07   | cps   |
| Terbium    | 159-1 | 28929084 | 28305614 | 28467433 | 28567377 | 1.13   | cps   |
| Terbium    | 159-2 | 18015705 | 18003575 | 18253591 | 18090957 | 0.78   | cps   |
| Thallium   | 203-1 | 3817     | 3594     | 3360     | 3591     | 6.36   | cps   |
| Thallium   | 205-1 | 8820     | 8559     | 8813     | 8731     | 1.70   | cps   |
| Tin        | 118-1 | 51629    | 51689    | 51231    | 51516    | 0.48   | cps   |
| Titanium   | 47-1  | 70145    | 71056    | 70972    | 70724    | 0.71   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-01LX5

Instrumnet Name :

P7

Client Sample ID :

MH2GQ2L

Dilution Factor :

5

Date & Time Acquired :

2024-11-27 18:14:01

DataFile Name :

031SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 64807    | 64770    | 64385    | 64654    | 0.36   | cps   |
| Vanadium  | 51-2  | 74724    | 73558    | 74258    | 74180    | 0.79   | cps   |
| Yttrium   | 89-1  | 26759782 | 26600839 | 26553219 | 26637947 | 0.41   | cps   |
| Yttrium   | 89-2  | 6834858  | 6685140  | 6785153  | 6768384  | 1.13   | cps   |
| Zinc      | 66-2  | 325653   | 324905   | 324847   | 325135   | 0.14   | cps   |
| Zirconium | 90-1  | 26347    | 26935    | 26851    | 26711    | 1.19   | cps   |
| Zirconium | 91-1  | 6031     | 5991     | 5835     | 5952     | 1.75   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-03 Instrumnet Name : P7  
Client Sample ID : MH2GQ2S Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:17:10 DataFile Name : 032SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5288686   | 5159030   | 5214713   | 5220810   | 1.25   | cps   |
| Antimony   | 121-1 | 543176    | 545495    | 551095    | 546589    | 0.74   | cps   |
| Arsenic    | 75-2  | 35175     | 35586     | 35235     | 35332     | 0.63   | cps   |
| Barium     | 135-1 | 6655847   | 6646653   | 6676851   | 6659784   | 0.23   | cps   |
| Barium     | 137-1 | 11481354  | 11471829  | 11543078  | 11498754  | 0.34   | cps   |
| Beryllium  | 9-1   | 25037     | 24247     | 24041     | 24442     | 2.15   | cps   |
| Bismuth    | 209-1 | 17817444  | 17745060  | 17691073  | 17751193  | 0.36   | cps   |
| Bismuth    | 209-2 | 12924855  | 12892409  | 12918591  | 12911952  | 0.13   | cps   |
| Bromine    | 81-1  | 33064     | 35523     | 35940     | 34842     | 4.46   | cps   |
| Bromine    | 81-2  | 3837      | 3614      | 3747      | 3733      | 3.01   | cps   |
| Cadmium    | 108-1 | 9253      | 9136      | 8699      | 9030      | 3.23   | cps   |
| Cadmium    | 106-1 | 20394     | 20678     | 20318     | 20463     | 0.93   | cps   |
| Cadmium    | 111-1 | 138667    | 139073    | 138147    | 138629    | 0.33   | cps   |
| Calcium    | 43-1  | 8989614   | 9098165   | 8969231   | 9019003   | 0.77   | cps   |
| Calcium    | 44-1  | 147714224 | 145330965 | 144402595 | 145815928 | 1.17   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 549983    | 546726    | 552628    | 549779    | 0.54   | cps   |
| Cobalt     | 59-2  | 1769474   | 1768954   | 1778573   | 1772334   | 0.31   | cps   |
| Copper     | 63-2  | 2199972   | 2200407   | 2222047   | 2207475   | 0.57   | cps   |
| Dysprosium | 156-1 | 253894    | 256057    | 253782    | 254578    | 0.50   | cps   |
| Dysprosium | 156-2 | 194876    | 197056    | 196275    | 196069    | 0.56   | cps   |
| Erbium     | 164-1 | 232731    | 234090    | 233417    | 233413    | 0.29   | cps   |
| Erbium     | 164-2 | 151994    | 152445    | 150528    | 151656    | 0.66   | cps   |
| Gadolinium | 160-1 | 248096    | 250591    | 251326    | 250005    | 0.68   | cps   |
| Gadolinium | 160-2 | 170693    | 170102    | 169893    | 170230    | 0.24   | cps   |
| Holmium    | 165-1 | 29131713  | 29083180  | 29390265  | 29201719  | 0.57   | cps   |
| Holmium    | 165-2 | 19098057  | 19141216  | 19125031  | 19121434  | 0.11   | cps   |
| Indium     | 115-1 | 22674157  | 22806164  | 22606087  | 22695469  | 0.45   | cps   |
| Indium     | 115-2 | 7760583   | 7663212   | 7741912   | 7721902   | 0.67   | cps   |
| Iron       | 56-2  | 120567088 | 119927422 | 120129208 | 120207906 | 0.27   | cps   |
| Iron       | 57-2  | 3175733   | 3110563   | 3101639   | 3129312   | 1.29   | cps   |
| Iron       | 54-2  | 6556331   | 6582437   | 6506159   | 6548309   | 0.59   | cps   |
| Krypton    | 83-1  | 643       | 720       | 693       | 686       | 5.68   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-03 Instrumnet Name : P7  
Client Sample ID : MH2GQ2S Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:17:10 DataFile Name : 032SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 16187387 | 16123718 | 16157265 | 16156123 | 0.20   | cps   |
| Lead       | 207-1 | 14062568 | 13870696 | 14013541 | 13982268 | 0.71   | cps   |
| Lead       | 208-1 | 64018839 | 63620524 | 64177615 | 63938993 | 0.45   | cps   |
| Lithium    | 6-1   | 2139672  | 2129207  | 2077401  | 2115427  | 1.58   | cps   |
| Magnesium  | 24-2  | 22728357 | 23041954 | 23009741 | 22926684 | 0.75   | cps   |
| Manganese  | 55-2  | 9878644  | 9944638  | 9812898  | 9878727  | 0.67   | cps   |
| Molybdenum | 94-1  | 58433    | 59751    | 58084    | 58756    | 1.50   | cps   |
| Molybdenum | 95-1  | 13363    | 13673    | 13323    | 13453    | 1.43   | cps   |
| Molybdenum | 96-1  | 23512    | 23602    | 23522    | 23546    | 0.21   | cps   |
| Molybdenum | 97-1  | 8069     | 8379     | 8212     | 8220     | 1.89   | cps   |
| Molybdenum | 98-1  | 21553    | 22624    | 22140    | 22106    | 2.43   | cps   |
| Neodymium  | 150-1 | 405082   | 412706   | 408203   | 408663   | 0.94   | cps   |
| Neodymium  | 150-2 | 227242   | 225881   | 229648   | 227590   | 0.84   | cps   |
| Nickel     | 60-2  | 673255   | 675346   | 673243   | 673948   | 0.18   | cps   |
| Phosphorus | 31-2  | 108098   | 106312   | 105215   | 106542   | 1.37   | cps   |
| Potassium  | 39-2  | 4486106  | 4378845  | 4463498  | 4442816  | 1.27   | cps   |
| Rhodium    | 103-1 | 20928220 | 20819476 | 21194921 | 20980872 | 0.92   | cps   |
| Rhodium    | 103-2 | 12520077 | 12225531 | 12445405 | 12397004 | 1.24   | cps   |
| Scandium   | 45-1  | 11725009 | 11609394 | 11632517 | 11655640 | 0.52   | cps   |
| Scandium   | 45-2  | 1038437  | 1029532  | 1029019  | 1032329  | 0.51   | cps   |
| Selenium   | 82-1  | 9514     | 9463     | 9252     | 9410     | 1.48   | cps   |
| Selenium   | 77-2  | 1483     | 1580     | 1407     | 1490     | 5.83   | cps   |
| Selenium   | 78-2  | 3877     | 3857     | 3524     | 3753     | 5.29   | cps   |
| Silicon    | 28-1  | 87426919 | 86174042 | 84796194 | 86132385 | 1.53   | cps   |
| Silver     | 107-1 | 416901   | 419854   | 414622   | 417126   | 0.63   | cps   |
| Silver     | 109-1 | 400292   | 401938   | 397953   | 400061   | 0.50   | cps   |
| Sodium     | 23-2  | 605474   | 603182   | 605600   | 604752   | 0.23   | cps   |
| Strontium  | 86-1  | 3337353  | 3315579  | 3361894  | 3338275  | 0.69   | cps   |
| Strontium  | 88-1  | 28675418 | 29116835 | 28996610 | 28929621 | 0.79   | cps   |
| Sulfur     | 34-1  | 326615   | 323064   | 324614   | 324765   | 0.55   | cps   |
| Terbium    | 159-1 | 29604062 | 29454260 | 29413363 | 29490562 | 0.34   | cps   |
| Terbium    | 159-2 | 18701460 | 18656320 | 18672562 | 18676781 | 0.12   | cps   |
| Thallium   | 203-1 | 255761   | 258853   | 261135   | 258583   | 1.04   | cps   |
| Thallium   | 205-1 | 611624   | 618256   | 613579   | 614486   | 0.55   | cps   |
| Tin        | 118-1 | 262426   | 265505   | 262919   | 263617   | 0.63   | cps   |
| Titanium   | 47-1  | 342770   | 343501   | 340522   | 342264   | 0.45   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-03

Instrumnet Name :

P7

Client Sample ID :

MH2GQ2S

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:17:10

DataFile Name :

032SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 342476   | 342291   | 339850   | 341539   | 0.43   | cps   |
| Vanadium  | 51-2  | 1228171  | 1216697  | 1225857  | 1223575  | 0.50   | cps   |
| Yttrium   | 89-1  | 29621158 | 29998337 | 29762186 | 29793894 | 0.64   | cps   |
| Yttrium   | 89-2  | 7462876  | 7420687  | 7471924  | 7451829  | 0.37   | cps   |
| Zinc      | 66-2  | 1819988  | 1794478  | 1788679  | 1801048  | 0.92   | cps   |
| Zirconium | 90-1  | 138906   | 138597   | 140349   | 139284   | 0.67   | cps   |
| Zirconium | 91-1  | 30782    | 31076    | 31384    | 31081    | 0.97   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-04 Instrumnet Name : P7  
Client Sample ID : MH2GQ4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:20:06 DataFile Name : 033SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 4523328   | 4442559   | 4455387   | 4473758   | 0.97   | cps   |
| Antimony   | 121-1 | 20448     | 20334     | 19987     | 20257     | 1.18   | cps   |
| Arsenic    | 75-2  | 14841     | 14848     | 14684     | 14791     | 0.63   | cps   |
| Barium     | 135-1 | 3070342   | 3035740   | 2994984   | 3033688   | 1.24   | cps   |
| Barium     | 137-1 | 5199793   | 5199885   | 5231429   | 5210369   | 0.35   | cps   |
| Beryllium  | 9-1   | 3073      | 3217      | 3000      | 3097      | 3.56   | cps   |
| Bismuth    | 209-1 | 17361891  | 17383389  | 17265156  | 17336812  | 0.36   | cps   |
| Bismuth    | 209-2 | 12587659  | 12738942  | 12601499  | 12642700  | 0.66   | cps   |
| Bromine    | 81-1  | 27051     | 27382     | 27589     | 27341     | 0.99   | cps   |
| Bromine    | 81-2  | 2294      | 2260      | 2377      | 2310      | 2.60   | cps   |
| Cadmium    | 108-1 | 2980      | 2960      | 3137      | 3026      | 3.20   | cps   |
| Cadmium    | 106-1 | 12212     | 11842     | 11511     | 11855     | 2.96   | cps   |
| Cadmium    | 111-1 | 49065     | 48010     | 48368     | 48481     | 1.11   | cps   |
| Calcium    | 43-1  | 11702791  | 11621824  | 11623606  | 11649407  | 0.40   | cps   |
| Calcium    | 44-1  | 189774697 | 189542497 | 189542891 | 189620028 | 0.07   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 223045    | 221536    | 219625    | 221402    | 0.77   | cps   |
| Cobalt     | 59-2  | 154940    | 155032    | 153668    | 154547    | 0.49   | cps   |
| Copper     | 63-2  | 901547    | 908721    | 901076    | 903782    | 0.47   | cps   |
| Dysprosium | 156-1 | 181227    | 181254    | 181453    | 181311    | 0.07   | cps   |
| Dysprosium | 156-2 | 138332    | 137697    | 136536    | 137522    | 0.66   | cps   |
| Erbium     | 164-1 | 162712    | 165306    | 164149    | 164055    | 0.79   | cps   |
| Erbium     | 164-2 | 104208    | 104040    | 103486    | 103912    | 0.36   | cps   |
| Gadolinium | 160-1 | 176538    | 176163    | 175144    | 175948    | 0.41   | cps   |
| Gadolinium | 160-2 | 121017    | 119145    | 119377    | 119846    | 0.85   | cps   |
| Holmium    | 165-1 | 28691244  | 29006718  | 28996043  | 28898002  | 0.62   | cps   |
| Holmium    | 165-2 | 18565875  | 18970982  | 18619098  | 18718652  | 1.18   | cps   |
| Indium     | 115-1 | 22493808  | 22560256  | 22393359  | 22482474  | 0.37   | cps   |
| Indium     | 115-2 | 7591447   | 7595112   | 7701429   | 7629330   | 0.82   | cps   |
| Iron       | 56-2  | 110498902 | 110278175 | 110341035 | 110372704 | 0.10   | cps   |
| Iron       | 57-2  | 2958818   | 2990973   | 2985453   | 2978415   | 0.58   | cps   |
| Iron       | 54-2  | 6020940   | 5960970   | 5997999   | 5993303   | 0.50   | cps   |
| Krypton    | 83-1  | 547       | 583       | 573       | 568       | 3.34   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-04 Instrumnet Name : P7  
Client Sample ID : MH2GQ4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:20:06 DataFile Name : 033SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 11249207 | 11340304 | 11359229 | 11316247 | 0.52   | cps   |
| Lead       | 207-1 | 9690159  | 9804880  | 9813023  | 9769354  | 0.70   | cps   |
| Lead       | 208-1 | 44648464 | 44991209 | 44978672 | 44872782 | 0.43   | cps   |
| Lithium    | 6-1   | 2055768  | 2108559  | 2092488  | 2085605  | 1.30   | cps   |
| Magnesium  | 24-2  | 59595339 | 59509569 | 59292931 | 59465946 | 0.26   | cps   |
| Manganese  | 55-2  | 9157153  | 9114715  | 9009688  | 9093852  | 0.83   | cps   |
| Molybdenum | 94-1  | 45290    | 45801    | 46076    | 45722    | 0.87   | cps   |
| Molybdenum | 95-1  | 10524    | 10507    | 10474    | 10502    | 0.24   | cps   |
| Molybdenum | 96-1  | 18819    | 19006    | 18966    | 18930    | 0.52   | cps   |
| Molybdenum | 97-1  | 6268     | 6758     | 6495     | 6507     | 3.77   | cps   |
| Molybdenum | 98-1  | 17187    | 16840    | 16970    | 16999    | 1.03   | cps   |
| Neodymium  | 150-1 | 289826   | 293418   | 290114   | 291119   | 0.69   | cps   |
| Neodymium  | 150-2 | 160994   | 160036   | 158354   | 159795   | 0.84   | cps   |
| Nickel     | 60-2  | 117682   | 118384   | 117320   | 117795   | 0.46   | cps   |
| Phosphorus | 31-2  | 86053    | 86707    | 86764    | 86508    | 0.46   | cps   |
| Potassium  | 39-2  | 3803913  | 3767755  | 3798609  | 3790093  | 0.52   | cps   |
| Rhodium    | 103-1 | 20603778 | 20710170 | 20767385 | 20693777 | 0.40   | cps   |
| Rhodium    | 103-2 | 12100646 | 12236883 | 12176598 | 12171376 | 0.56   | cps   |
| Scandium   | 45-1  | 11630793 | 11588260 | 11663431 | 11627495 | 0.32   | cps   |
| Scandium   | 45-2  | 1029196  | 1028870  | 1026279  | 1028115  | 0.16   | cps   |
| Selenium   | 82-1  | 1536     | 1345     | 1465     | 1449     | 6.66   | cps   |
| Selenium   | 77-2  | 453      | 490      | 560      | 501      | 10.82  | cps   |
| Selenium   | 78-2  | 877      | 930      | 1013     | 940      | 7.33   | cps   |
| Silicon    | 28-1  | 92001432 | 90609155 | 91359305 | 91323298 | 0.76   | cps   |
| Silver     | 107-1 | 54385    | 54729    | 55081    | 54732    | 0.64   | cps   |
| Silver     | 109-1 | 52371    | 51826    | 52254    | 52150    | 0.55   | cps   |
| Sodium     | 23-2  | 627022   | 630441   | 632195   | 629886   | 0.42   | cps   |
| Strontium  | 86-1  | 2659190  | 2700725  | 2660465  | 2673460  | 0.88   | cps   |
| Strontium  | 88-1  | 23030364 | 23022697 | 22841730 | 22964930 | 0.46   | cps   |
| Sulfur     | 34-1  | 351842   | 351521   | 352011   | 351791   | 0.07   | cps   |
| Terbium    | 159-1 | 29456155 | 29550246 | 29466407 | 29490936 | 0.18   | cps   |
| Terbium    | 159-2 | 18441098 | 18183534 | 18438619 | 18354417 | 0.81   | cps   |
| Thallium   | 203-1 | 9043     | 9677     | 9727     | 9482     | 4.02   | cps   |
| Thallium   | 205-1 | 21334    | 22722    | 23450    | 22502    | 4.78   | cps   |
| Tin        | 118-1 | 213924   | 215543   | 214019   | 214496   | 0.42   | cps   |
| Titanium   | 47-1  | 414320   | 412232   | 414678   | 413743   | 0.32   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-04

Instrumnet Name :P7

Client Sample ID :MH2GQ4

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:20:06

DataFile Name :033SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 182515   | 182597   | 182343   | 182485   | 0.07   | cps   |
| Vanadium  | 51-2  | 339052   | 332294   | 333638   | 334995   | 1.07   | cps   |
| Yttrium   | 89-1  | 28513095 | 28427378 | 28775735 | 28572069 | 0.64   | cps   |
| Yttrium   | 89-2  | 7230230  | 7217123  | 7171429  | 7206261  | 0.43   | cps   |
| Zinc      | 66-2  | 1939628  | 1945715  | 1911941  | 1932428  | 0.93   | cps   |
| Zirconium | 90-1  | 108211   | 110418   | 109427   | 109352   | 1.01   | cps   |
| Zirconium | 91-1  | 24470    | 24744    | 24223    | 24479    | 1.06   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-05 Instrumnet Name : P7  
Client Sample ID : MH2GQ5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:23:07 DataFile Name : 034SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5702864   | 5784627   | 5733450   | 5740314   | 0.72   | cps   |
| Antimony   | 121-1 | 33138     | 33299     | 33135     | 33190     | 0.28   | cps   |
| Arsenic    | 75-2  | 36903     | 37474     | 37337     | 37238     | 0.80   | cps   |
| Barium     | 135-1 | 3699187   | 3742320   | 3771690   | 3737732   | 0.98   | cps   |
| Barium     | 137-1 | 6485747   | 6415990   | 6386086   | 6429275   | 0.80   | cps   |
| Beryllium  | 9-1   | 3962      | 3812      | 4128      | 3967      | 3.99   | cps   |
| Bismuth    | 209-1 | 17817465  | 17809515  | 17846102  | 17824361  | 0.11   | cps   |
| Bismuth    | 209-2 | 13012516  | 13014680  | 12965959  | 12997718  | 0.21   | cps   |
| Bromine    | 81-1  | 34527     | 36225     | 36067     | 35606     | 2.63   | cps   |
| Bromine    | 81-2  | 3941      | 4354      | 3947      | 4081      | 5.80   | cps   |
| Cadmium    | 108-1 | 4634      | 4417      | 4204      | 4418      | 4.87   | cps   |
| Cadmium    | 106-1 | 14244     | 14534     | 14080     | 14286     | 1.61   | cps   |
| Cadmium    | 111-1 | 70587     | 71903     | 70964     | 71151     | 0.95   | cps   |
| Calcium    | 43-1  | 8804541   | 8829004   | 8642581   | 8758709   | 1.16   | cps   |
| Calcium    | 44-1  | 142478318 | 141723618 | 140787241 | 141663059 | 0.60   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 195598    | 196944    | 196148    | 196230    | 0.34   | cps   |
| Cobalt     | 59-2  | 181328    | 181551    | 181159    | 181346    | 0.11   | cps   |
| Copper     | 63-2  | 1435398   | 1444634   | 1436958   | 1438997   | 0.34   | cps   |
| Dysprosium | 156-1 | 244100    | 245511    | 243855    | 244489    | 0.37   | cps   |
| Dysprosium | 156-2 | 183289    | 184708    | 186994    | 184997    | 1.01   | cps   |
| Erbium     | 164-1 | 225452    | 224940    | 225079    | 225157    | 0.12   | cps   |
| Erbium     | 164-2 | 143775    | 144465    | 143815    | 144018    | 0.27   | cps   |
| Gadolinium | 160-1 | 238997    | 241325    | 236709    | 239010    | 0.97   | cps   |
| Gadolinium | 160-2 | 160956    | 162406    | 160933    | 161432    | 0.52   | cps   |
| Holmium    | 165-1 | 29514689  | 28998045  | 29267328  | 29260020  | 0.88   | cps   |
| Holmium    | 165-2 | 18722230  | 18929444  | 18901993  | 18851222  | 0.60   | cps   |
| Indium     | 115-1 | 22878210  | 22929501  | 22736982  | 22848231  | 0.44   | cps   |
| Indium     | 115-2 | 7649765   | 7656019   | 7655609   | 7653798   | 0.05   | cps   |
| Iron       | 56-2  | 135723358 | 138039408 | 137214205 | 136992324 | 0.86   | cps   |
| Iron       | 57-2  | 3538044   | 3583954   | 3550649   | 3557549   | 0.67   | cps   |
| Iron       | 54-2  | 7530176   | 7520075   | 7434106   | 7494786   | 0.70   | cps   |
| Krypton    | 83-1  | 497       | 653       | 637       | 596       | 14.45  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-05 Instrumnet Name : P7  
Client Sample ID : MH2GQ5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:23:07 DataFile Name : 034SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 13984434 | 13976057 | 13757558 | 13906016 | 0.93   | cps   |
| Lead       | 207-1 | 11962488 | 12092761 | 12005597 | 12020282 | 0.55   | cps   |
| Lead       | 208-1 | 55209194 | 55302660 | 54818647 | 55110167 | 0.47   | cps   |
| Lithium    | 6-1   | 2144932  | 2117422  | 2143071  | 2135142  | 0.72   | cps   |
| Magnesium  | 24-2  | 13140076 | 13252719 | 12928301 | 13107032 | 1.26   | cps   |
| Manganese  | 55-2  | 8703181  | 8750820  | 8735822  | 8729941  | 0.28   | cps   |
| Molybdenum | 94-1  | 50239    | 50560    | 50834    | 50545    | 0.59   | cps   |
| Molybdenum | 95-1  | 12095    | 11855    | 11788    | 11913    | 1.36   | cps   |
| Molybdenum | 96-1  | 20825    | 21229    | 20801    | 20952    | 1.15   | cps   |
| Molybdenum | 97-1  | 7535     | 7649     | 7395     | 7526     | 1.69   | cps   |
| Molybdenum | 98-1  | 18822    | 18922    | 18575    | 18773    | 0.95   | cps   |
| Neodymium  | 150-1 | 385265   | 390437   | 389608   | 388437   | 0.72   | cps   |
| Neodymium  | 150-2 | 214689   | 217208   | 214601   | 215499   | 0.69   | cps   |
| Nickel     | 60-2  | 148698   | 150103   | 148142   | 148981   | 0.68   | cps   |
| Phosphorus | 31-2  | 85973    | 85326    | 86238    | 85845    | 0.55   | cps   |
| Potassium  | 39-2  | 3730571  | 3769928  | 3756660  | 3752386  | 0.53   | cps   |
| Rhodium    | 103-1 | 21080984 | 20777666 | 20822529 | 20893726 | 0.78   | cps   |
| Rhodium    | 103-2 | 12378541 | 12384752 | 12377576 | 12380290 | 0.03   | cps   |
| Scandium   | 45-1  | 11784484 | 11635137 | 11583201 | 11667608 | 0.90   | cps   |
| Scandium   | 45-2  | 1021245  | 1021528  | 1013817  | 1018863  | 0.43   | cps   |
| Selenium   | 82-1  | 1671     | 1323     | 1376     | 1457     | 12.88  | cps   |
| Selenium   | 77-2  | 733      | 700      | 620      | 684      | 8.51   | cps   |
| Selenium   | 78-2  | 1083     | 1020     | 1057     | 1053     | 3.02   | cps   |
| Silicon    | 28-1  | 93186159 | 90365149 | 91762949 | 91771419 | 1.54   | cps   |
| Silver     | 107-1 | 85298    | 85174    | 85218    | 85230    | 0.07   | cps   |
| Silver     | 109-1 | 81122    | 81598    | 81668    | 81463    | 0.37   | cps   |
| Sodium     | 23-2  | 747706   | 755708   | 752803   | 752072   | 0.54   | cps   |
| Strontium  | 86-1  | 3386436  | 3326214  | 3344331  | 3352327  | 0.92   | cps   |
| Strontium  | 88-1  | 28997165 | 29395740 | 29002362 | 29131755 | 0.78   | cps   |
| Sulfur     | 34-1  | 344536   | 343688   | 341350   | 343191   | 0.48   | cps   |
| Terbium    | 159-1 | 29665200 | 30076250 | 30034092 | 29925180 | 0.76   | cps   |
| Terbium    | 159-2 | 18630671 | 18766316 | 18414961 | 18603982 | 0.95   | cps   |
| Thallium   | 203-1 | 11535    | 12499    | 12596    | 12210    | 4.80   | cps   |
| Thallium   | 205-1 | 28817    | 28727    | 29833    | 29126    | 2.11   | cps   |
| Tin        | 118-1 | 318132   | 320780   | 318016   | 318976   | 0.49   | cps   |
| Titanium   | 47-1  | 418259   | 416241   | 413580   | 416027   | 0.56   | cps   |



LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-05

Instrumnet Name :P7

Client Sample ID :MH2GQ5

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:23:07

DataFile Name :034SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 261998   | 263523   | 263252   | 262924   | 0.31   | cps   |
| Vanadium  | 51-2  | 418876   | 419705   | 419782   | 419454   | 0.12   | cps   |
| Yttrium   | 89-1  | 29599737 | 29479153 | 29466518 | 29515136 | 0.25   | cps   |
| Yttrium   | 89-2  | 7419741  | 7344230  | 7384741  | 7382904  | 0.51   | cps   |
| Zinc      | 66-2  | 1394429  | 1396270  | 1390253  | 1393651  | 0.22   | cps   |
| Zirconium | 90-1  | 119817   | 119208   | 118799   | 119275   | 0.43   | cps   |
| Zirconium | 91-1  | 26965    | 26604    | 26688    | 26752    | 0.71   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-06 Instrumnet Name : P7  
Client Sample ID : MH2GQ6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:26:07 DataFile Name : 035SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5889050   | 5806878   | 5756968   | 5817632   | 1.15   | cps   |
| Antimony   | 121-1 | 20067     | 19664     | 19290     | 19674     | 1.98   | cps   |
| Arsenic    | 75-2  | 26550     | 25909     | 26313     | 26258     | 1.23   | cps   |
| Barium     | 135-1 | 3795532   | 3817863   | 3820571   | 3811322   | 0.36   | cps   |
| Barium     | 137-1 | 6692697   | 6578093   | 6573671   | 6614821   | 1.02   | cps   |
| Beryllium  | 9-1   | 3156      | 3106      | 3028      | 3097      | 2.08   | cps   |
| Bismuth    | 209-1 | 17860546  | 17816091  | 17822106  | 17832914  | 0.14   | cps   |
| Bismuth    | 209-2 | 12738046  | 12954346  | 12766434  | 12819609  | 0.92   | cps   |
| Bromine    | 81-1  | 42444     | 44346     | 46680     | 44490     | 4.77   | cps   |
| Bromine    | 81-2  | 5745      | 5831      | 5911      | 5829      | 1.43   | cps   |
| Cadmium    | 108-1 | 2240      | 2260      | 2217      | 2239      | 0.97   | cps   |
| Cadmium    | 106-1 | 11491     | 11264     | 11104     | 11287     | 1.72   | cps   |
| Cadmium    | 111-1 | 38561     | 37336     | 37919     | 37939     | 1.62   | cps   |
| Calcium    | 43-1  | 11894456  | 11892443  | 11996495  | 11927798  | 0.50   | cps   |
| Calcium    | 44-1  | 193263657 | 191923197 | 192485490 | 192557448 | 0.35   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 134792    | 136266    | 135479    | 135512    | 0.54   | cps   |
| Cobalt     | 59-2  | 193706    | 193194    | 193255    | 193385    | 0.14   | cps   |
| Copper     | 63-2  | 710151    | 711879    | 707127    | 709719    | 0.34   | cps   |
| Dysprosium | 156-1 | 272491    | 269972    | 271101    | 271188    | 0.47   | cps   |
| Dysprosium | 156-2 | 205940    | 204736    | 205125    | 205267    | 0.30   | cps   |
| Erbium     | 164-1 | 244069    | 244546    | 246232    | 244949    | 0.46   | cps   |
| Erbium     | 164-2 | 157345    | 157089    | 154801    | 156412    | 0.90   | cps   |
| Gadolinium | 160-1 | 265423    | 260358    | 262071    | 262617    | 0.98   | cps   |
| Gadolinium | 160-2 | 176681    | 176544    | 175872    | 176366    | 0.25   | cps   |
| Holmium    | 165-1 | 29384814  | 29273408  | 29146640  | 29268287  | 0.41   | cps   |
| Holmium    | 165-2 | 18850276  | 19042049  | 18709915  | 18867413  | 0.88   | cps   |
| Indium     | 115-1 | 22986867  | 22747207  | 22794145  | 22842740  | 0.56   | cps   |
| Indium     | 115-2 | 7653442   | 7631821   | 7568021   | 7617762   | 0.58   | cps   |
| Iron       | 56-2  | 133750931 | 133049665 | 132179448 | 132993348 | 0.59   | cps   |
| Iron       | 57-2  | 3582130   | 3536143   | 3484498   | 3534257   | 1.38   | cps   |
| Iron       | 54-2  | 7311489   | 7247519   | 7174116   | 7244375   | 0.95   | cps   |
| Krypton    | 83-1  | 650       | 663       | 740       | 684       | 7.10   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-06 Instrumnet Name : P7  
Client Sample ID : MH2GQ6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:26:07 DataFile Name : 035SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 5349547  | 5386772  | 5343845  | 5360055  | 0.43   | cps   |
| Lead       | 207-1 | 4683997  | 4644309  | 4677973  | 4668760  | 0.46   | cps   |
| Lead       | 208-1 | 21280432 | 21262239 | 21298870 | 21280514 | 0.09   | cps   |
| Lithium    | 6-1   | 2098267  | 2005141  | 2083992  | 2062467  | 2.43   | cps   |
| Magnesium  | 24-2  | 8056672  | 8059920  | 7969168  | 8028587  | 0.64   | cps   |
| Manganese  | 55-2  | 5901891  | 5802822  | 5743933  | 5816215  | 1.37   | cps   |
| Molybdenum | 94-1  | 45470    | 45788    | 45096    | 45451    | 0.76   | cps   |
| Molybdenum | 95-1  | 14731    | 14424    | 14781    | 14645    | 1.32   | cps   |
| Molybdenum | 96-1  | 22768    | 22284    | 22334    | 22462    | 1.19   | cps   |
| Molybdenum | 97-1  | 9033     | 9456     | 9163     | 9217     | 2.35   | cps   |
| Molybdenum | 98-1  | 23659    | 23516    | 23422    | 23532    | 0.51   | cps   |
| Neodymium  | 150-1 | 437078   | 439738   | 437677   | 438165   | 0.32   | cps   |
| Neodymium  | 150-2 | 238819   | 241605   | 238544   | 239656   | 0.71   | cps   |
| Nickel     | 60-2  | 205501   | 206250   | 204994   | 205582   | 0.31   | cps   |
| Phosphorus | 31-2  | 83244    | 82722    | 82578    | 82848    | 0.42   | cps   |
| Potassium  | 39-2  | 3221342  | 3255301  | 3192135  | 3222926  | 0.98   | cps   |
| Rhodium    | 103-1 | 20940799 | 20921974 | 20753418 | 20872064 | 0.49   | cps   |
| Rhodium    | 103-2 | 12400999 | 12304326 | 12139263 | 12281529 | 1.08   | cps   |
| Scandium   | 45-1  | 11869171 | 11522591 | 11580511 | 11657424 | 1.59   | cps   |
| Scandium   | 45-2  | 1016440  | 1013913  | 1019831  | 1016728  | 0.29   | cps   |
| Selenium   | 82-1  | 1519     | 1474     | 1365     | 1453     | 5.45   | cps   |
| Selenium   | 77-2  | 750      | 793      | 823      | 789      | 4.67   | cps   |
| Selenium   | 78-2  | 1087     | 1147     | 1170     | 1134     | 3.79   | cps   |
| Silicon    | 28-1  | 90143229 | 89542319 | 89840365 | 89841971 | 0.33   | cps   |
| Silver     | 107-1 | 33525    | 33652    | 34214    | 33797    | 1.08   | cps   |
| Silver     | 109-1 | 32774    | 31939    | 32523    | 32412    | 1.32   | cps   |
| Sodium     | 23-2  | 723415   | 718593   | 718786   | 720265   | 0.38   | cps   |
| Strontium  | 86-1  | 3927447  | 3951234  | 3919076  | 3932586  | 0.42   | cps   |
| Strontium  | 88-1  | 34103877 | 33927320 | 33870958 | 33967385 | 0.36   | cps   |
| Sulfur     | 34-1  | 374285   | 370936   | 371106   | 372109   | 0.51   | cps   |
| Terbium    | 159-1 | 30097860 | 29502985 | 30093840 | 29898229 | 1.14   | cps   |
| Terbium    | 159-2 | 18418209 | 18498931 | 18508357 | 18475166 | 0.27   | cps   |
| Thallium   | 203-1 | 11725    | 11972    | 12219    | 11972    | 2.06   | cps   |
| Thallium   | 205-1 | 28821    | 28917    | 29632    | 29123    | 1.52   | cps   |
| Tin        | 118-1 | 102917   | 102038   | 101867   | 102274   | 0.55   | cps   |
| Titanium   | 47-1  | 308416   | 301449   | 299284   | 303050   | 1.57   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-06 Instrumnet Name : P7  
Client Sample ID : MH2GQ6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:26:07 DataFile Name : 035SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 319025   | 317843   | 316074   | 317647   | 0.47   | cps   |
| Vanadium  | 51-2  | 490118   | 481477   | 484183   | 485260   | 0.91   | cps   |
| Yttrium   | 89-1  | 29910126 | 29417593 | 29280610 | 29536110 | 1.12   | cps   |
| Yttrium   | 89-2  | 7443509  | 7416546  | 7251276  | 7370444  | 1.41   | cps   |
| Zinc      | 66-2  | 488939   | 488233   | 491356   | 489509   | 0.33   | cps   |
| Zirconium | 90-1  | 100373   | 101427   | 100675   | 100825   | 0.54   | cps   |
| Zirconium | 91-1  | 22551    | 22654    | 22257    | 22487    | 0.92   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-07 Instrumnet Name : P7  
Client Sample ID : MH2GQ7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:29:10 DataFile Name : 036SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 6052656   | 6047400   | 6076256   | 6058771   | 0.25   | cps   |
| Antimony   | 121-1 | 13480     | 13393     | 13426     | 13433     | 0.33   | cps   |
| Arsenic    | 75-2  | 18198     | 18251     | 18041     | 18163     | 0.60   | cps   |
| Barium     | 135-1 | 4846751   | 4758864   | 4766861   | 4790825   | 1.01   | cps   |
| Barium     | 137-1 | 8369685   | 8365797   | 8178176   | 8304553   | 1.32   | cps   |
| Beryllium  | 9-1   | 3195      | 3106      | 3089      | 3130      | 1.81   | cps   |
| Bismuth    | 209-1 | 17740502  | 17819255  | 17508032  | 17689263  | 0.91   | cps   |
| Bismuth    | 209-2 | 12759858  | 12534172  | 12650283  | 12648104  | 0.89   | cps   |
| Bromine    | 81-1  | 44116     | 46222     | 47841     | 46059     | 4.06   | cps   |
| Bromine    | 81-2  | 6008      | 6271      | 6178      | 6152      | 2.17   | cps   |
| Cadmium    | 108-1 | 2010      | 1933      | 2064      | 2002      | 3.26   | cps   |
| Cadmium    | 106-1 | 11368     | 10918     | 10771     | 11019     | 2.82   | cps   |
| Cadmium    | 111-1 | 34734     | 33561     | 34563     | 34286     | 1.85   | cps   |
| Calcium    | 43-1  | 15640548  | 15520746  | 15629620  | 15596971  | 0.42   | cps   |
| Calcium    | 44-1  | 252066456 | 249831090 | 250804370 | 250900638 | 0.45   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 139801    | 138619    | 138058    | 138826    | 0.64   | cps   |
| Cobalt     | 59-2  | 207974    | 207238    | 207332    | 207515    | 0.19   | cps   |
| Copper     | 63-2  | 522540    | 523215    | 522076    | 522611    | 0.11   | cps   |
| Dysprosium | 156-1 | 275487    | 276096    | 277110    | 276231    | 0.30   | cps   |
| Dysprosium | 156-2 | 206265    | 206623    | 208559    | 207149    | 0.60   | cps   |
| Erbium     | 164-1 | 258244    | 257154    | 258903    | 258100    | 0.34   | cps   |
| Erbium     | 164-2 | 162898    | 162958    | 163434    | 163097    | 0.18   | cps   |
| Gadolinium | 160-1 | 272979    | 272033    | 273923    | 272978    | 0.35   | cps   |
| Gadolinium | 160-2 | 183517    | 185755    | 182480    | 183917    | 0.91   | cps   |
| Holmium    | 165-1 | 29683988  | 29068271  | 29279892  | 29344050  | 1.07   | cps   |
| Holmium    | 165-2 | 18763978  | 18781916  | 18812321  | 18786071  | 0.13   | cps   |
| Indium     | 115-1 | 22936813  | 22599159  | 22711684  | 22749219  | 0.76   | cps   |
| Indium     | 115-2 | 7554451   | 7545992   | 7505490   | 7535311   | 0.35   | cps   |
| Iron       | 56-2  | 135111065 | 135493085 | 132810965 | 134471705 | 1.08   | cps   |
| Iron       | 57-2  | 3682935   | 3642300   | 3678258   | 3667831   | 0.61   | cps   |
| Iron       | 54-2  | 7460486   | 7324938   | 7360399   | 7381941   | 0.95   | cps   |
| Krypton    | 83-1  | 647       | 660       | 730       | 679       | 6.59   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-07 Instrumnet Name : P7  
Client Sample ID : MH2GQ7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:29:10 DataFile Name : 036SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 2811594  | 2843975  | 2804766  | 2820112  | 0.74   | cps   |
| Lead       | 207-1 | 2394673  | 2445819  | 2389358  | 2409950  | 1.29   | cps   |
| Lead       | 208-1 | 11042528 | 11189788 | 11040161 | 11090826 | 0.77   | cps   |
| Lithium    | 6-1   | 2134142  | 2099544  | 2105095  | 2112927  | 0.88   | cps   |
| Magnesium  | 24-2  | 8947996  | 8977555  | 8904787  | 8943446  | 0.41   | cps   |
| Manganese  | 55-2  | 5104036  | 5096344  | 5033801  | 5078060  | 0.76   | cps   |
| Molybdenum | 94-1  | 45915    | 46253    | 45587    | 45918    | 0.72   | cps   |
| Molybdenum | 95-1  | 20978    | 20748    | 21022    | 20916    | 0.70   | cps   |
| Molybdenum | 96-1  | 28705    | 28905    | 28812    | 28807    | 0.35   | cps   |
| Molybdenum | 97-1  | 12976    | 12959    | 13393    | 13109    | 1.87   | cps   |
| Molybdenum | 98-1  | 34521    | 33792    | 33889    | 34067    | 1.16   | cps   |
| Neodymium  | 150-1 | 445058   | 444199   | 439334   | 442864   | 0.70   | cps   |
| Neodymium  | 150-2 | 244088   | 242837   | 242639   | 243188   | 0.32   | cps   |
| Nickel     | 60-2  | 225595   | 224619   | 223512   | 224576   | 0.46   | cps   |
| Phosphorus | 31-2  | 79930    | 79522    | 79699    | 79717    | 0.26   | cps   |
| Potassium  | 39-2  | 3144383  | 3147392  | 3161348  | 3151041  | 0.29   | cps   |
| Rhodium    | 103-1 | 20946238 | 20791193 | 20581916 | 20773116 | 0.88   | cps   |
| Rhodium    | 103-2 | 11971479 | 12111963 | 12143666 | 12075703 | 0.76   | cps   |
| Scandium   | 45-1  | 11619764 | 11474817 | 11723552 | 11606044 | 1.08   | cps   |
| Scandium   | 45-2  | 1014557  | 1013149  | 1003930  | 1010545  | 0.57   | cps   |
| Selenium   | 82-1  | 1463     | 1450     | 1384     | 1432     | 2.98   | cps   |
| Selenium   | 77-2  | 757      | 763      | 787      | 769      | 2.05   | cps   |
| Selenium   | 78-2  | 1013     | 1033     | 980      | 1009     | 2.67   | cps   |
| Silicon    | 28-1  | 83769925 | 84788624 | 83857027 | 84138525 | 0.67   | cps   |
| Silver     | 107-1 | 21526    | 21075    | 20428    | 21010    | 2.63   | cps   |
| Silver     | 109-1 | 20398    | 19487    | 19944    | 19943    | 2.28   | cps   |
| Sodium     | 23-2  | 838384   | 834697   | 836121   | 836401   | 0.22   | cps   |
| Strontium  | 86-1  | 4754136  | 4750714  | 4875721  | 4793523  | 1.49   | cps   |
| Strontium  | 88-1  | 41781524 | 41226540 | 41444544 | 41484203 | 0.67   | cps   |
| Sulfur     | 34-1  | 377870   | 379848   | 381190   | 379636   | 0.44   | cps   |
| Terbium    | 159-1 | 29355472 | 29437303 | 29356636 | 29383137 | 0.16   | cps   |
| Terbium    | 159-2 | 18614992 | 18274001 | 18199363 | 18362785 | 1.21   | cps   |
| Thallium   | 203-1 | 12169    | 12739    | 12719    | 12543    | 2.58   | cps   |
| Thallium   | 205-1 | 29619    | 29993    | 30097    | 29903    | 0.84   | cps   |
| Tin        | 118-1 | 51538    | 50916    | 51361    | 51272    | 0.63   | cps   |
| Titanium   | 47-1  | 248952   | 243430   | 244846   | 245743   | 1.17   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-07

Instrumnet Name :P7

Client Sample ID :MH2GQ7

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:29:10

DataFile Name :036SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 410008   | 403822   | 407980   | 407270   | 0.77   | cps   |
| Vanadium  | 51-2  | 587135   | 580735   | 585765   | 584545   | 0.58   | cps   |
| Yttrium   | 89-1  | 29544227 | 29540282 | 29743650 | 29609386 | 0.39   | cps   |
| Yttrium   | 89-2  | 7359065  | 7408428  | 7320119  | 7362537  | 0.60   | cps   |
| Zinc      | 66-2  | 265644   | 267577   | 264778   | 266000   | 0.54   | cps   |
| Zirconium | 90-1  | 94847    | 92660    | 93102    | 93536    | 1.24   | cps   |
| Zirconium | 91-1  | 21149    | 21058    | 20595    | 20934    | 1.42   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-08 Instrumnet Name : P7  
Client Sample ID : MH2GQ8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:32:13 DataFile Name : 037SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 3187238   | 3200107   | 3111672   | 3166339   | 1.51   | cps   |
| Antimony   | 121-1 | 14371     | 13863     | 13980     | 14071     | 1.89   | cps   |
| Arsenic    | 75-2  | 9993      | 10294     | 10474     | 10254     | 2.37   | cps   |
| Barium     | 135-1 | 2273662   | 2258525   | 2270275   | 2267487   | 0.35   | cps   |
| Barium     | 137-1 | 3936833   | 3959182   | 3980500   | 3958838   | 0.55   | cps   |
| Beryllium  | 9-1   | 2456      | 2328      | 2245      | 2343      | 4.54   | cps   |
| Bismuth    | 209-1 | 16279729  | 16363351  | 16222559  | 16288546  | 0.43   | cps   |
| Bismuth    | 209-2 | 11794535  | 11704065  | 11687436  | 11728679  | 0.49   | cps   |
| Bromine    | 81-1  | 26367     | 26828     | 27249     | 26814     | 1.64   | cps   |
| Bromine    | 81-2  | 2344      | 2194      | 2284      | 2274      | 3.32   | cps   |
| Cadmium    | 108-1 | 1853      | 1790      | 1837      | 1827      | 1.80   | cps   |
| Cadmium    | 106-1 | 11001     | 10731     | 10474     | 10735     | 2.46   | cps   |
| Cadmium    | 111-1 | 32577     | 32589     | 32514     | 32560     | 0.12   | cps   |
| Calcium    | 43-1  | 31307463  | 30963886  | 30775953  | 31015767  | 0.87   | cps   |
| Calcium    | 44-1  | 501140113 | 502772286 | 500602246 | 501504881 | 0.23   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 175474    | 175556    | 177194    | 176075    | 0.55   | cps   |
| Cobalt     | 59-2  | 219302    | 218081    | 215214    | 217532    | 0.96   | cps   |
| Copper     | 63-2  | 580884    | 576536    | 580390    | 579270    | 0.41   | cps   |
| Dysprosium | 156-1 | 140585    | 140023    | 140165    | 140258    | 0.21   | cps   |
| Dysprosium | 156-2 | 106725    | 106587    | 105579    | 106297    | 0.59   | cps   |
| Erbium     | 164-1 | 126964    | 127136    | 127398    | 127166    | 0.17   | cps   |
| Erbium     | 164-2 | 80768     | 81436     | 80309     | 80838     | 0.70   | cps   |
| Gadolinium | 160-1 | 137538    | 138288    | 137103    | 137643    | 0.44   | cps   |
| Gadolinium | 160-2 | 94580     | 93067     | 93070     | 93572     | 0.93   | cps   |
| Holmium    | 165-1 | 28793099  | 28535347  | 28295496  | 28541314  | 0.87   | cps   |
| Holmium    | 165-2 | 18389008  | 18383804  | 18287383  | 18353399  | 0.31   | cps   |
| Indium     | 115-1 | 22145435  | 21919097  | 21863038  | 21975857  | 0.68   | cps   |
| Indium     | 115-2 | 7401367   | 7339304   | 7310909   | 7350527   | 0.63   | cps   |
| Iron       | 56-2  | 86595569  | 85587632  | 86899922  | 86361041  | 0.80   | cps   |
| Iron       | 57-2  | 2787491   | 2778459   | 2771053   | 2779001   | 0.30   | cps   |
| Iron       | 54-2  | 4748434   | 4650295   | 4658799   | 4685842   | 1.16   | cps   |
| Krypton    | 83-1  | 570       | 593       | 653       | 606       | 7.10   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-08 Instrumnet Name : P7  
Client Sample ID : MH2GQ8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:32:13 DataFile Name : 037SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 6792518   | 6799620   | 6812738   | 6801625   | 0.15   | cps   |
| Lead       | 207-1 | 5820245   | 5870805   | 5796970   | 5829340   | 0.65   | cps   |
| Lead       | 208-1 | 26702456  | 26940996  | 26825090  | 26822848  | 0.44   | cps   |
| Lithium    | 6-1   | 1958335   | 2067964   | 1984947   | 2003749   | 2.85   | cps   |
| Magnesium  | 24-2  | 226104890 | 225385397 | 224424969 | 225305085 | 0.37   | cps   |
| Manganese  | 55-2  | 16493916  | 16163296  | 16485899  | 16381037  | 1.15   | cps   |
| Molybdenum | 94-1  | 34898     | 35075     | 34688     | 34887     | 0.56   | cps   |
| Molybdenum | 95-1  | 10147     | 10037     | 10004     | 10062     | 0.75   | cps   |
| Molybdenum | 96-1  | 15805     | 16159     | 15799     | 15921     | 1.29   | cps   |
| Molybdenum | 97-1  | 6198      | 5841      | 5961      | 6000      | 3.03   | cps   |
| Molybdenum | 98-1  | 15445     | 15648     | 15682     | 15592     | 0.82   | cps   |
| Neodymium  | 150-1 | 224620    | 223078    | 225052    | 224250    | 0.46   | cps   |
| Neodymium  | 150-2 | 125250    | 123595    | 123844    | 124230    | 0.72   | cps   |
| Nickel     | 60-2  | 118298    | 117548    | 116510    | 117452    | 0.76   | cps   |
| Phosphorus | 31-2  | 116348    | 114340    | 114971    | 115220    | 0.89   | cps   |
| Potassium  | 39-2  | 3075156   | 3046664   | 3050970   | 3057597   | 0.50   | cps   |
| Rhodium    | 103-1 | 19938523  | 19908908  | 19859799  | 19902410  | 0.20   | cps   |
| Rhodium    | 103-2 | 11647090  | 11604351  | 11678829  | 11643423  | 0.32   | cps   |
| Scandium   | 45-1  | 11728554  | 11497632  | 11428305  | 11551497  | 1.36   | cps   |
| Scandium   | 45-2  | 1036950   | 1033334   | 1034496   | 1034927   | 0.18   | cps   |
| Selenium   | 82-1  | 1412      | 1185      | 1326      | 1307      | 8.77   | cps   |
| Selenium   | 77-2  | 477       | 483       | 437       | 466       | 5.42   | cps   |
| Selenium   | 78-2  | 930       | 930       | 760       | 873       | 11.24  | cps   |
| Silicon    | 28-1  | 75114941  | 74861807  | 74640651  | 74872466  | 0.32   | cps   |
| Silver     | 107-1 | 30088     | 29737     | 30509     | 30111     | 1.28   | cps   |
| Silver     | 109-1 | 28334     | 29079     | 28608     | 28674     | 1.31   | cps   |
| Sodium     | 23-2  | 706913    | 694294    | 708090    | 703099    | 1.09   | cps   |
| Strontium  | 86-1  | 2111838   | 2085137   | 2092916   | 2096630   | 0.66   | cps   |
| Strontium  | 88-1  | 18225702  | 17995146  | 18095611  | 18105486  | 0.64   | cps   |
| Sulfur     | 34-1  | 341850    | 347552    | 350365    | 346589    | 1.25   | cps   |
| Terbium    | 159-1 | 29376690  | 28712060  | 28610213  | 28899654  | 1.44   | cps   |
| Terbium    | 159-2 | 18125720  | 17939414  | 17942700  | 18002611  | 0.59   | cps   |
| Thallium   | 203-1 | 6792      | 7019      | 6989      | 6933      | 1.78   | cps   |
| Thallium   | 205-1 | 15986     | 16977     | 17395     | 16786     | 4.31   | cps   |
| Tin        | 118-1 | 133738    | 134790    | 134491    | 134339    | 0.40   | cps   |
| Titanium   | 47-1  | 309414    | 311086    | 307770    | 309423    | 0.54   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-08

Instrumnet Name :P7

Client Sample ID :MH2GQ8

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:32:13

DataFile Name :037SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 207497   | 206713   | 206146   | 206785   | 0.33   | cps   |
| Vanadium  | 51-2  | 314192   | 309173   | 310304   | 311223   | 0.85   | cps   |
| Yttrium   | 89-1  | 28050966 | 27843260 | 28072972 | 27989066 | 0.45   | cps   |
| Yttrium   | 89-2  | 6947896  | 6989972  | 7009697  | 6982521  | 0.45   | cps   |
| Zinc      | 66-2  | 901822   | 893716   | 896605   | 897381   | 0.46   | cps   |
| Zirconium | 90-1  | 81213    | 82367    | 81042    | 81540    | 0.88   | cps   |
| Zirconium | 91-1  | 18405    | 18048    | 18101    | 18185    | 1.06   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-09 Instrumnet Name : P7  
Client Sample ID : MH2GQ9 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:35:16 DataFile Name : 038SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5653295   | 5517809   | 5574201   | 5581769   | 1.22   | cps   |
| Antimony   | 121-1 | 34298     | 33436     | 33760     | 33831     | 1.29   | cps   |
| Arsenic    | 75-2  | 24610     | 24737     | 24904     | 24751     | 0.60   | cps   |
| Barium     | 135-1 | 4019967   | 3977478   | 3977128   | 3991524   | 0.62   | cps   |
| Barium     | 137-1 | 6939942   | 6850452   | 6852902   | 6881099   | 0.74   | cps   |
| Beryllium  | 9-1   | 3912      | 3884      | 3573      | 3789      | 4.97   | cps   |
| Bismuth    | 209-1 | 15963283  | 17303034  | 17499458  | 16921925  | 4.94   | cps   |
| Bismuth    | 209-2 | 12908269  | 12968165  | 12506451  | 12794295  | 1.96   | cps   |
| Bromine    | 81-1  | 32045     | 33030     | 33131     | 32735     | 1.83   | cps   |
| Bromine    | 81-2  | 3717      | 3417      | 3677      | 3604      | 4.52   | cps   |
| Cadmium    | 108-1 | 4417      | 4574      | 4561      | 4517      | 1.92   | cps   |
| Cadmium    | 106-1 | 13560     | 14180     | 14190     | 13977     | 2.58   | cps   |
| Cadmium    | 111-1 | 66269     | 67736     | 67323     | 67109     | 1.13   | cps   |
| Calcium    | 43-1  | 8218483   | 8135004   | 8175284   | 8176257   | 0.51   | cps   |
| Calcium    | 44-1  | 133559848 | 132968758 | 132379525 | 132969377 | 0.44   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 169157    | 168722    | 166130    | 168003    | 0.97   | cps   |
| Cobalt     | 59-2  | 201372    | 197728    | 197856    | 198985    | 1.04   | cps   |
| Copper     | 63-2  | 1581989   | 1600110   | 1579053   | 1587051   | 0.72   | cps   |
| Dysprosium | 156-1 | 255797    | 254501    | 252272    | 254190    | 0.70   | cps   |
| Dysprosium | 156-2 | 190095    | 191916    | 189572    | 190528    | 0.65   | cps   |
| Erbium     | 164-1 | 225600    | 225033    | 222674    | 224436    | 0.69   | cps   |
| Erbium     | 164-2 | 144047    | 142031    | 142236    | 142771    | 0.78   | cps   |
| Gadolinium | 160-1 | 244543    | 242443    | 241960    | 242982    | 0.57   | cps   |
| Gadolinium | 160-2 | 161611    | 162292    | 160533    | 161479    | 0.55   | cps   |
| Holmium    | 165-1 | 26083140  | 28502082  | 28840070  | 27808431  | 5.41   | cps   |
| Holmium    | 165-2 | 18949785  | 18865412  | 18060248  | 18625148  | 2.64   | cps   |
| Indium     | 115-1 | 20277540  | 21839296  | 22169880  | 21428906  | 4.72   | cps   |
| Indium     | 115-2 | 7577178   | 7437233   | 7250479   | 7421630   | 2.21   | cps   |
| Iron       | 56-2  | 153431284 | 150852011 | 153016788 | 152433361 | 0.91   | cps   |
| Iron       | 57-2  | 4009841   | 3960726   | 3895419   | 3955329   | 1.45   | cps   |
| Iron       | 54-2  | 8319883   | 8270015   | 8232439   | 8274112   | 0.53   | cps   |
| Krypton    | 83-1  | 670       | 650       | 707       | 676       | 4.25   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-09 Instrumnet Name : P7  
Client Sample ID : MH2GQ9 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:35:16 DataFile Name : 038SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 15543901 | 15114361 | 15079623 | 15245962 | 1.70   | cps   |
| Lead       | 207-1 | 13315270 | 13093973 | 12944055 | 13117766 | 1.42   | cps   |
| Lead       | 208-1 | 60916892 | 60133242 | 59549210 | 60199781 | 1.14   | cps   |
| Lithium    | 6-1   | 2037889  | 2095669  | 2158049  | 2097202  | 2.87   | cps   |
| Magnesium  | 24-2  | 21773413 | 21926957 | 21720414 | 21806928 | 0.49   | cps   |
| Manganese  | 55-2  | 8668637  | 8609282  | 8675106  | 8651008  | 0.42   | cps   |
| Molybdenum | 94-1  | 60561    | 58503    | 59872    | 59645    | 1.76   | cps   |
| Molybdenum | 95-1  | 16469    | 15702    | 15622    | 15931    | 2.94   | cps   |
| Molybdenum | 96-1  | 27079    | 26728    | 25906    | 26571    | 2.26   | cps   |
| Molybdenum | 97-1  | 10047    | 10074    | 9883     | 10001    | 1.03   | cps   |
| Molybdenum | 98-1  | 26190    | 25482    | 25492    | 25722    | 1.58   | cps   |
| Neodymium  | 150-1 | 412059   | 406258   | 403128   | 407148   | 1.11   | cps   |
| Neodymium  | 150-2 | 225085   | 223711   | 222539   | 223778   | 0.57   | cps   |
| Nickel     | 60-2  | 137812   | 136230   | 135869   | 136637   | 0.76   | cps   |
| Phosphorus | 31-2  | 97897    | 97008    | 97665    | 97524    | 0.47   | cps   |
| Potassium  | 39-2  | 4676130  | 4655520  | 4630929  | 4654193  | 0.49   | cps   |
| Rhodium    | 103-1 | 18631088 | 20098674 | 20616427 | 19782063 | 5.21   | cps   |
| Rhodium    | 103-2 | 12398139 | 12105874 | 11688970 | 12064328 | 2.95   | cps   |
| Scandium   | 45-1  | 10398668 | 11258329 | 11478545 | 11045181 | 5.17   | cps   |
| Scandium   | 45-2  | 1015120  | 1007664  | 979484   | 1000756  | 1.88   | cps   |
| Selenium   | 82-1  | 1288     | 1393     | 1185     | 1289     | 8.09   | cps   |
| Selenium   | 77-2  | 740      | 643      | 780      | 721      | 9.74   | cps   |
| Selenium   | 78-2  | 1073     | 960      | 1023     | 1019     | 5.57   | cps   |
| Silicon    | 28-1  | 85592002 | 84086374 | 83697359 | 84458578 | 1.18   | cps   |
| Silver     | 107-1 | 76694    | 76399    | 76591    | 76561    | 0.20   | cps   |
| Silver     | 109-1 | 75854    | 73991    | 73552    | 74465    | 1.64   | cps   |
| Sodium     | 23-2  | 618393   | 616470   | 608223   | 614362   | 0.88   | cps   |
| Strontium  | 86-1  | 3052983  | 3043740  | 3026126  | 3040950  | 0.45   | cps   |
| Strontium  | 88-1  | 26459040 | 26561383 | 26331315 | 26450579 | 0.44   | cps   |
| Sulfur     | 34-1  | 366136   | 360876   | 360125   | 362379   | 0.90   | cps   |
| Terbium    | 159-1 | 26381816 | 28985115 | 29350480 | 28239137 | 5.73   | cps   |
| Terbium    | 159-2 | 18465828 | 18409233 | 17735721 | 18203594 | 2.23   | cps   |
| Thallium   | 203-1 | 12282    | 12439    | 11872    | 12198    | 2.40   | cps   |
| Thallium   | 205-1 | 29612    | 29495    | 29799    | 29636    | 0.52   | cps   |
| Tin        | 118-1 | 293720   | 292560   | 290287   | 292189   | 0.60   | cps   |
| Titanium   | 47-1  | 429669   | 421266   | 418507   | 423147   | 1.37   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-09

Instrumnet Name :P7

Client Sample ID :MH2GQ9

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:35:16

DataFile Name :038SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 342919   | 337467   | 336923   | 339103   | 0.98   | cps   |
| Vanadium  | 51-2  | 401685   | 396491   | 394524   | 397567   | 0.93   | cps   |
| Yttrium   | 89-1  | 26357335 | 28573622 | 28731052 | 27887337 | 4.76   | cps   |
| Yttrium   | 89-2  | 7301764  | 7236295  | 7016625  | 7184895  | 2.08   | cps   |
| Zinc      | 66-2  | 1594961  | 1579612  | 1585856  | 1586810  | 0.49   | cps   |
| Zirconium | 90-1  | 139832   | 139044   | 136171   | 138349   | 1.39   | cps   |
| Zirconium | 91-1  | 31006    | 31223    | 30482    | 30904    | 1.23   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-10 Instrumnet Name : P7  
Client Sample ID : MH2GR0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:38:16 DataFile Name : 039SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5587887   | 5534355   | 5583843   | 5568695   | 0.54   | cps   |
| Antimony   | 121-1 | 39955     | 40066     | 39481     | 39834     | 0.78   | cps   |
| Arsenic    | 75-2  | 38019     | 37026     | 36712     | 37252     | 1.83   | cps   |
| Barium     | 135-1 | 4026747   | 4024223   | 4052984   | 4034651   | 0.39   | cps   |
| Barium     | 137-1 | 6937326   | 6912949   | 6990242   | 6946839   | 0.57   | cps   |
| Beryllium  | 9-1   | 3628      | 3350      | 3456      | 3478      | 4.03   | cps   |
| Bismuth    | 209-1 | 17780753  | 17810160  | 17585807  | 17725573  | 0.69   | cps   |
| Bismuth    | 209-2 | 12930225  | 12755154  | 12791013  | 12825464  | 0.72   | cps   |
| Bromine    | 81-1  | 33662     | 35469     | 34791     | 34641     | 2.64   | cps   |
| Bromine    | 81-2  | 4194      | 3917      | 4247      | 4119      | 4.30   | cps   |
| Cadmium    | 108-1 | 4331      | 4214      | 4301      | 4282      | 1.42   | cps   |
| Cadmium    | 106-1 | 14334     | 14064     | 14117     | 14171     | 1.01   | cps   |
| Cadmium    | 111-1 | 71401     | 70316     | 69660     | 70459     | 1.25   | cps   |
| Calcium    | 43-1  | 6972748   | 6983231   | 6992984   | 6982988   | 0.14   | cps   |
| Calcium    | 44-1  | 113101052 | 113365162 | 113135658 | 113200624 | 0.13   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 134456    | 136757    | 134557    | 135257    | 0.96   | cps   |
| Cobalt     | 59-2  | 181322    | 182374    | 180940    | 181545    | 0.41   | cps   |
| Copper     | 63-2  | 1513453   | 1510588   | 1508928   | 1510990   | 0.15   | cps   |
| Dysprosium | 156-1 | 241499    | 238849    | 236304    | 238884    | 1.09   | cps   |
| Dysprosium | 156-2 | 180656    | 178985    | 182020    | 180553    | 0.84   | cps   |
| Erbium     | 164-1 | 220368    | 220389    | 216010    | 218922    | 1.15   | cps   |
| Erbium     | 164-2 | 138192    | 138337    | 138458    | 138329    | 0.10   | cps   |
| Gadolinium | 160-1 | 230198    | 233336    | 230767    | 231434    | 0.72   | cps   |
| Gadolinium | 160-2 | 157319    | 155799    | 152966    | 155361    | 1.42   | cps   |
| Holmium    | 165-1 | 29342094  | 28968650  | 28468093  | 28926279  | 1.52   | cps   |
| Holmium    | 165-2 | 18812626  | 18509944  | 18426963  | 18583178  | 1.09   | cps   |
| Indium     | 115-1 | 22727312  | 22440826  | 22448062  | 22538733  | 0.72   | cps   |
| Indium     | 115-2 | 7546996   | 7499644   | 7543318   | 7529986   | 0.35   | cps   |
| Iron       | 56-2  | 130749131 | 130241161 | 129737678 | 130242657 | 0.39   | cps   |
| Iron       | 57-2  | 3405375   | 3337476   | 3322540   | 3355130   | 1.32   | cps   |
| Iron       | 54-2  | 7076388   | 6994968   | 7003441   | 7024932   | 0.64   | cps   |
| Krypton    | 83-1  | 547       | 600       | 540       | 562       | 5.85   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-10 Instrumnet Name : P7  
Client Sample ID : MH2GR0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:38:16 DataFile Name : 039SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 18236953 | 18403460 | 18244410 | 18294941 | 0.51   | cps   |
| Lead       | 207-1 | 15440766 | 15564806 | 15352995 | 15452856 | 0.69   | cps   |
| Lead       | 208-1 | 71497587 | 71600989 | 71227286 | 71441954 | 0.27   | cps   |
| Lithium    | 6-1   | 2104727  | 2091016  | 2085345  | 2093696  | 0.48   | cps   |
| Magnesium  | 24-2  | 7263627  | 7304719  | 7411385  | 7326577  | 1.04   | cps   |
| Manganese  | 55-2  | 7296647  | 7318887  | 7202872  | 7272802  | 0.85   | cps   |
| Molybdenum | 94-1  | 48537    | 49062    | 47704    | 48434    | 1.41   | cps   |
| Molybdenum | 95-1  | 17798    | 18225    | 18125    | 18049    | 1.24   | cps   |
| Molybdenum | 96-1  | 26310    | 26504    | 26818    | 26544    | 0.96   | cps   |
| Molybdenum | 97-1  | 11121    | 11084    | 11034    | 11080    | 0.39   | cps   |
| Molybdenum | 98-1  | 29106    | 29106    | 28722    | 28978    | 0.77   | cps   |
| Neodymium  | 150-1 | 380504   | 383020   | 381913   | 381812   | 0.33   | cps   |
| Neodymium  | 150-2 | 209888   | 209791   | 210749   | 210142   | 0.25   | cps   |
| Nickel     | 60-2  | 117584   | 117148   | 116522   | 117085   | 0.46   | cps   |
| Phosphorus | 31-2  | 88457    | 87937    | 88336    | 88243    | 0.31   | cps   |
| Potassium  | 39-2  | 4009999  | 3978241  | 3954175  | 3980805  | 0.70   | cps   |
| Rhodium    | 103-1 | 21103248 | 20867426 | 20680853 | 20883842 | 1.01   | cps   |
| Rhodium    | 103-2 | 12252445 | 12025746 | 12093821 | 12124004 | 0.96   | cps   |
| Scandium   | 45-1  | 11324727 | 11339049 | 11394279 | 11352685 | 0.32   | cps   |
| Scandium   | 45-2  | 994187   | 994012   | 992802   | 993667   | 0.08   | cps   |
| Selenium   | 82-1  | 1387     | 1267     | 1266     | 1307     | 5.31   | cps   |
| Selenium   | 77-2  | 633      | 667      | 690      | 663      | 4.29   | cps   |
| Selenium   | 78-2  | 993      | 1097     | 1067     | 1052     | 5.05   | cps   |
| Silicon    | 28-1  | 87360132 | 86606135 | 84865187 | 86277151 | 1.48   | cps   |
| Silver     | 107-1 | 96273    | 97635    | 96867    | 96925    | 0.70   | cps   |
| Silver     | 109-1 | 90989    | 93257    | 92274    | 92174    | 1.23   | cps   |
| Sodium     | 23-2  | 946355   | 939283   | 936821   | 940820   | 0.53   | cps   |
| Strontium  | 86-1  | 3441475  | 3424197  | 3410945  | 3425539  | 0.45   | cps   |
| Strontium  | 88-1  | 29768494 | 29861512 | 29708844 | 29779617 | 0.26   | cps   |
| Sulfur     | 34-1  | 336342   | 332976   | 327348   | 332222   | 1.37   | cps   |
| Terbium    | 159-1 | 30002265 | 29665237 | 28979089 | 29548864 | 1.76   | cps   |
| Terbium    | 159-2 | 18184604 | 18001058 | 18003650 | 18063104 | 0.58   | cps   |
| Thallium   | 203-1 | 11155    | 11652    | 11712    | 11506    | 2.66   | cps   |
| Thallium   | 205-1 | 27782    | 27895    | 28159    | 27945    | 0.69   | cps   |
| Tin        | 118-1 | 254805   | 256748   | 254169   | 255241   | 0.53   | cps   |
| Titanium   | 47-1  | 407989   | 406072   | 402617   | 405559   | 0.67   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-10

Instrumnet Name :P7

Client Sample ID :MH2GR0

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:38:16

DataFile Name :039SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 369101   | 370722   | 367154   | 368992   | 0.48   | cps   |
| Vanadium  | 51-2  | 391720   | 392274   | 389529   | 391174   | 0.37   | cps   |
| Yttrium   | 89-1  | 29228735 | 29023332 | 28943255 | 29065107 | 0.51   | cps   |
| Yttrium   | 89-2  | 7269763  | 7058587  | 7172097  | 7166816  | 1.47   | cps   |
| Zinc      | 66-2  | 1007434  | 1002049  | 998806   | 1002763  | 0.43   | cps   |
| Zirconium | 90-1  | 103622   | 104471   | 102927   | 103674   | 0.75   | cps   |
| Zirconium | 91-1  | 23172    | 23329    | 23312    | 23271    | 0.37   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-11 Instrumnet Name : P7  
Client Sample ID : MH2GR1 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:41:17 DataFile Name : 040SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5411848   | 5282871   | 5390290   | 5361670   | 1.29   | cps   |
| Antimony   | 121-1 | 42536     | 42683     | 43228     | 42816     | 0.85   | cps   |
| Arsenic    | 75-2  | 38396     | 38229     | 38961     | 38529     | 1.00   | cps   |
| Barium     | 135-1 | 3743831   | 3725922   | 3693107   | 3720953   | 0.69   | cps   |
| Barium     | 137-1 | 6480275   | 6408325   | 6476000   | 6454867   | 0.63   | cps   |
| Beryllium  | 9-1   | 3111      | 3039      | 2950      | 3034      | 2.66   | cps   |
| Bismuth    | 209-1 | 18125088  | 17759212  | 17545515  | 17809938  | 1.65   | cps   |
| Bismuth    | 209-2 | 12762459  | 12785810  | 12481331  | 12676533  | 1.34   | cps   |
| Bromine    | 81-1  | 35877     | 38103     | 38640     | 37540     | 3.90   | cps   |
| Bromine    | 81-2  | 4781      | 4824      | 4774      | 4793      | 0.57   | cps   |
| Cadmium    | 108-1 | 4417      | 4361      | 4371      | 4383      | 0.69   | cps   |
| Cadmium    | 106-1 | 14371     | 14004     | 13937     | 14104     | 1.66   | cps   |
| Cadmium    | 111-1 | 69836     | 69847     | 69589     | 69757     | 0.21   | cps   |
| Calcium    | 43-1  | 8305245   | 8352550   | 8369124   | 8342307   | 0.40   | cps   |
| Calcium    | 44-1  | 134471608 | 134822228 | 135482335 | 134925390 | 0.38   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 163027    | 162175    | 162805    | 162669    | 0.27   | cps   |
| Cobalt     | 59-2  | 185778    | 184870    | 186426    | 185691    | 0.42   | cps   |
| Copper     | 63-2  | 1503145   | 1496314   | 1497738   | 1499066   | 0.24   | cps   |
| Dysprosium | 156-1 | 251749    | 254490    | 254696    | 253645    | 0.65   | cps   |
| Dysprosium | 156-2 | 191558    | 192442    | 194464    | 192821    | 0.77   | cps   |
| Erbium     | 164-1 | 229476    | 234056    | 229509    | 231014    | 1.14   | cps   |
| Erbium     | 164-2 | 149729    | 145788    | 145482    | 147000    | 1.61   | cps   |
| Gadolinium | 160-1 | 248294    | 247032    | 246643    | 247323    | 0.35   | cps   |
| Gadolinium | 160-2 | 167117    | 165849    | 165556    | 166174    | 0.50   | cps   |
| Holmium    | 165-1 | 29716911  | 28896724  | 28981783  | 29198473  | 1.54   | cps   |
| Holmium    | 165-2 | 18640621  | 18621443  | 18312833  | 18524966  | 0.99   | cps   |
| Indium     | 115-1 | 23422960  | 22538846  | 22474449  | 22812085  | 2.32   | cps   |
| Indium     | 115-2 | 7501349   | 7497910   | 7482439   | 7493899   | 0.13   | cps   |
| Iron       | 56-2  | 141872908 | 139948728 | 138931458 | 140251031 | 1.07   | cps   |
| Iron       | 57-2  | 3687536   | 3605223   | 3643358   | 3645372   | 1.13   | cps   |
| Iron       | 54-2  | 7819086   | 7587514   | 7553346   | 7653315   | 1.89   | cps   |
| Krypton    | 83-1  | 557       | 643       | 650       | 617       | 8.44   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-11 Instrumnet Name : P7  
Client Sample ID : MH2GR1 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:41:17 DataFile Name : 040SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 17561695 | 17653691 | 17537318 | 17584235 | 0.35   | cps   |
| Lead       | 207-1 | 15088168 | 15375452 | 15130207 | 15197942 | 1.02   | cps   |
| Lead       | 208-1 | 69367879 | 70367478 | 69463999 | 69733119 | 0.79   | cps   |
| Lithium    | 6-1   | 2108385  | 2036905  | 2075053  | 2073448  | 1.73   | cps   |
| Magnesium  | 24-2  | 9017785  | 8794850  | 8931554  | 8914729  | 1.26   | cps   |
| Manganese  | 55-2  | 6833869  | 6791896  | 6621478  | 6749081  | 1.67   | cps   |
| Molybdenum | 94-1  | 49557    | 49961    | 50273    | 49930    | 0.72   | cps   |
| Molybdenum | 95-1  | 23673    | 24013    | 23302    | 23663    | 1.50   | cps   |
| Molybdenum | 96-1  | 31350    | 32583    | 32062    | 31998    | 1.93   | cps   |
| Molybdenum | 97-1  | 14477    | 14838    | 14697    | 14671    | 1.24   | cps   |
| Molybdenum | 98-1  | 37799    | 37802    | 38233    | 37945    | 0.66   | cps   |
| Neodymium  | 150-1 | 412088   | 414155   | 412894   | 413046   | 0.25   | cps   |
| Neodymium  | 150-2 | 226151   | 226390   | 226381   | 226307   | 0.06   | cps   |
| Nickel     | 60-2  | 150059   | 150135   | 152669   | 150955   | 0.98   | cps   |
| Phosphorus | 31-2  | 95613    | 93060    | 95442    | 94705    | 1.51   | cps   |
| Potassium  | 39-2  | 4137694  | 4121133  | 4107650  | 4122159  | 0.37   | cps   |
| Rhodium    | 103-1 | 21263646 | 20538106 | 20611199 | 20804317 | 1.92   | cps   |
| Rhodium    | 103-2 | 12079662 | 12138069 | 11937196 | 12051643 | 0.86   | cps   |
| Scandium   | 45-1  | 11926264 | 11408517 | 11303230 | 11546004 | 2.89   | cps   |
| Scandium   | 45-2  | 988939   | 1001626  | 990057   | 993541   | 0.71   | cps   |
| Selenium   | 82-1  | 1468     | 1396     | 1458     | 1441     | 2.69   | cps   |
| Selenium   | 77-2  | 690      | 720      | 743      | 718      | 3.73   | cps   |
| Selenium   | 78-2  | 960      | 1120     | 1037     | 1039     | 7.70   | cps   |
| Silicon    | 28-1  | 75757264 | 75411639 | 74690991 | 75286631 | 0.72   | cps   |
| Silver     | 107-1 | 111598   | 111497   | 111517   | 111537   | 0.05   | cps   |
| Silver     | 109-1 | 107505   | 106558   | 105819   | 106627   | 0.79   | cps   |
| Sodium     | 23-2  | 771989   | 773311   | 777788   | 774363   | 0.39   | cps   |
| Strontium  | 86-1  | 3457931  | 3543031  | 3523119  | 3508027  | 1.27   | cps   |
| Strontium  | 88-1  | 30552190 | 30418728 | 30481350 | 30484089 | 0.22   | cps   |
| Sulfur     | 34-1  | 459171   | 455805   | 454619   | 456532   | 0.52   | cps   |
| Terbium    | 159-1 | 30208061 | 29378890 | 29553756 | 29713569 | 1.47   | cps   |
| Terbium    | 159-2 | 18216863 | 18346856 | 17828141 | 18130620 | 1.49   | cps   |
| Thallium   | 203-1 | 14071    | 14334    | 13680    | 14028    | 2.35   | cps   |
| Thallium   | 205-1 | 32776    | 32896    | 33835    | 33169    | 1.75   | cps   |
| Tin        | 118-1 | 298854   | 302341   | 301562   | 300919   | 0.61   | cps   |
| Titanium   | 47-1  | 350435   | 350469   | 347486   | 349463   | 0.49   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-11

Instrumnet Name :

P7

Client Sample ID :

MH2GR1

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:41:17

DataFile Name :

040SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 356761   | 361121   | 359516   | 359133   | 0.61   | cps   |
| Vanadium  | 51-2  | 412261   | 408143   | 408663   | 409689   | 0.55   | cps   |
| Yttrium   | 89-1  | 29715156 | 28778215 | 28878340 | 29123904 | 1.77   | cps   |
| Yttrium   | 89-2  | 7246646  | 7242750  | 7073503  | 7187633  | 1.38   | cps   |
| Zinc      | 66-2  | 852881   | 848945   | 841066   | 847630   | 0.71   | cps   |
| Zirconium | 90-1  | 99115    | 100176   | 99930    | 99740    | 0.56   | cps   |
| Zirconium | 91-1  | 21950    | 22350    | 22217    | 22172    | 0.92   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-12 Instrumnet Name : P7  
Client Sample ID : MH2GR2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:44:18 DataFile Name : 041SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 6645203   | 6494983   | 6513871   | 6551352   | 1.25   | cps   |
| Antimony   | 121-1 | 34050     | 33669     | 33599     | 33773     | 0.72   | cps   |
| Arsenic    | 75-2  | 21649     | 21506     | 21576     | 21577     | 0.33   | cps   |
| Barium     | 135-1 | 5030191   | 5042941   | 4958886   | 5010673   | 0.90   | cps   |
| Barium     | 137-1 | 8756168   | 8697742   | 8718894   | 8724268   | 0.34   | cps   |
| Beryllium  | 9-1   | 4134      | 4017      | 3945      | 4032      | 2.37   | cps   |
| Bismuth    | 209-1 | 17747183  | 18127626  | 17673134  | 17849314  | 1.37   | cps   |
| Bismuth    | 209-2 | 12989227  | 12764395  | 13009519  | 12921047  | 1.05   | cps   |
| Bromine    | 81-1  | 27459     | 27476     | 28791     | 27909     | 2.74   | cps   |
| Bromine    | 81-2  | 2597      | 2664      | 2744      | 2668      | 2.75   | cps   |
| Cadmium    | 108-1 | 5164      | 5191      | 5191      | 5182      | 0.30   | cps   |
| Cadmium    | 106-1 | 15385     | 15355     | 15325     | 15355     | 0.20   | cps   |
| Cadmium    | 111-1 | 80834     | 81344     | 80532     | 80903     | 0.51   | cps   |
| Calcium    | 43-1  | 7647500   | 7706165   | 7716769   | 7690145   | 0.49   | cps   |
| Calcium    | 44-1  | 125528215 | 125412241 | 125131855 | 125357437 | 0.16   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 281042    | 277445    | 279370    | 279286    | 0.64   | cps   |
| Cobalt     | 59-2  | 195907    | 195347    | 194446    | 195233    | 0.38   | cps   |
| Copper     | 63-2  | 1567706   | 1581956   | 1573820   | 1574494   | 0.45   | cps   |
| Dysprosium | 156-1 | 258696    | 263908    | 260812    | 261139    | 1.00   | cps   |
| Dysprosium | 156-2 | 200852    | 199598    | 199269    | 199906    | 0.42   | cps   |
| Erbium     | 164-1 | 233883    | 234826    | 235351    | 234687    | 0.32   | cps   |
| Erbium     | 164-2 | 150808    | 148914    | 148793    | 149505    | 0.76   | cps   |
| Gadolinium | 160-1 | 251810    | 256388    | 252803    | 253667    | 0.95   | cps   |
| Gadolinium | 160-2 | 170464    | 170363    | 170666    | 170498    | 0.09   | cps   |
| Holmium    | 165-1 | 29393697  | 29447608  | 29222529  | 29354611  | 0.40   | cps   |
| Holmium    | 165-2 | 18901765  | 18572261  | 18537357  | 18670461  | 1.08   | cps   |
| Indium     | 115-1 | 22762659  | 22544683  | 22624223  | 22643855  | 0.49   | cps   |
| Indium     | 115-2 | 7526912   | 7550824   | 7582762   | 7553499   | 0.37   | cps   |
| Iron       | 56-2  | 165563014 | 164753311 | 165222684 | 165179670 | 0.25   | cps   |
| Iron       | 57-2  | 4284764   | 4207880   | 4244911   | 4245852   | 0.91   | cps   |
| Iron       | 54-2  | 8980249   | 9048418   | 8988525   | 9005731   | 0.41   | cps   |
| Krypton    | 83-1  | 620       | 583       | 637       | 613       | 4.45   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-12 Instrumnet Name : P7  
Client Sample ID : MH2GR2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:44:18 DataFile Name : 041SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 24010005 | 24055333 | 24083658 | 24049665 | 0.15   | cps   |
| Lead       | 207-1 | 20343962 | 20896387 | 20677293 | 20639214 | 1.35   | cps   |
| Lead       | 208-1 | 93981882 | 95044462 | 94743707 | 94590017 | 0.58   | cps   |
| Lithium    | 6-1   | 2108504  | 2081319  | 2031623  | 2073816  | 1.88   | cps   |
| Magnesium  | 24-2  | 7946825  | 7942863  | 7879442  | 7923043  | 0.48   | cps   |
| Manganese  | 55-2  | 9226288  | 9113925  | 9108137  | 9149450  | 0.73   | cps   |
| Molybdenum | 94-1  | 52510    | 53300    | 52256    | 52689    | 1.03   | cps   |
| Molybdenum | 95-1  | 17778    | 18228    | 17874    | 17960    | 1.32   | cps   |
| Molybdenum | 96-1  | 27900    | 27192    | 27820    | 27637    | 1.40   | cps   |
| Molybdenum | 97-1  | 11304    | 10914    | 11118    | 11112    | 1.76   | cps   |
| Molybdenum | 98-1  | 28872    | 29092    | 29690    | 29218    | 1.45   | cps   |
| Neodymium  | 150-1 | 428311   | 425609   | 427785   | 427235   | 0.34   | cps   |
| Neodymium  | 150-2 | 237467   | 235712   | 237009   | 236729   | 0.38   | cps   |
| Nickel     | 60-2  | 138916   | 138987   | 139246   | 139050   | 0.12   | cps   |
| Phosphorus | 31-2  | 216486   | 213916   | 214353   | 214918   | 0.64   | cps   |
| Potassium  | 39-2  | 7184993  | 7210138  | 7099300  | 7164810  | 0.81   | cps   |
| Rhodium    | 103-1 | 21008663 | 20793843 | 20737751 | 20846752 | 0.69   | cps   |
| Rhodium    | 103-2 | 12253954 | 12255323 | 12200231 | 12236503 | 0.26   | cps   |
| Scandium   | 45-1  | 11625482 | 11295046 | 11278957 | 11399828 | 1.72   | cps   |
| Scandium   | 45-2  | 998443   | 995464   | 992730   | 995546   | 0.29   | cps   |
| Selenium   | 82-1  | 1605     | 1663     | 1488     | 1585     | 5.60   | cps   |
| Selenium   | 77-2  | 780      | 823      | 687      | 763      | 9.15   | cps   |
| Selenium   | 78-2  | 1150     | 1007     | 1100     | 1086     | 6.70   | cps   |
| Silicon    | 28-1  | 90120585 | 90886472 | 89845562 | 90284206 | 0.60   | cps   |
| Silver     | 107-1 | 91606    | 91446    | 91607    | 91553    | 0.10   | cps   |
| Silver     | 109-1 | 88625    | 88763    | 89152    | 88847    | 0.31   | cps   |
| Sodium     | 23-2  | 761794   | 762358   | 760942   | 761698   | 0.09   | cps   |
| Strontium  | 86-1  | 3853217  | 3913356  | 3839848  | 3868807  | 1.01   | cps   |
| Strontium  | 88-1  | 33318390 | 34091024 | 33848982 | 33752799 | 1.17   | cps   |
| Sulfur     | 34-1  | 367276   | 364582   | 362573   | 364810   | 0.65   | cps   |
| Terbium    | 159-1 | 29986810 | 29363004 | 29524092 | 29624635 | 1.09   | cps   |
| Terbium    | 159-2 | 18418509 | 18377425 | 18143520 | 18313152 | 0.81   | cps   |
| Thallium   | 203-1 | 11115    | 11385    | 11355    | 11285    | 1.31   | cps   |
| Thallium   | 205-1 | 26800    | 27251    | 26710    | 26920    | 1.08   | cps   |
| Tin        | 118-1 | 575667   | 567903   | 573910   | 572493   | 0.71   | cps   |
| Titanium   | 47-1  | 498097   | 497867   | 487458   | 494474   | 1.23   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-12

Instrumnet Name :P7

Client Sample ID :MH2GR2

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:44:18

DataFile Name :041SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 291771   | 292306   | 292458   | 292178   | 0.12   | cps   |
| Vanadium  | 51-2  | 429086   | 429276   | 430120   | 429494   | 0.13   | cps   |
| Yttrium   | 89-1  | 29426725 | 29267630 | 29140980 | 29278445 | 0.49   | cps   |
| Yttrium   | 89-2  | 7288070  | 7314919  | 7300720  | 7301236  | 0.18   | cps   |
| Zinc      | 66-2  | 2708495  | 2660564  | 2680934  | 2683331  | 0.90   | cps   |
| Zirconium | 90-1  | 116021   | 116107   | 116643   | 116257   | 0.29   | cps   |
| Zirconium | 91-1  | 25442    | 26455    | 25786    | 25894    | 1.99   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-13 Instrumnet Name : P7  
Client Sample ID : MH2GR3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:47:20 DataFile Name : 042SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 6189748   | 6180284   | 6231161   | 6200398   | 0.44   | cps   |
| Antimony   | 121-1 | 40390     | 40821     | 40644     | 40618     | 0.53   | cps   |
| Arsenic    | 75-2  | 30655     | 29783     | 29940     | 30126     | 1.54   | cps   |
| Barium     | 135-1 | 5681846   | 5723045   | 5666590   | 5690494   | 0.51   | cps   |
| Barium     | 137-1 | 9868043   | 9878435   | 9887850   | 9878109   | 0.10   | cps   |
| Beryllium  | 9-1   | 4162      | 4251      | 4251      | 4221      | 1.22   | cps   |
| Bismuth    | 209-1 | 17753072  | 18210083  | 18076262  | 18013139  | 1.30   | cps   |
| Bismuth    | 209-2 | 12896218  | 12953596  | 13052433  | 12967416  | 0.61   | cps   |
| Bromine    | 81-1  | 33875     | 35670     | 36201     | 35249     | 3.46   | cps   |
| Bromine    | 81-2  | 4074      | 4121      | 4141      | 4112      | 0.83   | cps   |
| Cadmium    | 108-1 | 5111      | 5388      | 5001      | 5167      | 3.86   | cps   |
| Cadmium    | 106-1 | 15872     | 15111     | 15335     | 15439     | 2.53   | cps   |
| Cadmium    | 111-1 | 85085     | 83810     | 84013     | 84303     | 0.81   | cps   |
| Calcium    | 43-1  | 9215725   | 9307255   | 9144781   | 9222587   | 0.88   | cps   |
| Calcium    | 44-1  | 149190414 | 150153608 | 147551174 | 148965066 | 0.88   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 192350    | 192681    | 192950    | 192661    | 0.16   | cps   |
| Cobalt     | 59-2  | 198883    | 200106    | 199531    | 199507    | 0.31   | cps   |
| Copper     | 63-2  | 1927360   | 1920671   | 1913706   | 1920579   | 0.36   | cps   |
| Dysprosium | 156-1 | 260709    | 261383    | 260326    | 260806    | 0.21   | cps   |
| Dysprosium | 156-2 | 200946    | 197060    | 196769    | 198258    | 1.18   | cps   |
| Erbium     | 164-1 | 237390    | 240350    | 240168    | 239303    | 0.69   | cps   |
| Erbium     | 164-2 | 152597    | 149965    | 150585    | 151049    | 0.91   | cps   |
| Gadolinium | 160-1 | 254768    | 254615    | 254701    | 254695    | 0.03   | cps   |
| Gadolinium | 160-2 | 171576    | 169502    | 171166    | 170748    | 0.64   | cps   |
| Holmium    | 165-1 | 29172641  | 29819107  | 29283838  | 29425195  | 1.17   | cps   |
| Holmium    | 165-2 | 18582479  | 18858073  | 19010805  | 18817119  | 1.15   | cps   |
| Indium     | 115-1 | 22751485  | 22718339  | 22855941  | 22775255  | 0.32   | cps   |
| Indium     | 115-2 | 7607703   | 7545554   | 7709047   | 7620768   | 1.08   | cps   |
| Iron       | 56-2  | 138429635 | 136651391 | 135974578 | 137018535 | 0.93   | cps   |
| Iron       | 57-2  | 3597602   | 3567961   | 3510627   | 3558730   | 1.24   | cps   |
| Iron       | 54-2  | 7509426   | 7489877   | 7399344   | 7466216   | 0.79   | cps   |
| Krypton    | 83-1  | 563       | 643       | 580       | 596       | 7.09   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-13 Instrumnet Name : P7  
Client Sample ID : MH2GR3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:47:20 DataFile Name : 042SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 24964840 | 24834910 | 25098384 | 24966045 | 0.53   | cps   |
| Lead       | 207-1 | 21226003 | 21644756 | 21608552 | 21493104 | 1.08   | cps   |
| Lead       | 208-1 | 97862149 | 98947423 | 99422917 | 98744163 | 0.81   | cps   |
| Lithium    | 6-1   | 2055064  | 2122422  | 2114110  | 2097199  | 1.75   | cps   |
| Magnesium  | 24-2  | 6280670  | 6250336  | 6351532  | 6294180  | 0.83   | cps   |
| Manganese  | 55-2  | 8308889  | 8288537  | 8297715  | 8298380  | 0.12   | cps   |
| Molybdenum | 94-1  | 53628    | 53437    | 53909    | 53658    | 0.44   | cps   |
| Molybdenum | 95-1  | 12169    | 12475    | 12485    | 12376    | 1.46   | cps   |
| Molybdenum | 96-1  | 22000    | 21830    | 21870    | 21900    | 0.41   | cps   |
| Molybdenum | 97-1  | 7602     | 7535     | 7649     | 7595     | 0.75   | cps   |
| Molybdenum | 98-1  | 20204    | 19934    | 19490    | 19876    | 1.81   | cps   |
| Neodymium  | 150-1 | 423706   | 422419   | 425901   | 424009   | 0.42   | cps   |
| Neodymium  | 150-2 | 232353   | 230100   | 232603   | 231685   | 0.60   | cps   |
| Nickel     | 60-2  | 206070   | 203388   | 202452   | 203970   | 0.92   | cps   |
| Phosphorus | 31-2  | 139573   | 138258   | 138254   | 138695   | 0.55   | cps   |
| Potassium  | 39-2  | 5765352  | 5719799  | 5688527  | 5724559  | 0.67   | cps   |
| Rhodium    | 103-1 | 20929518 | 20916903 | 20843688 | 20896703 | 0.22   | cps   |
| Rhodium    | 103-2 | 12195863 | 12269604 | 12325749 | 12263739 | 0.53   | cps   |
| Scandium   | 45-1  | 11547844 | 11610291 | 11325176 | 11494437 | 1.30   | cps   |
| Scandium   | 45-2  | 998555   | 996037   | 995150   | 996581   | 0.18   | cps   |
| Selenium   | 82-1  | 1649     | 1526     | 1614     | 1596     | 3.98   | cps   |
| Selenium   | 77-2  | 677      | 760      | 693      | 710      | 6.21   | cps   |
| Selenium   | 78-2  | 1120     | 967      | 1080     | 1056     | 7.53   | cps   |
| Silicon    | 28-1  | 90228789 | 90551659 | 88293575 | 89691341 | 1.36   | cps   |
| Silver     | 107-1 | 108108   | 109237   | 107995   | 108447   | 0.63   | cps   |
| Silver     | 109-1 | 104204   | 104493   | 103201   | 103966   | 0.65   | cps   |
| Sodium     | 23-2  | 688720   | 691195   | 687736   | 689217   | 0.26   | cps   |
| Strontium  | 86-1  | 4072702  | 4116283  | 4079261  | 4089415  | 0.57   | cps   |
| Strontium  | 88-1  | 35747644 | 35795131 | 35906969 | 35816581 | 0.23   | cps   |
| Sulfur     | 34-1  | 336403   | 338790   | 333531   | 336242   | 0.78   | cps   |
| Terbium    | 159-1 | 29572648 | 30074312 | 29962854 | 29869938 | 0.88   | cps   |
| Terbium    | 159-2 | 18484586 | 18407168 | 18267373 | 18386376 | 0.60   | cps   |
| Thallium   | 203-1 | 11108    | 11381    | 11652    | 11380    | 2.39   | cps   |
| Thallium   | 205-1 | 26753    | 27211    | 27117    | 27027    | 0.89   | cps   |
| Tin        | 118-1 | 385014   | 386745   | 386186   | 385981   | 0.23   | cps   |
| Titanium   | 47-1  | 410570   | 412972   | 411099   | 411547   | 0.31   | cps   |



LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-13

Instrumnet Name :P7

Client Sample ID :MH2GR3

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:47:20

DataFile Name :042SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 335279   | 344116   | 341736   | 340377   | 1.34   | cps   |
| Vanadium  | 51-2  | 435516   | 432597   | 433332   | 433815   | 0.35   | cps   |
| Yttrium   | 89-1  | 29426447 | 29712434 | 29727383 | 29622088 | 0.57   | cps   |
| Yttrium   | 89-2  | 7299709  | 7384692  | 7272567  | 7318989  | 0.80   | cps   |
| Zinc      | 66-2  | 2112155  | 2095722  | 2101864  | 2103247  | 0.39   | cps   |
| Zirconium | 90-1  | 126751   | 129303   | 128167   | 128074   | 1.00   | cps   |
| Zirconium | 91-1  | 27860    | 27980    | 28618    | 28153    | 1.45   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-14 Instrumnet Name : P7  
Client Sample ID : MH2GR4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:50:18 DataFile Name : 043SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 6766893   | 6817184   | 6709520   | 6764533   | 0.80   | cps   |
| Antimony   | 121-1 | 26935     | 26645     | 26705     | 26762     | 0.57   | cps   |
| Arsenic    | 75-2  | 26924     | 26694     | 26741     | 26786     | 0.45   | cps   |
| Barium     | 135-1 | 5504708   | 5580582   | 5487665   | 5524319   | 0.90   | cps   |
| Barium     | 137-1 | 9672830   | 9535177   | 9549825   | 9585944   | 0.79   | cps   |
| Beryllium  | 9-1   | 3845      | 3956      | 3778      | 3860      | 2.33   | cps   |
| Bismuth    | 209-1 | 18214079  | 17629471  | 17798984  | 17880845  | 1.68   | cps   |
| Bismuth    | 209-2 | 12622269  | 12833949  | 12627473  | 12694564  | 0.95   | cps   |
| Bromine    | 81-1  | 49035     | 51643     | 52790     | 51156     | 3.76   | cps   |
| Bromine    | 81-2  | 7112      | 7415      | 7442      | 7323      | 2.50   | cps   |
| Cadmium    | 108-1 | 3040      | 2957      | 2824      | 2940      | 3.72   | cps   |
| Cadmium    | 106-1 | 12192     | 12045     | 11685     | 11974     | 2.18   | cps   |
| Cadmium    | 111-1 | 47829     | 47370     | 47368     | 47522     | 0.56   | cps   |
| Calcium    | 43-1  | 14265245  | 14167839  | 13994139  | 14142407  | 0.97   | cps   |
| Calcium    | 44-1  | 230967090 | 232599143 | 227538997 | 230368410 | 1.12   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 159099    | 159345    | 158369    | 158938    | 0.32   | cps   |
| Cobalt     | 59-2  | 202081    | 200271    | 201352    | 201235    | 0.45   | cps   |
| Copper     | 63-2  | 1060532   | 1071361   | 1054379   | 1062091   | 0.81   | cps   |
| Dysprosium | 156-1 | 256398    | 256133    | 253754    | 255428    | 0.57   | cps   |
| Dysprosium | 156-2 | 190618    | 191835    | 192949    | 191801    | 0.61   | cps   |
| Erbium     | 164-1 | 232793    | 236198    | 235740    | 234910    | 0.79   | cps   |
| Erbium     | 164-2 | 149251    | 148948    | 149046    | 149082    | 0.10   | cps   |
| Gadolinium | 160-1 | 246632    | 250590    | 249929    | 249050    | 0.85   | cps   |
| Gadolinium | 160-2 | 167381    | 166150    | 166187    | 166573    | 0.42   | cps   |
| Holmium    | 165-1 | 29740015  | 29500125  | 29130646  | 29456928  | 1.04   | cps   |
| Holmium    | 165-2 | 18590809  | 18704901  | 18676402  | 18657371  | 0.32   | cps   |
| Indium     | 115-1 | 23051684  | 22467449  | 22595093  | 22704742  | 1.35   | cps   |
| Indium     | 115-2 | 7471670   | 7486088   | 7438932   | 7465564   | 0.32   | cps   |
| Iron       | 56-2  | 131264831 | 132891505 | 130701598 | 131619311 | 0.86   | cps   |
| Iron       | 57-2  | 3510060   | 3505368   | 3535008   | 3516812   | 0.45   | cps   |
| Iron       | 54-2  | 7175561   | 7190059   | 7110936   | 7158852   | 0.59   | cps   |
| Krypton    | 83-1  | 653       | 650       | 620       | 641       | 2.86   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-14 Instrumnet Name : P7  
Client Sample ID : MH2GR4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:50:18 DataFile Name : 043SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 12933173 | 12977375 | 12927951 | 12946166 | 0.21   | cps   |
| Lead       | 207-1 | 11089262 | 11046425 | 11174452 | 11103379 | 0.59   | cps   |
| Lead       | 208-1 | 51304158 | 51036619 | 51291190 | 51210656 | 0.29   | cps   |
| Lithium    | 6-1   | 2091232  | 2140884  | 2102184  | 2111434  | 1.24   | cps   |
| Magnesium  | 24-2  | 6768924  | 6730817  | 6700728  | 6733490  | 0.51   | cps   |
| Manganese  | 55-2  | 5786417  | 5907354  | 5789683  | 5827818  | 1.18   | cps   |
| Molybdenum | 94-1  | 43374    | 44604    | 43504    | 43828    | 1.54   | cps   |
| Molybdenum | 95-1  | 12782    | 13009    | 13036    | 12942    | 1.08   | cps   |
| Molybdenum | 96-1  | 20918    | 21309    | 20985    | 21071    | 0.99   | cps   |
| Molybdenum | 97-1  | 8222     | 8352     | 8102     | 8226     | 1.52   | cps   |
| Molybdenum | 98-1  | 20755    | 21396    | 20828    | 20993    | 1.67   | cps   |
| Neodymium  | 150-1 | 410735   | 415970   | 411902   | 412869   | 0.67   | cps   |
| Neodymium  | 150-2 | 224837   | 226859   | 224803   | 225500   | 0.52   | cps   |
| Nickel     | 60-2  | 154966   | 155846   | 156706   | 155839   | 0.56   | cps   |
| Phosphorus | 31-2  | 100779   | 101796   | 100568   | 101047   | 0.65   | cps   |
| Potassium  | 39-2  | 3418412  | 3479837  | 3400529  | 3432926  | 1.21   | cps   |
| Rhodium    | 103-1 | 20921307 | 20541984 | 20056181 | 20506490 | 2.11   | cps   |
| Rhodium    | 103-2 | 12021202 | 11991323 | 11794398 | 11935641 | 1.03   | cps   |
| Scandium   | 45-1  | 11616933 | 11197929 | 11187754 | 11334205 | 2.16   | cps   |
| Scandium   | 45-2  | 979338   | 987846   | 976181   | 981122   | 0.61   | cps   |
| Selenium   | 82-1  | 1552     | 1537     | 1448     | 1512     | 3.70   | cps   |
| Selenium   | 77-2  | 700      | 780      | 723      | 734      | 5.60   | cps   |
| Selenium   | 78-2  | 1063     | 1063     | 1053     | 1060     | 0.54   | cps   |
| Silicon    | 28-1  | 84923539 | 84355025 | 83447572 | 84242045 | 0.88   | cps   |
| Silver     | 107-1 | 57423    | 56453    | 57042    | 56972    | 0.86   | cps   |
| Silver     | 109-1 | 54010    | 54957    | 54154    | 54374    | 0.94   | cps   |
| Sodium     | 23-2  | 782065   | 782152   | 780603   | 781607   | 0.11   | cps   |
| Strontium  | 86-1  | 4815465  | 4839621  | 4768344  | 4807810  | 0.75   | cps   |
| Strontium  | 88-1  | 41693635 | 41748409 | 41998609 | 41813551 | 0.39   | cps   |
| Sulfur     | 34-1  | 362494   | 360496   | 359642   | 360877   | 0.41   | cps   |
| Terbium    | 159-1 | 30578027 | 29573493 | 29677199 | 29942906 | 1.85   | cps   |
| Terbium    | 159-2 | 18390231 | 18286695 | 18245836 | 18307587 | 0.41   | cps   |
| Thallium   | 203-1 | 11348    | 11505    | 11011    | 11288    | 2.23   | cps   |
| Thallium   | 205-1 | 26519    | 26816    | 27261    | 26865    | 1.39   | cps   |
| Tin        | 118-1 | 244256   | 246183   | 244550   | 244996   | 0.42   | cps   |
| Titanium   | 47-1  | 291947   | 291730   | 287349   | 290342   | 0.89   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-14

Instrumnet Name :

P7

Client Sample ID :

MH2GR4

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:50:18

DataFile Name :

043SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 444668   | 445871   | 448293   | 446277   | 0.41   | cps   |
| Vanadium  | 51-2  | 492408   | 488321   | 487075   | 489268   | 0.57   | cps   |
| Yttrium   | 89-1  | 29539403 | 28892245 | 29182373 | 29204674 | 1.11   | cps   |
| Yttrium   | 89-2  | 7263046  | 7145101  | 7127544  | 7178564  | 1.03   | cps   |
| Zinc      | 66-2  | 933740   | 933174   | 928687   | 931867   | 0.30   | cps   |
| Zirconium | 90-1  | 99819    | 99202    | 99430    | 99484    | 0.31   | cps   |
| Zirconium | 91-1  | 22023    | 22143    | 22040    | 22069    | 0.30   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-15 Instrumnet Name : P7  
Client Sample ID : MH2GR5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:53:21 DataFile Name : 044SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 6581525   | 6543980   | 6514470   | 6546658   | 0.51   | cps   |
| Antimony   | 121-1 | 17868     | 17628     | 22173     | 19223     | 13.31  | cps   |
| Arsenic    | 75-2  | 16743     | 16850     | 16990     | 16861     | 0.73   | cps   |
| Barium     | 135-1 | 5967323   | 5962698   | 5922182   | 5950734   | 0.42   | cps   |
| Barium     | 137-1 | 10284651  | 10365886  | 10165459  | 10271999  | 0.98   | cps   |
| Beryllium  | 9-1   | 3011      | 3245      | 3534      | 3263      | 8.02   | cps   |
| Bismuth    | 209-1 | 17655381  | 17513735  | 17702562  | 17623893  | 0.56   | cps   |
| Bismuth    | 209-2 | 12558876  | 12520395  | 12635027  | 12571433  | 0.46   | cps   |
| Bromine    | 81-1  | 55474     | 58512     | 59821     | 57935     | 3.85   | cps   |
| Bromine    | 81-2  | 8523      | 8506      | 8729      | 8586      | 1.45   | cps   |
| Cadmium    | 108-1 | 1560      | 1627      | 1710      | 1632      | 4.60   | cps   |
| Cadmium    | 106-1 | 10440     | 10164     | 10190     | 10265     | 1.49   | cps   |
| Cadmium    | 111-1 | 28934     | 28761     | 29860     | 29185     | 2.02   | cps   |
| Calcium    | 43-1  | 16617028  | 16430523  | 16165172  | 16404241  | 1.38   | cps   |
| Calcium    | 44-1  | 269850143 | 267926196 | 262246369 | 266674236 | 1.48   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 239475    | 239922    | 237460    | 238952    | 0.55   | cps   |
| Cobalt     | 59-2  | 197822    | 198353    | 196617    | 197597    | 0.45   | cps   |
| Copper     | 63-2  | 638441    | 638551    | 635690    | 637560    | 0.25   | cps   |
| Dysprosium | 156-1 | 262523    | 261977    | 258371    | 260957    | 0.86   | cps   |
| Dysprosium | 156-2 | 195747    | 196494    | 197489    | 196577    | 0.44   | cps   |
| Erbium     | 164-1 | 243247    | 243833    | 244674    | 243918    | 0.29   | cps   |
| Erbium     | 164-2 | 154767    | 154026    | 152823    | 153872    | 0.64   | cps   |
| Gadolinium | 160-1 | 255222    | 258940    | 254161    | 256108    | 0.98   | cps   |
| Gadolinium | 160-2 | 172312    | 172822    | 171604    | 172246    | 0.36   | cps   |
| Holmium    | 165-1 | 29157049  | 28895941  | 29947191  | 29333394  | 1.87   | cps   |
| Holmium    | 165-2 | 18352388  | 18397815  | 18471208  | 18407137  | 0.33   | cps   |
| Indium     | 115-1 | 22389847  | 22098471  | 22729871  | 22406063  | 1.41   | cps   |
| Indium     | 115-2 | 7424110   | 7364681   | 7208687   | 7332492   | 1.52   | cps   |
| Iron       | 56-2  | 126057205 | 124168275 | 124732918 | 124986133 | 0.78   | cps   |
| Iron       | 57-2  | 3439432   | 3400391   | 3439999   | 3426607   | 0.66   | cps   |
| Iron       | 54-2  | 6808046   | 6821113   | 6776996   | 6802052   | 0.33   | cps   |
| Krypton    | 83-1  | 567       | 553       | 660       | 593       | 9.80   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-15 Instrumnet Name : P7  
Client Sample ID : MH2GR5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:53:21 DataFile Name : 044SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 4551253  | 4493558  | 4630673  | 4558495  | 1.51   | cps   |
| Lead       | 207-1 | 3866724  | 3845841  | 3946311  | 3886292  | 1.36   | cps   |
| Lead       | 208-1 | 17884120 | 17665189 | 17991635 | 17846981 | 0.93   | cps   |
| Lithium    | 6-1   | 2131610  | 2101979  | 2162377  | 2131989  | 1.42   | cps   |
| Magnesium  | 24-2  | 7310391  | 7364309  | 7320126  | 7331609  | 0.39   | cps   |
| Manganese  | 55-2  | 5411935  | 5363152  | 5310190  | 5361759  | 0.95   | cps   |
| Molybdenum | 94-1  | 41913    | 42418    | 68328    | 50886    | 29.69  | cps   |
| Molybdenum | 95-1  | 16830    | 17264    | 53877    | 29323    | 72.52  | cps   |
| Molybdenum | 96-1  | 24931    | 24237    | 63566    | 37578    | 59.90  | cps   |
| Molybdenum | 97-1  | 10781    | 10681    | 34570    | 18677    | 73.69  | cps   |
| Molybdenum | 98-1  | 27396    | 27486    | 88732    | 47871    | 73.92  | cps   |
| Neodymium  | 150-1 | 423593   | 421010   | 421400   | 422001   | 0.33   | cps   |
| Neodymium  | 150-2 | 232056   | 230457   | 230416   | 230976   | 0.40   | cps   |
| Nickel     | 60-2  | 575589   | 575699   | 573269   | 574852   | 0.24   | cps   |
| Phosphorus | 31-2  | 85714    | 85329    | 85172    | 85405    | 0.33   | cps   |
| Potassium  | 39-2  | 3022424  | 3054304  | 2994647  | 3023791  | 0.99   | cps   |
| Rhodium    | 103-1 | 20251421 | 20174767 | 20719031 | 20381740 | 1.45   | cps   |
| Rhodium    | 103-2 | 11655441 | 11822330 | 11616404 | 11698058 | 0.94   | cps   |
| Scandium   | 45-1  | 11295088 | 11228101 | 11205370 | 11242853 | 0.41   | cps   |
| Scandium   | 45-2  | 969276   | 973107   | 967833   | 970072   | 0.28   | cps   |
| Selenium   | 82-1  | 1517     | 1457     | 1482     | 1485     | 2.05   | cps   |
| Selenium   | 77-2  | 710      | 770      | 677      | 719      | 6.58   | cps   |
| Selenium   | 78-2  | 1023     | 1047     | 890      | 987      | 8.57   | cps   |
| Silicon    | 28-1  | 83682397 | 82342737 | 81225807 | 82416980 | 1.49   | cps   |
| Silver     | 107-1 | 24197    | 24000    | 29205    | 25801    | 11.43  | cps   |
| Silver     | 109-1 | 23456    | 23222    | 27662    | 24780    | 10.08  | cps   |
| Sodium     | 23-2  | 679323   | 686172   | 682475   | 682657   | 0.50   | cps   |
| Strontium  | 86-1  | 5497117  | 5533049  | 5402406  | 5477524  | 1.23   | cps   |
| Strontium  | 88-1  | 47588539 | 48741489 | 47352819 | 47894283 | 1.55   | cps   |
| Sulfur     | 34-1  | 377720   | 373952   | 368303   | 373325   | 1.27   | cps   |
| Terbium    | 159-1 | 29432571 | 29348957 | 29582431 | 29454653 | 0.40   | cps   |
| Terbium    | 159-2 | 18341693 | 18043964 | 18345992 | 18243883 | 0.95   | cps   |
| Thallium   | 203-1 | 9740     | 9633     | 15602    | 11659    | 29.30  | cps   |
| Thallium   | 205-1 | 23737    | 23430    | 37108    | 28092    | 27.80  | cps   |
| Tin        | 118-1 | 96796    | 96094    | 103361   | 98750    | 4.06   | cps   |
| Titanium   | 47-1  | 287627   | 288546   | 291852   | 289342   | 0.77   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-15 Instrumnet Name : P7  
Client Sample ID : MH2GR5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:53:21 DataFile Name : 044SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 423313   | 429743   | 441271   | 431442   | 2.11   | cps   |
| Vanadium  | 51-2  | 530561   | 525822   | 530312   | 528898   | 0.50   | cps   |
| Yttrium   | 89-1  | 28794614 | 29005233 | 29451845 | 29083897 | 1.15   | cps   |
| Yttrium   | 89-2  | 7092022  | 7073715  | 7059907  | 7075215  | 0.23   | cps   |
| Zinc      | 66-2  | 408744   | 410403   | 411556   | 410234   | 0.34   | cps   |
| Zirconium | 90-1  | 89631    | 91848    | 100612   | 94031    | 6.18   | cps   |
| Zirconium | 91-1  | 19974    | 20191    | 22387    | 20851    | 6.40   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-16 Instrumnet Name : P7  
Client Sample ID : MH2GR6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:56:22 DataFile Name : 045SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 1540143   | 1575373   | 1531227   | 1548914   | 1.51   | cps   |
| Antimony   | 121-1 | 5441      | 5321      | 5428      | 5397      | 1.22   | cps   |
| Arsenic    | 75-2  | 10390     | 10617     | 10591     | 10533     | 1.18   | cps   |
| Barium     | 135-1 | 2492958   | 2521936   | 2503607   | 2506167   | 0.58   | cps   |
| Barium     | 137-1 | 4325453   | 4409674   | 4311800   | 4348975   | 1.22   | cps   |
| Beryllium  | 9-1   | 3406      | 3434      | 3167      | 3336      | 4.40   | cps   |
| Bismuth    | 209-1 | 15926133  | 15926279  | 15816620  | 15889677  | 0.40   | cps   |
| Bismuth    | 209-2 | 11575676  | 11552283  | 11430367  | 11519442  | 0.68   | cps   |
| Bromine    | 81-1  | 26273     | 27769     | 28164     | 27402     | 3.64   | cps   |
| Bromine    | 81-2  | 2627      | 2534      | 2650      | 2604      | 2.37   | cps   |
| Cadmium    | 108-1 | 713       | 680       | 740       | 711       | 4.23   | cps   |
| Cadmium    | 106-1 | 9046      | 8573      | 8876      | 8832      | 2.72   | cps   |
| Cadmium    | 111-1 | 15263     | 15018     | 15278     | 15186     | 0.96   | cps   |
| Calcium    | 43-1  | 41706543  | 42145408  | 42173269  | 42008407  | 0.62   | cps   |
| Calcium    | 44-1  | 675139083 | 688871430 | 677225537 | 680412017 | 1.09   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 194713    | 195422    | 193272    | 194469    | 0.56   | cps   |
| Cobalt     | 59-2  | 233658    | 236819    | 237135    | 235871    | 0.82   | cps   |
| Copper     | 63-2  | 314527    | 314763    | 310514    | 313268    | 0.76   | cps   |
| Dysprosium | 156-1 | 116323    | 114821    | 115833    | 115659    | 0.66   | cps   |
| Dysprosium | 156-2 | 83593     | 82477     | 83228     | 83099     | 0.69   | cps   |
| Erbium     | 164-1 | 105961    | 104984    | 105833    | 105593    | 0.50   | cps   |
| Erbium     | 164-2 | 66498     | 67291     | 67532     | 67107     | 0.81   | cps   |
| Gadolinium | 160-1 | 121541    | 121578    | 122429    | 121850    | 0.41   | cps   |
| Gadolinium | 160-2 | 82149     | 83165     | 83175     | 82830     | 0.71   | cps   |
| Holmium    | 165-1 | 28506753  | 27739562  | 28192060  | 28146125  | 1.37   | cps   |
| Holmium    | 165-2 | 18234541  | 18190353  | 18184920  | 18203271  | 0.15   | cps   |
| Indium     | 115-1 | 21328663  | 21332022  | 21216617  | 21292434  | 0.31   | cps   |
| Indium     | 115-2 | 7309705   | 7249718   | 7217192   | 7258872   | 0.65   | cps   |
| Iron       | 56-2  | 35208916  | 34615970  | 34884989  | 34903292  | 0.85   | cps   |
| Iron       | 57-2  | 1718897   | 1708746   | 1732903   | 1720182   | 0.71   | cps   |
| Iron       | 54-2  | 1916671   | 1932173   | 1915423   | 1921422   | 0.49   | cps   |
| Krypton    | 83-1  | 600       | 490       | 520       | 537       | 10.60  | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-16 Instrumnet Name : P7  
Client Sample ID : MH2GR6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:56:22 DataFile Name : 045SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 5195533   | 5263861   | 5234220   | 5231204   | 0.65   | cps   |
| Lead       | 207-1 | 4345649   | 4325186   | 4226417   | 4299084   | 1.48   | cps   |
| Lead       | 208-1 | 20074878  | 20318682  | 19912343  | 20101968  | 1.02   | cps   |
| Lithium    | 6-1   | 1996927   | 1978865   | 1981073   | 1985622   | 0.50   | cps   |
| Magnesium  | 24-2  | 328398012 | 329566223 | 329585700 | 329183312 | 0.21   | cps   |
| Manganese  | 55-2  | 8786711   | 8692703   | 8665866   | 8715093   | 0.73   | cps   |
| Molybdenum | 94-1  | 11525     | 11922     | 11615     | 11687     | 1.78   | cps   |
| Molybdenum | 95-1  | 5694      | 6041      | 5971      | 5902      | 3.11   | cps   |
| Molybdenum | 96-1  | 7669      | 7719      | 7595      | 7661      | 0.81   | cps   |
| Molybdenum | 97-1  | 3447      | 3627      | 3477      | 3517      | 2.74   | cps   |
| Molybdenum | 98-1  | 9123      | 9223      | 9083      | 9143      | 0.79   | cps   |
| Neodymium  | 150-1 | 171378    | 172309    | 172979    | 172222    | 0.47   | cps   |
| Neodymium  | 150-2 | 96769     | 96269     | 95557     | 96198     | 0.63   | cps   |
| Nickel     | 60-2  | 279243    | 277390    | 276194    | 277609    | 0.55   | cps   |
| Phosphorus | 31-2  | 29595     | 29064     | 29642     | 29434     | 1.09   | cps   |
| Potassium  | 39-2  | 1643746   | 1672862   | 1648105   | 1654904   | 0.95   | cps   |
| Rhodium    | 103-1 | 19279253  | 19054817  | 19433895  | 19255988  | 0.99   | cps   |
| Rhodium    | 103-2 | 11450990  | 11309349  | 11362581  | 11374307  | 0.63   | cps   |
| Scandium   | 45-1  | 11424802  | 11117138  | 11396241  | 11312727  | 1.50   | cps   |
| Scandium   | 45-2  | 1029441   | 1029923   | 1023645   | 1027670   | 0.34   | cps   |
| Selenium   | 82-1  | 1311      | 1357      | 1165      | 1278      | 7.84   | cps   |
| Selenium   | 77-2  | 280       | 360       | 387       | 342       | 16.22  | cps   |
| Selenium   | 78-2  | 687       | 653       | 793       | 711       | 10.28  | cps   |
| Silicon    | 28-1  | 44100019  | 44840518  | 45408838  | 44783125  | 1.47   | cps   |
| Silver     | 107-1 | 7989      | 8586      | 8913      | 8496      | 5.51   | cps   |
| Silver     | 109-1 | 7672      | 8012      | 8329      | 8004      | 4.11   | cps   |
| Sodium     | 23-2  | 840923    | 840625    | 843533    | 841694    | 0.19   | cps   |
| Strontium  | 86-1  | 1910306   | 1877575   | 1873424   | 1887102   | 1.07   | cps   |
| Strontium  | 88-1  | 16573784  | 16570361  | 16499772  | 16547972  | 0.25   | cps   |
| Sulfur     | 34-1  | 366841    | 371628    | 374614    | 371028    | 1.06   | cps   |
| Terbium    | 159-1 | 28584958  | 28146121  | 28507091  | 28412723  | 0.82   | cps   |
| Terbium    | 159-2 | 17801385  | 17747663  | 17473763  | 17674270  | 0.99   | cps   |
| Thallium   | 203-1 | 3687      | 3544      | 3914      | 3715      | 5.02   | cps   |
| Thallium   | 205-1 | 8753      | 9036      | 9387      | 9059      | 3.50   | cps   |
| Tin        | 118-1 | 44933     | 44870     | 44345     | 44716     | 0.72   | cps   |
| Titanium   | 47-1  | 106875    | 103638    | 105729    | 105414    | 1.56   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-16

Instrumnet Name :

P7

Client Sample ID :

MH2GR6

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 18:56:22

DataFile Name :

045SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 112342   | 111297   | 109650   | 111096   | 1.22   | cps   |
| Vanadium  | 51-2  | 501287   | 500126   | 500603   | 500672   | 0.12   | cps   |
| Yttrium   | 89-1  | 27017940 | 26533104 | 26912352 | 26821132 | 0.95   | cps   |
| Yttrium   | 89-2  | 6781175  | 6843335  | 6785593  | 6803368  | 0.51   | cps   |
| Zinc      | 66-2  | 476208   | 476962   | 474301   | 475824   | 0.29   | cps   |
| Zirconium | 90-1  | 22734    | 22875    | 22868    | 22826    | 0.35   | cps   |
| Zirconium | 91-1  | 5024     | 4984     | 5041     | 5016     | 0.58   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-17 Instrumnet Name : P7  
Client Sample ID : MH2GR7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:59:28 DataFile Name : 046SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5509652   | 5350117   | 5429606   | 5429792   | 1.47   | cps   |
| Antimony   | 121-1 | 27042     | 26605     | 27149     | 26932     | 1.07   | cps   |
| Arsenic    | 75-2  | 20554     | 20494     | 20604     | 20551     | 0.27   | cps   |
| Barium     | 135-1 | 4091750   | 4059967   | 3967474   | 4039730   | 1.60   | cps   |
| Barium     | 137-1 | 6961812   | 7027940   | 6879011   | 6956254   | 1.07   | cps   |
| Beryllium  | 9-1   | 3584      | 3678      | 3278      | 3513      | 5.95   | cps   |
| Bismuth    | 209-1 | 17582872  | 17432547  | 17475919  | 17497113  | 0.44   | cps   |
| Bismuth    | 209-2 | 12475629  | 12516295  | 12532299  | 12508074  | 0.23   | cps   |
| Bromine    | 81-1  | 28100     | 27736     | 28908     | 28248     | 2.12   | cps   |
| Bromine    | 81-2  | 2554      | 2577      | 2654      | 2595      | 2.02   | cps   |
| Cadmium    | 108-1 | 3440      | 3287      | 3170      | 3299      | 4.11   | cps   |
| Cadmium    | 106-1 | 12983     | 13013     | 12429     | 12808     | 2.57   | cps   |
| Cadmium    | 111-1 | 53057     | 52409     | 52243     | 52570     | 0.82   | cps   |
| Calcium    | 43-1  | 10653786  | 10481654  | 10401146  | 10512195  | 1.23   | cps   |
| Calcium    | 44-1  | 171324564 | 169413544 | 168663067 | 169800392 | 0.81   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 203440    | 202703    | 205399    | 203847    | 0.68   | cps   |
| Cobalt     | 59-2  | 190651    | 186675    | 185788    | 187705    | 1.38   | cps   |
| Copper     | 63-2  | 1232259   | 1229112   | 1220583   | 1227318   | 0.49   | cps   |
| Dysprosium | 156-1 | 232732    | 231552    | 231789    | 232024    | 0.27   | cps   |
| Dysprosium | 156-2 | 174975    | 174144    | 174651    | 174590    | 0.24   | cps   |
| Erbium     | 164-1 | 205645    | 208395    | 205466    | 206502    | 0.79   | cps   |
| Erbium     | 164-2 | 132414    | 130812    | 131118    | 131448    | 0.65   | cps   |
| Gadolinium | 160-1 | 224505    | 224009    | 223899    | 224138    | 0.14   | cps   |
| Gadolinium | 160-2 | 150530    | 150128    | 149485    | 150048    | 0.35   | cps   |
| Holmium    | 165-1 | 29220472  | 28951262  | 28401200  | 28857645  | 1.45   | cps   |
| Holmium    | 165-2 | 18462686  | 18335060  | 18323622  | 18373790  | 0.42   | cps   |
| Indium     | 115-1 | 22747745  | 22255876  | 22103859  | 22369160  | 1.50   | cps   |
| Indium     | 115-2 | 7460125   | 7375039   | 7315441   | 7383535   | 0.98   | cps   |
| Iron       | 56-2  | 148567558 | 147522728 | 147632614 | 147907633 | 0.39   | cps   |
| Iron       | 57-2  | 3857022   | 3833132   | 3878428   | 3856194   | 0.59   | cps   |
| Iron       | 54-2  | 8035004   | 7991373   | 7983296   | 8003224   | 0.35   | cps   |
| Krypton    | 83-1  | 630       | 583       | 567       | 593       | 5.53   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-17 Instrumnet Name : P7  
Client Sample ID : MH2GR7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 18:59:28 DataFile Name : 046SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 13936096 | 13868207 | 13761046 | 13855116 | 0.64   | cps   |
| Lead       | 207-1 | 11884811 | 11911005 | 11781530 | 11859115 | 0.58   | cps   |
| Lead       | 208-1 | 54884880 | 54814483 | 54407058 | 54702140 | 0.47   | cps   |
| Lithium    | 6-1   | 2234075  | 2220276  | 2183427  | 2212593  | 1.18   | cps   |
| Magnesium  | 24-2  | 38136916 | 37516262 | 37565286 | 37739488 | 0.91   | cps   |
| Manganese  | 55-2  | 7355908  | 7281588  | 7301244  | 7312913  | 0.53   | cps   |
| Molybdenum | 94-1  | 46072    | 45337    | 44544    | 45318    | 1.69   | cps   |
| Molybdenum | 95-1  | 14030    | 14170    | 13373    | 13858    | 3.07   | cps   |
| Molybdenum | 96-1  | 21833    | 22360    | 22307    | 22167    | 1.31   | cps   |
| Molybdenum | 97-1  | 8603     | 8579     | 8443     | 8541     | 1.01   | cps   |
| Molybdenum | 98-1  | 22000    | 22394    | 21947    | 22113    | 1.10   | cps   |
| Neodymium  | 150-1 | 380610   | 376253   | 378374   | 378412   | 0.58   | cps   |
| Neodymium  | 150-2 | 208434   | 208499   | 207179   | 208037   | 0.36   | cps   |
| Nickel     | 60-2  | 255118   | 253312   | 253730   | 254053   | 0.37   | cps   |
| Phosphorus | 31-2  | 88206    | 88567    | 87592    | 88122    | 0.56   | cps   |
| Potassium  | 39-2  | 4021863  | 4001645  | 4015007  | 4012838  | 0.26   | cps   |
| Rhodium    | 103-1 | 20639955 | 20362692 | 20054391 | 20352346 | 1.44   | cps   |
| Rhodium    | 103-2 | 11982428 | 11882386 | 11832260 | 11899025 | 0.64   | cps   |
| Scandium   | 45-1  | 11690479 | 11355922 | 11271362 | 11439254 | 1.94   | cps   |
| Scandium   | 45-2  | 985726   | 984934   | 970158   | 980273   | 0.89   | cps   |
| Selenium   | 82-1  | 1247     | 1358     | 1220     | 1275     | 5.73   | cps   |
| Selenium   | 77-2  | 630      | 633      | 710      | 658      | 6.88   | cps   |
| Selenium   | 78-2  | 913      | 903      | 960      | 926      | 3.27   | cps   |
| Silicon    | 28-1  | 89228182 | 88693755 | 86714985 | 88212308 | 1.50   | cps   |
| Silver     | 107-1 | 59983    | 60043    | 59575    | 59867    | 0.43   | cps   |
| Silver     | 109-1 | 56573    | 56921    | 57219    | 56904    | 0.57   | cps   |
| Sodium     | 23-2  | 838758   | 835373   | 833100   | 835744   | 0.34   | cps   |
| Strontium  | 86-1  | 2914270  | 2934853  | 2889292  | 2912805  | 0.78   | cps   |
| Strontium  | 88-1  | 25543192 | 25801911 | 25075354 | 25473486 | 1.45   | cps   |
| Sulfur     | 34-1  | 422110   | 415484   | 405341   | 414311   | 2.04   | cps   |
| Terbium    | 159-1 | 29681705 | 29449715 | 29348864 | 29493428 | 0.58   | cps   |
| Terbium    | 159-2 | 18204376 | 18201842 | 18007668 | 18137962 | 0.62   | cps   |
| Thallium   | 203-1 | 10681    | 10924    | 10584    | 10730    | 1.63   | cps   |
| Thallium   | 205-1 | 25514    | 25995    | 25634    | 25714    | 0.97   | cps   |
| Tin        | 118-1 | 343187   | 346758   | 342115   | 344020   | 0.71   | cps   |
| Titanium   | 47-1  | 459554   | 459104   | 453689   | 457449   | 0.71   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-17

Instrumnet Name :P7

Client Sample ID :MH2GR7

Dilution Factor :1

Date & Time Acquired :2024-11-27 18:59:28

DataFile Name :046SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 246660   | 246012   | 245981   | 246218   | 0.16   | cps   |
| Vanadium  | 51-2  | 424155   | 420552   | 422176   | 422294   | 0.43   | cps   |
| Yttrium   | 89-1  | 29110790 | 28565344 | 28407980 | 28694705 | 1.29   | cps   |
| Yttrium   | 89-2  | 7105422  | 7032732  | 7013870  | 7050675  | 0.69   | cps   |
| Zinc      | 66-2  | 1409551  | 1408274  | 1395358  | 1404394  | 0.56   | cps   |
| Zirconium | 90-1  | 102350   | 103206   | 101887   | 102481   | 0.65   | cps   |
| Zirconium | 91-1  | 22524    | 23105    | 22774    | 22801    | 1.28   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCV002 Instrumnet Name : P7  
Client Sample ID : CCV002 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:02:33 DataFile Name : 047CCV.d

| Parameter  | Mass  | CPS1       | CPS2       | CPS3       | CPSMean    | CPSRSD | Units |
|------------|-------|------------|------------|------------|------------|--------|-------|
| Aluminium  | 27-2  | 24945601   | 25060770   | 24709876   | 24905416   | 0.72   | cps   |
| Antimony   | 121-1 | 12122147   | 12114641   | 12042488   | 12093092   | 0.36   | cps   |
| Arsenic    | 75-2  | 631171     | 630319     | 636243     | 632578     | 0.51   | cps   |
| Barium     | 135-1 | 15304063   | 15251201   | 15148353   | 15234539   | 0.52   | cps   |
| Barium     | 137-1 | 26002281   | 26329600   | 26112536   | 26148139   | 0.64   | cps   |
| Beryllium  | 9-1   | 1113621    | 1135312    | 1105773    | 1118235    | 1.37   | cps   |
| Bismuth    | 209-1 | 16737926   | 15486043   | 15254259   | 15826076   | 5.04   | cps   |
| Bismuth    | 209-2 | 11165242   | 11302498   | 11053586   | 11173775   | 1.12   | cps   |
| Bromine    | 81-1  | 16950      | 16696      | 16786      | 16811      | 0.76   | cps   |
| Bromine    | 81-2  | 227        | 227        | 193        | 216        | 8.93   | cps   |
| Cadmium    | 108-1 | 239285     | 241969     | 241282     | 240845     | 0.58   | cps   |
| Cadmium    | 106-1 | 344421     | 345954     | 342697     | 344357     | 0.47   | cps   |
| Cadmium    | 111-1 | 3222786    | 3211999    | 3226518    | 3220435    | 0.23   | cps   |
| Calcium    | 43-1  | 14392355   | 14542983   | 14483548   | 14472962   | 0.52   | cps   |
| Calcium    | 44-1  | 234726903  | 234425283  | 235653310  | 234935165  | 0.27   | cps   |
| Carbon     | 12-1  |            |            |            |            |        | cps   |
| Carbon     | 12-2  |            |            |            |            |        | cps   |
| Chlorine   | 35-1  |            |            |            |            |        | cps   |
| Chlorine   | 35-2  |            |            |            |            |        | cps   |
| Chromium   | 52-2  | 4606732    | 4660223    | 4657408    | 4641454    | 0.65   | cps   |
| Cobalt     | 59-2  | 7543940    | 7672626    | 7542130    | 7586232    | 0.99   | cps   |
| Copper     | 63-2  | 56187436   | 55543859   | 56691997   | 56141097   | 1.03   | cps   |
| Dysprosium | 156-1 | 710        | 737        | 737        | 728        | 2.12   | cps   |
| Dysprosium | 156-2 | 967        | 1047       | 1143       | 1052       | 8.41   | cps   |
| Erbium     | 164-1 | 740        | 750        | 653        | 714        | 7.44   | cps   |
| Erbium     | 164-2 | 443        | 453        | 457        | 451        | 1.54   | cps   |
| Gadolinium | 160-1 | 663        | 610        | 627        | 633        | 4.31   | cps   |
| Gadolinium | 160-2 | 1183       | 1130       | 1330       | 1215       | 8.53   | cps   |
| Holmium    | 165-1 | 29239001   | 26940498   | 26571515   | 27583672   | 5.24   | cps   |
| Holmium    | 165-2 | 17236249   | 17412011   | 17096480   | 17248247   | 0.92   | cps   |
| Indium     | 115-1 | 22152475   | 20644372   | 20134207   | 20977018   | 5.00   | cps   |
| Indium     | 115-2 | 6834069    | 6803621    | 6793152    | 6810281    | 0.31   | cps   |
| Iron       | 56-2  | 1044927984 | 1044476438 | 1039196705 | 1042867042 | 0.31   | cps   |
| Iron       | 57-2  | 26025386   | 26458308   | 26230662   | 26238119   | 0.83   | cps   |
| Iron       | 54-2  | 56880477   | 57460594   | 56954394   | 57098489   | 0.55   | cps   |
| Krypton    | 83-1  | 383        | 333        | 347        | 354        | 7.30   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCV002 Instrumnet Name : P7  
Client Sample ID : CCV002 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:02:33 DataFile Name : 047CCV.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 45256769  | 45689753  | 46029604  | 45658709  | 0.85   | cps   |
| Lead       | 207-1 | 40191054  | 40165053  | 40522309  | 40292806  | 0.49   | cps   |
| Lead       | 208-1 | 182080886 | 182105657 | 184070529 | 182752357 | 0.62   | cps   |
| Lithium    | 6-1   | 2081763   | 2096362   | 2024675   | 2067600   | 1.83   | cps   |
| Magnesium  | 24-2  | 210983916 | 209204623 | 208471538 | 209553359 | 0.62   | cps   |
| Manganese  | 55-2  | 35620810  | 35835181  | 35749304  | 35735098  | 0.30   | cps   |
| Molybdenum | 94-1  | 42942501  | 42881839  | 42668143  | 42830828  | 0.34   | cps   |
| Molybdenum | 95-1  | 62033497  | 62598131  | 62499571  | 62377066  | 0.48   | cps   |
| Molybdenum | 96-1  | 67770402  | 68008984  | 67562117  | 67780501  | 0.33   | cps   |
| Molybdenum | 97-1  | 38658675  | 38790597  | 38236740  | 38562004  | 0.75   | cps   |
| Molybdenum | 98-1  | 100048662 | 100749195 | 101264335 | 100687397 | 0.61   | cps   |
| Neodymium  | 150-1 | 1170      | 1043      | 1100      | 1104      | 5.75   | cps   |
| Neodymium  | 150-2 | 313       | 330       | 273       | 306       | 9.53   | cps   |
| Nickel     | 60-2  | 2549934   | 2578116   | 2622134   | 2583395   | 1.41   | cps   |
| Phosphorus | 31-2  | 237948    | 238320    | 239153    | 238474    | 0.26   | cps   |
| Potassium  | 39-2  | 123543441 | 123508421 | 122719028 | 123256964 | 0.38   | cps   |
| Rhodium    | 103-1 | 20120939  | 18554223  | 18296680  | 18990614  | 5.20   | cps   |
| Rhodium    | 103-2 | 10848793  | 10611532  | 10786929  | 10749084  | 1.14   | cps   |
| Scandium   | 45-1  | 11835061  | 11099214  | 10769479  | 11234585  | 4.86   | cps   |
| Scandium   | 45-2  | 957046    | 959608    | 946205    | 954286    | 0.75   | cps   |
| Selenium   | 82-1  | 186673    | 186609    | 187324    | 186869    | 0.21   | cps   |
| Selenium   | 77-2  | 18355     | 18492     | 18659     | 18502     | 0.82   | cps   |
| Selenium   | 78-2  | 62461     | 61527     | 63325     | 62437     | 1.44   | cps   |
| Silicon    | 28-1  | 31048335  | 31666845  | 31358460  | 31357880  | 0.99   | cps   |
| Silver     | 107-1 | 15613768  | 15748456  | 15537710  | 15633311  | 0.68   | cps   |
| Silver     | 109-1 | 15128966  | 14994543  | 14961075  | 15028194  | 0.59   | cps   |
| Sodium     | 23-2  | 328676822 | 329626228 | 324775008 | 327692686 | 0.78   | cps   |
| Strontium  | 86-1  | 3715662   | 3753339   | 3760787   | 3743263   | 0.65   | cps   |
| Strontium  | 88-1  | 32858600  | 32738612  | 33070652  | 32889288  | 0.51   | cps   |
| Sulfur     | 34-1  | 1205761   | 1212707   | 1193254   | 1203907   | 0.82   | cps   |
| Terbium    | 159-1 | 29619122  | 27360774  | 26972916  | 27984271  | 5.11   | cps   |
| Terbium    | 159-2 | 17145241  | 17040972  | 16988697  | 17058303  | 0.47   | cps   |
| Thallium   | 203-1 | 11477388  | 11520470  | 11576880  | 11524913  | 0.43   | cps   |
| Thallium   | 205-1 | 27198751  | 27679983  | 27744650  | 27541128  | 1.08   | cps   |
| Tin        | 118-1 | 10213457  | 10224504  | 10137477  | 10191813  | 0.46   | cps   |
| Titanium   | 47-1  | 14237806  | 14334445  | 14317656  | 14296636  | 0.36   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCV002 Instrumnet Name : P7  
Client Sample ID : CCV002 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:02:33 DataFile Name : 047CCV.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 36738744 | 37950062 | 37800069 | 37496291 | 1.76   | cps   |
| Vanadium  | 51-2  | 4140685  | 4166575  | 4110560  | 4139273  | 0.68   | cps   |
| Yttrium   | 89-1  | 26376424 | 24338609 | 24030256 | 24915096 | 5.12   | cps   |
| Yttrium   | 89-2  | 6093818  | 6084053  | 6124759  | 6100877  | 0.35   | cps   |
| Zinc      | 66-2  | 8949779  | 8972626  | 9136098  | 9019501  | 1.13   | cps   |
| Zirconium | 90-1  | 21043753 | 20926756 | 21088415 | 21019641 | 0.40   | cps   |
| Zirconium | 91-1  | 4637287  | 4684745  | 4645885  | 4655972  | 0.54   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCB002 Instrumnet Name : P7  
Client Sample ID : CCB002 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:05:17 DataFile Name : 048CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 1840     | 1853     | 1590     | 1761     | 8.42   | cps   |
| Antimony   | 121-1 | 3827     | 4804     | 6221     | 4951     | 24.32  | cps   |
| Arsenic    | 75-2  | 37       | 50       | 67       | 51       | 29.41  | cps   |
| Barium     | 135-1 | 1460     | 1390     | 1383     | 1411     | 3.01   | cps   |
| Barium     | 137-1 | 2674     | 2737     | 2497     | 2636     | 4.72   | cps   |
| Beryllium  | 9-1   | 278      | 306      | 272      | 285      | 6.26   | cps   |
| Bismuth    | 209-1 | 17545161 | 17506055 | 17053852 | 17368356 | 1.57   | cps   |
| Bismuth    | 209-2 | 12868226 | 12823730 | 12965168 | 12885708 | 0.56   | cps   |
| Bromine    | 81-1  | 15348    | 15054    | 15655    | 15353    | 1.96   | cps   |
| Bromine    | 81-2  | 100      | 163      | 127      | 130      | 24.46  | cps   |
| Cadmium    | 108-1 | 37       | 57       | 30       | 41       | 33.76  | cps   |
| Cadmium    | 106-1 | 7102     | 7015     | 6938     | 7018     | 1.16   | cps   |
| Cadmium    | 111-1 | 5426     | 5258     | 5253     | 5312     | 1.85   | cps   |
| Calcium    | 43-1  | 2687     | 2734     | 2377     | 2599     | 7.46   | cps   |
| Calcium    | 44-1  | 54675    | 55511    | 54304    | 54830    | 1.13   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 2950     | 2770     | 2620     | 2780     | 5.94   | cps   |
| Cobalt     | 59-2  | 663      | 557      | 563      | 594      | 10.05  | cps   |
| Copper     | 63-2  | 6918     | 6175     | 5828     | 6307     | 8.83   | cps   |
| Dysprosium | 156-1 | 13       | 3        | 57       | 24       | 116.00 | cps   |
| Dysprosium | 156-2 | 23       | 10       | 7        | 13       | 66.12  | cps   |
| Erbium     | 164-1 | 107      | 140      | 100      | 116      | 18.54  | cps   |
| Erbium     | 164-2 | 67       | 87       | 43       | 66       | 33.09  | cps   |
| Gadolinium | 160-1 | 90       | 130      | 170      | 130      | 30.77  | cps   |
| Gadolinium | 160-2 | 870      | 990      | 993      | 951      | 7.39   | cps   |
| Holmium    | 165-1 | 27615958 | 27833275 | 27314190 | 27587808 | 0.94   | cps   |
| Holmium    | 165-2 | 18045569 | 18121459 | 18113967 | 18093665 | 0.23   | cps   |
| Indium     | 115-1 | 22082912 | 21921797 | 22163745 | 22056151 | 0.56   | cps   |
| Indium     | 115-2 | 7500363  | 7509406  | 7474456  | 7494742  | 0.24   | cps   |
| Iron       | 56-2  | 102946   | 93528    | 85427    | 93967    | 9.33   | cps   |
| Iron       | 57-2  | 3310     | 3054     | 3177     | 3180     | 4.04   | cps   |
| Iron       | 54-2  | 7118     | 6625     | 6368     | 6704     | 5.69   | cps   |
| Krypton    | 83-1  | 270      | 367      | 260      | 299      | 19.71  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCB002 Instrumnet Name : P7  
Client Sample ID : CCB002 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:05:17 DataFile Name : 048CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 8623     | 8900     | 8256     | 8593     | 3.76   | cps   |
| Lead       | 207-1 | 7445     | 7449     | 7242     | 7379     | 1.61   | cps   |
| Lead       | 208-1 | 34674    | 34721    | 32726    | 34040    | 3.35   | cps   |
| Lithium    | 6-1   | 2257234  | 2211824  | 2178384  | 2215814  | 1.79   | cps   |
| Magnesium  | 24-2  | 16072    | 14753    | 13105    | 14643    | 10.15  | cps   |
| Manganese  | 55-2  | 4477     | 4131     | 3834     | 4147     | 7.77   | cps   |
| Molybdenum | 94-1  | 4844     | 5028     | 5398     | 5090     | 5.54   | cps   |
| Molybdenum | 95-1  | 6568     | 6818     | 6778     | 6722     | 2.00   | cps   |
| Molybdenum | 96-1  | 7489     | 7299     | 7395     | 7394     | 1.29   | cps   |
| Molybdenum | 97-1  | 4184     | 4241     | 4134     | 4186     | 1.28   | cps   |
| Molybdenum | 98-1  | 10734    | 11101    | 11294    | 11043    | 2.58   | cps   |
| Neodymium  | 150-1 | 37       | 23       | 17       | 26       | 39.85  | cps   |
| Neodymium  | 150-2 | 7        | 3        | 17       | 9        | 78.08  | cps   |
| Nickel     | 60-2  | 4857     | 4786     | 4483     | 4709     | 4.23   | cps   |
| Phosphorus | 31-2  | 340      | 310      | 377      | 342      | 9.76   | cps   |
| Potassium  | 39-2  | 86363    | 85314    | 83748    | 85142    | 1.55   | cps   |
| Rhodium    | 103-1 | 20909324 | 20611585 | 20558898 | 20693269 | 0.91   | cps   |
| Rhodium    | 103-2 | 12253463 | 12118788 | 12074767 | 12149006 | 0.77   | cps   |
| Scandium   | 45-1  | 11119759 | 11113929 | 11058924 | 11097537 | 0.30   | cps   |
| Scandium   | 45-2  | 967362   | 974805   | 964825   | 968998   | 0.54   | cps   |
| Selenium   | 82-1  | 809      | 714      | 718      | 747      | 7.22   | cps   |
| Selenium   | 77-2  | 10       | 3        | 3        | 6        | 69.34  | cps   |
| Selenium   | 78-2  | 453      | 453      | 437      | 448      | 2.15   | cps   |
| Silicon    | 28-1  | 869294   | 868909   | 860839   | 866347   | 0.55   | cps   |
| Silver     | 107-1 | 2797     | 2557     | 2134     | 2496     | 13.46  | cps   |
| Silver     | 109-1 | 2704     | 2314     | 2170     | 2396     | 11.52  | cps   |
| Sodium     | 23-2  | 92180    | 88891    | 86323    | 89131    | 3.29   | cps   |
| Strontium  | 86-1  | 973      | 950      | 940      | 954      | 1.79   | cps   |
| Strontium  | 88-1  | 4264     | 4431     | 4391     | 4362     | 2.00   | cps   |
| Sulfur     | 34-1  | 288123   | 284687   | 284883   | 285897   | 0.67   | cps   |
| Terbium    | 159-1 | 27974425 | 27755654 | 27981165 | 27903748 | 0.46   | cps   |
| Terbium    | 159-2 | 18055700 | 17782983 | 17710297 | 17849660 | 1.02   | cps   |
| Thallium   | 203-1 | 3450     | 3060     | 2834     | 3115     | 10.02  | cps   |
| Thallium   | 205-1 | 8259     | 7309     | 6858     | 7475     | 9.57   | cps   |
| Tin        | 118-1 | 5985     | 6021     | 6158     | 6055     | 1.51   | cps   |
| Titanium   | 47-1  | 1530     | 1463     | 1467     | 1487     | 2.53   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCB002 Instrumnet Name : P7  
Client Sample ID : CCB002 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:05:17 DataFile Name : 048CCBE.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 3087     | 3257     | 3097     | 3147     | 3.03   | cps   |
| Vanadium  | 51-2  | 317      | 180      | 213      | 237      | 30.11  | cps   |
| Yttrium   | 89-1  | 25335281 | 25055244 | 24993917 | 25128147 | 0.72   | cps   |
| Yttrium   | 89-2  | 6383619  | 6435622  | 6346841  | 6388694  | 0.70   | cps   |
| Zinc      | 66-2  | 2224     | 2057     | 1953     | 2078     | 6.56   | cps   |
| Zirconium | 90-1  | 3234     | 3420     | 3757     | 3470     | 7.64   | cps   |
| Zirconium | 91-1  | 720      | 693      | 693      | 702      | 2.19   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-18 Instrumnet Name : P7  
Client Sample ID : MH2GR8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:08:34 DataFile Name : 049SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 6086892   | 6062352   | 6027000   | 6058748   | 0.50   | cps   |
| Antimony   | 121-1 | 24651     | 24925     | 24748     | 24775     | 0.56   | cps   |
| Arsenic    | 75-2  | 27145     | 27703     | 26704     | 27184     | 1.84   | cps   |
| Barium     | 135-1 | 4229238   | 4193014   | 4216322   | 4212858   | 0.44   | cps   |
| Barium     | 137-1 | 7217459   | 7343118   | 7320989   | 7293856   | 0.92   | cps   |
| Beryllium  | 9-1   | 3289      | 3717      | 3400      | 3469      | 6.40   | cps   |
| Bismuth    | 209-1 | 17491508  | 17499520  | 17550468  | 17513832  | 0.18   | cps   |
| Bismuth    | 209-2 | 12599397  | 12736486  | 12627618  | 12654500  | 0.57   | cps   |
| Bromine    | 81-1  | 33044     | 33561     | 34366     | 33657     | 1.98   | cps   |
| Bromine    | 81-2  | 4267      | 4197      | 4334      | 4266      | 1.60   | cps   |
| Cadmium    | 108-1 | 2870      | 2674      | 2984      | 2843      | 5.52   | cps   |
| Cadmium    | 106-1 | 11721     | 11888     | 11278     | 11629     | 2.71   | cps   |
| Cadmium    | 111-1 | 46050     | 45723     | 45727     | 45834     | 0.41   | cps   |
| Calcium    | 43-1  | 9702499   | 9637499   | 9529246   | 9623081   | 0.91   | cps   |
| Calcium    | 44-1  | 157757894 | 155513674 | 156497798 | 156589789 | 0.72   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 185083    | 184297    | 186352    | 185244    | 0.56   | cps   |
| Cobalt     | 59-2  | 192981    | 192036    | 192758    | 192592    | 0.26   | cps   |
| Copper     | 63-2  | 1059034   | 1052259   | 1046514   | 1052602   | 0.60   | cps   |
| Dysprosium | 156-1 | 263581    | 264693    | 262986    | 263753    | 0.33   | cps   |
| Dysprosium | 156-2 | 201656    | 200703    | 202292    | 201550    | 0.40   | cps   |
| Erbium     | 164-1 | 238940    | 242141    | 241406    | 240829    | 0.70   | cps   |
| Erbium     | 164-2 | 154123    | 153870    | 155502    | 154498    | 0.57   | cps   |
| Gadolinium | 160-1 | 258596    | 259179    | 256839    | 258205    | 0.47   | cps   |
| Gadolinium | 160-2 | 175460    | 175905    | 176498    | 175954    | 0.30   | cps   |
| Holmium    | 165-1 | 28415212  | 28073546  | 28544135  | 28344298  | 0.86   | cps   |
| Holmium    | 165-2 | 18545935  | 18298878  | 18220472  | 18355095  | 0.93   | cps   |
| Indium     | 115-1 | 22187759  | 22064925  | 22006089  | 22086258  | 0.42   | cps   |
| Indium     | 115-2 | 7410895   | 7357690   | 7274593   | 7347726   | 0.93   | cps   |
| Iron       | 56-2  | 140582975 | 139298995 | 137861621 | 139247863 | 0.98   | cps   |
| Iron       | 57-2  | 3622933   | 3664519   | 3598353   | 3628602   | 0.92   | cps   |
| Iron       | 54-2  | 7590678   | 7547108   | 7453883   | 7530557   | 0.93   | cps   |
| Krypton    | 83-1  | 517       | 627       | 600       | 581       | 9.87   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-18 Instrumnet Name : P7  
Client Sample ID : MH2GR8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:08:34 DataFile Name : 049SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 9605514  | 9505017  | 9648169  | 9586233  | 0.77   | cps   |
| Lead       | 207-1 | 8280081  | 8201418  | 8214661  | 8232053  | 0.51   | cps   |
| Lead       | 208-1 | 37865756 | 37783124 | 37958111 | 37868997 | 0.23   | cps   |
| Lithium    | 6-1   | 2193989  | 2146674  | 2095951  | 2145538  | 2.29   | cps   |
| Magnesium  | 24-2  | 9164422  | 9106817  | 9199256  | 9156832  | 0.51   | cps   |
| Manganese  | 55-2  | 6275691  | 6212081  | 6160666  | 6216146  | 0.93   | cps   |
| Molybdenum | 94-1  | 43160    | 43625    | 44808    | 43864    | 1.94   | cps   |
| Molybdenum | 95-1  | 11661    | 11338    | 11555    | 11518    | 1.43   | cps   |
| Molybdenum | 96-1  | 19386    | 19740    | 19510    | 19545    | 0.92   | cps   |
| Molybdenum | 97-1  | 7282     | 7088     | 7232     | 7201     | 1.39   | cps   |
| Molybdenum | 98-1  | 18462    | 18151    | 18779    | 18464    | 1.70   | cps   |
| Neodymium  | 150-1 | 426312   | 430347   | 427953   | 428204   | 0.47   | cps   |
| Neodymium  | 150-2 | 236829   | 237560   | 236711   | 237033   | 0.19   | cps   |
| Nickel     | 60-2  | 193663   | 193552   | 193940   | 193718   | 0.10   | cps   |
| Phosphorus | 31-2  | 93151    | 92762    | 93265    | 93059    | 0.28   | cps   |
| Potassium  | 39-2  | 4315315  | 4361475  | 4298376  | 4325055  | 0.76   | cps   |
| Rhodium    | 103-1 | 20236175 | 20144853 | 20161099 | 20180709 | 0.24   | cps   |
| Rhodium    | 103-2 | 11968269 | 11815733 | 11777029 | 11853677 | 0.85   | cps   |
| Scandium   | 45-1  | 11307476 | 11270787 | 11006736 | 11195000 | 1.47   | cps   |
| Scandium   | 45-2  | 969725   | 970064   | 960305   | 966698   | 0.57   | cps   |
| Selenium   | 82-1  | 1325     | 1290     | 1338     | 1318     | 1.92   | cps   |
| Selenium   | 77-2  | 703      | 703      | 667      | 691      | 3.06   | cps   |
| Selenium   | 78-2  | 917      | 997      | 930      | 948      | 4.52   | cps   |
| Silicon    | 28-1  | 84229499 | 82574012 | 81709182 | 82837564 | 1.55   | cps   |
| Silver     | 107-1 | 62671    | 61500    | 61044    | 61738    | 1.36   | cps   |
| Silver     | 109-1 | 60331    | 59043    | 59615    | 59663    | 1.08   | cps   |
| Sodium     | 23-2  | 872738   | 878063   | 874644   | 875148   | 0.31   | cps   |
| Strontium  | 86-1  | 3090391  | 3070194  | 3080947  | 3080511  | 0.33   | cps   |
| Strontium  | 88-1  | 26683991 | 26754615 | 26796234 | 26744947 | 0.21   | cps   |
| Sulfur     | 34-1  | 327959   | 324331   | 321987   | 324759   | 0.93   | cps   |
| Terbium    | 159-1 | 28921950 | 29136253 | 28910215 | 28989473 | 0.44   | cps   |
| Terbium    | 159-2 | 18015686 | 18127372 | 18154110 | 18099056 | 0.41   | cps   |
| Thallium   | 203-1 | 13337    | 12489    | 11925    | 12584    | 5.65   | cps   |
| Thallium   | 205-1 | 31790    | 30351    | 29479    | 30540    | 3.82   | cps   |
| Tin        | 118-1 | 197890   | 199160   | 199001   | 198684   | 0.35   | cps   |
| Titanium   | 47-1  | 298281   | 294353   | 296029   | 296221   | 0.67   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-18

Instrumnet Name :

P7

Client Sample ID :

MH2GR8

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 19:08:34

DataFile Name :

049SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 283303   | 283510   | 281431   | 282748   | 0.41   | cps   |
| Vanadium  | 51-2  | 440764   | 440817   | 436257   | 439279   | 0.60   | cps   |
| Yttrium   | 89-1  | 28656338 | 28550835 | 28712990 | 28640054 | 0.29   | cps   |
| Yttrium   | 89-2  | 7136461  | 7084393  | 7092804  | 7104553  | 0.39   | cps   |
| Zinc      | 66-2  | 899894   | 898334   | 899535   | 899254   | 0.09   | cps   |
| Zirconium | 90-1  | 101068   | 101149   | 102572   | 101596   | 0.83   | cps   |
| Zirconium | 91-1  | 22658    | 22778    | 23285    | 22907    | 1.45   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-19 Instrumnet Name : P7  
Client Sample ID : MH2GR9 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:11:37 DataFile Name : 050SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 6150583   | 6105562   | 6123579   | 6126575   | 0.37   | cps   |
| Antimony   | 121-1 | 20959     | 20892     | 21740     | 21197     | 2.22   | cps   |
| Arsenic    | 75-2  | 26731     | 27228     | 26844     | 26934     | 0.97   | cps   |
| Barium     | 135-1 | 4336342   | 4412327   | 4328677   | 4359115   | 1.06   | cps   |
| Barium     | 137-1 | 7576231   | 7531458   | 7449080   | 7518923   | 0.86   | cps   |
| Beryllium  | 9-1   | 4267      | 4084      | 4251      | 4201      | 2.41   | cps   |
| Bismuth    | 209-1 | 17904314  | 18009352  | 17642666  | 17852110  | 1.06   | cps   |
| Bismuth    | 209-2 | 12985064  | 12816924  | 12834074  | 12878687  | 0.72   | cps   |
| Bromine    | 81-1  | 35065     | 37020     | 38637     | 36907     | 4.85   | cps   |
| Bromine    | 81-2  | 4961      | 4901      | 5134      | 4999      | 2.42   | cps   |
| Cadmium    | 108-1 | 2197      | 2184      | 2094      | 2158      | 2.60   | cps   |
| Cadmium    | 106-1 | 11078     | 10654     | 10407     | 10713     | 3.17   | cps   |
| Cadmium    | 111-1 | 35409     | 34571     | 35380     | 35120     | 1.35   | cps   |
| Calcium    | 43-1  | 11127107  | 10997065  | 10963700  | 11029291  | 0.78   | cps   |
| Calcium    | 44-1  | 180320911 | 178953424 | 178095851 | 179123395 | 0.63   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 147099    | 145584    | 145392    | 146025    | 0.64   | cps   |
| Cobalt     | 59-2  | 183345    | 183572    | 182128    | 183015    | 0.42   | cps   |
| Copper     | 63-2  | 890135    | 880363    | 875165    | 881887    | 0.86   | cps   |
| Dysprosium | 156-1 | 272487    | 268142    | 271795    | 270808    | 0.86   | cps   |
| Dysprosium | 156-2 | 205677    | 206535    | 206638    | 206283    | 0.26   | cps   |
| Erbium     | 164-1 | 250061    | 250416    | 248341    | 249606    | 0.44   | cps   |
| Erbium     | 164-2 | 158198    | 157881    | 159242    | 158440    | 0.45   | cps   |
| Gadolinium | 160-1 | 265795    | 262900    | 262945    | 263880    | 0.63   | cps   |
| Gadolinium | 160-2 | 177197    | 177175    | 176905    | 177092    | 0.09   | cps   |
| Holmium    | 165-1 | 28840718  | 29077021  | 28794908  | 28904216  | 0.52   | cps   |
| Holmium    | 165-2 | 18602495  | 18453880  | 18579276  | 18545217  | 0.43   | cps   |
| Indium     | 115-1 | 21982838  | 22222740  | 22241075  | 22148885  | 0.65   | cps   |
| Indium     | 115-2 | 7551459   | 7459611   | 7415692   | 7475588   | 0.93   | cps   |
| Iron       | 56-2  | 120112532 | 120300975 | 118768935 | 119727480 | 0.70   | cps   |
| Iron       | 57-2  | 3168909   | 3210970   | 3174705   | 3184861   | 0.72   | cps   |
| Iron       | 54-2  | 6620150   | 6498081   | 6461113   | 6526448   | 1.28   | cps   |
| Krypton    | 83-1  | 623       | 620       | 580       | 608       | 3.97   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-19 Instrumnet Name : P7  
Client Sample ID : MH2GR9 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:11:37 DataFile Name : 050SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 14348341 | 14553826 | 14337687 | 14413285 | 0.85   | cps   |
| Lead       | 207-1 | 12111839 | 12184352 | 12019744 | 12105312 | 0.68   | cps   |
| Lead       | 208-1 | 56350396 | 56609050 | 56025910 | 56328452 | 0.52   | cps   |
| Lithium    | 6-1   | 2111556  | 2209497  | 2199985  | 2173679  | 2.48   | cps   |
| Magnesium  | 24-2  | 9471576  | 9505672  | 9566897  | 9514715  | 0.51   | cps   |
| Manganese  | 55-2  | 7312325  | 7257815  | 7306815  | 7292319  | 0.41   | cps   |
| Molybdenum | 94-1  | 50998    | 50313    | 50868    | 50726    | 0.72   | cps   |
| Molybdenum | 95-1  | 11945    | 12505    | 11998    | 12150    | 2.55   | cps   |
| Molybdenum | 96-1  | 20711    | 20982    | 20888    | 20861    | 0.66   | cps   |
| Molybdenum | 97-1  | 7472     | 7645     | 7305     | 7474     | 2.28   | cps   |
| Molybdenum | 98-1  | 19890    | 19403    | 19520    | 19604    | 1.30   | cps   |
| Neodymium  | 150-1 | 441057   | 443890   | 439625   | 441524   | 0.49   | cps   |
| Neodymium  | 150-2 | 242443   | 244594   | 242731   | 243256   | 0.48   | cps   |
| Nickel     | 60-2  | 178340   | 177526   | 177737   | 177868   | 0.24   | cps   |
| Phosphorus | 31-2  | 95042    | 92359    | 94217    | 93873    | 1.46   | cps   |
| Potassium  | 39-2  | 3657876  | 3599231  | 3658605  | 3638571  | 0.94   | cps   |
| Rhodium    | 103-1 | 20485138 | 20168206 | 20044618 | 20232654 | 1.12   | cps   |
| Rhodium    | 103-2 | 11921108 | 11955917 | 11874351 | 11917125 | 0.34   | cps   |
| Scandium   | 45-1  | 11198167 | 11220071 | 11048063 | 11155433 | 0.84   | cps   |
| Scandium   | 45-2  | 972236   | 964820   | 954764   | 963940   | 0.91   | cps   |
| Selenium   | 82-1  | 1455     | 1295     | 1418     | 1389     | 6.02   | cps   |
| Selenium   | 77-2  | 597      | 733      | 653      | 661      | 10.39  | cps   |
| Selenium   | 78-2  | 1000     | 1000     | 1003     | 1001     | 0.19   | cps   |
| Silicon    | 28-1  | 90618095 | 88412145 | 88963249 | 89331163 | 1.29   | cps   |
| Silver     | 107-1 | 69425    | 69130    | 68079    | 68878    | 1.03   | cps   |
| Silver     | 109-1 | 66689    | 65530    | 66153    | 66124    | 0.88   | cps   |
| Sodium     | 23-2  | 1921536  | 1940926  | 1928777  | 1930413  | 0.51   | cps   |
| Strontium  | 86-1  | 3781219  | 3726935  | 3750672  | 3752942  | 0.73   | cps   |
| Strontium  | 88-1  | 32973525 | 32574333 | 32192905 | 32580254 | 1.20   | cps   |
| Sulfur     | 34-1  | 339608   | 340747   | 338470   | 339608   | 0.34   | cps   |
| Terbium    | 159-1 | 29070081 | 29055267 | 29010520 | 29045290 | 0.11   | cps   |
| Terbium    | 159-2 | 18432273 | 18183835 | 18191721 | 18269276 | 0.77   | cps   |
| Thallium   | 203-1 | 9687     | 9613     | 9874     | 9725     | 1.38   | cps   |
| Thallium   | 205-1 | 23160    | 23016    | 23086    | 23087    | 0.31   | cps   |
| Tin        | 118-1 | 371578   | 375035   | 370612   | 372408   | 0.62   | cps   |
| Titanium   | 47-1  | 304328   | 302054   | 302530   | 302971   | 0.40   | cps   |



LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4956-19

Instrumnet Name :P7

Client Sample ID :MH2GR9

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:11:37

DataFile Name :050SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 277898   | 274411   | 276131   | 276147   | 0.63   | cps   |
| Vanadium  | 51-2  | 433030   | 430387   | 430115   | 431178   | 0.37   | cps   |
| Yttrium   | 89-1  | 28710315 | 29020998 | 28467547 | 28732953 | 0.97   | cps   |
| Yttrium   | 89-2  | 7200854  | 7196061  | 7070063  | 7155660  | 1.04   | cps   |
| Zinc      | 66-2  | 608127   | 604073   | 601650   | 604617   | 0.54   | cps   |
| Zirconium | 90-1  | 118913   | 118974   | 121400   | 119762   | 1.18   | cps   |
| Zirconium | 91-1  | 26417    | 26721    | 26434    | 26524    | 0.64   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-20 Instrumnet Name : P7  
Client Sample ID : MH2GS0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:14:35 DataFile Name : 051SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 4997833   | 4946575   | 4912898   | 4952435   | 0.86   | cps   |
| Antimony   | 121-1 | 21723     | 21666     | 21419     | 21603     | 0.75   | cps   |
| Arsenic    | 75-2  | 19706     | 19673     | 19570     | 19650     | 0.36   | cps   |
| Barium     | 135-1 | 4230251   | 4169762   | 4165671   | 4188561   | 0.86   | cps   |
| Barium     | 137-1 | 7283052   | 7121097   | 7216777   | 7206975   | 1.13   | cps   |
| Beryllium  | 9-1   | 3484      | 3512      | 3223      | 3406      | 4.68   | cps   |
| Bismuth    | 209-1 | 17831409  | 17883002  | 17904063  | 17872825  | 0.21   | cps   |
| Bismuth    | 209-2 | 12882295  | 13030580  | 12837133  | 12916669  | 0.78   | cps   |
| Bromine    | 81-1  | 26073     | 27108     | 27566     | 26916     | 2.84   | cps   |
| Bromine    | 81-2  | 2937      | 2637      | 2597      | 2724      | 6.82   | cps   |
| Cadmium    | 108-1 | 5248      | 4858      | 5081      | 5062      | 3.87   | cps   |
| Cadmium    | 106-1 | 15028     | 14898     | 14931     | 14952     | 0.45   | cps   |
| Cadmium    | 111-1 | 79755     | 80617     | 80106     | 80159     | 0.54   | cps   |
| Calcium    | 43-1  | 6658404   | 6690242   | 6625012   | 6657886   | 0.49   | cps   |
| Calcium    | 44-1  | 107922032 | 108156038 | 106364748 | 107480940 | 0.91   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 272138    | 269753    | 266804    | 269565    | 0.99   | cps   |
| Cobalt     | 59-2  | 163145    | 162422    | 162883    | 162816    | 0.22   | cps   |
| Copper     | 63-2  | 1303719   | 1301175   | 1293035   | 1299310   | 0.43   | cps   |
| Dysprosium | 156-1 | 247427    | 247437    | 250369    | 248411    | 0.68   | cps   |
| Dysprosium | 156-2 | 188405    | 186446    | 186400    | 187084    | 0.61   | cps   |
| Erbium     | 164-1 | 227657    | 227943    | 226061    | 227221    | 0.45   | cps   |
| Erbium     | 164-2 | 145667    | 145351    | 144519    | 145179    | 0.41   | cps   |
| Gadolinium | 160-1 | 241004    | 241049    | 240980    | 241011    | 0.01   | cps   |
| Gadolinium | 160-2 | 164295    | 162429    | 163313    | 163346    | 0.57   | cps   |
| Holmium    | 165-1 | 28798607  | 28907762  | 29090061  | 28932143  | 0.51   | cps   |
| Holmium    | 165-2 | 18354809  | 18645310  | 18516731  | 18505617  | 0.79   | cps   |
| Indium     | 115-1 | 22447041  | 22145491  | 22250477  | 22281003  | 0.69   | cps   |
| Indium     | 115-2 | 7398881   | 7279675   | 7202674   | 7293743   | 1.36   | cps   |
| Iron       | 56-2  | 111853472 | 110364952 | 109951242 | 110723222 | 0.90   | cps   |
| Iron       | 57-2  | 2899031   | 2858242   | 2814326   | 2857200   | 1.48   | cps   |
| Iron       | 54-2  | 6077015   | 5959084   | 6038116   | 6024738   | 1.00   | cps   |
| Krypton    | 83-1  | 493       | 720       | 503       | 572       | 22.38  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-20 Instrumnet Name : P7  
Client Sample ID : MH2GS0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:14:35 DataFile Name : 051SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 21178583 | 21151198 | 21039129 | 21122970 | 0.35   | cps   |
| Lead       | 207-1 | 18463605 | 18253305 | 18184423 | 18300444 | 0.79   | cps   |
| Lead       | 208-1 | 83668138 | 83657574 | 83341081 | 83555598 | 0.22   | cps   |
| Lithium    | 6-1   | 2185883  | 2205006  | 2174282  | 2188390  | 0.71   | cps   |
| Magnesium  | 24-2  | 6139538  | 6126973  | 6111570  | 6126027  | 0.23   | cps   |
| Manganese  | 55-2  | 7670974  | 7645963  | 7673466  | 7663467  | 0.20   | cps   |
| Molybdenum | 94-1  | 43033    | 43474    | 44106    | 43538    | 1.24   | cps   |
| Molybdenum | 95-1  | 8919     | 9206     | 9066     | 9064     | 1.58   | cps   |
| Molybdenum | 96-1  | 16840    | 16733    | 17063    | 16879    | 1.00   | cps   |
| Molybdenum | 97-1  | 5621     | 5641     | 5511     | 5591     | 1.25   | cps   |
| Molybdenum | 98-1  | 14364    | 14003    | 14350    | 14239    | 1.43   | cps   |
| Neodymium  | 150-1 | 399564   | 399695   | 398732   | 399330   | 0.13   | cps   |
| Neodymium  | 150-2 | 219032   | 219235   | 216136   | 218134   | 0.79   | cps   |
| Nickel     | 60-2  | 125718   | 124382   | 124813   | 124971   | 0.55   | cps   |
| Phosphorus | 31-2  | 111156   | 111717   | 111935   | 111603   | 0.36   | cps   |
| Potassium  | 39-2  | 3802429  | 3788905  | 3781319  | 3790884  | 0.28   | cps   |
| Rhodium    | 103-1 | 20312425 | 20256141 | 20147134 | 20238567 | 0.42   | cps   |
| Rhodium    | 103-2 | 11753816 | 11831664 | 11762256 | 11782579 | 0.36   | cps   |
| Scandium   | 45-1  | 10973410 | 10870365 | 10672389 | 10838722 | 1.41   | cps   |
| Scandium   | 45-2  | 943049   | 947346   | 940403   | 943599   | 0.37   | cps   |
| Selenium   | 82-1  | 1539     | 1212     | 1442     | 1398     | 12.01  | cps   |
| Selenium   | 77-2  | 683      | 677      | 717      | 692      | 3.10   | cps   |
| Selenium   | 78-2  | 1013     | 997      | 1077     | 1029     | 4.10   | cps   |
| Silicon    | 28-1  | 91504982 | 89700309 | 90221409 | 90475566 | 1.03   | cps   |
| Silver     | 107-1 | 92532    | 92418    | 92854    | 92601    | 0.24   | cps   |
| Silver     | 109-1 | 88055    | 88418    | 88240    | 88237    | 0.21   | cps   |
| Sodium     | 23-2  | 469357   | 464757   | 466922   | 467012   | 0.49   | cps   |
| Strontium  | 86-1  | 3015440  | 3077642  | 3093696  | 3062259  | 1.35   | cps   |
| Strontium  | 88-1  | 26927715 | 26351846 | 26554606 | 26611389 | 1.10   | cps   |
| Sulfur     | 34-1  | 327171   | 325520   | 323929   | 325540   | 0.50   | cps   |
| Terbium    | 159-1 | 29146128 | 29150636 | 29329355 | 29208706 | 0.36   | cps   |
| Terbium    | 159-2 | 18339833 | 18314879 | 18048001 | 18234238 | 0.89   | cps   |
| Thallium   | 203-1 | 8916     | 8700     | 8776     | 8797     | 1.25   | cps   |
| Thallium   | 205-1 | 21303    | 20753    | 21467    | 21174    | 1.77   | cps   |
| Tin        | 118-1 | 160827   | 162151   | 161170   | 161382   | 0.43   | cps   |
| Titanium   | 47-1  | 307434   | 304934   | 302775   | 305047   | 0.76   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4956-20

Instrumnet Name :

P7

Client Sample ID :

MH2GS0

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 19:14:35

DataFile Name :

051SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 273121   | 271655   | 272134   | 272303   | 0.27   | cps   |
| Vanadium  | 51-2  | 318754   | 319810   | 317572   | 318712   | 0.35   | cps   |
| Yttrium   | 89-1  | 28550197 | 28167770 | 28202347 | 28306772 | 0.75   | cps   |
| Yttrium   | 89-2  | 7025347  | 6920721  | 6987542  | 6977870  | 0.76   | cps   |
| Zinc      | 66-2  | 2044047  | 2046657  | 2068419  | 2053041  | 0.65   | cps   |
| Zirconium | 90-1  | 105626   | 105905   | 105345   | 105625   | 0.27   | cps   |
| Zirconium | 91-1  | 23819    | 23836    | 23863    | 23839    | 0.09   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-21 Instrumnet Name : P7  
Client Sample ID : MH2GS1 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:17:35 DataFile Name : 052SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 4418415   | 4462333   | 4456109   | 4445619   | 0.53   | cps   |
| Antimony   | 121-1 | 26905     | 26705     | 27036     | 26882     | 0.62   | cps   |
| Arsenic    | 75-2  | 27018     | 27051     | 26744     | 26938     | 0.63   | cps   |
| Barium     | 135-1 | 3860517   | 3909435   | 3917358   | 3895770   | 0.79   | cps   |
| Barium     | 137-1 | 6751675   | 6723669   | 6735351   | 6736899   | 0.21   | cps   |
| Beryllium  | 9-1   | 3350      | 2961      | 3078      | 3130      | 6.38   | cps   |
| Bismuth    | 209-1 | 18016407  | 18047083  | 17887664  | 17983718  | 0.47   | cps   |
| Bismuth    | 209-2 | 12842461  | 12897404  | 12889226  | 12876364  | 0.23   | cps   |
| Bromine    | 81-1  | 29282     | 29473     | 30615     | 29790     | 2.42   | cps   |
| Bromine    | 81-2  | 3254      | 3327      | 3500      | 3360      | 3.77   | cps   |
| Cadmium    | 108-1 | 4768      | 4971      | 5171      | 4970      | 4.06   | cps   |
| Cadmium    | 106-1 | 14801     | 14581     | 13857     | 14413     | 3.43   | cps   |
| Cadmium    | 111-1 | 78328     | 78202     | 77277     | 77936     | 0.74   | cps   |
| Calcium    | 43-1  | 6311140   | 6262754   | 6225472   | 6266456   | 0.69   | cps   |
| Calcium    | 44-1  | 102978292 | 101683998 | 101282085 | 101981458 | 0.87   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 134577    | 134385    | 133918    | 134293    | 0.25   | cps   |
| Cobalt     | 59-2  | 148980    | 150866    | 150482    | 150109    | 0.66   | cps   |
| Copper     | 63-2  | 1318209   | 1316265   | 1315476   | 1316650   | 0.11   | cps   |
| Dysprosium | 156-1 | 225417    | 228940    | 227605    | 227321    | 0.78   | cps   |
| Dysprosium | 156-2 | 169998    | 172568    | 172600    | 171722    | 0.87   | cps   |
| Erbium     | 164-1 | 210185    | 208013    | 209670    | 209289    | 0.54   | cps   |
| Erbium     | 164-2 | 132209    | 132855    | 132585    | 132550    | 0.24   | cps   |
| Gadolinium | 160-1 | 222076    | 220865    | 221011    | 221317    | 0.30   | cps   |
| Gadolinium | 160-2 | 148417    | 150166    | 148373    | 148985    | 0.69   | cps   |
| Holmium    | 165-1 | 28989123  | 28734670  | 29119781  | 28947858  | 0.68   | cps   |
| Holmium    | 165-2 | 18507676  | 18423188  | 18590771  | 18507212  | 0.45   | cps   |
| Indium     | 115-1 | 22124122  | 22197071  | 22071945  | 22131046  | 0.28   | cps   |
| Indium     | 115-2 | 7381174   | 7271117   | 7355749   | 7336014   | 0.79   | cps   |
| Iron       | 56-2  | 97268095  | 98306215  | 96865169  | 97479826  | 0.76   | cps   |
| Iron       | 57-2  | 2534649   | 2576020   | 2514193   | 2541621   | 1.24   | cps   |
| Iron       | 54-2  | 5292177   | 5271639   | 5298399   | 5287405   | 0.26   | cps   |
| Krypton    | 83-1  | 583       | 697       | 573       | 618       | 11.09  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-21 Instrumnet Name : P7  
Client Sample ID : MH2GS1 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:17:35 DataFile Name : 052SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 20274299 | 20065555 | 20034473 | 20124776 | 0.65   | cps   |
| Lead       | 207-1 | 17562108 | 17653321 | 17351346 | 17522258 | 0.88   | cps   |
| Lead       | 208-1 | 80528968 | 80293682 | 79716558 | 80179736 | 0.52   | cps   |
| Lithium    | 6-1   | 2157269  | 2142313  | 2125311  | 2141631  | 0.75   | cps   |
| Magnesium  | 24-2  | 5045328  | 4987205  | 5040542  | 5024359  | 0.64   | cps   |
| Manganese  | 55-2  | 6512025  | 6577771  | 6486689  | 6525495  | 0.72   | cps   |
| Molybdenum | 94-1  | 36652    | 36900    | 37384    | 36979    | 1.01   | cps   |
| Molybdenum | 95-1  | 7489     | 7719     | 7565     | 7591     | 1.54   | cps   |
| Molybdenum | 96-1  | 14350    | 14024    | 14207    | 14194    | 1.15   | cps   |
| Molybdenum | 97-1  | 4801     | 4841     | 4594     | 4745     | 2.79   | cps   |
| Molybdenum | 98-1  | 12082    | 12018    | 12118    | 12073    | 0.42   | cps   |
| Neodymium  | 150-1 | 361792   | 363867   | 367006   | 364222   | 0.72   | cps   |
| Neodymium  | 150-2 | 201903   | 198638   | 200149   | 200230   | 0.82   | cps   |
| Nickel     | 60-2  | 101660   | 101066   | 100559   | 101095   | 0.55   | cps   |
| Phosphorus | 31-2  | 83063    | 83502    | 84002    | 83523    | 0.56   | cps   |
| Potassium  | 39-2  | 3031345  | 2993743  | 2974280  | 2999789  | 0.97   | cps   |
| Rhodium    | 103-1 | 20258509 | 20460312 | 20054654 | 20257825 | 1.00   | cps   |
| Rhodium    | 103-2 | 11947039 | 11846436 | 11823277 | 11872251 | 0.55   | cps   |
| Scandium   | 45-1  | 10874555 | 10789407 | 10833242 | 10832401 | 0.39   | cps   |
| Scandium   | 45-2  | 939360   | 936790   | 940948   | 939032   | 0.22   | cps   |
| Selenium   | 82-1  | 1279     | 1199     | 1206     | 1228     | 3.60   | cps   |
| Selenium   | 77-2  | 677      | 613      | 610      | 633      | 5.93   | cps   |
| Selenium   | 78-2  | 870      | 817      | 1000     | 896      | 10.53  | cps   |
| Silicon    | 28-1  | 75663862 | 75506612 | 74234456 | 75134977 | 1.04   | cps   |
| Silver     | 107-1 | 85315    | 85563    | 85869    | 85582    | 0.32   | cps   |
| Silver     | 109-1 | 82312    | 82754    | 81373    | 82146    | 0.86   | cps   |
| Sodium     | 23-2  | 480112   | 474539   | 479589   | 478080   | 0.64   | cps   |
| Strontium  | 86-1  | 2774367  | 2788928  | 2780876  | 2781390  | 0.26   | cps   |
| Strontium  | 88-1  | 24096515 | 24096264 | 24399556 | 24197445 | 0.72   | cps   |
| Sulfur     | 34-1  | 317277   | 316535   | 315501   | 316438   | 0.28   | cps   |
| Terbium    | 159-1 | 29238306 | 29356356 | 29301020 | 29298561 | 0.20   | cps   |
| Terbium    | 159-2 | 18082232 | 18062065 | 18065201 | 18069833 | 0.06   | cps   |
| Thallium   | 203-1 | 9210     | 8786     | 8913     | 8970     | 2.42   | cps   |
| Thallium   | 205-1 | 21697    | 20903    | 20980    | 21193    | 2.07   | cps   |
| Tin        | 118-1 | 183914   | 183679   | 182059   | 183217   | 0.55   | cps   |
| Titanium   | 47-1  | 270081   | 267681   | 266372   | 268045   | 0.70   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-21 Instrumnet Name : P7  
Client Sample ID : MH2GS1 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:17:35 DataFile Name : 052SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 263469   | 262357   | 264980   | 263602   | 0.50   | cps   |
| Vanadium  | 51-2  | 315702   | 316960   | 316409   | 316357   | 0.20   | cps   |
| Yttrium   | 89-1  | 27924869 | 27861911 | 28027376 | 27938052 | 0.30   | cps   |
| Yttrium   | 89-2  | 6896936  | 6951857  | 6923524  | 6924106  | 0.40   | cps   |
| Zinc      | 66-2  | 1656872  | 1628782  | 1627972  | 1637875  | 1.00   | cps   |
| Zirconium | 90-1  | 89467    | 89595    | 89708    | 89590    | 0.13   | cps   |
| Zirconium | 91-1  | 20040    | 20131    | 19590    | 19920    | 1.45   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-22 Instrumnet Name : P7  
Client Sample ID : MH2GS2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:20:33 DataFile Name : 053SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 4999781   | 4931813   | 4972667   | 4968087   | 0.69   | cps   |
| Antimony   | 121-1 | 24451     | 24922     | 24691     | 24688     | 0.95   | cps   |
| Arsenic    | 75-2  | 30986     | 31283     | 30067     | 30779     | 2.06   | cps   |
| Barium     | 135-1 | 3831663   | 3815283   | 3851599   | 3832848   | 0.47   | cps   |
| Barium     | 137-1 | 6655128   | 6660379   | 6594326   | 6636611   | 0.55   | cps   |
| Beryllium  | 9-1   | 3145      | 3106      | 3028      | 3093      | 1.92   | cps   |
| Bismuth    | 209-1 | 18094743  | 17815654  | 17911036  | 17940478  | 0.79   | cps   |
| Bismuth    | 209-2 | 12963982  | 12765602  | 12851264  | 12860283  | 0.77   | cps   |
| Bromine    | 81-1  | 38717     | 42066     | 42645     | 41143     | 5.15   | cps   |
| Bromine    | 81-2  | 5398      | 5638      | 5681      | 5572      | 2.74   | cps   |
| Cadmium    | 108-1 | 3594      | 3310      | 3490      | 3465      | 4.14   | cps   |
| Cadmium    | 106-1 | 12746     | 12302     | 12622     | 12557     | 1.82   | cps   |
| Cadmium    | 111-1 | 55847     | 56765     | 56144     | 56252     | 0.83   | cps   |
| Calcium    | 43-1  | 9160490   | 9037703   | 9092572   | 9096922   | 0.68   | cps   |
| Calcium    | 44-1  | 149513424 | 147922051 | 148093731 | 148509736 | 0.59   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 163067    | 166282    | 163751    | 164367    | 1.03   | cps   |
| Cobalt     | 59-2  | 164043    | 163453    | 163684    | 163727    | 0.18   | cps   |
| Copper     | 63-2  | 1004541   | 1001885   | 1002784   | 1003070   | 0.13   | cps   |
| Dysprosium | 156-1 | 242757    | 243789    | 246559    | 244368    | 0.80   | cps   |
| Dysprosium | 156-2 | 183411    | 182300    | 184424    | 183378    | 0.58   | cps   |
| Erbium     | 164-1 | 224074    | 223324    | 221567    | 222988    | 0.58   | cps   |
| Erbium     | 164-2 | 141790    | 141387    | 141818    | 141665    | 0.17   | cps   |
| Gadolinium | 160-1 | 238214    | 242173    | 238201    | 239529    | 0.96   | cps   |
| Gadolinium | 160-2 | 160532    | 160285    | 160788    | 160535    | 0.16   | cps   |
| Holmium    | 165-1 | 29524108  | 29143459  | 29060590  | 29242719  | 0.85   | cps   |
| Holmium    | 165-2 | 18399378  | 18205108  | 18645158  | 18416548  | 1.20   | cps   |
| Indium     | 115-1 | 22379654  | 22252477  | 22214229  | 22282120  | 0.39   | cps   |
| Indium     | 115-2 | 7178279   | 7287578   | 7232522   | 7232793   | 0.76   | cps   |
| Iron       | 56-2  | 110170178 | 109145442 | 109508698 | 109608106 | 0.47   | cps   |
| Iron       | 57-2  | 2867105   | 2899920   | 2884463   | 2883830   | 0.57   | cps   |
| Iron       | 54-2  | 5916518   | 5874667   | 5906386   | 5899191   | 0.37   | cps   |
| Krypton    | 83-1  | 603       | 550       | 603       | 586       | 5.26   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-22 Instrumnet Name : P7  
Client Sample ID : MH2GS2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:20:33 DataFile Name : 053SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 12014266 | 12103128 | 12070896 | 12062764 | 0.37   | cps   |
| Lead       | 207-1 | 10358649 | 10362195 | 10340137 | 10353660 | 0.11   | cps   |
| Lead       | 208-1 | 47719021 | 47971962 | 47753170 | 47814718 | 0.29   | cps   |
| Lithium    | 6-1   | 2193859  | 2163232  | 2223934  | 2193675  | 1.38   | cps   |
| Magnesium  | 24-2  | 5855174  | 5848844  | 5856745  | 5853588  | 0.07   | cps   |
| Manganese  | 55-2  | 5036649  | 4991936  | 4982665  | 5003750  | 0.58   | cps   |
| Molybdenum | 94-1  | 35420    | 36843    | 36245    | 36169    | 1.98   | cps   |
| Molybdenum | 95-1  | 10380    | 10544    | 10524    | 10483    | 0.85   | cps   |
| Molybdenum | 96-1  | 17287    | 17838    | 17270    | 17465    | 1.85   | cps   |
| Molybdenum | 97-1  | 6338     | 6665     | 6425     | 6476     | 2.61   | cps   |
| Molybdenum | 98-1  | 17000    | 17547    | 17077    | 17208    | 1.72   | cps   |
| Neodymium  | 150-1 | 401909   | 404192   | 399791   | 401964   | 0.55   | cps   |
| Neodymium  | 150-2 | 220654   | 217796   | 220825   | 219758   | 0.77   | cps   |
| Nickel     | 60-2  | 134694   | 133445   | 134883   | 134341   | 0.58   | cps   |
| Phosphorus | 31-2  | 69858    | 70203    | 69547    | 69870    | 0.47   | cps   |
| Potassium  | 39-2  | 2727811  | 2708456  | 2749933  | 2728733  | 0.76   | cps   |
| Rhodium    | 103-1 | 20472366 | 20050601 | 20141116 | 20221361 | 1.10   | cps   |
| Rhodium    | 103-2 | 11734991 | 11775204 | 11785959 | 11765384 | 0.23   | cps   |
| Scandium   | 45-1  | 11135650 | 10922638 | 10733715 | 10930668 | 1.84   | cps   |
| Scandium   | 45-2  | 937060   | 933894   | 945216   | 938723   | 0.62   | cps   |
| Selenium   | 82-1  | 1284     | 1387     | 1270     | 1314     | 4.87   | cps   |
| Selenium   | 77-2  | 687      | 620      | 690      | 666      | 5.93   | cps   |
| Selenium   | 78-2  | 1050     | 910      | 933      | 964      | 7.78   | cps   |
| Silicon    | 28-1  | 74004994 | 73126674 | 73118472 | 73416713 | 0.69   | cps   |
| Silver     | 107-1 | 54077    | 55783    | 54234    | 54698    | 1.72   | cps   |
| Silver     | 109-1 | 52451    | 53605    | 52023    | 52693    | 1.55   | cps   |
| Sodium     | 23-2  | 468971   | 468080   | 464453   | 467168   | 0.51   | cps   |
| Strontium  | 86-1  | 3196225  | 3211624  | 3194362  | 3200737  | 0.30   | cps   |
| Strontium  | 88-1  | 27762540 | 27745750 | 27589489 | 27699260 | 0.34   | cps   |
| Sulfur     | 34-1  | 319156   | 317161   | 314320   | 316879   | 0.77   | cps   |
| Terbium    | 159-1 | 29960674 | 29315779 | 29038011 | 29438155 | 1.61   | cps   |
| Terbium    | 159-2 | 18024793 | 17798774 | 17964970 | 17929512 | 0.65   | cps   |
| Thallium   | 203-1 | 10995    | 11301    | 11265    | 11187    | 1.50   | cps   |
| Thallium   | 205-1 | 25617    | 26002    | 26466    | 26028    | 1.63   | cps   |
| Tin        | 118-1 | 128893   | 129159   | 128029   | 128694   | 0.46   | cps   |
| Titanium   | 47-1  | 243881   | 247073   | 243093   | 244682   | 0.86   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4956-22 Instrumnet Name : P7  
Client Sample ID : MH2GS2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:20:33 DataFile Name : 053SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 382836   | 388523   | 385516   | 385625   | 0.74   | cps   |
| Vanadium  | 51-2  | 376622   | 376816   | 374271   | 375903   | 0.38   | cps   |
| Yttrium   | 89-1  | 28369589 | 28139780 | 28001569 | 28170313 | 0.66   | cps   |
| Yttrium   | 89-2  | 6952607  | 6931692  | 6893561  | 6925954  | 0.43   | cps   |
| Zinc      | 66-2  | 967766   | 969038   | 969574   | 968793   | 0.10   | cps   |
| Zirconium | 90-1  | 83214    | 83097    | 83003    | 83105    | 0.13   | cps   |
| Zirconium | 91-1  | 18081    | 18552    | 18652    | 18428    | 1.65   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-01 Instrumnet Name : P7  
Client Sample ID : MH2GQ3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:23:35 DataFile Name : 054SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5489756   | 5455071   | 5462466   | 5469098   | 0.33   | cps   |
| Antimony   | 121-1 | 40313     | 40089     | 39822     | 40075     | 0.61   | cps   |
| Arsenic    | 75-2  | 29720     | 29302     | 29349     | 29457     | 0.78   | cps   |
| Barium     | 135-1 | 5413910   | 5327147   | 5368805   | 5369954   | 0.81   | cps   |
| Barium     | 137-1 | 9375635   | 9169772   | 9176368   | 9240592   | 1.27   | cps   |
| Beryllium  | 9-1   | 4234      | 4151      | 3812      | 4065      | 5.50   | cps   |
| Bismuth    | 209-1 | 17941733  | 17867185  | 17842294  | 17883738  | 0.29   | cps   |
| Bismuth    | 209-2 | 12889246  | 12709264  | 12738192  | 12778901  | 0.76   | cps   |
| Bromine    | 81-1  | 33288     | 35756     | 35700     | 34915     | 4.04   | cps   |
| Bromine    | 81-2  | 4084      | 4311      | 3867      | 4087      | 5.43   | cps   |
| Cadmium    | 108-1 | 5211      | 5268      | 5244      | 5241      | 0.54   | cps   |
| Cadmium    | 106-1 | 15105     | 15385     | 14848     | 15112     | 1.78   | cps   |
| Cadmium    | 111-1 | 82703     | 83995     | 82898     | 83198     | 0.84   | cps   |
| Calcium    | 43-1  | 8945767   | 9067988   | 8929193   | 8980983   | 0.84   | cps   |
| Calcium    | 44-1  | 144243588 | 146814441 | 143891348 | 144983126 | 1.10   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 171304    | 171550    | 172117    | 171657    | 0.24   | cps   |
| Cobalt     | 59-2  | 185120    | 185444    | 185211    | 185258    | 0.09   | cps   |
| Copper     | 63-2  | 1791233   | 1759651   | 1768973   | 1773286   | 0.92   | cps   |
| Dysprosium | 156-1 | 249893    | 252950    | 254575    | 252473    | 0.94   | cps   |
| Dysprosium | 156-2 | 190685    | 188777    | 188947    | 189470    | 0.56   | cps   |
| Erbium     | 164-1 | 232186    | 234405    | 235430    | 234007    | 0.71   | cps   |
| Erbium     | 164-2 | 148160    | 146243    | 146593    | 146999    | 0.69   | cps   |
| Gadolinium | 160-1 | 245740    | 244736    | 246683    | 245719    | 0.40   | cps   |
| Gadolinium | 160-2 | 165345    | 165090    | 164716    | 165050    | 0.19   | cps   |
| Holmium    | 165-1 | 29308220  | 29052850  | 28472420  | 28944497  | 1.48   | cps   |
| Holmium    | 165-2 | 18399150  | 18319123  | 18238868  | 18319047  | 0.44   | cps   |
| Indium     | 115-1 | 22371101  | 22168615  | 21973553  | 22171089  | 0.90   | cps   |
| Indium     | 115-2 | 7219935   | 7199947   | 7372158   | 7264013   | 1.30   | cps   |
| Iron       | 56-2  | 115493612 | 115982862 | 116064568 | 115847014 | 0.27   | cps   |
| Iron       | 57-2  | 3053168   | 3042204   | 3012472   | 3035948   | 0.69   | cps   |
| Iron       | 54-2  | 6229982   | 6269855   | 6259069   | 6252969   | 0.33   | cps   |
| Krypton    | 83-1  | 657       | 627       | 597       | 627       | 4.79   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-01 Instrumnet Name : P7  
Client Sample ID : MH2GQ3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:23:35 DataFile Name : 054SMPL.d

| Parameter  | Mass  | CPS1     | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 25440504 | 25382350  | 25543070  | 25455308  | 0.32   | cps   |
| Lead       | 207-1 | 21529028 | 21949061  | 21748374  | 21742154  | 0.97   | cps   |
| Lead       | 208-1 | 99947084 | 100560759 | 100670529 | 100392791 | 0.39   | cps   |
| Lithium    | 6-1   | 2190559  | 2199649   | 2123320   | 2171176   | 1.92   | cps   |
| Magnesium  | 24-2  | 5550633  | 5426584   | 5546080   | 5507766   | 1.28   | cps   |
| Manganese  | 55-2  | 7865767  | 7819909   | 7876741   | 7854139   | 0.38   | cps   |
| Molybdenum | 94-1  | 50393    | 50544     | 50296     | 50411     | 0.25   | cps   |
| Molybdenum | 95-1  | 10841    | 11074     | 10784     | 10900     | 1.41   | cps   |
| Molybdenum | 96-1  | 19961    | 19890     | 19910     | 19920     | 0.18   | cps   |
| Molybdenum | 97-1  | 6415     | 6705      | 6521      | 6547      | 2.24   | cps   |
| Molybdenum | 98-1  | 17384    | 16957     | 17260     | 17200     | 1.28   | cps   |
| Neodymium  | 150-1 | 398077   | 400662    | 401191    | 399977    | 0.42   | cps   |
| Neodymium  | 150-2 | 221155   | 218806    | 218668    | 219543    | 0.64   | cps   |
| Nickel     | 60-2  | 120024   | 119841    | 119281    | 119715    | 0.32   | cps   |
| Phosphorus | 31-2  | 133600   | 132531    | 132985    | 133039    | 0.40   | cps   |
| Potassium  | 39-2  | 5215092  | 5126700   | 5145826   | 5162539   | 0.90   | cps   |
| Rhodium    | 103-1 | 20124150 | 19733090  | 20039039  | 19965426  | 1.03   | cps   |
| Rhodium    | 103-2 | 11782450 | 11561629  | 11780976  | 11708351  | 1.09   | cps   |
| Scandium   | 45-1  | 11145740 | 10765190  | 10824904  | 10911945  | 1.88   | cps   |
| Scandium   | 45-2  | 930351   | 935345    | 931858    | 932518    | 0.27   | cps   |
| Selenium   | 82-1  | 1385     | 1406      | 1339      | 1377      | 2.47   | cps   |
| Selenium   | 77-2  | 730      | 787       | 690       | 736       | 6.60   | cps   |
| Selenium   | 78-2  | 1037     | 980       | 1087      | 1034      | 5.16   | cps   |
| Silicon    | 28-1  | 75909961 | 75530039  | 75210187  | 75550062  | 0.46   | cps   |
| Silver     | 107-1 | 103505   | 103348    | 103243    | 103366    | 0.13   | cps   |
| Silver     | 109-1 | 98629    | 100569    | 98643     | 99280     | 1.12   | cps   |
| Sodium     | 23-2  | 629352   | 624930    | 627403    | 627228    | 0.35   | cps   |
| Strontium  | 86-1  | 4024792  | 4065186   | 3909934   | 3999971   | 2.01   | cps   |
| Strontium  | 88-1  | 35212117 | 35120074  | 34790592  | 35040928  | 0.63   | cps   |
| Sulfur     | 34-1  | 336201   | 333316    | 333402    | 334306    | 0.49   | cps   |
| Terbium    | 159-1 | 29598804 | 28953890  | 29198649  | 29250448  | 1.11   | cps   |
| Terbium    | 159-2 | 17886313 | 17954999  | 17983784  | 17941699  | 0.28   | cps   |
| Thallium   | 203-1 | 10027    | 10387     | 10067     | 10161     | 1.94   | cps   |
| Thallium   | 205-1 | 24298    | 24445     | 24516     | 24420     | 0.45   | cps   |
| Tin        | 118-1 | 342381   | 345189    | 344292    | 343954    | 0.42   | cps   |
| Titanium   | 47-1  | 328719   | 331214    | 330257    | 330063    | 0.38   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-01

Instrumnet Name :P7

Client Sample ID :MH2GQ3

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:23:35

DataFile Name :054SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 335724   | 340678   | 341782   | 339395   | 0.95   | cps   |
| Vanadium  | 51-2  | 386765   | 386485   | 386268   | 386506   | 0.06   | cps   |
| Yttrium   | 89-1  | 28717113 | 28194195 | 28025142 | 28312150 | 1.27   | cps   |
| Yttrium   | 89-2  | 6914917  | 6881792  | 6991488  | 6929399  | 0.81   | cps   |
| Zinc      | 66-2  | 2033613  | 1974245  | 1990192  | 1999350  | 1.54   | cps   |
| Zirconium | 90-1  | 119867   | 122156   | 121397   | 121140   | 0.96   | cps   |
| Zirconium | 91-1  | 27052    | 26921    | 27245    | 27073    | 0.60   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-02 Instrumnet Name : P7  
Client Sample ID : MH2GQ3D Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:26:34 DataFile Name : 055SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5492780   | 5452402   | 5450359   | 5465180   | 0.44   | cps   |
| Antimony   | 121-1 | 40336     | 40323     | 39725     | 40128     | 0.87   | cps   |
| Arsenic    | 75-2  | 29352     | 28704     | 29192     | 29083     | 1.16   | cps   |
| Barium     | 135-1 | 5438305   | 5434951   | 5350896   | 5408051   | 0.92   | cps   |
| Barium     | 137-1 | 9276029   | 9356288   | 9223131   | 9285150   | 0.72   | cps   |
| Beryllium  | 9-1   | 4134      | 4273      | 4084      | 4164      | 2.35   | cps   |
| Bismuth    | 209-1 | 17843959  | 17792470  | 17797423  | 17811284  | 0.16   | cps   |
| Bismuth    | 209-2 | 12680189  | 12911473  | 12675236  | 12755633  | 1.06   | cps   |
| Bromine    | 81-1  | 33151     | 34267     | 35038     | 34152     | 2.78   | cps   |
| Bromine    | 81-2  | 4077      | 4021      | 4171      | 4089      | 1.85   | cps   |
| Cadmium    | 108-1 | 5584      | 5408      | 5394      | 5462      | 1.94   | cps   |
| Cadmium    | 106-1 | 15325     | 15308     | 14734     | 15122     | 2.22   | cps   |
| Cadmium    | 111-1 | 81875     | 83726     | 82274     | 82625     | 1.18   | cps   |
| Calcium    | 43-1  | 9028085   | 9020291   | 9030584   | 9026320   | 0.06   | cps   |
| Calcium    | 44-1  | 147227338 | 145883881 | 147002048 | 146704422 | 0.49   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 171610    | 170323    | 169749    | 170561    | 0.56   | cps   |
| Cobalt     | 59-2  | 185005    | 184023    | 183841    | 184290    | 0.34   | cps   |
| Copper     | 63-2  | 1820549   | 1786046   | 1798928   | 1801841   | 0.97   | cps   |
| Dysprosium | 156-1 | 253042    | 255638    | 253736    | 254139    | 0.53   | cps   |
| Dysprosium | 156-2 | 191036    | 191018    | 189514    | 190523    | 0.46   | cps   |
| Erbium     | 164-1 | 233910    | 235994    | 236489    | 235464    | 0.58   | cps   |
| Erbium     | 164-2 | 150093    | 149642    | 147816    | 149184    | 0.81   | cps   |
| Gadolinium | 160-1 | 248735    | 247097    | 249179    | 248337    | 0.44   | cps   |
| Gadolinium | 160-2 | 166268    | 165614    | 166241    | 166041    | 0.22   | cps   |
| Holmium    | 165-1 | 28906580  | 28345251  | 28743343  | 28665058  | 1.01   | cps   |
| Holmium    | 165-2 | 18472581  | 18364112  | 18122221  | 18319638  | 0.98   | cps   |
| Indium     | 115-1 | 21574536  | 22255003  | 21996918  | 21942152  | 1.57   | cps   |
| Indium     | 115-2 | 7222261   | 7193752   | 7135265   | 7183759   | 0.62   | cps   |
| Iron       | 56-2  | 114520905 | 114589945 | 114837835 | 114649562 | 0.15   | cps   |
| Iron       | 57-2  | 3034583   | 2987753   | 3014680   | 3012339   | 0.78   | cps   |
| Iron       | 54-2  | 6346224   | 6154252   | 6202857   | 6234444   | 1.60   | cps   |
| Krypton    | 83-1  | 563       | 560       | 587       | 570       | 2.55   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-02 Instrumnet Name : P7  
Client Sample ID : MH2GQ3D Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:26:34 DataFile Name : 055SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 25967950  | 25638240  | 25441756  | 25682649  | 1.04   | cps   |
| Lead       | 207-1 | 22128298  | 22105863  | 21863850  | 22032670  | 0.67   | cps   |
| Lead       | 208-1 | 101697883 | 101670938 | 100679735 | 101349519 | 0.57   | cps   |
| Lithium    | 6-1   | 2175083   | 2209963   | 2166219   | 2183755   | 1.06   | cps   |
| Magnesium  | 24-2  | 5550125   | 5511128   | 5522252   | 5527835   | 0.36   | cps   |
| Manganese  | 55-2  | 7885268   | 7773045   | 7770073   | 7809462   | 0.84   | cps   |
| Molybdenum | 94-1  | 50423     | 50523     | 50467     | 50471     | 0.10   | cps   |
| Molybdenum | 95-1  | 10801     | 10747     | 10988     | 10845     | 1.16   | cps   |
| Molybdenum | 96-1  | 20014     | 19844     | 20071     | 19976     | 0.59   | cps   |
| Molybdenum | 97-1  | 6612      | 6732      | 6725      | 6689      | 1.01   | cps   |
| Molybdenum | 98-1  | 17441     | 17334     | 17210     | 17328     | 0.66   | cps   |
| Neodymium  | 150-1 | 402157    | 407018    | 403722    | 404299    | 0.61   | cps   |
| Neodymium  | 150-2 | 219415    | 220392    | 219850    | 219885    | 0.22   | cps   |
| Nickel     | 60-2  | 121267    | 120538    | 120391    | 120732    | 0.39   | cps   |
| Phosphorus | 31-2  | 133634    | 132336    | 132275    | 132748    | 0.58   | cps   |
| Potassium  | 39-2  | 5210044   | 5176720   | 5090893   | 5159219   | 1.19   | cps   |
| Rhodium    | 103-1 | 19697491  | 20002458  | 19809111  | 19836353  | 0.78   | cps   |
| Rhodium    | 103-2 | 11770379  | 11633177  | 11592402  | 11665319  | 0.80   | cps   |
| Scandium   | 45-1  | 10867927  | 10852246  | 10810722  | 10843631  | 0.27   | cps   |
| Scandium   | 45-2  | 931324    | 927685    | 931040    | 930016    | 0.22   | cps   |
| Selenium   | 82-1  | 1403      | 1448      | 1434      | 1428      | 1.58   | cps   |
| Selenium   | 77-2  | 633       | 760       | 683       | 692       | 9.22   | cps   |
| Selenium   | 78-2  | 1033      | 1057      | 1040      | 1043      | 1.15   | cps   |
| Silicon    | 28-1  | 77448416  | 77372132  | 77455079  | 77425209  | 0.06   | cps   |
| Silver     | 107-1 | 104878    | 103606    | 103770    | 104085    | 0.66   | cps   |
| Silver     | 109-1 | 99864     | 100113    | 100529    | 100169    | 0.34   | cps   |
| Sodium     | 23-2  | 626288    | 629711    | 628764    | 628254    | 0.28   | cps   |
| Strontium  | 86-1  | 4039823   | 4046633   | 4045878   | 4044111   | 0.09   | cps   |
| Strontium  | 88-1  | 35388388  | 35496304  | 35160501  | 35348398  | 0.48   | cps   |
| Sulfur     | 34-1  | 335200    | 335463    | 333450    | 334704    | 0.33   | cps   |
| Terbium    | 159-1 | 29198649  | 29095937  | 29212073  | 29168886  | 0.22   | cps   |
| Terbium    | 159-2 | 18029187  | 17798042  | 17783021  | 17870083  | 0.77   | cps   |
| Thallium   | 203-1 | 10327     | 10007     | 10277     | 10204     | 1.69   | cps   |
| Thallium   | 205-1 | 24202     | 24051     | 24419     | 24224     | 0.76   | cps   |
| Tin        | 118-1 | 347010    | 351528    | 352301    | 350280    | 0.82   | cps   |
| Titanium   | 47-1  | 332016    | 331809    | 329341    | 331055    | 0.45   | cps   |

LB Number :  
Lab Sample ID :  
Client Sample ID :  
Date & Time Acquired :

LB133687  
P4957-02  
MH2GQ3D  
2024-11-27 19:26:34

Operator :  
Instrumnet Name :  
Dilution Factor :  
DataFile Name :

Jaswal  
P7  
1  
055SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 341606   | 341750   | 335364   | 339573   | 1.07   | cps   |
| Vanadium  | 51-2  | 383826   | 387154   | 387744   | 386241   | 0.55   | cps   |
| Yttrium   | 89-1  | 28262387 | 28100278 | 28033768 | 28132144 | 0.42   | cps   |
| Yttrium   | 89-2  | 7001041  | 6966122  | 6888606  | 6951923  | 0.83   | cps   |
| Zinc      | 66-2  | 2033024  | 1979275  | 1966800  | 1993033  | 1.77   | cps   |
| Zirconium | 90-1  | 120858   | 122750   | 122469   | 122026   | 0.84   | cps   |
| Zirconium | 91-1  | 27005    | 27058    | 27299    | 27121    | 0.58   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-01LX5 Instrumnet Name : P7  
Client Sample ID : MH2GQ3L Dilution Factor : 5  
Date & Time Acquired : 2024-11-27 19:29:34 DataFile Name : 056SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 1059869  | 1067350  | 1057751  | 1061657  | 0.48   | cps   |
| Antimony   | 121-1 | 7802     | 7922     | 7942     | 7889     | 0.96   | cps   |
| Arsenic    | 75-2  | 5858     | 5951     | 5701     | 5837     | 2.17   | cps   |
| Barium     | 135-1 | 1016301  | 1009115  | 1013097  | 1012838  | 0.36   | cps   |
| Barium     | 137-1 | 1790300  | 1767932  | 1781305  | 1779845  | 0.63   | cps   |
| Beryllium  | 9-1   | 883      | 767      | 872      | 841      | 7.66   | cps   |
| Bismuth    | 209-1 | 17445908 | 17288174 | 17386407 | 17373497 | 0.46   | cps   |
| Bismuth    | 209-2 | 12233793 | 12608076 | 12721252 | 12521040 | 2.04   | cps   |
| Bromine    | 81-1  | 19737    | 19273    | 19173    | 19394    | 1.55   | cps   |
| Bromine    | 81-2  | 870      | 787      | 863      | 840      | 5.51   | cps   |
| Cadmium    | 108-1 | 1057     | 1107     | 1120     | 1095     | 3.05   | cps   |
| Cadmium    | 106-1 | 8663     | 8463     | 8306     | 8477     | 2.11   | cps   |
| Cadmium    | 111-1 | 19895    | 19863    | 19474    | 19744    | 1.19   | cps   |
| Calcium    | 43-1  | 1751245  | 1722081  | 1727146  | 1733491  | 0.90   | cps   |
| Calcium    | 44-1  | 28251008 | 27850996 | 28153224 | 28085076 | 0.74   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 35442    | 35856    | 34814    | 35370    | 1.48   | cps   |
| Cobalt     | 59-2  | 36835    | 36451    | 36277    | 36521    | 0.78   | cps   |
| Copper     | 63-2  | 362448   | 360210   | 357193   | 359950   | 0.73   | cps   |
| Dysprosium | 156-1 | 47724    | 48527    | 47503    | 47918    | 1.12   | cps   |
| Dysprosium | 156-2 | 37002    | 36253    | 36347    | 36534    | 1.12   | cps   |
| Erbium     | 164-1 | 43645    | 43678    | 43106    | 43476    | 0.74   | cps   |
| Erbium     | 164-2 | 28586    | 29090    | 28686    | 28787    | 0.93   | cps   |
| Gadolinium | 160-1 | 46918    | 46219    | 46269    | 46469    | 0.84   | cps   |
| Gadolinium | 160-2 | 31689    | 32351    | 32478    | 32172    | 1.32   | cps   |
| Holmium    | 165-1 | 27921804 | 27749360 | 27725513 | 27798892 | 0.39   | cps   |
| Holmium    | 165-2 | 17248831 | 17797045 | 17956831 | 17667569 | 2.10   | cps   |
| Indium     | 115-1 | 21874584 | 21770721 | 21592365 | 21745890 | 0.66   | cps   |
| Indium     | 115-2 | 7001359  | 7133375  | 7215909  | 7116881  | 1.52   | cps   |
| Iron       | 56-2  | 22617635 | 22601487 | 22482726 | 22567282 | 0.33   | cps   |
| Iron       | 57-2  | 608486   | 613607   | 610246   | 610779   | 0.43   | cps   |
| Iron       | 54-2  | 1279022  | 1284659  | 1280103  | 1281261  | 0.23   | cps   |
| Krypton    | 83-1  | 427      | 310      | 407      | 381      | 16.37  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-01LX5 Instrumnet Name : P7  
Client Sample ID : MH2GQ3L Dilution Factor : 5  
Date & Time Acquired : 2024-11-27 19:29:34 DataFile Name : 056SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 4871461  | 4822769  | 4851157  | 4848462  | 0.50   | cps   |
| Lead       | 207-1 | 4240164  | 4140890  | 4159129  | 4180061  | 1.26   | cps   |
| Lead       | 208-1 | 19112275 | 19136184 | 19029486 | 19092648 | 0.29   | cps   |
| Lithium    | 6-1   | 2109630  | 2134640  | 2079371  | 2107880  | 1.31   | cps   |
| Magnesium  | 24-2  | 1056478  | 1054561  | 1046145  | 1052395  | 0.52   | cps   |
| Manganese  | 55-2  | 1557007  | 1528850  | 1533236  | 1539698  | 0.98   | cps   |
| Molybdenum | 94-1  | 10054    | 9573     | 9343     | 9657     | 3.75   | cps   |
| Molybdenum | 95-1  | 2260     | 2314     | 2270     | 2281     | 1.24   | cps   |
| Molybdenum | 96-1  | 4261     | 4017     | 4087     | 4122     | 3.04   | cps   |
| Molybdenum | 97-1  | 1503     | 1510     | 1367     | 1460     | 5.54   | cps   |
| Molybdenum | 98-1  | 3814     | 3771     | 3701     | 3762     | 1.52   | cps   |
| Neodymium  | 150-1 | 75326    | 75296    | 75648    | 75423    | 0.26   | cps   |
| Neodymium  | 150-2 | 42938    | 41975    | 42123    | 42346    | 1.23   | cps   |
| Nickel     | 60-2  | 27482    | 26840    | 27040    | 27121    | 1.21   | cps   |
| Phosphorus | 31-2  | 26263    | 25795    | 26413    | 26157    | 1.23   | cps   |
| Potassium  | 39-2  | 1112657  | 1114619  | 1109577  | 1112284  | 0.23   | cps   |
| Rhodium    | 103-1 | 20226630 | 20216858 | 19949033 | 20130840 | 0.78   | cps   |
| Rhodium    | 103-2 | 11474939 | 11477202 | 11687988 | 11546710 | 1.06   | cps   |
| Scandium   | 45-1  | 10819915 | 10584802 | 10599783 | 10668167 | 1.23   | cps   |
| Scandium   | 45-2  | 888891   | 899084   | 919639   | 902538   | 1.74   | cps   |
| Selenium   | 82-1  | 778      | 947      | 734      | 820      | 13.69  | cps   |
| Selenium   | 77-2  | 143      | 143      | 110      | 132      | 14.56  | cps   |
| Selenium   | 78-2  | 523      | 587      | 523      | 544      | 6.72   | cps   |
| Silicon    | 28-1  | 15716108 | 15548658 | 15471359 | 15578708 | 0.80   | cps   |
| Silver     | 107-1 | 20328    | 20184    | 20177    | 20230    | 0.42   | cps   |
| Silver     | 109-1 | 18882    | 19079    | 19196    | 19053    | 0.83   | cps   |
| Sodium     | 23-2  | 172107   | 171311   | 170833   | 171417   | 0.38   | cps   |
| Strontium  | 86-1  | 764368   | 774142   | 761923   | 766811   | 0.84   | cps   |
| Strontium  | 88-1  | 6657662  | 6766783  | 6667442  | 6697296  | 0.90   | cps   |
| Sulfur     | 34-1  | 290924   | 293218   | 291861   | 292001   | 0.40   | cps   |
| Terbium    | 159-1 | 28384815 | 27977992 | 28244382 | 28202397 | 0.73   | cps   |
| Terbium    | 159-2 | 17013051 | 17120737 | 17419705 | 17184498 | 1.23   | cps   |
| Thallium   | 203-1 | 2327     | 2360     | 2270     | 2319     | 1.96   | cps   |
| Thallium   | 205-1 | 5801     | 5698     | 5565     | 5688     | 2.09   | cps   |
| Tin        | 118-1 | 68512    | 68143    | 67752    | 68136    | 0.56   | cps   |
| Titanium   | 47-1  | 63248    | 63292    | 63402    | 63314    | 0.13   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4957-01LX5

Instrumnet Name :

P7

Client Sample ID :

MH2GQ3L

Dilution Factor :

5

Date & Time Acquired :

2024-11-27 19:29:34

DataFile Name :

056SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 62774    | 63447    | 63353    | 63191    | 0.58   | cps   |
| Vanadium  | 51-2  | 74992    | 75089    | 74921    | 75001    | 0.11   | cps   |
| Yttrium   | 89-1  | 25178796 | 25661598 | 24961295 | 25267230 | 1.42   | cps   |
| Yttrium   | 89-2  | 6052884  | 6141681  | 6240177  | 6144914  | 1.52   | cps   |
| Zinc      | 66-2  | 402346   | 396652   | 398882   | 399293   | 0.72   | cps   |
| Zirconium | 90-1  | 23135    | 23489    | 22477    | 23034    | 2.23   | cps   |
| Zirconium | 91-1  | 5114     | 4881     | 5144     | 5046     | 2.86   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-03 Instrumnet Name : P7  
Client Sample ID : MH2GQ3S Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:32:41 DataFile Name : 057SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5693332   | 5677562   | 5608968   | 5659954   | 0.79   | cps   |
| Antimony   | 121-1 | 525675    | 530118    | 536713    | 530836    | 1.05   | cps   |
| Arsenic    | 75-2  | 38660     | 37842     | 38674     | 38392     | 1.24   | cps   |
| Barium     | 135-1 | 7696952   | 7730393   | 7695293   | 7707546   | 0.26   | cps   |
| Barium     | 137-1 | 13372846  | 13483931  | 13531854  | 13462877  | 0.61   | cps   |
| Beryllium  | 9-1   | 25788     | 24976     | 25009     | 25258     | 1.82   | cps   |
| Bismuth    | 209-1 | 17404118  | 17358373  | 17409009  | 17390500  | 0.16   | cps   |
| Bismuth    | 209-2 | 12662666  | 12485556  | 12727974  | 12625398  | 0.99   | cps   |
| Bromine    | 81-1  | 32660     | 32867     | 34343     | 33290     | 2.76   | cps   |
| Bromine    | 81-2  | 3721      | 3901      | 4274      | 3965      | 7.12   | cps   |
| Cadmium    | 108-1 | 9350      | 9733      | 9440      | 9508      | 2.11   | cps   |
| Cadmium    | 106-1 | 20598     | 20598     | 20618     | 20605     | 0.06   | cps   |
| Cadmium    | 111-1 | 145292    | 144300    | 144358    | 144650    | 0.38   | cps   |
| Calcium    | 43-1  | 8897314   | 8876620   | 8756426   | 8843453   | 0.86   | cps   |
| Calcium    | 44-1  | 143898088 | 143351325 | 142661805 | 143303739 | 0.43   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 531414    | 533864    | 527261    | 530846    | 0.63   | cps   |
| Cobalt     | 59-2  | 1644176   | 1581968   | 1601356   | 1609167   | 1.98   | cps   |
| Copper     | 63-2  | 2274783   | 2260764   | 2272090   | 2269212   | 0.33   | cps   |
| Dysprosium | 156-1 | 249297    | 249263    | 252543    | 250367    | 0.75   | cps   |
| Dysprosium | 156-2 | 189906    | 187885    | 189328    | 189040    | 0.55   | cps   |
| Erbium     | 164-1 | 230108    | 230091    | 228899    | 229699    | 0.30   | cps   |
| Erbium     | 164-2 | 147705    | 148049    | 146637    | 147464    | 0.50   | cps   |
| Gadolinium | 160-1 | 241639    | 243949    | 245169    | 243586    | 0.74   | cps   |
| Gadolinium | 160-2 | 163877    | 162756    | 163458    | 163364    | 0.35   | cps   |
| Holmium    | 165-1 | 28206052  | 28463079  | 28274355  | 28314495  | 0.47   | cps   |
| Holmium    | 165-2 | 18098374  | 17998751  | 18086669  | 18061264  | 0.30   | cps   |
| Indium     | 115-1 | 21815891  | 21640996  | 21566988  | 21674625  | 0.59   | cps   |
| Indium     | 115-2 | 7145116   | 7110199   | 7163900   | 7139738   | 0.38   | cps   |
| Iron       | 56-2  | 117076955 | 116577355 | 116596795 | 116750368 | 0.24   | cps   |
| Iron       | 57-2  | 3120024   | 3081475   | 3068594   | 3090031   | 0.87   | cps   |
| Iron       | 54-2  | 6402497   | 6409602   | 6363993   | 6392031   | 0.38   | cps   |
| Krypton    | 83-1  | 560       | 573       | 593       | 576       | 2.91   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-03 Instrumnet Name : P7  
Client Sample ID : MH2GQ3S Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:32:41 DataFile Name : 057SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 24630304 | 25061515 | 25219958 | 24970592 | 1.22   | cps   |
| Lead       | 207-1 | 21137749 | 21528840 | 21592349 | 21419646 | 1.15   | cps   |
| Lead       | 208-1 | 97490282 | 98826388 | 98821886 | 98379519 | 0.78   | cps   |
| Lithium    | 6-1   | 2150938  | 2126578  | 2114760  | 2130759  | 0.87   | cps   |
| Magnesium  | 24-2  | 5578016  | 5514528  | 5557899  | 5550147  | 0.58   | cps   |
| Manganese  | 55-2  | 8437658  | 8477604  | 8458382  | 8457881  | 0.24   | cps   |
| Molybdenum | 94-1  | 49687    | 49283    | 49798    | 49589    | 0.55   | cps   |
| Molybdenum | 95-1  | 10587    | 10607    | 10761    | 10652    | 0.89   | cps   |
| Molybdenum | 96-1  | 18962    | 19567    | 19690    | 19406    | 2.01   | cps   |
| Molybdenum | 97-1  | 6685     | 6562     | 6545     | 6597     | 1.16   | cps   |
| Molybdenum | 98-1  | 16259    | 16953    | 16970    | 16727    | 2.43   | cps   |
| Neodymium  | 150-1 | 392601   | 399139   | 400106   | 397282   | 1.03   | cps   |
| Neodymium  | 150-2 | 219982   | 218470   | 216652   | 218368   | 0.76   | cps   |
| Nickel     | 60-2  | 617994   | 615997   | 615656   | 616549   | 0.20   | cps   |
| Phosphorus | 31-2  | 131465   | 131579   | 129905   | 130983   | 0.71   | cps   |
| Potassium  | 39-2  | 5186870  | 5215767  | 5227887  | 5210175  | 0.40   | cps   |
| Rhodium    | 103-1 | 19646399 | 19686946 | 19618643 | 19650663 | 0.17   | cps   |
| Rhodium    | 103-2 | 11576612 | 11356686 | 11477746 | 11470348 | 0.96   | cps   |
| Scandium   | 45-1  | 10785342 | 10703977 | 10652686 | 10714002 | 0.62   | cps   |
| Scandium   | 45-2  | 924876   | 919473   | 925985   | 923445   | 0.38   | cps   |
| Selenium   | 82-1  | 8808     | 8806     | 8980     | 8865     | 1.13   | cps   |
| Selenium   | 77-2  | 1367     | 1360     | 1417     | 1381     | 2.24   | cps   |
| Selenium   | 78-2  | 3484     | 3507     | 3390     | 3460     | 1.78   | cps   |
| Silicon    | 28-1  | 79418580 | 78635124 | 78697925 | 78917210 | 0.55   | cps   |
| Silver     | 107-1 | 408991   | 416878   | 412197   | 412688   | 0.96   | cps   |
| Silver     | 109-1 | 393755   | 394847   | 397214   | 395272   | 0.45   | cps   |
| Sodium     | 23-2  | 620616   | 618685   | 617589   | 618963   | 0.25   | cps   |
| Strontium  | 86-1  | 3930466  | 3980053  | 3959655  | 3956725  | 0.63   | cps   |
| Strontium  | 88-1  | 34384501 | 34372308 | 35025295 | 34594035 | 1.08   | cps   |
| Sulfur     | 34-1  | 334703   | 330595   | 329329   | 331542   | 0.85   | cps   |
| Terbium    | 159-1 | 28658678 | 28502153 | 28593409 | 28584747 | 0.28   | cps   |
| Terbium    | 159-2 | 17779002 | 17704777 | 17635133 | 17706304 | 0.41   | cps   |
| Thallium   | 203-1 | 251348   | 252829   | 252120   | 252099   | 0.29   | cps   |
| Thallium   | 205-1 | 589436   | 603275   | 605323   | 599344   | 1.44   | cps   |
| Tin        | 118-1 | 333963   | 340194   | 334546   | 336234   | 1.02   | cps   |
| Titanium   | 47-1  | 332331   | 333643   | 330748   | 332240   | 0.44   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-03

Instrumnet Name :P7

Client Sample ID :MH2GQ3S

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:32:41

DataFile Name :057SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 328952   | 336142   | 335980   | 333691   | 1.23   | cps   |
| Vanadium  | 51-2  | 1148598  | 1151777  | 1145496  | 1148624  | 0.27   | cps   |
| Yttrium   | 89-1  | 27917957 | 27529106 | 27854444 | 27767169 | 0.75   | cps   |
| Yttrium   | 89-2  | 6920998  | 6797999  | 6828044  | 6849013  | 0.94   | cps   |
| Zinc      | 66-2  | 2179383  | 2128022  | 2169148  | 2158851  | 1.26   | cps   |
| Zirconium | 90-1  | 117438   | 120066   | 119831   | 119112   | 1.22   | cps   |
| Zirconium | 91-1  | 25435    | 26681    | 26634    | 26250    | 2.69   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-04 Instrumnet Name : P7  
Client Sample ID : MH2GS3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:35:40 DataFile Name : 058SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5914692   | 5895545   | 5967952   | 5926063   | 0.63   | cps   |
| Antimony   | 121-1 | 18011     | 17995     | 17561     | 17856     | 1.43   | cps   |
| Arsenic    | 75-2  | 23973     | 23465     | 23392     | 23610     | 1.34   | cps   |
| Barium     | 135-1 | 5151759   | 5172450   | 5189033   | 5171081   | 0.36   | cps   |
| Barium     | 137-1 | 8843852   | 8875286   | 8899994   | 8873044   | 0.32   | cps   |
| Beryllium  | 9-1   | 3250      | 3128      | 3195      | 3191      | 1.92   | cps   |
| Bismuth    | 209-1 | 17758609  | 17486929  | 17174874  | 17473471  | 1.67   | cps   |
| Bismuth    | 209-2 | 12573986  | 12314336  | 12505223  | 12464515  | 1.08   | cps   |
| Bromine    | 81-1  | 42033     | 44614     | 45851     | 44166     | 4.41   | cps   |
| Bromine    | 81-2  | 6565      | 6331      | 6598      | 6498      | 2.24   | cps   |
| Cadmium    | 108-1 | 2670      | 2717      | 2760      | 2716      | 1.66   | cps   |
| Cadmium    | 106-1 | 11858     | 11348     | 11741     | 11649     | 2.30   | cps   |
| Cadmium    | 111-1 | 44933     | 45525     | 45343     | 45267     | 0.67   | cps   |
| Calcium    | 43-1  | 12531655  | 12547906  | 12570018  | 12549860  | 0.15   | cps   |
| Calcium    | 44-1  | 203095404 | 202225930 | 203052917 | 202791417 | 0.24   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 149280    | 149926    | 151361    | 150189    | 0.71   | cps   |
| Cobalt     | 59-2  | 197089    | 195966    | 196087    | 196380    | 0.31   | cps   |
| Copper     | 63-2  | 816232    | 808467    | 813404    | 812701    | 0.48   | cps   |
| Dysprosium | 156-1 | 291355    | 295083    | 292912    | 293117    | 0.64   | cps   |
| Dysprosium | 156-2 | 221590    | 221001    | 225633    | 222741    | 1.13   | cps   |
| Erbium     | 164-1 | 259435    | 268881    | 266303    | 264873    | 1.84   | cps   |
| Erbium     | 164-2 | 168770    | 170406    | 169026    | 169401    | 0.52   | cps   |
| Gadolinium | 160-1 | 285304    | 288764    | 288300    | 287456    | 0.65   | cps   |
| Gadolinium | 160-2 | 196204    | 193920    | 195309    | 195144    | 0.59   | cps   |
| Holmium    | 165-1 | 28866414  | 28509364  | 28199247  | 28525008  | 1.17   | cps   |
| Holmium    | 165-2 | 18165590  | 18047037  | 18065700  | 18092776  | 0.35   | cps   |
| Indium     | 115-1 | 22244103  | 21589892  | 21544792  | 21792929  | 1.80   | cps   |
| Indium     | 115-2 | 7127630   | 7179717   | 7235878   | 7181075   | 0.75   | cps   |
| Iron       | 56-2  | 140288728 | 140552945 | 141080511 | 140640728 | 0.29   | cps   |
| Iron       | 57-2  | 3747568   | 3694620   | 3756079   | 3732756   | 0.89   | cps   |
| Iron       | 54-2  | 7643848   | 7627357   | 7660826   | 7644010   | 0.22   | cps   |
| Krypton    | 83-1  | 647       | 623       | 673       | 648       | 3.86   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-04 Instrumnet Name : P7  
Client Sample ID : MH2GS3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:35:40 DataFile Name : 058SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 7499318  | 7656738  | 7452025  | 7536027  | 1.42   | cps   |
| Lead       | 207-1 | 6483508  | 6556273  | 6517907  | 6519230  | 0.56   | cps   |
| Lead       | 208-1 | 29747775 | 30260630 | 29759530 | 29922645 | 0.98   | cps   |
| Lithium    | 6-1   | 2147237  | 2020076  | 2024708  | 2064007  | 3.49   | cps   |
| Magnesium  | 24-2  | 7309082  | 7345417  | 7348983  | 7334494  | 0.30   | cps   |
| Manganese  | 55-2  | 5089967  | 5019222  | 5056042  | 5055077  | 0.70   | cps   |
| Molybdenum | 94-1  | 45317    | 46233    | 45360    | 45636    | 1.13   | cps   |
| Molybdenum | 95-1  | 16673    | 16720    | 16836    | 16743    | 0.50   | cps   |
| Molybdenum | 96-1  | 24831    | 25285    | 25035    | 25050    | 0.91   | cps   |
| Molybdenum | 97-1  | 9873     | 10501    | 10440    | 10271    | 3.37   | cps   |
| Molybdenum | 98-1  | 26738    | 27115    | 26955    | 26936    | 0.70   | cps   |
| Neodymium  | 150-1 | 494301   | 498388   | 494719   | 495802   | 0.45   | cps   |
| Neodymium  | 150-2 | 273788   | 272233   | 275570   | 273863   | 0.61   | cps   |
| Nickel     | 60-2  | 165683   | 165951   | 166534   | 166056   | 0.26   | cps   |
| Phosphorus | 31-2  | 70511    | 70993    | 70250    | 70585    | 0.53   | cps   |
| Potassium  | 39-2  | 2619471  | 2592450  | 2667560  | 2626494  | 1.45   | cps   |
| Rhodium    | 103-1 | 20104745 | 19404559 | 19376487 | 19628597 | 2.10   | cps   |
| Rhodium    | 103-2 | 11331842 | 11369879 | 11392723 | 11364815 | 0.27   | cps   |
| Scandium   | 45-1  | 11015719 | 10704860 | 10618870 | 10779816 | 1.94   | cps   |
| Scandium   | 45-2  | 933081   | 931665   | 935485   | 933410   | 0.21   | cps   |
| Selenium   | 82-1  | 1288     | 1239     | 1222     | 1249     | 2.75   | cps   |
| Selenium   | 77-2  | 790      | 850      | 753      | 798      | 6.12   | cps   |
| Selenium   | 78-2  | 1003     | 1097     | 1070     | 1057     | 4.55   | cps   |
| Silicon    | 28-1  | 69916032 | 70090599 | 70214742 | 70073791 | 0.21   | cps   |
| Silver     | 107-1 | 39082    | 39494    | 39016    | 39197    | 0.66   | cps   |
| Silver     | 109-1 | 38474    | 38083    | 38341    | 38299    | 0.52   | cps   |
| Sodium     | 23-2  | 600307   | 596950   | 602717   | 599991   | 0.48   | cps   |
| Strontium  | 86-1  | 4371783  | 4393758  | 4399193  | 4388245  | 0.33   | cps   |
| Strontium  | 88-1  | 38156933 | 38648677 | 38261478 | 38355696 | 0.68   | cps   |
| Sulfur     | 34-1  | 325829   | 325327   | 324948   | 325368   | 0.14   | cps   |
| Terbium    | 159-1 | 29574507 | 28662696 | 28519559 | 28918921 | 1.98   | cps   |
| Terbium    | 159-2 | 17894368 | 17695182 | 17769313 | 17786288 | 0.57   | cps   |
| Thallium   | 203-1 | 12085    | 12566    | 12229    | 12293    | 2.01   | cps   |
| Thallium   | 205-1 | 28590    | 29656    | 29155    | 29133    | 1.83   | cps   |
| Tin        | 118-1 | 109875   | 111011   | 110261   | 110382   | 0.52   | cps   |
| Titanium   | 47-1  | 287751   | 288998   | 287164   | 287971   | 0.33   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-04 Instrumnet Name : P7  
Client Sample ID : MH2GS3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:35:40 DataFile Name : 058SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 455189   | 466123   | 463332   | 461548   | 1.23   | cps   |
| Vanadium  | 51-2  | 547000   | 542768   | 548930   | 546233   | 0.58   | cps   |
| Yttrium   | 89-1  | 28704709 | 27882632 | 28102576 | 28229972 | 1.51   | cps   |
| Yttrium   | 89-2  | 6920183  | 6895404  | 6945402  | 6920329  | 0.36   | cps   |
| Zinc      | 66-2  | 711294   | 711529   | 711402   | 711408   | 0.02   | cps   |
| Zirconium | 90-1  | 97055    | 97621    | 97994    | 97557    | 0.48   | cps   |
| Zirconium | 91-1  | 21162    | 21983    | 22307    | 21817    | 2.71   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-05 Instrumnet Name : P7  
Client Sample ID : MH2GS4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:38:41 DataFile Name : 059SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 4980021   | 4970815   | 4929280   | 4960039   | 0.55   | cps   |
| Antimony   | 121-1 | 27136     | 28909     | 28428     | 28158     | 3.26   | cps   |
| Arsenic    | 75-2  | 17193     | 17150     | 16936     | 17093     | 0.80   | cps   |
| Barium     | 135-1 | 3550626   | 3620144   | 3602511   | 3591094   | 1.01   | cps   |
| Barium     | 137-1 | 6122977   | 6157782   | 6117524   | 6132761   | 0.36   | cps   |
| Beryllium  | 9-1   | 3250      | 2956      | 2967      | 3058      | 5.46   | cps   |
| Bismuth    | 209-1 | 17668930  | 17604600  | 17744665  | 17672732  | 0.40   | cps   |
| Bismuth    | 209-2 | 12797590  | 13176431  | 12781752  | 12918591  | 1.73   | cps   |
| Bromine    | 81-1  | 26337     | 27335     | 27302     | 26991     | 2.10   | cps   |
| Bromine    | 81-2  | 2747      | 2600      | 2574      | 2640      | 3.54   | cps   |
| Cadmium    | 108-1 | 4387      | 4424      | 4397      | 4403      | 0.43   | cps   |
| Cadmium    | 106-1 | 13630     | 13550     | 13376     | 13519     | 0.96   | cps   |
| Cadmium    | 111-1 | 61855     | 62556     | 62480     | 62297     | 0.62   | cps   |
| Calcium    | 43-1  | 5396135   | 5386328   | 5366553   | 5383006   | 0.28   | cps   |
| Calcium    | 44-1  | 86678989  | 88226915  | 87092799  | 87332901  | 0.92   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 248285    | 249816    | 248214    | 248771    | 0.36   | cps   |
| Cobalt     | 59-2  | 146053    | 157460    | 146446    | 149986    | 4.32   | cps   |
| Copper     | 63-2  | 1166288   | 1214751   | 1172150   | 1184396   | 2.23   | cps   |
| Dysprosium | 156-1 | 211471    | 213133    | 210162    | 211588    | 0.70   | cps   |
| Dysprosium | 156-2 | 161304    | 161489    | 160054    | 160949    | 0.49   | cps   |
| Erbium     | 164-1 | 191061    | 193019    | 192922    | 192334    | 0.57   | cps   |
| Erbium     | 164-2 | 123537    | 120783    | 123409    | 122577    | 1.27   | cps   |
| Gadolinium | 160-1 | 202678    | 203538    | 205146    | 203787    | 0.61   | cps   |
| Gadolinium | 160-2 | 139739    | 138362    | 136719    | 138273    | 1.09   | cps   |
| Holmium    | 165-1 | 28355297  | 28645188  | 28083630  | 28361372  | 0.99   | cps   |
| Holmium    | 165-2 | 18316893  | 19104100  | 18220206  | 18547066  | 2.61   | cps   |
| Indium     | 115-1 | 21815227  | 21979437  | 21911265  | 21901976  | 0.38   | cps   |
| Indium     | 115-2 | 7192244   | 7474426   | 7246642   | 7304437   | 2.05   | cps   |
| Iron       | 56-2  | 137037415 | 137171155 | 136992751 | 137067107 | 0.07   | cps   |
| Iron       | 57-2  | 3494281   | 3495493   | 3457541   | 3482438   | 0.62   | cps   |
| Iron       | 54-2  | 7500983   | 7396576   | 7474953   | 7457504   | 0.73   | cps   |
| Krypton    | 83-1  | 593       | 543       | 607       | 581       | 5.75   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-05 Instrumnet Name : P7  
Client Sample ID : MH2GS4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:38:41 DataFile Name : 059SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 15150269 | 15032246 | 15138634 | 15107050 | 0.43   | cps   |
| Lead       | 207-1 | 12948945 | 12910201 | 12917631 | 12925592 | 0.16   | cps   |
| Lead       | 208-1 | 59411867 | 59546272 | 59919677 | 59625939 | 0.44   | cps   |
| Lithium    | 6-1   | 2068127  | 2072358  | 2044762  | 2061749  | 0.72   | cps   |
| Magnesium  | 24-2  | 6680955  | 7145894  | 6657093  | 6827981  | 4.04   | cps   |
| Manganese  | 55-2  | 8385438  | 8357363  | 8433897  | 8392233  | 0.46   | cps   |
| Molybdenum | 94-1  | 54877    | 55822    | 56609    | 55769    | 1.56   | cps   |
| Molybdenum | 95-1  | 14090    | 13807    | 13500    | 13799    | 2.14   | cps   |
| Molybdenum | 96-1  | 23789    | 24127    | 24023    | 23980    | 0.72   | cps   |
| Molybdenum | 97-1  | 8879     | 8749     | 8609     | 8746     | 1.54   | cps   |
| Molybdenum | 98-1  | 22754    | 22337    | 22444    | 22512    | 0.96   | cps   |
| Neodymium  | 150-1 | 341932   | 345064   | 346541   | 344512   | 0.68   | cps   |
| Neodymium  | 150-2 | 190053   | 189532   | 188100   | 189228   | 0.53   | cps   |
| Nickel     | 60-2  | 99495    | 103122   | 98753    | 100457   | 2.33   | cps   |
| Phosphorus | 31-2  | 99692    | 99397    | 100597   | 99895    | 0.63   | cps   |
| Potassium  | 39-2  | 4082977  | 4149923  | 4059115  | 4097338  | 1.15   | cps   |
| Rhodium    | 103-1 | 20129905 | 19840886 | 20046127 | 20005639 | 0.74   | cps   |
| Rhodium    | 103-2 | 11670864 | 12046239 | 11642897 | 11786666 | 1.91   | cps   |
| Scandium   | 45-1  | 10476278 | 10628035 | 10548029 | 10550781 | 0.72   | cps   |
| Scandium   | 45-2  | 934921   | 946324   | 928229   | 936491   | 0.98   | cps   |
| Selenium   | 82-1  | 1267     | 1346     | 1153     | 1255     | 7.73   | cps   |
| Selenium   | 77-2  | 597      | 600      | 543      | 580      | 5.48   | cps   |
| Selenium   | 78-2  | 990      | 1070     | 1060     | 1040     | 4.19   | cps   |
| Silicon    | 28-1  | 83447594 | 83721417 | 82569900 | 83246304 | 0.72   | cps   |
| Silver     | 107-1 | 63468    | 63488    | 63772    | 63576    | 0.27   | cps   |
| Silver     | 109-1 | 60716    | 60107    | 61044    | 60623    | 0.78   | cps   |
| Sodium     | 23-2  | 570526   | 938448   | 589614   | 699529   | 29.61  | cps   |
| Strontium  | 86-1  | 2943258  | 2932052  | 2938946  | 2938085  | 0.19   | cps   |
| Strontium  | 88-1  | 25586824 | 25585950 | 25491356 | 25554710 | 0.21   | cps   |
| Sulfur     | 34-1  | 342628   | 342542   | 339768   | 341646   | 0.48   | cps   |
| Terbium    | 159-1 | 28765068 | 29134956 | 28676741 | 28858922 | 0.84   | cps   |
| Terbium    | 159-2 | 18095395 | 18199795 | 17945310 | 18080167 | 0.71   | cps   |
| Thallium   | 203-1 | 8503     | 8613     | 8596     | 8571     | 0.69   | cps   |
| Thallium   | 205-1 | 20689    | 21283    | 20579    | 20851    | 1.82   | cps   |
| Tin        | 118-1 | 283225   | 291384   | 286807   | 287139   | 1.42   | cps   |
| Titanium   | 47-1  | 500706   | 499749   | 501902   | 500785   | 0.22   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-05 Instrumnet Name : P7  
Client Sample ID : MH2GS4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:38:41 DataFile Name : 059SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 210236   | 214713   | 213212   | 212720   | 1.07   | cps   |
| Vanadium  | 51-2  | 311763   | 318752   | 312415   | 314310   | 1.23   | cps   |
| Yttrium   | 89-1  | 27280711 | 27463573 | 27536799 | 27427028 | 0.48   | cps   |
| Yttrium   | 89-2  | 6845764  | 6974908  | 6699763  | 6840145  | 2.01   | cps   |
| Zinc      | 66-2  | 2776364  | 2728658  | 2706963  | 2737328  | 1.30   | cps   |
| Zirconium | 90-1  | 128584   | 129622   | 129800   | 129335   | 0.51   | cps   |
| Zirconium | 91-1  | 28865    | 29493    | 29242    | 29200    | 1.08   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-06 Instrumnet Name : P7  
Client Sample ID : MH2GS5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:41:42 DataFile Name : 060SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 4524553   | 4539397   | 4560219   | 4541390   | 0.39   | cps   |
| Antimony   | 121-1 | 28598     | 29303     | 29530     | 29144     | 1.67   | cps   |
| Arsenic    | 75-2  | 35376     | 35419     | 34527     | 35107     | 1.43   | cps   |
| Barium     | 135-1 | 3290429   | 3306956   | 3281087   | 3292824   | 0.40   | cps   |
| Barium     | 137-1 | 5744399   | 5699092   | 5645881   | 5696457   | 0.87   | cps   |
| Beryllium  | 9-1   | 2984      | 2973      | 2895      | 2950      | 1.64   | cps   |
| Bismuth    | 209-1 | 17858257  | 17993888  | 17880817  | 17910988  | 0.41   | cps   |
| Bismuth    | 209-2 | 12749576  | 12902982  | 12927561  | 12860040  | 0.75   | cps   |
| Bromine    | 81-1  | 29085     | 31260     | 31317     | 30554     | 4.16   | cps   |
| Bromine    | 81-2  | 3564      | 3564      | 3557      | 3562      | 0.11   | cps   |
| Cadmium    | 108-1 | 4884      | 4921      | 5271      | 5025      | 4.25   | cps   |
| Cadmium    | 106-1 | 14951     | 14721     | 14254     | 14642     | 2.43   | cps   |
| Cadmium    | 111-1 | 78653     | 79468     | 77679     | 78600     | 1.14   | cps   |
| Calcium    | 43-1  | 5988744   | 6016760   | 5970536   | 5992014   | 0.39   | cps   |
| Calcium    | 44-1  | 97804665  | 98288515  | 97015285  | 97702822  | 0.66   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 134184    | 136175    | 134846    | 135068    | 0.75   | cps   |
| Cobalt     | 59-2  | 157345    | 156419    | 157382    | 157049    | 0.35   | cps   |
| Copper     | 63-2  | 1652945   | 1618976   | 1631698   | 1634540   | 1.05   | cps   |
| Dysprosium | 156-1 | 230158    | 233347    | 230573    | 231359    | 0.75   | cps   |
| Dysprosium | 156-2 | 176603    | 176841    | 176237    | 176560    | 0.17   | cps   |
| Erbium     | 164-1 | 208377    | 211874    | 211436    | 210562    | 0.90   | cps   |
| Erbium     | 164-2 | 135446    | 135049    | 136317    | 135604    | 0.48   | cps   |
| Gadolinium | 160-1 | 224440    | 226905    | 226574    | 225973    | 0.59   | cps   |
| Gadolinium | 160-2 | 153410    | 151762    | 152884    | 152685    | 0.55   | cps   |
| Holmium    | 165-1 | 28969259  | 29101270  | 28674240  | 28914923  | 0.76   | cps   |
| Holmium    | 165-2 | 18706503  | 18630632  | 18637361  | 18658165  | 0.23   | cps   |
| Indium     | 115-1 | 22101072  | 22471742  | 22187437  | 22253417  | 0.87   | cps   |
| Indium     | 115-2 | 7423819   | 7309998   | 7342357   | 7358725   | 0.80   | cps   |
| Iron       | 56-2  | 113868118 | 113475698 | 112650528 | 113331448 | 0.55   | cps   |
| Iron       | 57-2  | 2932949   | 2913675   | 2924332   | 2923652   | 0.33   | cps   |
| Iron       | 54-2  | 6188238   | 6211909   | 6192026   | 6197391   | 0.21   | cps   |
| Krypton    | 83-1  | 453       | 500       | 583       | 512       | 12.86  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-06 Instrumnet Name : P7  
Client Sample ID : MH2GS5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:41:42 DataFile Name : 060SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 15095373 | 15368998 | 15022429 | 15162267 | 1.21   | cps   |
| Lead       | 207-1 | 12998246 | 13305531 | 13135004 | 13146260 | 1.17   | cps   |
| Lead       | 208-1 | 59927912 | 60964370 | 60174358 | 60355547 | 0.90   | cps   |
| Lithium    | 6-1   | 2106665  | 2095810  | 2033918  | 2078797  | 1.89   | cps   |
| Magnesium  | 24-2  | 5163778  | 5154725  | 5120016  | 5146173  | 0.45   | cps   |
| Manganese  | 55-2  | 6323190  | 6330758  | 6260028  | 6304659  | 0.62   | cps   |
| Molybdenum | 94-1  | 40332    | 40493    | 40459    | 40428    | 0.21   | cps   |
| Molybdenum | 95-1  | 8216     | 8436     | 8042     | 8231     | 2.40   | cps   |
| Molybdenum | 96-1  | 15725    | 15225    | 15799    | 15583    | 2.00   | cps   |
| Molybdenum | 97-1  | 5071     | 5524     | 5254     | 5283     | 4.32   | cps   |
| Molybdenum | 98-1  | 13376    | 13380    | 13176    | 13311    | 0.88   | cps   |
| Neodymium  | 150-1 | 379025   | 382165   | 380417   | 380536   | 0.41   | cps   |
| Neodymium  | 150-2 | 210108   | 208772   | 208617   | 209166   | 0.39   | cps   |
| Nickel     | 60-2  | 115024   | 115497   | 116294   | 115605   | 0.56   | cps   |
| Phosphorus | 31-2  | 77073    | 76841    | 76979    | 76964    | 0.15   | cps   |
| Potassium  | 39-2  | 3427550  | 3403377  | 3470443  | 3433790  | 0.99   | cps   |
| Rhodium    | 103-1 | 20277984 | 20229104 | 20202418 | 20236502 | 0.19   | cps   |
| Rhodium    | 103-2 | 12058854 | 11842261 | 12055836 | 11985650 | 1.04   | cps   |
| Scandium   | 45-1  | 10851138 | 10849568 | 10707004 | 10802570 | 0.77   | cps   |
| Scandium   | 45-2  | 952890   | 941455   | 937970   | 944105   | 0.83   | cps   |
| Selenium   | 82-1  | 1547     | 1420     | 1180     | 1382     | 13.49  | cps   |
| Selenium   | 77-2  | 637      | 650      | 663      | 650      | 2.05   | cps   |
| Selenium   | 78-2  | 907      | 960      | 1023     | 963      | 6.06   | cps   |
| Silicon    | 28-1  | 70171886 | 70008679 | 68761372 | 69647312 | 1.11   | cps   |
| Silver     | 107-1 | 82794    | 84159    | 82576    | 83176    | 1.03   | cps   |
| Silver     | 109-1 | 80046    | 80451    | 79007    | 79835    | 0.93   | cps   |
| Sodium     | 23-2  | 450976   | 453572   | 456579   | 453709   | 0.62   | cps   |
| Strontium  | 86-1  | 2515898  | 2475839  | 2511721  | 2501152  | 0.88   | cps   |
| Strontium  | 88-1  | 21901491 | 22146993 | 22107621 | 22052035 | 0.60   | cps   |
| Sulfur     | 34-1  | 303201   | 303496   | 302399   | 303032   | 0.19   | cps   |
| Terbium    | 159-1 | 29115429 | 29248105 | 29317882 | 29227138 | 0.35   | cps   |
| Terbium    | 159-2 | 18381406 | 18191627 | 18299181 | 18290738 | 0.52   | cps   |
| Thallium   | 203-1 | 9874     | 10334    | 9720     | 9976     | 3.20   | cps   |
| Thallium   | 205-1 | 23350    | 23868    | 23393    | 23537    | 1.22   | cps   |
| Tin        | 118-1 | 258843   | 262644   | 260493   | 260660   | 0.73   | cps   |
| Titanium   | 47-1  | 308858   | 309607   | 307207   | 308557   | 0.40   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-06

Instrumnet Name :P7

Client Sample ID :MH2GS5

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:41:42

DataFile Name :060SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 242805   | 244350   | 245398   | 244184   | 0.53   | cps   |
| Vanadium  | 51-2  | 330232   | 332154   | 326845   | 329744   | 0.82   | cps   |
| Yttrium   | 89-1  | 27997024 | 28211051 | 27949257 | 28052444 | 0.50   | cps   |
| Yttrium   | 89-2  | 7041029  | 6984999  | 7023228  | 7016419  | 0.41   | cps   |
| Zinc      | 66-2  | 1484523  | 1482291  | 1474480  | 1480431  | 0.36   | cps   |
| Zirconium | 90-1  | 96685    | 97544    | 96545    | 96925    | 0.56   | cps   |
| Zirconium | 91-1  | 21052    | 21770    | 21916    | 21579    | 2.14   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-07 Instrumnet Name : P7  
Client Sample ID : MH2GS6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:44:39 DataFile Name : 061SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 4799364   | 4816264   | 4820649   | 4812093   | 0.23   | cps   |
| Antimony   | 121-1 | 24414     | 25082     | 25336     | 24944     | 1.91   | cps   |
| Arsenic    | 75-2  | 25532     | 25268     | 24901     | 25234     | 1.26   | cps   |
| Barium     | 135-1 | 3770271   | 3768226   | 3747645   | 3762047   | 0.33   | cps   |
| Barium     | 137-1 | 6464780   | 6506586   | 6420265   | 6463877   | 0.67   | cps   |
| Beryllium  | 9-1   | 2684      | 3028      | 2672      | 2795      | 7.23   | cps   |
| Bismuth    | 209-1 | 18232311  | 17785727  | 17556441  | 17858160  | 1.92   | cps   |
| Bismuth    | 209-2 | 12736382  | 11212299  | 11424789  | 11791156  | 7.00   | cps   |
| Bromine    | 81-1  | 42849     | 45062     | 46797     | 44903     | 4.41   | cps   |
| Bromine    | 81-2  | 6415      | 6391      | 6341      | 6383      | 0.59   | cps   |
| Cadmium    | 108-1 | 2524      | 2590      | 2520      | 2545      | 1.55   | cps   |
| Cadmium    | 106-1 | 11752     | 11408     | 11318     | 11492     | 1.99   | cps   |
| Cadmium    | 111-1 | 42805     | 42859     | 42607     | 42757     | 0.31   | cps   |
| Calcium    | 43-1  | 11310249  | 11384785  | 11180585  | 11291873  | 0.92   | cps   |
| Calcium    | 44-1  | 182654471 | 184784644 | 183276777 | 183571964 | 0.60   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 135583    | 138343    | 135014    | 136313    | 1.31   | cps   |
| Cobalt     | 59-2  | 168376    | 170634    | 169111    | 169374    | 0.68   | cps   |
| Copper     | 63-2  | 832496    | 838730    | 836949    | 836058    | 0.38   | cps   |
| Dysprosium | 156-1 | 289014    | 294624    | 292770    | 292136    | 0.98   | cps   |
| Dysprosium | 156-2 | 219742    | 221886    | 223930    | 221852    | 0.94   | cps   |
| Erbium     | 164-1 | 260426    | 264621    | 265720    | 263589    | 1.06   | cps   |
| Erbium     | 164-2 | 168890    | 168071    | 170206    | 169056    | 0.64   | cps   |
| Gadolinium | 160-1 | 283933    | 286062    | 285727    | 285241    | 0.40   | cps   |
| Gadolinium | 160-2 | 191599    | 194900    | 193038    | 193179    | 0.86   | cps   |
| Holmium    | 165-1 | 29504376  | 29197747  | 28776781  | 29159635  | 1.25   | cps   |
| Holmium    | 165-2 | 18535717  | 16107682  | 16536066  | 17059821  | 7.60   | cps   |
| Indium     | 115-1 | 22651365  | 21991957  | 22203333  | 22282218  | 1.51   | cps   |
| Indium     | 115-2 | 7335404   | 6321152   | 6549665   | 6735407   | 7.90   | cps   |
| Iron       | 56-2  | 102292675 | 101855035 | 101789278 | 101978996 | 0.27   | cps   |
| Iron       | 57-2  | 2736398   | 2746626   | 2709917   | 2730980   | 0.69   | cps   |
| Iron       | 54-2  | 5601883   | 5550539   | 5558055   | 5570159   | 0.50   | cps   |
| Krypton    | 83-1  | 597       | 673       | 560       | 610       | 9.48   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-07 Instrumnet Name : P7  
Client Sample ID : MH2GS6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:44:39 DataFile Name : 061SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 4958443  | 5030113  | 5008117  | 4998891  | 0.73   | cps   |
| Lead       | 207-1 | 4320464  | 4356815  | 4342879  | 4340053  | 0.42   | cps   |
| Lead       | 208-1 | 19700366 | 19888496 | 19900212 | 19829691 | 0.57   | cps   |
| Lithium    | 6-1   | 2190721  | 2050476  | 2094825  | 2112007  | 3.39   | cps   |
| Magnesium  | 24-2  | 5748823  | 5825844  | 5776197  | 5783621  | 0.68   | cps   |
| Manganese  | 55-2  | 4674859  | 4684068  | 4723240  | 4694055  | 0.55   | cps   |
| Molybdenum | 94-1  | 42963    | 43224    | 43491    | 43226    | 0.61   | cps   |
| Molybdenum | 95-1  | 10474    | 10224    | 10724    | 10474    | 2.39   | cps   |
| Molybdenum | 96-1  | 17901    | 18168    | 18245    | 18105    | 1.00   | cps   |
| Molybdenum | 97-1  | 6381     | 6265     | 6458     | 6368     | 1.53   | cps   |
| Molybdenum | 98-1  | 16259    | 17214    | 16643    | 16705    | 2.87   | cps   |
| Neodymium  | 150-1 | 478871   | 488576   | 485813   | 484420   | 1.03   | cps   |
| Neodymium  | 150-2 | 268797   | 269826   | 268673   | 269099   | 0.24   | cps   |
| Nickel     | 60-2  | 146340   | 146260   | 144792   | 145797   | 0.60   | cps   |
| Phosphorus | 31-2  | 78771    | 78738    | 78158    | 78556    | 0.44   | cps   |
| Potassium  | 39-2  | 2836017  | 2895606  | 2836867  | 2856163  | 1.20   | cps   |
| Rhodium    | 103-1 | 20383553 | 20073656 | 20243965 | 20233724 | 0.77   | cps   |
| Rhodium    | 103-2 | 11863420 | 10186557 | 10345286 | 10798421 | 8.57   | cps   |
| Scandium   | 45-1  | 11206127 | 10907306 | 10875592 | 10996342 | 1.66   | cps   |
| Scandium   | 45-2  | 944289   | 823871   | 834343   | 867501   | 7.69   | cps   |
| Selenium   | 82-1  | 1484     | 1287     | 1403     | 1391     | 7.10   | cps   |
| Selenium   | 77-2  | 867      | 717      | 790      | 791      | 9.48   | cps   |
| Selenium   | 78-2  | 987      | 1033     | 1223     | 1081     | 11.60  | cps   |
| Silicon    | 28-1  | 71502176 | 70466677 | 70632211 | 70867021 | 0.78   | cps   |
| Silver     | 107-1 | 35520    | 35640    | 36643    | 35934    | 1.72   | cps   |
| Silver     | 109-1 | 34722    | 33763    | 34671    | 34385    | 1.57   | cps   |
| Sodium     | 23-2  | 445305   | 445261   | 445348   | 445305   | 0.01   | cps   |
| Strontium  | 86-1  | 3518976  | 3593205  | 3515738  | 3542639  | 1.24   | cps   |
| Strontium  | 88-1  | 30911828 | 31099844 | 30785025 | 30932232 | 0.51   | cps   |
| Sulfur     | 34-1  | 314255   | 313593   | 314606   | 314151   | 0.16   | cps   |
| Terbium    | 159-1 | 29570715 | 29535356 | 29501389 | 29535820 | 0.12   | cps   |
| Terbium    | 159-2 | 18286601 | 15674363 | 16145216 | 16702060 | 8.34   | cps   |
| Thallium   | 203-1 | 8843     | 9307     | 8840     | 8996     | 2.99   | cps   |
| Thallium   | 205-1 | 21848    | 21898    | 21404    | 21716    | 1.25   | cps   |
| Tin        | 118-1 | 89465    | 89962    | 89603    | 89677    | 0.29   | cps   |
| Titanium   | 47-1  | 190058   | 192427   | 191339   | 191275   | 0.62   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-07

Instrumnet Name :P7

Client Sample ID :MH2GS6

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:44:39

DataFile Name :061SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 329001   | 333538   | 335759   | 332766   | 1.04   | cps   |
| Vanadium  | 51-2  | 403245   | 410126   | 404106   | 405826   | 0.92   | cps   |
| Yttrium   | 89-1  | 29458120 | 29028108 | 28438741 | 28974990 | 1.77   | cps   |
| Yttrium   | 89-2  | 7171413  | 6230592  | 6401208  | 6601071  | 7.59   | cps   |
| Zinc      | 66-2  | 456406   | 459925   | 459386   | 458572   | 0.41   | cps   |
| Zirconium | 90-1  | 101820   | 103068   | 102706   | 102531   | 0.63   | cps   |
| Zirconium | 91-1  | 22514    | 22324    | 22774    | 22537    | 1.00   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-08 Instrumnet Name : P7  
Client Sample ID : MH2GS7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:47:42 DataFile Name : 062SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5346427   | 5401702   | 5278718   | 5342282   | 1.15   | cps   |
| Antimony   | 121-1 | 11728     | 11688     | 11738     | 11718     | 0.23   | cps   |
| Arsenic    | 75-2  | 12779     | 12956     | 13283     | 13006     | 1.97   | cps   |
| Barium     | 135-1 | 4975266   | 5054714   | 5109639   | 5046540   | 1.34   | cps   |
| Barium     | 137-1 | 8703528   | 8742534   | 8592941   | 8679667   | 0.89   | cps   |
| Beryllium  | 9-1   | 2817      | 2861      | 2895      | 2858      | 1.37   | cps   |
| Bismuth    | 209-1 | 17692364  | 17636776  | 17372525  | 17567222  | 0.97   | cps   |
| Bismuth    | 209-2 | 12587056  | 12548075  | 12503246  | 12546126  | 0.33   | cps   |
| Bromine    | 81-1  | 48780     | 52714     | 53704     | 51733     | 5.03   | cps   |
| Bromine    | 81-2  | 7572      | 7762      | 7886      | 7740      | 2.04   | cps   |
| Cadmium    | 108-1 | 1927      | 1953      | 1850      | 1910      | 2.81   | cps   |
| Cadmium    | 106-1 | 10821     | 10871     | 10187     | 10626     | 3.59   | cps   |
| Cadmium    | 111-1 | 32293     | 33371     | 32200     | 32621     | 2.00   | cps   |
| Calcium    | 43-1  | 16866777  | 16711098  | 16751365  | 16776414  | 0.48   | cps   |
| Calcium    | 44-1  | 274978396 | 270576463 | 270705983 | 272086947 | 0.92   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 126559    | 126458    | 128145    | 127054    | 0.74   | cps   |
| Cobalt     | 59-2  | 188546    | 187216    | 187165    | 187642    | 0.42   | cps   |
| Copper     | 63-2  | 419718    | 416383    | 413135    | 416412    | 0.79   | cps   |
| Dysprosium | 156-1 | 261945    | 266733    | 262689    | 263789    | 0.98   | cps   |
| Dysprosium | 156-2 | 196558    | 196196    | 195934    | 196229    | 0.16   | cps   |
| Erbium     | 164-1 | 242659    | 246967    | 246675    | 245434    | 0.98   | cps   |
| Erbium     | 164-2 | 155724    | 154713    | 153654    | 154697    | 0.67   | cps   |
| Gadolinium | 160-1 | 261781    | 264088    | 260120    | 261996    | 0.76   | cps   |
| Gadolinium | 160-2 | 174813    | 173882    | 174865    | 174520    | 0.32   | cps   |
| Holmium    | 165-1 | 30073827  | 28678510  | 28809262  | 29187200  | 2.64   | cps   |
| Holmium    | 165-2 | 18459751  | 18307876  | 18280883  | 18349503  | 0.53   | cps   |
| Indium     | 115-1 | 22392638  | 22080796  | 21905874  | 22126436  | 1.11   | cps   |
| Indium     | 115-2 | 7294594   | 7360928   | 7258973   | 7304832   | 0.71   | cps   |
| Iron       | 56-2  | 123880241 | 124186788 | 124041451 | 124036160 | 0.12   | cps   |
| Iron       | 57-2  | 3397876   | 3420126   | 3365169   | 3394390   | 0.81   | cps   |
| Iron       | 54-2  | 6737518   | 6732346   | 6735890   | 6735251   | 0.04   | cps   |
| Krypton    | 83-1  | 583       | 610       | 680       | 624       | 8.00   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-08 Instrumnet Name : P7  
Client Sample ID : MH2GS7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:47:42 DataFile Name : 062SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 1544640  | 1569925  | 1559523  | 1558029  | 0.82   | cps   |
| Lead       | 207-1 | 1297334  | 1309654  | 1322762  | 1309917  | 0.97   | cps   |
| Lead       | 208-1 | 6036884  | 6118606  | 6094324  | 6083271  | 0.69   | cps   |
| Lithium    | 6-1   | 2081211  | 2083992  | 2088808  | 2084670  | 0.18   | cps   |
| Magnesium  | 24-2  | 7115142  | 7165346  | 7025586  | 7102025  | 1.00   | cps   |
| Manganese  | 55-2  | 3819569  | 3853432  | 3864854  | 3845952  | 0.61   | cps   |
| Molybdenum | 94-1  | 35356    | 36044    | 36018    | 35806    | 1.09   | cps   |
| Molybdenum | 95-1  | 13246    | 13269    | 13366    | 13294    | 0.48   | cps   |
| Molybdenum | 96-1  | 20324    | 20772    | 20074    | 20390    | 1.73   | cps   |
| Molybdenum | 97-1  | 8606     | 8503     | 8553     | 8554     | 0.60   | cps   |
| Molybdenum | 98-1  | 21823    | 22060    | 21916    | 21933    | 0.54   | cps   |
| Neodymium  | 150-1 | 423503   | 428980   | 422654   | 425046   | 0.81   | cps   |
| Neodymium  | 150-2 | 231907   | 234216   | 232435   | 232853   | 0.52   | cps   |
| Nickel     | 60-2  | 227881   | 227207   | 226277   | 227121   | 0.35   | cps   |
| Phosphorus | 31-2  | 64883    | 64776    | 63591    | 64417    | 1.11   | cps   |
| Potassium  | 39-2  | 2489144  | 2496338  | 2461003  | 2482161  | 0.75   | cps   |
| Rhodium    | 103-1 | 20479910 | 19824727 | 19849482 | 20051373 | 1.85   | cps   |
| Rhodium    | 103-2 | 11638072 | 11534539 | 11493589 | 11555400 | 0.64   | cps   |
| Scandium   | 45-1  | 11189198 | 10913823 | 10794606 | 10965875 | 1.85   | cps   |
| Scandium   | 45-2  | 945980   | 951500   | 938924   | 945468   | 0.67   | cps   |
| Selenium   | 82-1  | 1401     | 1344     | 1099     | 1281     | 12.52  | cps   |
| Selenium   | 77-2  | 613      | 640      | 633      | 629      | 2.21   | cps   |
| Selenium   | 78-2  | 940      | 1043     | 1003     | 996      | 5.23   | cps   |
| Silicon    | 28-1  | 72561832 | 71599559 | 71495212 | 71885534 | 0.82   | cps   |
| Silver     | 107-1 | 12939    | 13253    | 12976    | 13056    | 1.31   | cps   |
| Silver     | 109-1 | 12359    | 12372    | 12629    | 12453    | 1.22   | cps   |
| Sodium     | 23-2  | 470738   | 468922   | 468884   | 469515   | 0.23   | cps   |
| Strontium  | 86-1  | 5196912  | 5216388  | 5139357  | 5184219  | 0.77   | cps   |
| Strontium  | 88-1  | 45310966 | 45125491 | 45523564 | 45320007 | 0.44   | cps   |
| Sulfur     | 34-1  | 325008   | 324284   | 323496   | 324263   | 0.23   | cps   |
| Terbium    | 159-1 | 30054372 | 29309226 | 29355061 | 29572887 | 1.41   | cps   |
| Terbium    | 159-2 | 18201184 | 18203625 | 18122583 | 18175798 | 0.25   | cps   |
| Thallium   | 203-1 | 10224    | 10070    | 10201    | 10165    | 0.81   | cps   |
| Thallium   | 205-1 | 24305    | 24569    | 24178    | 24351    | 0.82   | cps   |
| Tin        | 118-1 | 34030    | 33880    | 33917    | 33942    | 0.23   | cps   |
| Titanium   | 47-1  | 171776   | 174688   | 172321   | 172928   | 0.90   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-08

Instrumnet Name :P7

Client Sample ID :MH2GS7

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:47:42

DataFile Name :062SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 406559   | 413044   | 411688   | 410430   | 0.83   | cps   |
| Vanadium  | 51-2  | 611373   | 615159   | 609813   | 612115   | 0.45   | cps   |
| Yttrium   | 89-1  | 29012687 | 28479953 | 28659485 | 28717375 | 0.94   | cps   |
| Yttrium   | 89-2  | 7013740  | 7025216  | 6961133  | 7000030  | 0.49   | cps   |
| Zinc      | 66-2  | 178732   | 177063   | 175076   | 176957   | 1.03   | cps   |
| Zirconium | 90-1  | 75895    | 78143    | 77694    | 77244    | 1.54   | cps   |
| Zirconium | 91-1  | 16536    | 17397    | 17687    | 17207    | 3.48   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-09 Instrumnet Name : P7  
Client Sample ID : MH2GS8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:50:45 DataFile Name : 063SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 2683086   | 2669509   | 2658411   | 2670335   | 0.46   | cps   |
| Antimony   | 121-1 | 11778     | 12215     | 12325     | 12106     | 2.39   | cps   |
| Arsenic    | 75-2  | 15415     | 15715     | 15555     | 15562     | 0.97   | cps   |
| Barium     | 135-1 | 3094626   | 3080918   | 3059600   | 3078381   | 0.57   | cps   |
| Barium     | 137-1 | 5318155   | 5385793   | 5358414   | 5354121   | 0.64   | cps   |
| Beryllium  | 9-1   | 3684      | 3606      | 3628      | 3639      | 1.10   | cps   |
| Bismuth    | 209-1 | 16117437  | 15893021  | 16261976  | 16090811  | 1.16   | cps   |
| Bismuth    | 209-2 | 11878907  | 11760154  | 11633866  | 11757642  | 1.04   | cps   |
| Bromine    | 81-1  | 28778     | 30034     | 30502     | 29771     | 2.99   | cps   |
| Bromine    | 81-2  | 3140      | 3380      | 3390      | 3304      | 4.29   | cps   |
| Cadmium    | 108-1 | 2190      | 1963      | 2077      | 2077      | 5.46   | cps   |
| Cadmium    | 106-1 | 10571     | 10804     | 10461     | 10612     | 1.65   | cps   |
| Cadmium    | 111-1 | 36155     | 36190     | 36214     | 36186     | 0.08   | cps   |
| Calcium    | 43-1  | 33422924  | 33487005  | 33804405  | 33571445  | 0.61   | cps   |
| Calcium    | 44-1  | 551120778 | 550511112 | 548774912 | 550135601 | 0.22   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 162471    | 162087    | 162006    | 162188    | 0.15   | cps   |
| Cobalt     | 59-2  | 233089    | 231603    | 230060    | 231584    | 0.65   | cps   |
| Copper     | 63-2  | 654471    | 652306    | 654333    | 653703    | 0.19   | cps   |
| Dysprosium | 156-1 | 150341    | 149327    | 151055    | 150241    | 0.58   | cps   |
| Dysprosium | 156-2 | 111481    | 109735    | 109785    | 110334    | 0.90   | cps   |
| Erbium     | 164-1 | 135466    | 138166    | 135765    | 136466    | 1.08   | cps   |
| Erbium     | 164-2 | 87277     | 86050     | 86321     | 86549     | 0.74   | cps   |
| Gadolinium | 160-1 | 149973    | 152821    | 152901    | 151898    | 1.10   | cps   |
| Gadolinium | 160-2 | 104164    | 103206    | 102612    | 103327    | 0.76   | cps   |
| Holmium    | 165-1 | 28314865  | 28189163  | 27887873  | 28130633  | 0.78   | cps   |
| Holmium    | 165-2 | 18313271  | 18317693  | 18031825  | 18220930  | 0.90   | cps   |
| Indium     | 115-1 | 21003463  | 21280890  | 21166745  | 21150366  | 0.66   | cps   |
| Indium     | 115-2 | 7149302   | 7122374   | 7113894   | 7128524   | 0.26   | cps   |
| Iron       | 56-2  | 53962829  | 54109896  | 53666254  | 53912993  | 0.42   | cps   |
| Iron       | 57-2  | 2023035   | 2041492   | 2031786   | 2032104   | 0.45   | cps   |
| Iron       | 54-2  | 2935516   | 2941221   | 2904268   | 2927001   | 0.68   | cps   |
| Krypton    | 83-1  | 527       | 563       | 623       | 571       | 8.54   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-09 Instrumnet Name : P7  
Client Sample ID : MH2GS8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:50:45 DataFile Name : 063SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 7814408   | 7744868   | 7753161   | 7770812   | 0.49   | cps   |
| Lead       | 207-1 | 6705330   | 6620203   | 6705057   | 6676863   | 0.73   | cps   |
| Lead       | 208-1 | 30929426  | 30481144  | 30896253  | 30768941  | 0.81   | cps   |
| Lithium    | 6-1   | 1970976   | 1986527   | 2041764   | 1999756   | 1.86   | cps   |
| Magnesium  | 24-2  | 250748287 | 250347979 | 250722617 | 250606294 | 0.09   | cps   |
| Manganese  | 55-2  | 8803410   | 8798257   | 8700906   | 8767524   | 0.66   | cps   |
| Molybdenum | 94-1  | 14574     | 14741     | 15098     | 14804     | 1.81   | cps   |
| Molybdenum | 95-1  | 4181      | 4097      | 4157      | 4145      | 1.04   | cps   |
| Molybdenum | 96-1  | 6615      | 6732      | 6962      | 6769      | 2.61   | cps   |
| Molybdenum | 97-1  | 2424      | 2467      | 2437      | 2442      | 0.91   | cps   |
| Molybdenum | 98-1  | 6295      | 6675      | 6351      | 6440      | 3.18   | cps   |
| Neodymium  | 150-1 | 231040    | 230331    | 231752    | 231041    | 0.31   | cps   |
| Neodymium  | 150-2 | 128720    | 128357    | 128670    | 128583    | 0.15   | cps   |
| Nickel     | 60-2  | 192569    | 191882    | 191678    | 192043    | 0.24   | cps   |
| Phosphorus | 31-2  | 41794     | 40798     | 40774     | 41122     | 1.42   | cps   |
| Potassium  | 39-2  | 1872061   | 1834944   | 1844270   | 1850425   | 1.04   | cps   |
| Rhodium    | 103-1 | 19138893  | 19064800  | 18908263  | 19037319  | 0.62   | cps   |
| Rhodium    | 103-2 | 11349773  | 11239029  | 11211483  | 11266762  | 0.65   | cps   |
| Scandium   | 45-1  | 10910109  | 10968295  | 10838764  | 10905723  | 0.59   | cps   |
| Scandium   | 45-2  | 989073    | 981834    | 988383    | 986430    | 0.40   | cps   |
| Selenium   | 82-1  | 1365      | 1236      | 1151      | 1250      | 8.62   | cps   |
| Selenium   | 77-2  | 437       | 423       | 417       | 426       | 2.39   | cps   |
| Selenium   | 78-2  | 760       | 720       | 790       | 757       | 4.64   | cps   |
| Silicon    | 28-1  | 64764341  | 64752606  | 65883117  | 65133355  | 1.00   | cps   |
| Silver     | 107-1 | 40443     | 40730     | 41125     | 40766     | 0.84   | cps   |
| Silver     | 109-1 | 38805     | 38915     | 39948     | 39223     | 1.61   | cps   |
| Sodium     | 23-2  | 686765    | 688155    | 686736    | 687219    | 0.12   | cps   |
| Strontium  | 86-1  | 2154284   | 2170959   | 2176992   | 2167412   | 0.54   | cps   |
| Strontium  | 88-1  | 18732575  | 18940853  | 18889455  | 18854295  | 0.58   | cps   |
| Sulfur     | 34-1  | 329036    | 334463    | 341309    | 334936    | 1.84   | cps   |
| Terbium    | 159-1 | 28925200  | 28553810  | 28468992  | 28649334  | 0.85   | cps   |
| Terbium    | 159-2 | 17750011  | 17364387  | 17462497  | 17525632  | 1.14   | cps   |
| Thallium   | 203-1 | 5291      | 5081      | 5271      | 5214      | 2.22   | cps   |
| Thallium   | 205-1 | 12402     | 12723     | 12529     | 12551     | 1.29   | cps   |
| Tin        | 118-1 | 91646     | 91176     | 90616     | 91146     | 0.57   | cps   |
| Titanium   | 47-1  | 175121    | 177672    | 177811    | 176868    | 0.86   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4957-09

Instrumnet Name :

P7

Client Sample ID :

MH2GS8

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 19:50:45

DataFile Name :

063SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 153567   | 154568   | 154386   | 154174   | 0.35   | cps   |
| Vanadium  | 51-2  | 506253   | 510587   | 508687   | 508509   | 0.43   | cps   |
| Yttrium   | 89-1  | 26712947 | 26921645 | 26647477 | 26760690 | 0.54   | cps   |
| Yttrium   | 89-2  | 6741708  | 6715217  | 6844721  | 6767215  | 1.01   | cps   |
| Zinc      | 66-2  | 789176   | 785999   | 789411   | 788195   | 0.24   | cps   |
| Zirconium | 90-1  | 33154    | 33639    | 33325    | 33372    | 0.74   | cps   |
| Zirconium | 91-1  | 7946     | 7315     | 7325     | 7529     | 4.80   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-10 Instrumnet Name : P7  
Client Sample ID : MH2GS9 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:53:49 DataFile Name : 064SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5476955   | 5525544   | 5531073   | 5511191   | 0.54   | cps   |
| Antimony   | 121-1 | 36149     | 36222     | 36035     | 36135     | 0.26   | cps   |
| Arsenic    | 75-2  | 33264     | 33057     | 33484     | 33268     | 0.64   | cps   |
| Barium     | 135-1 | 4877263   | 4857751   | 4837594   | 4857536   | 0.41   | cps   |
| Barium     | 137-1 | 8352587   | 8510194   | 8402242   | 8421674   | 0.96   | cps   |
| Beryllium  | 9-1   | 3945      | 4067      | 3962      | 3991      | 1.66   | cps   |
| Bismuth    | 209-1 | 17661604  | 17809993  | 17592987  | 17688195  | 0.63   | cps   |
| Bismuth    | 209-2 | 12701543  | 12794635  | 12670741  | 12722306  | 0.51   | cps   |
| Bromine    | 81-1  | 37207     | 39118     | 40556     | 38960     | 4.31   | cps   |
| Bromine    | 81-2  | 5134      | 4814      | 4961      | 4970      | 3.22   | cps   |
| Cadmium    | 108-1 | 6148      | 5825      | 5921      | 5965      | 2.78   | cps   |
| Cadmium    | 106-1 | 16509     | 16453     | 16306     | 16423     | 0.64   | cps   |
| Cadmium    | 111-1 | 95335     | 95030     | 95288     | 95218     | 0.17   | cps   |
| Calcium    | 43-1  | 9405944   | 9505161   | 9311659   | 9407588   | 1.03   | cps   |
| Calcium    | 44-1  | 154844141 | 154757054 | 152162094 | 153921097 | 0.99   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 170016    | 170929    | 169985    | 170310    | 0.31   | cps   |
| Cobalt     | 59-2  | 186216    | 183915    | 185170    | 185101    | 0.62   | cps   |
| Copper     | 63-2  | 1632303   | 1660853   | 1645270   | 1646142   | 0.87   | cps   |
| Dysprosium | 156-1 | 242197    | 244303    | 241981    | 242827    | 0.53   | cps   |
| Dysprosium | 156-2 | 182986    | 183300    | 182543    | 182943    | 0.21   | cps   |
| Erbium     | 164-1 | 220782    | 223137    | 223744    | 222554    | 0.70   | cps   |
| Erbium     | 164-2 | 143135    | 141229    | 142149    | 142171    | 0.67   | cps   |
| Gadolinium | 160-1 | 236174    | 236529    | 236766    | 236490    | 0.13   | cps   |
| Gadolinium | 160-2 | 159838    | 159113    | 159264    | 159405    | 0.24   | cps   |
| Holmium    | 165-1 | 28646485  | 28944649  | 28637201  | 28742778  | 0.61   | cps   |
| Holmium    | 165-2 | 18511374  | 18114616  | 18342571  | 18322853  | 1.09   | cps   |
| Indium     | 115-1 | 22028313  | 21720055  | 21936834  | 21895067  | 0.72   | cps   |
| Indium     | 115-2 | 7317579   | 7245840   | 7258830   | 7274083   | 0.53   | cps   |
| Iron       | 56-2  | 117882615 | 119154098 | 117798078 | 118278264 | 0.64   | cps   |
| Iron       | 57-2  | 3137582   | 3118675   | 3128749   | 3128335   | 0.30   | cps   |
| Iron       | 54-2  | 6501580   | 6397006   | 6376666   | 6425084   | 1.04   | cps   |
| Krypton    | 83-1  | 563       | 550       | 650       | 588       | 9.24   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-10 Instrumnet Name : P7  
Client Sample ID : MH2GS9 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:53:49 DataFile Name : 064SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 24475370 | 24945894 | 25064418 | 24828560 | 1.25   | cps   |
| Lead       | 207-1 | 21300133 | 21429083 | 21577238 | 21435485 | 0.65   | cps   |
| Lead       | 208-1 | 97635349 | 98687361 | 98770640 | 98364450 | 0.64   | cps   |
| Lithium    | 6-1   | 2207474  | 2170040  | 2181392  | 2186302  | 0.88   | cps   |
| Magnesium  | 24-2  | 13776044 | 13717879 | 13614503 | 13702809 | 0.60   | cps   |
| Manganese  | 55-2  | 7276156  | 7245960  | 7199684  | 7240600  | 0.53   | cps   |
| Molybdenum | 94-1  | 51122    | 51413    | 51457    | 51331    | 0.35   | cps   |
| Molybdenum | 95-1  | 9920     | 9456     | 9820     | 9732     | 2.51   | cps   |
| Molybdenum | 96-1  | 18485    | 18892    | 18759    | 18712    | 1.11   | cps   |
| Molybdenum | 97-1  | 5891     | 6141     | 6021     | 6018     | 2.08   | cps   |
| Molybdenum | 98-1  | 15668    | 16006    | 15305    | 15660    | 2.24   | cps   |
| Neodymium  | 150-1 | 387747   | 388835   | 386057   | 387546   | 0.36   | cps   |
| Neodymium  | 150-2 | 213431   | 211546   | 211320   | 212099   | 0.55   | cps   |
| Nickel     | 60-2  | 119506   | 117527   | 119318   | 118783   | 0.92   | cps   |
| Phosphorus | 31-2  | 101352   | 101272   | 100037   | 100887   | 0.73   | cps   |
| Potassium  | 39-2  | 2819847  | 2745722  | 2749811  | 2771793  | 1.50   | cps   |
| Rhodium    | 103-1 | 19814656 | 19915698 | 19922803 | 19884386 | 0.30   | cps   |
| Rhodium    | 103-2 | 11687882 | 11678531 | 11674969 | 11680461 | 0.06   | cps   |
| Scandium   | 45-1  | 10971000 | 10985140 | 10858257 | 10938132 | 0.64   | cps   |
| Scandium   | 45-2  | 944697   | 940046   | 931112   | 938618   | 0.74   | cps   |
| Selenium   | 82-1  | 1445     | 1361     | 1262     | 1356     | 6.75   | cps   |
| Selenium   | 77-2  | 770      | 640      | 710      | 707      | 9.21   | cps   |
| Selenium   | 78-2  | 970      | 1013     | 897      | 960      | 6.14   | cps   |
| Silicon    | 28-1  | 84801160 | 83365744 | 83384982 | 83850629 | 0.98   | cps   |
| Silver     | 107-1 | 153316   | 152710   | 150541   | 152189   | 0.96   | cps   |
| Silver     | 109-1 | 145485   | 144155   | 145589   | 145076   | 0.55   | cps   |
| Sodium     | 23-2  | 829146   | 822986   | 820867   | 824333   | 0.52   | cps   |
| Strontium  | 86-1  | 3458133  | 3521223  | 3449041  | 3476132  | 1.13   | cps   |
| Strontium  | 88-1  | 30709370 | 30469338 | 30506093 | 30561600 | 0.42   | cps   |
| Sulfur     | 34-1  | 351211   | 342370   | 338395   | 343992   | 1.91   | cps   |
| Terbium    | 159-1 | 29743630 | 29087111 | 28913819 | 29248187 | 1.50   | cps   |
| Terbium    | 159-2 | 18085349 | 17933631 | 18191383 | 18070121 | 0.72   | cps   |
| Thallium   | 203-1 | 10671    | 11005    | 10884    | 10853    | 1.56   | cps   |
| Thallium   | 205-1 | 26068    | 25491    | 26139    | 25899    | 1.37   | cps   |
| Tin        | 118-1 | 397813   | 398457   | 394222   | 396831   | 0.58   | cps   |
| Titanium   | 47-1  | 356596   | 355973   | 353667   | 355412   | 0.43   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-10 Instrumnet Name : P7  
Client Sample ID : MH2GS9 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:53:49 DataFile Name : 064SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 330202   | 331803   | 332082   | 331362   | 0.31   | cps   |
| Vanadium  | 51-2  | 395006   | 393129   | 388082   | 392072   | 0.91   | cps   |
| Yttrium   | 89-1  | 28208115 | 27781346 | 27760558 | 27916673 | 0.90   | cps   |
| Yttrium   | 89-2  | 7021744  | 6881645  | 6850084  | 6917824  | 1.32   | cps   |
| Zinc      | 66-2  | 2052777  | 2069650  | 2048562  | 2056996  | 0.54   | cps   |
| Zirconium | 90-1  | 125699   | 124888   | 125279   | 125289   | 0.32   | cps   |
| Zirconium | 91-1  | 27740    | 28254    | 27653    | 27882    | 1.17   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-11 Instrumnet Name : P7  
Client Sample ID : MH2GT0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:56:47 DataFile Name : 065SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 6848710   | 6764782   | 6830870   | 6814787   | 0.65   | cps   |
| Antimony   | 121-1 | 34822     | 34378     | 33973     | 34391     | 1.23   | cps   |
| Arsenic    | 75-2  | 35997     | 35934     | 35776     | 35902     | 0.32   | cps   |
| Barium     | 135-1 | 5098621   | 5172174   | 5173224   | 5148006   | 0.83   | cps   |
| Barium     | 137-1 | 8894227   | 8931260   | 8883190   | 8902892   | 0.28   | cps   |
| Beryllium  | 9-1   | 3651      | 3995      | 3573      | 3739      | 6.01   | cps   |
| Bismuth    | 209-1 | 17844396  | 17716943  | 17679440  | 17746926  | 0.49   | cps   |
| Bismuth    | 209-2 | 12610449  | 12622665  | 12449155  | 12560756  | 0.77   | cps   |
| Bromine    | 81-1  | 48362     | 51382     | 52877     | 50874     | 4.52   | cps   |
| Bromine    | 81-2  | 7238      | 7275      | 7692      | 7402      | 3.40   | cps   |
| Cadmium    | 108-1 | 4311      | 4407      | 4227      | 4315      | 2.09   | cps   |
| Cadmium    | 106-1 | 14114     | 13483     | 13149     | 13582     | 3.61   | cps   |
| Cadmium    | 111-1 | 67435     | 67033     | 67936     | 67468     | 0.67   | cps   |
| Calcium    | 43-1  | 12440557  | 12428400  | 12367965  | 12412307  | 0.31   | cps   |
| Calcium    | 44-1  | 199657650 | 202000704 | 200101170 | 200586508 | 0.62   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 185610    | 185472    | 183782    | 184955    | 0.55   | cps   |
| Cobalt     | 59-2  | 216918    | 216509    | 214220    | 215882    | 0.67   | cps   |
| Copper     | 63-2  | 1230011   | 1239346   | 1223916   | 1231091   | 0.63   | cps   |
| Dysprosium | 156-1 | 271310    | 273160    | 272991    | 272487    | 0.38   | cps   |
| Dysprosium | 156-2 | 206022    | 204908    | 204895    | 205275    | 0.32   | cps   |
| Erbium     | 164-1 | 250093    | 252128    | 252388    | 251536    | 0.50   | cps   |
| Erbium     | 164-2 | 159339    | 158090    | 161303    | 159577    | 1.01   | cps   |
| Gadolinium | 160-1 | 267157    | 265801    | 268075    | 267011    | 0.43   | cps   |
| Gadolinium | 160-2 | 179356    | 178202    | 178550    | 178702    | 0.33   | cps   |
| Holmium    | 165-1 | 28851278  | 28663833  | 28858427  | 28791179  | 0.38   | cps   |
| Holmium    | 165-2 | 18283990  | 18237419  | 18144983  | 18222131  | 0.39   | cps   |
| Indium     | 115-1 | 22219119  | 22019361  | 21884570  | 22041017  | 0.76   | cps   |
| Indium     | 115-2 | 7083077   | 7233882   | 7116662   | 7144540   | 1.11   | cps   |
| Iron       | 56-2  | 161973698 | 161101884 | 159657184 | 160910922 | 0.73   | cps   |
| Iron       | 57-2  | 4185339   | 4167842   | 4208401   | 4187194   | 0.49   | cps   |
| Iron       | 54-2  | 8740386   | 8759569   | 8707221   | 8735725   | 0.30   | cps   |
| Krypton    | 83-1  | 767       | 693       | 647       | 702       | 8.61   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-11 Instrumnet Name : P7  
Client Sample ID : MH2GT0 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:56:47 DataFile Name : 065SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 15083863 | 15450319 | 15371985 | 15302056 | 1.26   | cps   |
| Lead       | 207-1 | 13011133 | 13245610 | 13150640 | 13135794 | 0.90   | cps   |
| Lead       | 208-1 | 59953895 | 60823900 | 60533785 | 60437193 | 0.73   | cps   |
| Lithium    | 6-1   | 2132292  | 2124943  | 2124013  | 2127083  | 0.21   | cps   |
| Magnesium  | 24-2  | 8345623  | 8361443  | 8311372  | 8339479  | 0.31   | cps   |
| Manganese  | 55-2  | 6152881  | 6098015  | 6100631  | 6117176  | 0.51   | cps   |
| Molybdenum | 94-1  | 54471    | 56619    | 56074    | 55721    | 2.00   | cps   |
| Molybdenum | 95-1  | 19750    | 19864    | 19483    | 19699    | 0.99   | cps   |
| Molybdenum | 96-1  | 29747    | 30281    | 29496    | 29842    | 1.34   | cps   |
| Molybdenum | 97-1  | 12395    | 12442    | 12906    | 12581    | 2.24   | cps   |
| Molybdenum | 98-1  | 31912    | 32085    | 31668    | 31888    | 0.66   | cps   |
| Neodymium  | 150-1 | 440419   | 437019   | 437686   | 438375   | 0.41   | cps   |
| Neodymium  | 150-2 | 240237   | 238365   | 236935   | 238512   | 0.69   | cps   |
| Nickel     | 60-2  | 147100   | 149267   | 150380   | 148916   | 1.12   | cps   |
| Phosphorus | 31-2  | 96287    | 96008    | 96485    | 96260    | 0.25   | cps   |
| Potassium  | 39-2  | 2908995  | 2879909  | 2832615  | 2873840  | 1.34   | cps   |
| Rhodium    | 103-1 | 20074129 | 19479634 | 19716685 | 19756816 | 1.51   | cps   |
| Rhodium    | 103-2 | 11519520 | 11516415 | 11448463 | 11494799 | 0.35   | cps   |
| Scandium   | 45-1  | 10981427 | 10794297 | 10634818 | 10803514 | 1.61   | cps   |
| Scandium   | 45-2  | 921020   | 927059   | 919853   | 922644   | 0.42   | cps   |
| Selenium   | 82-1  | 1288     | 1291     | 1347     | 1309     | 2.56   | cps   |
| Selenium   | 77-2  | 700      | 760      | 687      | 716      | 5.46   | cps   |
| Selenium   | 78-2  | 1043     | 1047     | 973      | 1021     | 4.06   | cps   |
| Silicon    | 28-1  | 80613080 | 80025832 | 79685815 | 80108243 | 0.59   | cps   |
| Silver     | 107-1 | 101683   | 102949   | 101975   | 102202   | 0.65   | cps   |
| Silver     | 109-1 | 96992    | 97719    | 96247    | 96986    | 0.76   | cps   |
| Sodium     | 23-2  | 1080902  | 1103266  | 1108801  | 1097656  | 1.35   | cps   |
| Strontium  | 86-1  | 4264775  | 4226159  | 4246943  | 4245959  | 0.46   | cps   |
| Strontium  | 88-1  | 36979884 | 37335578 | 37113898 | 37143120 | 0.48   | cps   |
| Sulfur     | 34-1  | 402051   | 394127   | 393569   | 396582   | 1.20   | cps   |
| Terbium    | 159-1 | 29297960 | 28983051 | 28596750 | 28959254 | 1.21   | cps   |
| Terbium    | 159-2 | 17752865 | 17923359 | 17719423 | 17798549 | 0.61   | cps   |
| Thallium   | 203-1 | 14207    | 14458    | 13750    | 14139    | 2.54   | cps   |
| Thallium   | 205-1 | 33735    | 33585    | 33992    | 33771    | 0.61   | cps   |
| Tin        | 118-1 | 358676   | 360681   | 360621   | 359993   | 0.32   | cps   |
| Titanium   | 47-1  | 374520   | 375538   | 377839   | 375966   | 0.45   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

P4957-11

Instrumnet Name :

P7

Client Sample ID :

MH2GT0

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 19:56:47

DataFile Name :

065SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 510735   | 510400   | 507782   | 509639   | 0.32   | cps   |
| Vanadium  | 51-2  | 525215   | 525275   | 525820   | 525437   | 0.06   | cps   |
| Yttrium   | 89-1  | 28599251 | 28180680 | 28046464 | 28275465 | 1.02   | cps   |
| Yttrium   | 89-2  | 6956031  | 6810682  | 6979848  | 6915520  | 1.32   | cps   |
| Zinc      | 66-2  | 1288507  | 1302994  | 1298696  | 1296732  | 0.57   | cps   |
| Zirconium | 90-1  | 121571   | 123682   | 122096   | 122450   | 0.90   | cps   |
| Zirconium | 91-1  | 27115    | 28074    | 27469    | 27553    | 1.76   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-12 Instrumnet Name : P7  
Client Sample ID : MH2GT1 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:59:50 DataFile Name : 066SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 6439979   | 6370568   | 6376928   | 6395825   | 0.60   | cps   |
| Antimony   | 121-1 | 18582     | 19029     | 18709     | 18773     | 1.23   | cps   |
| Arsenic    | 75-2  | 27238     | 27930     | 27946     | 27705     | 1.46   | cps   |
| Barium     | 135-1 | 6276716   | 6242851   | 6113452   | 6211006   | 1.39   | cps   |
| Barium     | 137-1 | 10792776  | 10687439  | 10579303  | 10686506  | 1.00   | cps   |
| Beryllium  | 9-1   | 3562      | 3173      | 3245      | 3326      | 6.22   | cps   |
| Bismuth    | 209-1 | 17290651  | 17421101  | 17234375  | 17315376  | 0.55   | cps   |
| Bismuth    | 209-2 | 12727703  | 12441018  | 12428114  | 12532278  | 1.35   | cps   |
| Bromine    | 81-1  | 52841     | 55554     | 56973     | 55122     | 3.81   | cps   |
| Bromine    | 81-2  | 8132      | 8583      | 8009      | 8241      | 3.66   | cps   |
| Cadmium    | 108-1 | 2200      | 2254      | 2154      | 2202      | 2.27   | cps   |
| Cadmium    | 106-1 | 10984     | 10837     | 10781     | 10867     | 0.97   | cps   |
| Cadmium    | 111-1 | 37316     | 36514     | 37016     | 36948     | 1.10   | cps   |
| Calcium    | 43-1  | 15677141  | 15423501  | 15200620  | 15433754  | 1.54   | cps   |
| Calcium    | 44-1  | 253664283 | 248988690 | 245242143 | 249298372 | 1.69   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 151667    | 149775    | 151600    | 151014    | 0.71   | cps   |
| Cobalt     | 59-2  | 202051    | 204116    | 203564    | 203243    | 0.53   | cps   |
| Copper     | 63-2  | 637026    | 636009    | 634066    | 635700    | 0.24   | cps   |
| Dysprosium | 156-1 | 253511    | 259769    | 257394    | 256891    | 1.23   | cps   |
| Dysprosium | 156-2 | 190139    | 192456    | 191349    | 191315    | 0.61   | cps   |
| Erbium     | 164-1 | 238628    | 236779    | 238680    | 238029    | 0.45   | cps   |
| Erbium     | 164-2 | 151000    | 150036    | 150259    | 150431    | 0.34   | cps   |
| Gadolinium | 160-1 | 253025    | 253865    | 251520    | 252803    | 0.47   | cps   |
| Gadolinium | 160-2 | 170717    | 169007    | 169458    | 169727    | 0.52   | cps   |
| Holmium    | 165-1 | 28669245  | 28502005  | 28591297  | 28587516  | 0.29   | cps   |
| Holmium    | 165-2 | 18281874  | 18148243  | 18160653  | 18196923  | 0.41   | cps   |
| Indium     | 115-1 | 21584429  | 21561078  | 21596579  | 21580695  | 0.08   | cps   |
| Indium     | 115-2 | 7207023   | 7098819   | 7113038   | 7139627   | 0.82   | cps   |
| Iron       | 56-2  | 140909665 | 138726225 | 137920795 | 139185561 | 1.11   | cps   |
| Iron       | 57-2  | 3744640   | 3728493   | 3712867   | 3728667   | 0.43   | cps   |
| Iron       | 54-2  | 7621713   | 7491124   | 7564664   | 7559167   | 0.87   | cps   |
| Krypton    | 83-1  | 617       | 593       | 597       | 602       | 2.10   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-12 Instrumnet Name : P7  
Client Sample ID : MH2GT1 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 19:59:50 DataFile Name : 066SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 4503627  | 4532119  | 4472147  | 4502631  | 0.67   | cps   |
| Lead       | 207-1 | 3829407  | 3805355  | 3856944  | 3830569  | 0.67   | cps   |
| Lead       | 208-1 | 17598057 | 17692905 | 17696303 | 17662422 | 0.32   | cps   |
| Lithium    | 6-1   | 2207117  | 2128926  | 2116156  | 2150733  | 2.29   | cps   |
| Magnesium  | 24-2  | 9023074  | 8867355  | 9024079  | 8971503  | 1.01   | cps   |
| Manganese  | 55-2  | 4445056  | 4303148  | 4377081  | 4375095  | 1.62   | cps   |
| Molybdenum | 94-1  | 38761    | 38761    | 38524    | 38682    | 0.35   | cps   |
| Molybdenum | 95-1  | 14567    | 14344    | 14647    | 14520    | 1.08   | cps   |
| Molybdenum | 96-1  | 21432    | 21459    | 21249    | 21380    | 0.54   | cps   |
| Molybdenum | 97-1  | 8986     | 8856     | 9206     | 9016     | 1.96   | cps   |
| Molybdenum | 98-1  | 22855    | 23189    | 22828    | 22957    | 0.88   | cps   |
| Neodymium  | 150-1 | 410807   | 415361   | 416711   | 414293   | 0.75   | cps   |
| Neodymium  | 150-2 | 227424   | 224221   | 225125   | 225590   | 0.73   | cps   |
| Nickel     | 60-2  | 194389   | 191897   | 190496   | 192261   | 1.03   | cps   |
| Phosphorus | 31-2  | 67351    | 67408    | 67789    | 67516    | 0.35   | cps   |
| Potassium  | 39-2  | 2554226  | 2539568  | 2545561  | 2546452  | 0.29   | cps   |
| Rhodium    | 103-1 | 19777952 | 19834482 | 19724176 | 19778870 | 0.28   | cps   |
| Rhodium    | 103-2 | 11403390 | 11347790 | 11311262 | 11354147 | 0.41   | cps   |
| Scandium   | 45-1  | 11025809 | 10839591 | 10631132 | 10832177 | 1.82   | cps   |
| Scandium   | 45-2  | 930234   | 920549   | 918022   | 922935   | 0.70   | cps   |
| Selenium   | 82-1  | 1274     | 1414     | 1384     | 1357     | 5.45   | cps   |
| Selenium   | 77-2  | 740      | 777      | 783      | 767      | 3.04   | cps   |
| Selenium   | 78-2  | 950      | 990      | 963      | 968      | 2.10   | cps   |
| Silicon    | 28-1  | 79747812 | 78559727 | 78739880 | 79015807 | 0.81   | cps   |
| Silver     | 107-1 | 47273    | 46494    | 47217    | 46995    | 0.92   | cps   |
| Silver     | 109-1 | 43980    | 43996    | 45040    | 44339    | 1.37   | cps   |
| Sodium     | 23-2  | 925816   | 919987   | 928268   | 924690   | 0.46   | cps   |
| Strontium  | 86-1  | 4554345  | 4490064  | 4488067  | 4510825  | 0.84   | cps   |
| Strontium  | 88-1  | 39700804 | 39453105 | 39422861 | 39525590 | 0.39   | cps   |
| Sulfur     | 34-1  | 464787   | 458998   | 458838   | 460874   | 0.74   | cps   |
| Terbium    | 159-1 | 29282842 | 28812498 | 28865000 | 28986780 | 0.89   | cps   |
| Terbium    | 159-2 | 17916450 | 17739496 | 17540028 | 17731991 | 1.06   | cps   |
| Thallium   | 203-1 | 12499    | 12519    | 12112    | 12377    | 1.85   | cps   |
| Thallium   | 205-1 | 29689    | 29913    | 29395    | 29666    | 0.88   | cps   |
| Tin        | 118-1 | 144550   | 145714   | 145544   | 145269   | 0.43   | cps   |
| Titanium   | 47-1  | 257454   | 257168   | 252717   | 255780   | 1.04   | cps   |



LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-12

Instrumnet Name :P7

Client Sample ID :MH2GT1

Dilution Factor :1

Date & Time Acquired :2024-11-27 19:59:50

DataFile Name :066SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 460586   | 464523   | 464666   | 463258   | 0.50   | cps   |
| Vanadium  | 51-2  | 570143   | 563968   | 566679   | 566930   | 0.55   | cps   |
| Yttrium   | 89-1  | 28112488 | 27749265 | 27426599 | 27762784 | 1.24   | cps   |
| Yttrium   | 89-2  | 6844786  | 6757684  | 6765444  | 6789305  | 0.71   | cps   |
| Zinc      | 66-2  | 482240   | 481482   | 479041   | 480921   | 0.35   | cps   |
| Zirconium | 90-1  | 83472    | 83804    | 83147    | 83474    | 0.39   | cps   |
| Zirconium | 91-1  | 18455    | 18829    | 18745    | 18676    | 1.05   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-15 Instrumnet Name : P7  
Client Sample ID : MH2GT4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:09:22 DataFile Name : 069SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 3753829   | 3708617   | 3702707   | 3721718   | 0.75   | cps   |
| Antimony   | 121-1 | 16206     | 16186     | 16076     | 16156     | 0.43   | cps   |
| Arsenic    | 75-2  | 20047     | 19800     | 19490     | 19779     | 1.41   | cps   |
| Barium     | 135-1 | 3325768   | 3333340   | 3260138   | 3306415   | 1.22   | cps   |
| Barium     | 137-1 | 5714182   | 5716393   | 5616069   | 5682215   | 1.01   | cps   |
| Beryllium  | 9-1   | 2834      | 2900      | 2606      | 2780      | 5.55   | cps   |
| Bismuth    | 209-1 | 17139785  | 16552554  | 16659049  | 16783796  | 1.86   | cps   |
| Bismuth    | 209-2 | 12548324  | 12290943  | 12460769  | 12433345  | 1.05   | cps   |
| Bromine    | 81-1  | 26524     | 26521     | 27629     | 26891     | 2.38   | cps   |
| Bromine    | 81-2  | 2914      | 3120      | 2964      | 2999      | 3.60   | cps   |
| Cadmium    | 108-1 | 2704      | 2620      | 2520      | 2615      | 3.51   | cps   |
| Cadmium    | 106-1 | 11681     | 10898     | 11124     | 11234     | 3.59   | cps   |
| Cadmium    | 111-1 | 44826     | 43814     | 42773     | 43804     | 2.34   | cps   |
| Calcium    | 43-1  | 6720459   | 6505831   | 6404116   | 6543469   | 2.47   | cps   |
| Calcium    | 44-1  | 107798142 | 105530828 | 104406335 | 105911768 | 1.63   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 84649     | 84072     | 82973     | 83898     | 1.01   | cps   |
| Cobalt     | 59-2  | 131547    | 130178    | 128609    | 130111    | 1.13   | cps   |
| Copper     | 63-2  | 830888    | 822196    | 823914    | 825666    | 0.56   | cps   |
| Dysprosium | 156-1 | 228934    | 224750    | 223199    | 225628    | 1.31   | cps   |
| Dysprosium | 156-2 | 170879    | 172228    | 171817    | 171641    | 0.40   | cps   |
| Erbium     | 164-1 | 207583    | 207071    | 205909    | 206855    | 0.41   | cps   |
| Erbium     | 164-2 | 132727    | 131670    | 133235    | 132544    | 0.60   | cps   |
| Gadolinium | 160-1 | 223936    | 220653    | 220161    | 221583    | 0.93   | cps   |
| Gadolinium | 160-2 | 149815    | 151240    | 151286    | 150780    | 0.55   | cps   |
| Holmium    | 165-1 | 27731765  | 27471670  | 27318060  | 27507165  | 0.76   | cps   |
| Holmium    | 165-2 | 17842739  | 17515408  | 17952027  | 17770058  | 1.28   | cps   |
| Indium     | 115-1 | 21809550  | 21387311  | 21164701  | 21453854  | 1.53   | cps   |
| Indium     | 115-2 | 7111265   | 7045487   | 7088024   | 7081592   | 0.47   | cps   |
| Iron       | 56-2  | 54578013  | 53898381  | 53356476  | 53944290  | 1.13   | cps   |
| Iron       | 57-2  | 1485425   | 1440455   | 1454133   | 1460004   | 1.58   | cps   |
| Iron       | 54-2  | 3017285   | 2940627   | 2948903   | 2968939   | 1.42   | cps   |
| Krypton    | 83-1  | 553       | 597       | 447       | 532       | 14.50  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-15 Instrumnet Name : P7  
Client Sample ID : MH2GT4 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:09:22 DataFile Name : 069SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 10353549 | 10404163 | 10197717 | 10318477 | 1.04   | cps   |
| Lead       | 207-1 | 8927351  | 8858531  | 8791264  | 8859049  | 0.77   | cps   |
| Lead       | 208-1 | 41005919 | 40829166 | 40369582 | 40734889 | 0.81   | cps   |
| Lithium    | 6-1   | 2328845  | 2300393  | 2284106  | 2304448  | 0.98   | cps   |
| Magnesium  | 24-2  | 4271232  | 4266677  | 4237304  | 4258404  | 0.43   | cps   |
| Manganese  | 55-2  | 4979895  | 4871231  | 4807915  | 4886347  | 1.78   | cps   |
| Molybdenum | 94-1  | 22391    | 22103    | 22240    | 22245    | 0.65   | cps   |
| Molybdenum | 95-1  | 4751     | 4477     | 4838     | 4689     | 4.01   | cps   |
| Molybdenum | 96-1  | 8412     | 8396     | 8623     | 8477     | 1.49   | cps   |
| Molybdenum | 97-1  | 2960     | 2760     | 2827     | 2849     | 3.57   | cps   |
| Molybdenum | 98-1  | 7312     | 7439     | 7239     | 7330     | 1.38   | cps   |
| Neodymium  | 150-1 | 360267   | 354972   | 350792   | 355344   | 1.34   | cps   |
| Neodymium  | 150-2 | 197749   | 196079   | 198517   | 197448   | 0.63   | cps   |
| Nickel     | 60-2  | 76670    | 76386    | 75288    | 76115    | 0.96   | cps   |
| Phosphorus | 31-2  | 93312    | 92531    | 91565    | 92469    | 0.95   | cps   |
| Potassium  | 39-2  | 2083194  | 2073787  | 2074610  | 2077197  | 0.25   | cps   |
| Rhodium    | 103-1 | 19551236 | 19364837 | 19136419 | 19350831 | 1.07   | cps   |
| Rhodium    | 103-2 | 11291330 | 11262697 | 11196219 | 11250082 | 0.43   | cps   |
| Scandium   | 45-1  | 10973424 | 10677967 | 10707929 | 10786440 | 1.51   | cps   |
| Scandium   | 45-2  | 923549   | 915143   | 910251   | 916314   | 0.73   | cps   |
| Selenium   | 82-1  | 1171     | 1137     | 1158     | 1156     | 1.52   | cps   |
| Selenium   | 77-2  | 553      | 673      | 593      | 607      | 10.07  | cps   |
| Selenium   | 78-2  | 777      | 950      | 977      | 901      | 12.05  | cps   |
| Silicon    | 28-1  | 80322907 | 79093982 | 78150157 | 79189015 | 1.38   | cps   |
| Silver     | 107-1 | 28832    | 27636    | 27817    | 28095    | 2.29   | cps   |
| Silver     | 109-1 | 26831    | 26865    | 26674    | 26790    | 0.38   | cps   |
| Sodium     | 23-2  | 336209   | 336578   | 332164   | 334984   | 0.73   | cps   |
| Strontium  | 86-1  | 2436485  | 2401224  | 2395520  | 2411076  | 0.92   | cps   |
| Strontium  | 88-1  | 21238592 | 20686343 | 20854344 | 20926426 | 1.35   | cps   |
| Sulfur     | 34-1  | 316114   | 309464   | 306423   | 310667   | 1.60   | cps   |
| Terbium    | 159-1 | 28036258 | 28068235 | 27368885 | 27824460 | 1.42   | cps   |
| Terbium    | 159-2 | 17602329 | 17561827 | 17442368 | 17535508 | 0.47   | cps   |
| Thallium   | 203-1 | 5084     | 5101     | 4844     | 5010     | 2.87   | cps   |
| Thallium   | 205-1 | 12262    | 12085    | 12189    | 12179    | 0.73   | cps   |
| Tin        | 118-1 | 9216     | 8813     | 8583     | 8871     | 3.62   | cps   |
| Titanium   | 47-1  | 107125   | 105011   | 102772   | 104969   | 2.07   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-15

Instrumnet Name :P7

Client Sample ID :MH2GT4

Dilution Factor :1

Date & Time Acquired :2024-11-27 20:09:22

DataFile Name :069SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 258551   | 257784   | 255993   | 257443   | 0.51   | cps   |
| Vanadium  | 51-2  | 222191   | 221711   | 218545   | 220816   | 0.90   | cps   |
| Yttrium   | 89-1  | 27472702 | 27100201 | 26689340 | 27087415 | 1.45   | cps   |
| Yttrium   | 89-2  | 6798504  | 6669784  | 6692167  | 6720152  | 1.02   | cps   |
| Zinc      | 66-2  | 805575   | 808633   | 806798   | 807002   | 0.19   | cps   |
| Zirconium | 90-1  | 54896    | 54828    | 52768    | 54164    | 2.23   | cps   |
| Zirconium | 91-1  | 11825    | 11958    | 11995    | 11926    | 0.75   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-16 Instrumnet Name : P7  
Client Sample ID : MH2GT5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:12:29 DataFile Name : 070SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 3025171   | 2950013   | 2976282   | 2983822   | 1.28   | cps   |
| Antimony   | 121-1 | 14090     | 14167     | 14147     | 14135     | 0.28   | cps   |
| Arsenic    | 75-2  | 23125     | 22808     | 22577     | 22836     | 1.20   | cps   |
| Barium     | 135-1 | 3309775   | 3336712   | 3324257   | 3323581   | 0.41   | cps   |
| Barium     | 137-1 | 5732589   | 5861029   | 5732920   | 5775513   | 1.28   | cps   |
| Beryllium  | 9-1   | 2584      | 2300      | 2228      | 2371      | 7.93   | cps   |
| Bismuth    | 209-1 | 16743275  | 16722588  | 16566935  | 16677599  | 0.58   | cps   |
| Bismuth    | 209-2 | 12304241  | 12293211  | 12211524  | 12269659  | 0.41   | cps   |
| Bromine    | 81-1  | 26230     | 26547     | 26958     | 26578     | 1.37   | cps   |
| Bromine    | 81-2  | 2767      | 2717      | 2927      | 2804      | 3.91   | cps   |
| Cadmium    | 108-1 | 1697      | 1823      | 1800      | 1773      | 3.80   | cps   |
| Cadmium    | 106-1 | 10124     | 9743      | 9677      | 9848      | 2.45   | cps   |
| Cadmium    | 111-1 | 31862     | 31077     | 31390     | 31443     | 1.26   | cps   |
| Calcium    | 43-1  | 9322830   | 9254547   | 9248833   | 9275403   | 0.44   | cps   |
| Calcium    | 44-1  | 152129994 | 151281511 | 149094494 | 150835333 | 1.04   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 70567     | 70855     | 69228     | 70217     | 1.24   | cps   |
| Cobalt     | 59-2  | 115255    | 115050    | 113250    | 114518    | 0.96   | cps   |
| Copper     | 63-2  | 581484    | 576324    | 573432    | 577080    | 0.71   | cps   |
| Dysprosium | 156-1 | 203294    | 202174    | 206880    | 204116    | 1.20   | cps   |
| Dysprosium | 156-2 | 156130    | 153774    | 156864    | 155589    | 1.04   | cps   |
| Erbium     | 164-1 | 186565    | 185701    | 183397    | 185221    | 0.88   | cps   |
| Erbium     | 164-2 | 123026    | 120786    | 120299    | 121371    | 1.20   | cps   |
| Gadolinium | 160-1 | 201800    | 201322    | 198101    | 200408    | 1.00   | cps   |
| Gadolinium | 160-2 | 139174    | 139188    | 135784    | 138048    | 1.42   | cps   |
| Holmium    | 165-1 | 27473652  | 27036824  | 26631258  | 27047245  | 1.56   | cps   |
| Holmium    | 165-2 | 17850326  | 17771043  | 17731259  | 17784209  | 0.34   | cps   |
| Indium     | 115-1 | 21237079  | 20813417  | 20647114  | 20899203  | 1.46   | cps   |
| Indium     | 115-2 | 7121996   | 7124304   | 7055426   | 7100575   | 0.55   | cps   |
| Iron       | 56-2  | 35794429  | 35896694  | 35738508  | 35809877  | 0.22   | cps   |
| Iron       | 57-2  | 1076507   | 1075796   | 1071001   | 1074435   | 0.28   | cps   |
| Iron       | 54-2  | 1966520   | 1928156   | 1942046   | 1945574   | 1.00   | cps   |
| Krypton    | 83-1  | 557       | 537       | 520       | 538       | 3.41   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-16 Instrumnet Name : P7  
Client Sample ID : MH2GT5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:12:29 DataFile Name : 070SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 7350191  | 7506295  | 7362098  | 7406195  | 1.17   | cps   |
| Lead       | 207-1 | 6366437  | 6378085  | 6307230  | 6350584  | 0.60   | cps   |
| Lead       | 208-1 | 29152304 | 29489925 | 29115699 | 29252642 | 0.71   | cps   |
| Lithium    | 6-1   | 2335176  | 2216380  | 2230590  | 2260715  | 2.87   | cps   |
| Magnesium  | 24-2  | 3973032  | 3911778  | 3882130  | 3922313  | 1.18   | cps   |
| Manganese  | 55-2  | 4215362  | 4236163  | 4175153  | 4208893  | 0.74   | cps   |
| Molybdenum | 94-1  | 22187    | 22838    | 22651    | 22559    | 1.49   | cps   |
| Molybdenum | 95-1  | 6742     | 6428     | 7065     | 6745     | 4.72   | cps   |
| Molybdenum | 96-1  | 10494    | 10597    | 10394    | 10495    | 0.97   | cps   |
| Molybdenum | 97-1  | 4054     | 4284     | 4124     | 4154     | 2.84   | cps   |
| Molybdenum | 98-1  | 10827    | 10667    | 10194    | 10563    | 3.12   | cps   |
| Neodymium  | 150-1 | 322005   | 326369   | 322013   | 323463   | 0.78   | cps   |
| Neodymium  | 150-2 | 183416   | 180267   | 181576   | 181753   | 0.87   | cps   |
| Nickel     | 60-2  | 140906   | 140520   | 140297   | 140574   | 0.22   | cps   |
| Phosphorus | 31-2  | 79243    | 77997    | 78507    | 78582    | 0.80   | cps   |
| Potassium  | 39-2  | 1594817  | 1566065  | 1577936  | 1579606  | 0.91   | cps   |
| Rhodium    | 103-1 | 19243900 | 19050501 | 18629036 | 18974479 | 1.66   | cps   |
| Rhodium    | 103-2 | 11082299 | 11035682 | 10985557 | 11034513 | 0.44   | cps   |
| Scandium   | 45-1  | 10865096 | 10525439 | 10548436 | 10646324 | 1.78   | cps   |
| Scandium   | 45-2  | 910992   | 920864   | 905558   | 912471   | 0.85   | cps   |
| Selenium   | 82-1  | 1098     | 1192     | 1054     | 1115     | 6.31   | cps   |
| Selenium   | 77-2  | 530      | 477      | 443      | 483      | 9.05   | cps   |
| Selenium   | 78-2  | 857      | 840      | 943      | 880      | 6.31   | cps   |
| Silicon    | 28-1  | 68295889 | 68458752 | 66513517 | 67756053 | 1.59   | cps   |
| Silver     | 107-1 | 17210    | 17354    | 16860    | 17141    | 1.48   | cps   |
| Silver     | 109-1 | 16493    | 16186    | 16333    | 16337    | 0.94   | cps   |
| Sodium     | 23-2  | 377794   | 380001   | 375058   | 377618   | 0.66   | cps   |
| Strontium  | 86-1  | 3038103  | 3030018  | 3019148  | 3029090  | 0.31   | cps   |
| Strontium  | 88-1  | 26621790 | 26494368 | 26268191 | 26461450 | 0.68   | cps   |
| Sulfur     | 34-1  | 316606   | 315331   | 313711   | 315216   | 0.46   | cps   |
| Terbium    | 159-1 | 27895073 | 27490335 | 27029885 | 27471764 | 1.58   | cps   |
| Terbium    | 159-2 | 17578839 | 17485668 | 17244571 | 17436359 | 0.99   | cps   |
| Thallium   | 203-1 | 3437     | 3227     | 3244     | 3303     | 3.54   | cps   |
| Thallium   | 205-1 | 8022     | 7906     | 7749     | 7892     | 1.74   | cps   |
| Tin        | 118-1 | 7966     | 8092     | 7869     | 7976     | 1.41   | cps   |
| Titanium   | 47-1  | 74187    | 73263    | 72750    | 73400    | 0.99   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-16 Instrumnet Name : P7  
Client Sample ID : MH2GT5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:12:29 DataFile Name : 070SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 268918   | 267730   | 265578   | 267408   | 0.63   | cps   |
| Vanadium  | 51-2  | 223040   | 222255   | 223578   | 222958   | 0.30   | cps   |
| Yttrium   | 89-1  | 26534097 | 25953826 | 26008227 | 26165383 | 1.22   | cps   |
| Yttrium   | 89-2  | 6663361  | 6537868  | 6554089  | 6585106  | 1.04   | cps   |
| Zinc      | 66-2  | 464224   | 463531   | 458763   | 462172   | 0.64   | cps   |
| Zirconium | 90-1  | 52018    | 50804    | 50821    | 51214    | 1.36   | cps   |
| Zirconium | 91-1  | 11515    | 11348    | 11678    | 11513    | 1.43   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-13 Instrumnet Name : P7  
Client Sample ID : MH2GT2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:15:34 DataFile Name : 071SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 5601124   | 5546788   | 5527233   | 5558382   | 0.69   | cps   |
| Antimony   | 121-1 | 23319     | 23352     | 23636     | 23436     | 0.74   | cps   |
| Arsenic    | 75-2  | 18999     | 19119     | 18775     | 18964     | 0.92   | cps   |
| Barium     | 135-1 | 4588028   | 4640944   | 4572643   | 4600538   | 0.78   | cps   |
| Barium     | 137-1 | 7973621   | 7995787   | 8081463   | 8016957   | 0.71   | cps   |
| Beryllium  | 9-1   | 4301      | 3917      | 3678      | 3965      | 7.92   | cps   |
| Bismuth    | 209-1 | 17722208  | 17342390  | 17678545  | 17581048  | 1.18   | cps   |
| Bismuth    | 209-2 | 12865916  | 12717047  | 12721730  | 12768231  | 0.66   | cps   |
| Bromine    | 81-1  | 24774     | 25879     | 24834     | 25163     | 2.47   | cps   |
| Bromine    | 81-2  | 2447      | 2507      | 2534      | 2496      | 1.78   | cps   |
| Cadmium    | 108-1 | 4944      | 4801      | 4734      | 4826      | 2.22   | cps   |
| Cadmium    | 106-1 | 14367     | 14320     | 14180     | 14289     | 0.68   | cps   |
| Cadmium    | 111-1 | 74598     | 76089     | 75652     | 75447     | 1.02   | cps   |
| Calcium    | 43-1  | 5825096   | 5802456   | 5707319   | 5778290   | 1.08   | cps   |
| Calcium    | 44-1  | 94409365  | 92670729  | 93203342  | 93427812  | 0.95   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 281274    | 281264    | 278479    | 280339    | 0.57   | cps   |
| Cobalt     | 59-2  | 193315    | 190327    | 190864    | 191502    | 0.83   | cps   |
| Copper     | 63-2  | 1377116   | 1378291   | 1381660   | 1379022   | 0.17   | cps   |
| Dysprosium | 156-1 | 253435    | 256119    | 256458    | 255337    | 0.65   | cps   |
| Dysprosium | 156-2 | 195586    | 195843    | 196266    | 195898    | 0.18   | cps   |
| Erbium     | 164-1 | 222911    | 226169    | 230567    | 226549    | 1.70   | cps   |
| Erbium     | 164-2 | 146661    | 144711    | 145704    | 145692    | 0.67   | cps   |
| Gadolinium | 160-1 | 243421    | 248920    | 244165    | 245502    | 1.22   | cps   |
| Gadolinium | 160-2 | 167721    | 169047    | 166648    | 167806    | 0.72   | cps   |
| Holmium    | 165-1 | 28477225  | 28257752  | 28286327  | 28340435  | 0.42   | cps   |
| Holmium    | 165-2 | 18293159  | 18199770  | 18237533  | 18243488  | 0.26   | cps   |
| Indium     | 115-1 | 21553814  | 21833982  | 21427039  | 21604945  | 0.96   | cps   |
| Indium     | 115-2 | 7241672   | 7185370   | 7200380   | 7209141   | 0.40   | cps   |
| Iron       | 56-2  | 152153691 | 151821708 | 152413448 | 152129616 | 0.19   | cps   |
| Iron       | 57-2  | 3867955   | 3854063   | 3820696   | 3847571   | 0.63   | cps   |
| Iron       | 54-2  | 8190451   | 8205162   | 8185446   | 8193686   | 0.13   | cps   |
| Krypton    | 83-1  | 610       | 577       | 597       | 594       | 2.82   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-13 Instrumnet Name : P7  
Client Sample ID : MH2GT2 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:15:34 DataFile Name : 071SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 22466641 | 22634108 | 22547377 | 22549375 | 0.37   | cps   |
| Lead       | 207-1 | 19397802 | 19536805 | 19478731 | 19471113 | 0.36   | cps   |
| Lead       | 208-1 | 89225824 | 89274604 | 89341430 | 89280619 | 0.07   | cps   |
| Lithium    | 6-1   | 2338563  | 2242332  | 2218415  | 2266437  | 2.81   | cps   |
| Magnesium  | 24-2  | 15681388 | 15588224 | 15565053 | 15611555 | 0.39   | cps   |
| Manganese  | 55-2  | 8351080  | 8352024  | 8352008  | 8351704  | 0.01   | cps   |
| Molybdenum | 94-1  | 49119    | 49888    | 50323    | 49777    | 1.22   | cps   |
| Molybdenum | 95-1  | 11711    | 12038    | 12148    | 11966    | 1.90   | cps   |
| Molybdenum | 96-1  | 20648    | 20641    | 20231    | 20507    | 1.17   | cps   |
| Molybdenum | 97-1  | 7335     | 6895     | 7559     | 7263     | 4.65   | cps   |
| Molybdenum | 98-1  | 18612    | 18465    | 18425    | 18501    | 0.53   | cps   |
| Neodymium  | 150-1 | 425731   | 426433   | 425524   | 425896   | 0.11   | cps   |
| Neodymium  | 150-2 | 234878   | 235331   | 235443   | 235217   | 0.13   | cps   |
| Nickel     | 60-2  | 139771   | 138035   | 139768   | 139192   | 0.72   | cps   |
| Phosphorus | 31-2  | 103097   | 104769   | 104017   | 103961   | 0.81   | cps   |
| Potassium  | 39-2  | 4277172  | 4295258  | 4231175  | 4267868  | 0.77   | cps   |
| Rhodium    | 103-1 | 19502232 | 19450439 | 19579763 | 19510812 | 0.33   | cps   |
| Rhodium    | 103-2 | 11654319 | 11486676 | 11610807 | 11583934 | 0.75   | cps   |
| Scandium   | 45-1  | 10556578 | 10515475 | 10437697 | 10503250 | 0.57   | cps   |
| Scandium   | 45-2  | 913384   | 909553   | 905981   | 909639   | 0.41   | cps   |
| Selenium   | 82-1  | 1317     | 1315     | 1323     | 1318     | 0.33   | cps   |
| Selenium   | 77-2  | 600      | 647      | 713      | 653      | 8.72   | cps   |
| Selenium   | 78-2  | 1013     | 997      | 903      | 971      | 6.11   | cps   |
| Silicon    | 28-1  | 93992895 | 94469665 | 93031032 | 93831197 | 0.78   | cps   |
| Silver     | 107-1 | 90902    | 91261    | 92606    | 91590    | 0.98   | cps   |
| Silver     | 109-1 | 88608    | 87918    | 88163    | 88229    | 0.40   | cps   |
| Sodium     | 23-2  | 437050   | 436548   | 438494   | 437364   | 0.23   | cps   |
| Strontium  | 86-1  | 2529402  | 2563237  | 2546244  | 2546294  | 0.66   | cps   |
| Strontium  | 88-1  | 22101851 | 22032805 | 22156789 | 22097148 | 0.28   | cps   |
| Sulfur     | 34-1  | 327724   | 330510   | 330021   | 329418   | 0.45   | cps   |
| Terbium    | 159-1 | 28745145 | 28714727 | 28597164 | 28685679 | 0.27   | cps   |
| Terbium    | 159-2 | 17783396 | 17985268 | 17707931 | 17825532 | 0.80   | cps   |
| Thallium   | 203-1 | 10327    | 10674    | 10477    | 10493    | 1.66   | cps   |
| Thallium   | 205-1 | 25370    | 25397    | 25070    | 25279    | 0.72   | cps   |
| Tin        | 118-1 | 231182   | 233721   | 231924   | 232276   | 0.56   | cps   |
| Titanium   | 47-1  | 463108   | 462320   | 461188   | 462206   | 0.21   | cps   |

LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4957-13

Instrumnet Name :P7

Client Sample ID :MH2GT2

Dilution Factor :1

Date & Time Acquired :2024-11-27 20:15:34

DataFile Name :071SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 293981   | 299063   | 297635   | 296893   | 0.88   | cps   |
| Vanadium  | 51-2  | 370968   | 369043   | 369281   | 369764   | 0.28   | cps   |
| Yttrium   | 89-1  | 27619795 | 27175955 | 27662145 | 27485965 | 0.98   | cps   |
| Yttrium   | 89-2  | 6808171  | 6817219  | 6810307  | 6811899  | 0.07   | cps   |
| Zinc      | 66-2  | 2904328  | 2838694  | 2846987  | 2863336  | 1.25   | cps   |
| Zirconium | 90-1  | 119613   | 119636   | 117213   | 118820   | 1.17   | cps   |
| Zirconium | 91-1  | 26063    | 26928    | 25976    | 26323    | 2.00   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-14 Instrumnet Name : P7  
Client Sample ID : MH2GT3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:18:37 DataFile Name : 072SMPL.d

| Parameter  | Mass  | CPS1      | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|-----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 4556637   | 4571603  | 4465901  | 4531380  | 1.26   | cps   |
| Antimony   | 121-1 | 17835     | 17861    | 18015    | 17903    | 0.54   | cps   |
| Arsenic    | 75-2  | 19516     | 20024    | 19393    | 19644    | 1.70   | cps   |
| Barium     | 135-1 | 4860312   | 4860939  | 4801500  | 4840917  | 0.71   | cps   |
| Barium     | 137-1 | 8390303   | 8413739  | 8358593  | 8387545  | 0.33   | cps   |
| Beryllium  | 9-1   | 4128      | 3662     | 3889     | 3893     | 6.00   | cps   |
| Bismuth    | 209-1 | 17822460  | 17495046 | 17502746 | 17606751 | 1.06   | cps   |
| Bismuth    | 209-2 | 12762730  | 12691824 | 12662146 | 12705566 | 0.41   | cps   |
| Bromine    | 81-1  | 26524     | 26804    | 26894    | 26741    | 0.72   | cps   |
| Bromine    | 81-2  | 2957      | 2700     | 2850     | 2836     | 4.55   | cps   |
| Cadmium    | 108-1 | 5391      | 5634     | 5504     | 5510     | 2.21   | cps   |
| Cadmium    | 106-1 | 15502     | 15295    | 14938    | 15245    | 1.87   | cps   |
| Cadmium    | 111-1 | 85750     | 84988    | 83898    | 84879    | 1.10   | cps   |
| Calcium    | 43-1  | 6201968   | 6152408  | 6048288  | 6134221  | 1.28   | cps   |
| Calcium    | 44-1  | 100121415 | 99245785 | 98432565 | 99266589 | 0.85   | cps   |
| Carbon     | 12-1  |           |          |          |          |        | cps   |
| Carbon     | 12-2  |           |          |          |          |        | cps   |
| Chlorine   | 35-1  |           |          |          |          |        | cps   |
| Chlorine   | 35-2  |           |          |          |          |        | cps   |
| Chromium   | 52-2  | 145750    | 144878   | 144511   | 145046   | 0.44   | cps   |
| Cobalt     | 59-2  | 161910    | 160993   | 160609   | 161171   | 0.41   | cps   |
| Copper     | 63-2  | 1469224   | 1470712  | 1463657  | 1467864  | 0.25   | cps   |
| Dysprosium | 156-1 | 241744    | 240991   | 241041   | 241259   | 0.17   | cps   |
| Dysprosium | 156-2 | 182162    | 184235   | 181054   | 182484   | 0.88   | cps   |
| Erbium     | 164-1 | 223300    | 220749   | 218563   | 220871   | 1.07   | cps   |
| Erbium     | 164-2 | 142754    | 141829   | 142676   | 142420   | 0.36   | cps   |
| Gadolinium | 160-1 | 235651    | 236702   | 233431   | 235261   | 0.71   | cps   |
| Gadolinium | 160-2 | 160748    | 160758   | 159372   | 160293   | 0.50   | cps   |
| Holmium    | 165-1 | 29253888  | 27859182 | 28222942 | 28445337 | 2.54   | cps   |
| Holmium    | 165-2 | 18349014  | 18284467 | 18186693 | 18273391 | 0.45   | cps   |
| Indium     | 115-1 | 22243032  | 21305123 | 21386156 | 21644770 | 2.40   | cps   |
| Indium     | 115-2 | 7276877   | 7320348  | 7317663  | 7304962  | 0.33   | cps   |
| Iron       | 56-2  | 72219159  | 72289391 | 71963841 | 72157463 | 0.24   | cps   |
| Iron       | 57-2  | 1920672   | 1895727  | 1903409  | 1906603  | 0.67   | cps   |
| Iron       | 54-2  | 3947697   | 3882342  | 3910517  | 3913519  | 0.84   | cps   |
| Krypton    | 83-1  | 603       | 613      | 550      | 589      | 5.78   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-14 Instrumnet Name : P7  
Client Sample ID : MH2GT3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:18:37 DataFile Name : 072SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 24697106 | 24278512 | 24029138 | 24334919 | 1.39   | cps   |
| Lead       | 207-1 | 21114327 | 21020636 | 20897142 | 21010702 | 0.52   | cps   |
| Lead       | 208-1 | 97006986 | 96646309 | 96128351 | 96593882 | 0.46   | cps   |
| Lithium    | 6-1   | 2321637  | 2321194  | 2268500  | 2303777  | 1.33   | cps   |
| Magnesium  | 24-2  | 5936861  | 5988631  | 5905682  | 5943725  | 0.70   | cps   |
| Manganese  | 55-2  | 7483810  | 7513944  | 7365458  | 7454404  | 1.05   | cps   |
| Molybdenum | 94-1  | 28671    | 28862    | 27609    | 28381    | 2.38   | cps   |
| Molybdenum | 95-1  | 4401     | 4504     | 4184     | 4363     | 3.74   | cps   |
| Molybdenum | 96-1  | 9456     | 9603     | 9683     | 9581     | 1.20   | cps   |
| Molybdenum | 97-1  | 2617     | 2894     | 2694     | 2735     | 5.22   | cps   |
| Molybdenum | 98-1  | 6645     | 7005     | 6665     | 6772     | 2.99   | cps   |
| Neodymium  | 150-1 | 386257   | 382341   | 381121   | 383240   | 0.70   | cps   |
| Neodymium  | 150-2 | 213319   | 214287   | 209735   | 212447   | 1.13   | cps   |
| Nickel     | 60-2  | 119150   | 117874   | 117767   | 118264   | 0.65   | cps   |
| Phosphorus | 31-2  | 99302    | 100138   | 99001    | 99480    | 0.59   | cps   |
| Potassium  | 39-2  | 3088937  | 3150807  | 3109344  | 3116363  | 1.01   | cps   |
| Rhodium    | 103-1 | 20352515 | 19668243 | 19507039 | 19842599 | 2.26   | cps   |
| Rhodium    | 103-2 | 11642950 | 11757290 | 11465078 | 11621773 | 1.27   | cps   |
| Scandium   | 45-1  | 10991264 | 10767629 | 10707733 | 10822209 | 1.38   | cps   |
| Scandium   | 45-2  | 931900   | 934371   | 928000   | 931424   | 0.34   | cps   |
| Selenium   | 82-1  | 1280     | 1290     | 1240     | 1270     | 2.08   | cps   |
| Selenium   | 77-2  | 650      | 620      | 583      | 618      | 5.40   | cps   |
| Selenium   | 78-2  | 1013     | 1013     | 1007     | 1011     | 0.38   | cps   |
| Silicon    | 28-1  | 96330639 | 96017615 | 94746515 | 95698256 | 0.88   | cps   |
| Silver     | 107-1 | 55753    | 56891    | 55248    | 55964    | 1.50   | cps   |
| Silver     | 109-1 | 54877    | 53893    | 53519    | 54096    | 1.30   | cps   |
| Sodium     | 23-2  | 397046   | 399354   | 397796   | 398065   | 0.30   | cps   |
| Strontium  | 86-1  | 2740230  | 2705304  | 2667040  | 2704192  | 1.35   | cps   |
| Strontium  | 88-1  | 23715254 | 23520244 | 23774100 | 23669866 | 0.56   | cps   |
| Sulfur     | 34-1  | 315235   | 313986   | 313260   | 314160   | 0.32   | cps   |
| Terbium    | 159-1 | 29502422 | 28595906 | 28281016 | 28793115 | 2.20   | cps   |
| Terbium    | 159-2 | 18026915 | 17976818 | 17719441 | 17907725 | 0.92   | cps   |
| Thallium   | 203-1 | 8183     | 7946     | 7746     | 7958     | 2.75   | cps   |
| Thallium   | 205-1 | 18720    | 18643    | 18319    | 18561    | 1.15   | cps   |
| Tin        | 118-1 | 16913    | 17391    | 17024    | 17109    | 1.46   | cps   |
| Titanium   | 47-1  | 162218   | 161932   | 160875   | 161675   | 0.44   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4957-14 Instrumnet Name : P7  
Client Sample ID : MH2GT3 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:18:37 DataFile Name : 072SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 314355   | 310822   | 312166   | 312447   | 0.57   | cps   |
| Vanadium  | 51-2  | 276962   | 279117   | 276506   | 277528   | 0.50   | cps   |
| Yttrium   | 89-1  | 28447951 | 27644734 | 27357950 | 27816878 | 2.03   | cps   |
| Yttrium   | 89-2  | 6964117  | 6946771  | 6874211  | 6928366  | 0.69   | cps   |
| Zinc      | 66-2  | 2213243  | 2238481  | 2238533  | 2230086  | 0.65   | cps   |
| Zirconium | 90-1  | 69041    | 70086    | 70840    | 69989    | 1.29   | cps   |
| Zirconium | 91-1  | 15278    | 15658    | 15909    | 15615    | 2.03   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-01 Instrumnet Name : P7  
Client Sample ID : MH2GW5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:21:35 DataFile Name : 073SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 3281094   | 3310808   | 3262941   | 3284947   | 0.74   | cps   |
| Antimony   | 121-1 | 385335    | 390650    | 389227    | 388404    | 0.71   | cps   |
| Arsenic    | 75-2  | 10470     | 10040     | 9947      | 10152     | 2.75   | cps   |
| Barium     | 135-1 | 2648281   | 2720930   | 2722110   | 2697107   | 1.57   | cps   |
| Barium     | 137-1 | 4694524   | 4706095   | 4657563   | 4686061   | 0.54   | cps   |
| Beryllium  | 9-1   | 2256      | 2250      | 2261      | 2256      | 0.25   | cps   |
| Bismuth    | 209-1 | 18020361  | 17780316  | 18197721  | 17999466  | 1.16   | cps   |
| Bismuth    | 209-2 | 13157221  | 13059009  | 13012994  | 13076408  | 0.56   | cps   |
| Bromine    | 81-1  | 42100     | 42702     | 43247     | 42683     | 1.34   | cps   |
| Bromine    | 81-2  | 5614      | 5394      | 5354      | 5454      | 2.57   | cps   |
| Cadmium    | 108-1 | 9416      | 9680      | 9910      | 9669      | 2.55   | cps   |
| Cadmium    | 106-1 | 20418     | 20661     | 21316     | 20798     | 2.23   | cps   |
| Cadmium    | 111-1 | 149595    | 150429    | 151648    | 150557    | 0.69   | cps   |
| Calcium    | 43-1  | 4344754   | 4341620   | 4365975   | 4350783   | 0.30   | cps   |
| Calcium    | 44-1  | 70661741  | 70709759  | 70280899  | 70550800  | 0.33   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 534265    | 532218    | 533396    | 533293    | 0.19   | cps   |
| Cobalt     | 59-2  | 103601    | 103490    | 103255    | 103449    | 0.17   | cps   |
| Copper     | 63-2  | 1140201   | 1133043   | 1133449   | 1135564   | 0.35   | cps   |
| Dysprosium | 156-1 | 134331    | 136082    | 134823    | 135079    | 0.67   | cps   |
| Dysprosium | 156-2 | 103571    | 103296    | 104616    | 103828    | 0.67   | cps   |
| Erbium     | 164-1 | 115564    | 116044    | 115694    | 115767    | 0.21   | cps   |
| Erbium     | 164-2 | 73807     | 73559     | 73287     | 73551     | 0.35   | cps   |
| Gadolinium | 160-1 | 125694    | 127265    | 127033    | 126664    | 0.67   | cps   |
| Gadolinium | 160-2 | 84825     | 86532     | 86804     | 86053     | 1.25   | cps   |
| Holmium    | 165-1 | 29243060  | 28644883  | 29097135  | 28995026  | 1.08   | cps   |
| Holmium    | 165-2 | 18560575  | 18742761  | 18232329  | 18511888  | 1.40   | cps   |
| Indium     | 115-1 | 22158206  | 21863821  | 21917815  | 21979947  | 0.71   | cps   |
| Indium     | 115-2 | 7286340   | 7296333   | 7211631   | 7264768   | 0.64   | cps   |
| Iron       | 56-2  | 111150492 | 110700235 | 110594862 | 110815196 | 0.27   | cps   |
| Iron       | 57-2  | 2856387   | 2831254   | 2815920   | 2834521   | 0.72   | cps   |
| Iron       | 54-2  | 5929829   | 6044596   | 6019632   | 5998019   | 1.01   | cps   |
| Krypton    | 83-1  | 397       | 437       | 470       | 434       | 8.45   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-01 Instrumnet Name : P7  
Client Sample ID : MH2GW5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:21:35 DataFile Name : 073SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 2725430  | 2711434  | 2740720  | 2725861  | 0.54   | cps   |
| Lead       | 207-1 | 2299402  | 2334662  | 2375901  | 2336655  | 1.64   | cps   |
| Lead       | 208-1 | 10633465 | 10639146 | 10849232 | 10707281 | 1.15   | cps   |
| Lithium    | 6-1   | 2302720  | 2274020  | 2268056  | 2281599  | 0.81   | cps   |
| Magnesium  | 24-2  | 7406357  | 7339209  | 7442464  | 7396010  | 0.71   | cps   |
| Manganese  | 55-2  | 6132513  | 6148408  | 6146691  | 6142537  | 0.14   | cps   |
| Molybdenum | 94-1  | 83075    | 82934    | 84684    | 83565    | 1.16   | cps   |
| Molybdenum | 95-1  | 39557    | 39867    | 39938    | 39787    | 0.51   | cps   |
| Molybdenum | 96-1  | 52919    | 53608    | 52838    | 53122    | 0.80   | cps   |
| Molybdenum | 97-1  | 24414    | 24410    | 24945    | 24590    | 1.25   | cps   |
| Molybdenum | 98-1  | 64438    | 64669    | 64518    | 64542    | 0.18   | cps   |
| Neodymium  | 150-1 | 224205   | 224510   | 223373   | 224029   | 0.26   | cps   |
| Neodymium  | 150-2 | 122964   | 122637   | 124042   | 123215   | 0.60   | cps   |
| Nickel     | 60-2  | 186217   | 186602   | 183277   | 185366   | 0.98   | cps   |
| Phosphorus | 31-2  | 61671    | 60509    | 60683    | 60954    | 1.03   | cps   |
| Potassium  | 39-2  | 6460461  | 6503003  | 6382704  | 6448723  | 0.95   | cps   |
| Rhodium    | 103-1 | 20056496 | 19963946 | 19865940 | 19962127 | 0.48   | cps   |
| Rhodium    | 103-2 | 11747377 | 11583332 | 11832769 | 11721159 | 1.08   | cps   |
| Scandium   | 45-1  | 10755269 | 10642960 | 10522117 | 10640115 | 1.10   | cps   |
| Scandium   | 45-2  | 914305   | 914528   | 916082   | 914971   | 0.11   | cps   |
| Selenium   | 82-1  | 1340     | 1292     | 1212     | 1281     | 5.08   | cps   |
| Selenium   | 77-2  | 430      | 410      | 337      | 392      | 12.53  | cps   |
| Selenium   | 78-2  | 723      | 743      | 790      | 752      | 4.55   | cps   |
| Silicon    | 28-1  | 86482742 | 85414232 | 85041149 | 85646041 | 0.87   | cps   |
| Silver     | 107-1 | 28261    | 28575    | 29450    | 28762    | 2.14   | cps   |
| Silver     | 109-1 | 27175    | 27359    | 27780    | 27438    | 1.13   | cps   |
| Sodium     | 23-2  | 19637905 | 19880568 | 19706915 | 19741796 | 0.63   | cps   |
| Strontium  | 86-1  | 2435864  | 2430563  | 2393725  | 2420051  | 0.95   | cps   |
| Strontium  | 88-1  | 20856944 | 20933472 | 20874441 | 20888286 | 0.19   | cps   |
| Sulfur     | 34-1  | 771983   | 770001   | 768400   | 770128   | 0.23   | cps   |
| Terbium    | 159-1 | 29633899 | 29179758 | 28852080 | 29221912 | 1.34   | cps   |
| Terbium    | 159-2 | 18252596 | 18338519 | 18192828 | 18261314 | 0.40   | cps   |
| Thallium   | 203-1 | 6902     | 6738     | 6735     | 6792     | 1.40   | cps   |
| Thallium   | 205-1 | 16056    | 16156    | 16293    | 16169    | 0.74   | cps   |
| Tin        | 118-1 | 266701   | 270795   | 268007   | 268501   | 0.78   | cps   |
| Titanium   | 47-1  | 499597   | 503492   | 501611   | 501566   | 0.39   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-01 Instrumnet Name : P7  
Client Sample ID : MH2GW5 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:21:35 DataFile Name : 073SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 352687   | 354987   | 357228   | 354968   | 0.64   | cps   |
| Vanadium  | 51-2  | 158714   | 159476   | 157616   | 158602   | 0.59   | cps   |
| Yttrium   | 89-1  | 26173529 | 25620141 | 26250555 | 26014742 | 1.32   | cps   |
| Yttrium   | 89-2  | 6539237  | 6566120  | 6540444  | 6548600  | 0.23   | cps   |
| Zinc      | 66-2  | 2325138  | 2352389  | 2315022  | 2330849  | 0.83   | cps   |
| Zirconium | 90-1  | 161139   | 163614   | 163150   | 162634   | 0.81   | cps   |
| Zirconium | 91-1  | 35584    | 36873    | 37269    | 36575    | 2.41   | cps   |



LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-02 Instrumnet Name : P7  
Client Sample ID : MH2GW6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:24:34 DataFile Name : 074SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 3080473  | 3044685  | 3016510  | 3047223  | 1.05   | cps   |
| Antimony   | 121-1 | 1719287  | 1720394  | 1682432  | 1707371  | 1.27   | cps   |
| Arsenic    | 75-2  | 7509     | 7345     | 7322     | 7392     | 1.38   | cps   |
| Barium     | 135-1 | 1840602  | 1869340  | 1823064  | 1844335  | 1.27   | cps   |
| Barium     | 137-1 | 3151522  | 3187451  | 3180063  | 3173012  | 0.60   | cps   |
| Beryllium  | 9-1   | 1661     | 1461     | 1295     | 1472     | 12.47  | cps   |
| Bismuth    | 209-1 | 18086044 | 17973909 | 17988269 | 18016074 | 0.34   | cps   |
| Bismuth    | 209-2 | 13141716 | 13074473 | 13058635 | 13091608 | 0.34   | cps   |
| Bromine    | 81-1  | 59014    | 61819    | 63643    | 61492    | 3.79   | cps   |
| Bromine    | 81-2  | 9373     | 8969     | 9396     | 9246     | 2.60   | cps   |
| Cadmium    | 108-1 | 3104     | 3004     | 2977     | 3028     | 2.21   | cps   |
| Cadmium    | 106-1 | 13910    | 13643    | 13767    | 13773    | 0.97   | cps   |
| Cadmium    | 111-1 | 24601    | 24851    | 24660    | 24704    | 0.53   | cps   |
| Calcium    | 43-1  | 4523343  | 4536864  | 4468527  | 4509578  | 0.80   | cps   |
| Calcium    | 44-1  | 73548076 | 73442992 | 72675404 | 73222157 | 0.65   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 375759   | 375817   | 372007   | 374528   | 0.58   | cps   |
| Cobalt     | 59-2  | 64357    | 63607    | 63008    | 63658    | 1.06   | cps   |
| Copper     | 63-2  | 1123924  | 1118246  | 1116648  | 1119606  | 0.34   | cps   |
| Dysprosium | 156-1 | 94438    | 96354    | 95243    | 95345    | 1.01   | cps   |
| Dysprosium | 156-2 | 73079    | 72858    | 73005    | 72981    | 0.15   | cps   |
| Erbium     | 164-1 | 84248    | 84259    | 84413    | 84307    | 0.11   | cps   |
| Erbium     | 164-2 | 53686    | 53964    | 53626    | 53758    | 0.34   | cps   |
| Gadolinium | 160-1 | 89738    | 91913    | 90191    | 90614    | 1.27   | cps   |
| Gadolinium | 160-2 | 62190    | 62284    | 61086    | 61853    | 1.08   | cps   |
| Holmium    | 165-1 | 28812849 | 28198865 | 28750491 | 28587402 | 1.18   | cps   |
| Holmium    | 165-2 | 18914327 | 18417126 | 18423531 | 18584995 | 1.53   | cps   |
| Indium     | 115-1 | 21830350 | 21851346 | 21876079 | 21852592 | 0.10   | cps   |
| Indium     | 115-2 | 7347099  | 7190302  | 7101616  | 7213006  | 1.72   | cps   |
| Iron       | 56-2  | 81132205 | 81507652 | 79841095 | 80826984 | 1.08   | cps   |
| Iron       | 57-2  | 2096618  | 2124955  | 2072391  | 2097988  | 1.25   | cps   |
| Iron       | 54-2  | 4410112  | 4393240  | 4374316  | 4392556  | 0.41   | cps   |
| Krypton    | 83-1  | 323      | 327      | 423      | 358      | 15.88  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-02 Instrumnet Name : P7  
Client Sample ID : MH2GW6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:24:34 DataFile Name : 074SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 1925935  | 1963715  | 1936827  | 1942159  | 1.00   | cps   |
| Lead       | 207-1 | 1619751  | 1638635  | 1633446  | 1630610  | 0.60   | cps   |
| Lead       | 208-1 | 7508809  | 7575479  | 7547225  | 7543838  | 0.44   | cps   |
| Lithium    | 6-1   | 2223891  | 2199649  | 2233880  | 2219140  | 0.79   | cps   |
| Magnesium  | 24-2  | 6454142  | 6510259  | 6447049  | 6470483  | 0.54   | cps   |
| Manganese  | 55-2  | 4705596  | 4676143  | 4624497  | 4668745  | 0.88   | cps   |
| Molybdenum | 94-1  | 724396   | 718071   | 715731   | 719399   | 0.62   | cps   |
| Molybdenum | 95-1  | 35650    | 36800    | 36198    | 36216    | 1.59   | cps   |
| Molybdenum | 96-1  | 155937   | 155036   | 154167   | 155047   | 0.57   | cps   |
| Molybdenum | 97-1  | 22033    | 22975    | 22618    | 22542    | 2.11   | cps   |
| Molybdenum | 98-1  | 58419    | 58423    | 58945    | 58596    | 0.52   | cps   |
| Neodymium  | 150-1 | 154917   | 159042   | 156852   | 156937   | 1.32   | cps   |
| Neodymium  | 150-2 | 87220    | 86114    | 85805    | 86380    | 0.86   | cps   |
| Nickel     | 60-2  | 92106    | 91660    | 91564    | 91777    | 0.32   | cps   |
| Phosphorus | 31-2  | 47256    | 47654    | 46340    | 47083    | 1.43   | cps   |
| Potassium  | 39-2  | 9085222  | 9095291  | 8961508  | 9047340  | 0.82   | cps   |
| Rhodium    | 103-1 | 20214629 | 20012441 | 20006861 | 20077977 | 0.59   | cps   |
| Rhodium    | 103-2 | 11902879 | 11763711 | 11668513 | 11778368 | 1.00   | cps   |
| Scandium   | 45-1  | 10688379 | 10601059 | 10562758 | 10617399 | 0.61   | cps   |
| Scandium   | 45-2  | 915236   | 912653   | 905241   | 911043   | 0.57   | cps   |
| Selenium   | 82-1  | 1366     | 1328     | 1163     | 1286     | 8.37   | cps   |
| Selenium   | 77-2  | 297      | 260      | 293      | 283      | 7.15   | cps   |
| Selenium   | 78-2  | 753      | 743      | 680      | 726      | 5.48   | cps   |
| Silicon    | 28-1  | 62107387 | 62902459 | 62698026 | 62569291 | 0.66   | cps   |
| Silver     | 107-1 | 38725    | 39069    | 38979    | 38924    | 0.46   | cps   |
| Silver     | 109-1 | 35711    | 35841    | 36750    | 36100    | 1.57   | cps   |
| Sodium     | 23-2  | 23284080 | 23176302 | 23020050 | 23160144 | 0.57   | cps   |
| Strontium  | 86-1  | 1906404  | 1922788  | 1900585  | 1909926  | 0.60   | cps   |
| Strontium  | 88-1  | 16756514 | 16698372 | 16749435 | 16734774 | 0.19   | cps   |
| Sulfur     | 34-1  | 874399   | 873742   | 872548   | 873563   | 0.11   | cps   |
| Terbium    | 159-1 | 29013655 | 29113756 | 29361501 | 29162971 | 0.61   | cps   |
| Terbium    | 159-2 | 18097554 | 18331328 | 18042913 | 18157265 | 0.84   | cps   |
| Thallium   | 203-1 | 4671     | 4754     | 4664     | 4696     | 1.07   | cps   |
| Thallium   | 205-1 | 11088    | 11518    | 11301    | 11303    | 1.90   | cps   |
| Tin        | 118-1 | 385618   | 390378   | 391474   | 389157   | 0.80   | cps   |
| Titanium   | 47-1  | 488943   | 487661   | 485341   | 487315   | 0.37   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-02 Instrumnet Name : P7  
Client Sample ID : MH2GW6 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:24:34 DataFile Name : 074SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 287765   | 290738   | 290815   | 289772   | 0.60   | cps   |
| Vanadium  | 51-2  | 112431   | 114883   | 111847   | 113054   | 1.42   | cps   |
| Yttrium   | 89-1  | 25940378 | 25853879 | 25670139 | 25821465 | 0.53   | cps   |
| Yttrium   | 89-2  | 6416435  | 6383472  | 6318052  | 6372653  | 0.79   | cps   |
| Zinc      | 66-2  | 3245999  | 3222774  | 3193544  | 3220772  | 0.82   | cps   |
| Zirconium | 90-1  | 1888125  | 1925537  | 1860058  | 1891240  | 1.74   | cps   |
| Zirconium | 91-1  | 415805   | 426904   | 416210   | 419640   | 1.50   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-03 Instrumnet Name : P7  
Client Sample ID : MH2GW7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:27:32 DataFile Name : 075SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 2781300  | 2764141  | 2755630  | 2767023  | 0.47   | cps   |
| Antimony   | 121-1 | 2058343  | 2025369  | 2085698  | 2056470  | 1.47   | cps   |
| Arsenic    | 75-2  | 9443     | 9557     | 9753     | 9584     | 1.64   | cps   |
| Barium     | 135-1 | 1373521  | 1373917  | 1374569  | 1374003  | 0.04   | cps   |
| Barium     | 137-1 | 2457084  | 2386556  | 2415632  | 2419757  | 1.46   | cps   |
| Beryllium  | 9-1   | 2006     | 1883     | 1928     | 1939     | 3.19   | cps   |
| Bismuth    | 209-1 | 17860026 | 18044566 | 18231312 | 18045301 | 1.03   | cps   |
| Bismuth    | 209-2 | 13049623 | 13071122 | 13089624 | 13070123 | 0.15   | cps   |
| Bromine    | 81-1  | 67969    | 68742    | 70832    | 69181    | 2.14   | cps   |
| Bromine    | 81-2  | 9847     | 10064    | 9797     | 9902     | 1.43   | cps   |
| Cadmium    | 108-1 | 2000     | 1970     | 2010     | 1993     | 1.04   | cps   |
| Cadmium    | 106-1 | 10487    | 10747    | 10170    | 10468    | 2.76   | cps   |
| Cadmium    | 111-1 | 29854    | 30001    | 29231    | 29695    | 1.38   | cps   |
| Calcium    | 43-1  | 4811496  | 4809051  | 4682008  | 4767518  | 1.55   | cps   |
| Calcium    | 44-1  | 77171759 | 76837622 | 76368569 | 76792650 | 0.53   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 347095   | 348653   | 347101   | 347616   | 0.26   | cps   |
| Cobalt     | 59-2  | 78343    | 77623    | 79727    | 78564    | 1.36   | cps   |
| Copper     | 63-2  | 1287365  | 1288941  | 1287136  | 1287814  | 0.08   | cps   |
| Dysprosium | 156-1 | 118528   | 120787   | 119779   | 119698   | 0.95   | cps   |
| Dysprosium | 156-2 | 90797    | 91797    | 92566    | 91720    | 0.97   | cps   |
| Erbium     | 164-1 | 106552   | 106798   | 106274   | 106541   | 0.25   | cps   |
| Erbium     | 164-2 | 68155    | 66976    | 68209    | 67780    | 1.03   | cps   |
| Gadolinium | 160-1 | 111873   | 111281   | 112514   | 111889   | 0.55   | cps   |
| Gadolinium | 160-2 | 76112    | 75287    | 76524    | 75974    | 0.83   | cps   |
| Holmium    | 165-1 | 28824685 | 29002600 | 28889424 | 28905570 | 0.31   | cps   |
| Holmium    | 165-2 | 18241022 | 18586711 | 18467681 | 18431805 | 0.95   | cps   |
| Indium     | 115-1 | 22039419 | 21681372 | 21817235 | 21846009 | 0.83   | cps   |
| Indium     | 115-2 | 7137488  | 7250864  | 7141158  | 7176503  | 0.90   | cps   |
| Iron       | 56-2  | 96193879 | 95931312 | 95218679 | 95781290 | 0.53   | cps   |
| Iron       | 57-2  | 2479477  | 2496927  | 2449208  | 2475204  | 0.98   | cps   |
| Iron       | 54-2  | 5247313  | 5239905  | 5201507  | 5229575  | 0.47   | cps   |
| Krypton    | 83-1  | 447      | 447      | 477      | 457      | 3.79   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-03 Instrumnet Name : P7  
Client Sample ID : MH2GW7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:27:32 DataFile Name : 075SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 1599058  | 1598543  | 1600997  | 1599533  | 0.08   | cps   |
| Lead       | 207-1 | 1322816  | 1340966  | 1344011  | 1335931  | 0.86   | cps   |
| Lead       | 208-1 | 6188976  | 6274458  | 6260468  | 6241301  | 0.73   | cps   |
| Lithium    | 6-1   | 2261552  | 2220742  | 2184996  | 2222430  | 1.72   | cps   |
| Magnesium  | 24-2  | 6875746  | 6850078  | 6899782  | 6875202  | 0.36   | cps   |
| Manganese  | 55-2  | 5010354  | 4982913  | 4933061  | 4975443  | 0.79   | cps   |
| Molybdenum | 94-1  | 173812   | 173536   | 171924   | 173091   | 0.59   | cps   |
| Molybdenum | 95-1  | 56117    | 55970    | 56127    | 56071    | 0.16   | cps   |
| Molybdenum | 96-1  | 83520    | 84435    | 83041    | 83665    | 0.85   | cps   |
| Molybdenum | 97-1  | 34411    | 34230    | 34217    | 34286    | 0.32   | cps   |
| Molybdenum | 98-1  | 90092    | 90488    | 89767    | 90115    | 0.40   | cps   |
| Neodymium  | 150-1 | 193918   | 194230   | 191590   | 193246   | 0.75   | cps   |
| Neodymium  | 150-2 | 106091   | 107284   | 107056   | 106810   | 0.59   | cps   |
| Nickel     | 60-2  | 102609   | 103390   | 103443   | 103148   | 0.45   | cps   |
| Phosphorus | 31-2  | 51643    | 53326    | 52152    | 52374    | 1.65   | cps   |
| Potassium  | 39-2  | 8358908  | 8301316  | 8262688  | 8307637  | 0.58   | cps   |
| Rhodium    | 103-1 | 20000405 | 20031758 | 19955806 | 19995989 | 0.19   | cps   |
| Rhodium    | 103-2 | 11700620 | 11672899 | 11633265 | 11668928 | 0.29   | cps   |
| Scandium   | 45-1  | 10519034 | 10468444 | 10421553 | 10469677 | 0.47   | cps   |
| Scandium   | 45-2  | 909456   | 912265   | 911075   | 910932   | 0.15   | cps   |
| Selenium   | 82-1  | 1266     | 1283     | 1290     | 1280     | 0.98   | cps   |
| Selenium   | 77-2  | 373      | 363      | 333      | 357      | 5.84   | cps   |
| Selenium   | 78-2  | 713      | 767      | 737      | 739      | 3.62   | cps   |
| Silicon    | 28-1  | 71114912 | 70300057 | 70678217 | 70697729 | 0.58   | cps   |
| Silver     | 107-1 | 31735    | 31374    | 31481    | 31530    | 0.59   | cps   |
| Silver     | 109-1 | 29884    | 30108    | 30439    | 30144    | 0.93   | cps   |
| Sodium     | 23-2  | 28388861 | 28373314 | 28156345 | 28306173 | 0.46   | cps   |
| Strontium  | 86-1  | 2185057  | 2190144  | 2182746  | 2185982  | 0.17   | cps   |
| Strontium  | 88-1  | 19232889 | 18923189 | 19035867 | 19063982 | 0.82   | cps   |
| Sulfur     | 34-1  | 1195601  | 1186678  | 1189187  | 1190489  | 0.39   | cps   |
| Terbium    | 159-1 | 29088840 | 29092276 | 28895587 | 29025568 | 0.39   | cps   |
| Terbium    | 159-2 | 17858166 | 17995445 | 18007180 | 17953597 | 0.46   | cps   |
| Thallium   | 203-1 | 5601     | 5748     | 5825     | 5725     | 1.98   | cps   |
| Thallium   | 205-1 | 13657    | 14057    | 13814    | 13843    | 1.46   | cps   |
| Tin        | 118-1 | 376395   | 376892   | 375976   | 376421   | 0.12   | cps   |
| Titanium   | 47-1  | 486358   | 488342   | 489724   | 488141   | 0.35   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-03 Instrumnet Name : P7  
Client Sample ID : MH2GW7 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:27:32 DataFile Name : 075SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 367998   | 363982   | 367957   | 366646   | 0.63   | cps   |
| Vanadium  | 51-2  | 120183   | 118137   | 119444   | 119255   | 0.87   | cps   |
| Yttrium   | 89-1  | 26081653 | 26003385 | 25769370 | 25951469 | 0.63   | cps   |
| Yttrium   | 89-2  | 6427324  | 6424520  | 6416173  | 6422673  | 0.09   | cps   |
| Zinc      | 66-2  | 1828677  | 1814505  | 1827916  | 1823699  | 0.44   | cps   |
| Zirconium | 90-1  | 380558   | 384706   | 377006   | 380757   | 1.01   | cps   |
| Zirconium | 91-1  | 86211    | 86899    | 87746    | 86952    | 0.88   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-04 Instrumnet Name : P7  
Client Sample ID : MH2GW8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:30:33 DataFile Name : 076SMPL.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 3119870   | 3142068   | 3121600   | 3127846   | 0.39   | cps   |
| Antimony   | 121-1 | 26180     | 26578     | 26555     | 26438     | 0.84   | cps   |
| Arsenic    | 75-2  | 9903      | 9633      | 9983      | 9840      | 1.87   | cps   |
| Barium     | 135-1 | 2237903   | 2227920   | 2238195   | 2234673   | 0.26   | cps   |
| Barium     | 137-1 | 3842792   | 3856095   | 3832105   | 3843664   | 0.31   | cps   |
| Beryllium  | 9-1   | 2606      | 2806      | 3078      | 2830      | 8.38   | cps   |
| Bismuth    | 209-1 | 17748161  | 17685850  | 17674112  | 17702708  | 0.22   | cps   |
| Bismuth    | 209-2 | 12688181  | 12622582  | 12692594  | 12667786  | 0.31   | cps   |
| Bromine    | 81-1  | 31754     | 33127     | 33461     | 32781     | 2.76   | cps   |
| Bromine    | 81-2  | 3510      | 3450      | 3674      | 3545      | 3.26   | cps   |
| Cadmium    | 108-1 | 11284     | 10954     | 10691     | 10976     | 2.71   | cps   |
| Cadmium    | 106-1 | 22651     | 22184     | 22267     | 22367     | 1.11   | cps   |
| Cadmium    | 111-1 | 167013    | 168214    | 168993    | 168073    | 0.59   | cps   |
| Calcium    | 43-1  | 5517235   | 5479385   | 5466877   | 5487832   | 0.48   | cps   |
| Calcium    | 44-1  | 88948912  | 89612629  | 88389479  | 88983673  | 0.69   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 268011    | 263741    | 266211    | 265988    | 0.81   | cps   |
| Cobalt     | 59-2  | 104833    | 102826    | 104433    | 104031    | 1.02   | cps   |
| Copper     | 63-2  | 631222    | 630731    | 631582    | 631179    | 0.07   | cps   |
| Dysprosium | 156-1 | 183894    | 186295    | 185681    | 185290    | 0.67   | cps   |
| Dysprosium | 156-2 | 140023    | 141066    | 141720    | 140936    | 0.61   | cps   |
| Erbium     | 164-1 | 168291    | 168331    | 166361    | 167661    | 0.67   | cps   |
| Erbium     | 164-2 | 105968    | 106294    | 106633    | 106298    | 0.31   | cps   |
| Gadolinium | 160-1 | 173493    | 174428    | 173290    | 173737    | 0.35   | cps   |
| Gadolinium | 160-2 | 115077    | 115122    | 115202    | 115134    | 0.05   | cps   |
| Holmium    | 165-1 | 28835800  | 28678528  | 28377144  | 28630490  | 0.81   | cps   |
| Holmium    | 165-2 | 18304883  | 18109240  | 18256311  | 18223478  | 0.56   | cps   |
| Indium     | 115-1 | 21613614  | 21637156  | 21729166  | 21659979  | 0.28   | cps   |
| Indium     | 115-2 | 7122504   | 7088151   | 7062831   | 7091162   | 0.42   | cps   |
| Iron       | 56-2  | 137280765 | 136042958 | 135377768 | 136233830 | 0.71   | cps   |
| Iron       | 57-2  | 3500675   | 3480174   | 3460470   | 3480440   | 0.58   | cps   |
| Iron       | 54-2  | 7411150   | 7387707   | 7289598   | 7362818   | 0.88   | cps   |
| Krypton    | 83-1  | 477       | 467       | 447       | 463       | 3.30   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : P4955-04 Instrumnet Name : P7  
Client Sample ID : MH2GW8 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:30:33 DataFile Name : 076SMPL.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 7496978  | 7504164  | 7537127  | 7512756  | 0.28   | cps   |
| Lead       | 207-1 | 6800594  | 6838331  | 6737001  | 6791976  | 0.75   | cps   |
| Lead       | 208-1 | 30606095 | 30667227 | 30239841 | 30504388 | 0.76   | cps   |
| Lithium    | 6-1   | 2170451  | 2134878  | 2146588  | 2150639  | 0.84   | cps   |
| Magnesium  | 24-2  | 22266173 | 22295460 | 22034877 | 22198837 | 0.64   | cps   |
| Manganese  | 55-2  | 5205348  | 5193570  | 5162647  | 5187189  | 0.43   | cps   |
| Molybdenum | 94-1  | 62349    | 62794    | 61753    | 62298    | 0.84   | cps   |
| Molybdenum | 95-1  | 43648    | 43040    | 44056    | 43581    | 1.17   | cps   |
| Molybdenum | 96-1  | 55157    | 54090    | 54431    | 54559    | 1.00   | cps   |
| Molybdenum | 97-1  | 27817    | 27663    | 27062    | 27514    | 1.45   | cps   |
| Molybdenum | 98-1  | 70874    | 70723    | 71822    | 71140    | 0.84   | cps   |
| Neodymium  | 150-1 | 301896   | 303743   | 301911   | 302517   | 0.35   | cps   |
| Neodymium  | 150-2 | 165141   | 164025   | 164281   | 164482   | 0.36   | cps   |
| Nickel     | 60-2  | 160708   | 161239   | 159343   | 160430   | 0.61   | cps   |
| Phosphorus | 31-2  | 65134    | 63605    | 63240    | 63993    | 1.57   | cps   |
| Potassium  | 39-2  | 4525638  | 4509348  | 4435668  | 4490218  | 1.07   | cps   |
| Rhodium    | 103-1 | 19630609 | 19674489 | 19389032 | 19564710 | 0.79   | cps   |
| Rhodium    | 103-2 | 11604947 | 11495203 | 11457814 | 11519321 | 0.66   | cps   |
| Scandium   | 45-1  | 10581481 | 10578566 | 10512210 | 10557419 | 0.37   | cps   |
| Scandium   | 45-2  | 912075   | 897733   | 897919   | 902576   | 0.91   | cps   |
| Selenium   | 82-1  | 1699     | 1708     | 1694     | 1700     | 0.40   | cps   |
| Selenium   | 77-2  | 493      | 483      | 613      | 530      | 13.65  | cps   |
| Selenium   | 78-2  | 887      | 980      | 973      | 947      | 5.50   | cps   |
| Silicon    | 28-1  | 72008767 | 70815647 | 70406491 | 71076968 | 1.17   | cps   |
| Silver     | 107-1 | 13480    | 13670    | 13503    | 13551    | 0.77   | cps   |
| Silver     | 109-1 | 13159    | 12886    | 12696    | 12914    | 1.81   | cps   |
| Sodium     | 23-2  | 34819867 | 34642541 | 34654785 | 34705731 | 0.29   | cps   |
| Strontium  | 86-1  | 2578150  | 2650635  | 2604688  | 2611157  | 1.40   | cps   |
| Strontium  | 88-1  | 22682451 | 22668477 | 22495644 | 22615524 | 0.46   | cps   |
| Sulfur     | 34-1  | 1367464  | 1344693  | 1351555  | 1354571  | 0.86   | cps   |
| Terbium    | 159-1 | 29852332 | 29177091 | 28702203 | 29243875 | 1.98   | cps   |
| Terbium    | 159-2 | 18136704 | 17728961 | 17494324 | 17786663 | 1.83   | cps   |
| Thallium   | 203-1 | 7285     | 7119     | 7302     | 7235     | 1.40   | cps   |
| Thallium   | 205-1 | 17678    | 17461    | 17615    | 17585    | 0.63   | cps   |
| Tin        | 118-1 | 150416   | 152183   | 152481   | 151693   | 0.74   | cps   |
| Titanium   | 47-1  | 190331   | 190045   | 190912   | 190429   | 0.23   | cps   |



LB Number :LB133687

Operator :Jaswal

Lab Sample ID :P4955-04

Instrumnet Name :P7

Client Sample ID :MH2GW8

Dilution Factor :1

Date & Time Acquired :2024-11-27 20:30:33

DataFile Name :076SMPL.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 752165   | 770383   | 764688   | 762412   | 1.22   | cps   |
| Vanadium  | 51-2  | 154303   | 153272   | 153202   | 153592   | 0.40   | cps   |
| Yttrium   | 89-1  | 26893459 | 26661939 | 26485272 | 26680223 | 0.77   | cps   |
| Yttrium   | 89-2  | 6524370  | 6564033  | 6528136  | 6538846  | 0.33   | cps   |
| Zinc      | 66-2  | 631146   | 624076   | 628415   | 627879   | 0.57   | cps   |
| Zirconium | 90-1  | 103327   | 102629   | 102813   | 102923   | 0.35   | cps   |
| Zirconium | 91-1  | 22951    | 22828    | 22908    | 22896    | 0.27   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCV003 Instrumnet Name : P7  
Client Sample ID : CCV003 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:33:33 DataFile Name : 077CCV.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Aluminium  | 27-2  | 20981933  | 21031311  | 21149530  | 21054258  | 0.41   | cps   |
| Antimony   | 121-1 | 10986853  | 10946541  | 10826279  | 10919891  | 0.77   | cps   |
| Arsenic    | 75-2  | 559805    | 556227    | 557195    | 557742    | 0.33   | cps   |
| Barium     | 135-1 | 13953621  | 14029919  | 13830763  | 13938101  | 0.72   | cps   |
| Barium     | 137-1 | 24064800  | 24142332  | 23971330  | 24059487  | 0.36   | cps   |
| Beryllium  | 9-1   | 980205    | 1023507   | 968970    | 990894    | 2.91   | cps   |
| Bismuth    | 209-1 | 15324500  | 15139377  | 15193842  | 15219240  | 0.63   | cps   |
| Bismuth    | 209-2 | 10941056  | 10979392  | 11002180  | 10974209  | 0.28   | cps   |
| Bromine    | 81-1  | 16339     | 16566     | 16109     | 16338     | 1.40   | cps   |
| Bromine    | 81-2  | 273       | 243       | 223       | 247       | 10.20  | cps   |
| Cadmium    | 108-1 | 218284    | 219752    | 216227    | 218087    | 0.81   | cps   |
| Cadmium    | 106-1 | 316511    | 312958    | 311313    | 313594    | 0.85   | cps   |
| Cadmium    | 111-1 | 2910478   | 2910332   | 2916411   | 2912407   | 0.12   | cps   |
| Calcium    | 43-1  | 12581837  | 12628859  | 12501437  | 12570711  | 0.51   | cps   |
| Calcium    | 44-1  | 203956710 | 203304350 | 203247977 | 203503013 | 0.19   | cps   |
| Carbon     | 12-1  |           |           |           |           |        | cps   |
| Carbon     | 12-2  |           |           |           |           |        | cps   |
| Chlorine   | 35-1  |           |           |           |           |        | cps   |
| Chlorine   | 35-2  |           |           |           |           |        | cps   |
| Chromium   | 52-2  | 4032836   | 4057765   | 4038633   | 4043078   | 0.32   | cps   |
| Cobalt     | 59-2  | 6427615   | 6378148   | 6409332   | 6405032   | 0.39   | cps   |
| Copper     | 63-2  | 48516116  | 48166088  | 48465639  | 48382614  | 0.39   | cps   |
| Dysprosium | 156-1 | 723       | 740       | 703       | 722       | 2.54   | cps   |
| Dysprosium | 156-2 | 930       | 907       | 883       | 907       | 2.57   | cps   |
| Erbium     | 164-1 | 710       | 683       | 617       | 670       | 7.18   | cps   |
| Erbium     | 164-2 | 400       | 470       | 507       | 459       | 11.81  | cps   |
| Gadolinium | 160-1 | 633       | 553       | 580       | 589       | 6.92   | cps   |
| Gadolinium | 160-2 | 1120      | 1213      | 1250      | 1195      | 5.61   | cps   |
| Holmium    | 165-1 | 25959669  | 26146772  | 26240790  | 26115744  | 0.55   | cps   |
| Holmium    | 165-2 | 16979204  | 16830532  | 16757788  | 16855841  | 0.67   | cps   |
| Indium     | 115-1 | 19532745  | 19396097  | 19130042  | 19352961  | 1.06   | cps   |
| Indium     | 115-2 | 6536093   | 6481119   | 6509571   | 6508928   | 0.42   | cps   |
| Iron       | 56-2  | 918207373 | 908385613 | 917731720 | 914774902 | 0.61   | cps   |
| Iron       | 57-2  | 22867670  | 22642246  | 22749062  | 22752993  | 0.50   | cps   |
| Iron       | 54-2  | 49698116  | 49163668  | 49604193  | 49488659  | 0.58   | cps   |
| Krypton    | 83-1  | 350       | 283       | 323       | 319       | 10.52  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCV003 Instrumnet Name : P7  
Client Sample ID : CCV003 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:33:33 DataFile Name : 077CCV.d

| Parameter  | Mass  | CPS1      | CPS2      | CPS3      | CPSMean   | CPSRSD | Units |
|------------|-------|-----------|-----------|-----------|-----------|--------|-------|
| Lead       | 206-1 | 42835360  | 42633046  | 41863419  | 42443942  | 1.21   | cps   |
| Lead       | 207-1 | 37781276  | 37573156  | 36997730  | 37450721  | 1.08   | cps   |
| Lead       | 208-1 | 172234238 | 170579531 | 168839104 | 170550958 | 1.00   | cps   |
| Lithium    | 6-1   | 1928910   | 1986213   | 1992122   | 1969082   | 1.77   | cps   |
| Magnesium  | 24-2  | 180731800 | 179149525 | 179748517 | 179876614 | 0.44   | cps   |
| Manganese  | 55-2  | 31402090  | 31253156  | 31398994  | 31351413  | 0.27   | cps   |
| Molybdenum | 94-1  | 38374182  | 38410113  | 38215363  | 38333219  | 0.27   | cps   |
| Molybdenum | 95-1  | 55626688  | 55463301  | 55834023  | 55641337  | 0.33   | cps   |
| Molybdenum | 96-1  | 60695141  | 60576892  | 60758494  | 60676842  | 0.15   | cps   |
| Molybdenum | 97-1  | 34973410  | 34808752  | 34642630  | 34808264  | 0.48   | cps   |
| Molybdenum | 98-1  | 90269662  | 90380322  | 90369012  | 90339665  | 0.07   | cps   |
| Neodymium  | 150-1 | 943       | 960       | 907       | 937       | 2.91   | cps   |
| Neodymium  | 150-2 | 310       | 313       | 283       | 302       | 5.44   | cps   |
| Nickel     | 60-2  | 2216756   | 2191184   | 2169638   | 2192526   | 1.08   | cps   |
| Phosphorus | 31-2  | 203024    | 202832    | 204268    | 203374    | 0.38   | cps   |
| Potassium  | 39-2  | 104545548 | 105287808 | 104946062 | 104926473 | 0.35   | cps   |
| Rhodium    | 103-1 | 17615653  | 17646550  | 17265210  | 17509138  | 1.21   | cps   |
| Rhodium    | 103-2 | 10228840  | 10157870  | 10188995  | 10191902  | 0.35   | cps   |
| Scandium   | 45-1  | 10154965  | 9939976   | 9826771   | 9973904   | 1.67   | cps   |
| Scandium   | 45-2  | 873855    | 864974    | 872126    | 870319    | 0.54   | cps   |
| Selenium   | 82-1  | 169217    | 169275    | 168197    | 168896    | 0.36   | cps   |
| Selenium   | 77-2  | 16042     | 15882     | 16132     | 16019     | 0.79   | cps   |
| Selenium   | 78-2  | 55490     | 54189     | 54630     | 54770     | 1.21   | cps   |
| Silicon    | 28-1  | 27309665  | 28107310  | 27735906  | 27717627  | 1.44   | cps   |
| Silver     | 107-1 | 14033051  | 14029329  | 13734345  | 13932242  | 1.23   | cps   |
| Silver     | 109-1 | 13591744  | 13505018  | 13727554  | 13608105  | 0.82   | cps   |
| Sodium     | 23-2  | 278958563 | 281404469 | 278208449 | 279523827 | 0.60   | cps   |
| Strontium  | 86-1  | 3359596   | 3390764   | 3322356   | 3357572   | 1.02   | cps   |
| Strontium  | 88-1  | 29295306  | 29372103  | 28933905  | 29200438  | 0.80   | cps   |
| Sulfur     | 34-1  | 965741    | 960388    | 956428    | 960852    | 0.49   | cps   |
| Terbium    | 159-1 | 26534548  | 26105625  | 25892694  | 26177622  | 1.25   | cps   |
| Terbium    | 159-2 | 16315204  | 16372905  | 16549616  | 16412575  | 0.74   | cps   |
| Thallium   | 203-1 | 10775715  | 10819527  | 10660314  | 10751852  | 0.76   | cps   |
| Thallium   | 205-1 | 25693722  | 25747764  | 25294130  | 25578539  | 0.97   | cps   |
| Tin        | 118-1 | 9229279   | 9195370   | 9100601   | 9175084   | 0.73   | cps   |
| Titanium   | 47-1  | 12502991  | 12373439  | 12300233  | 12392221  | 0.83   | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

CCV003

Instrumnet Name :

P7

Client Sample ID :

CCV003

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 20:33:33

DataFile Name :

077CCV.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 34737165 | 34527851 | 34412167 | 34559061 | 0.48   | cps   |
| Vanadium  | 51-2  | 3583161  | 3526048  | 3622678  | 3577296  | 1.36   | cps   |
| Yttrium   | 89-1  | 22912151 | 22949059 | 22338549 | 22733253 | 1.51   | cps   |
| Yttrium   | 89-2  | 5756269  | 5645480  | 5697516  | 5699755  | 0.97   | cps   |
| Zinc      | 66-2  | 7983310  | 7944515  | 7933607  | 7953811  | 0.33   | cps   |
| Zirconium | 90-1  | 18691456 | 18751723 | 18431155 | 18624778 | 0.91   | cps   |
| Zirconium | 91-1  | 4143184  | 4141175  | 4145579  | 4143313  | 0.05   | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCB003 Instrumnet Name : P7  
Client Sample ID : CCB003 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:36:16 DataFile Name : 078CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Aluminium  | 27-2  | 1520     | 1377     | 1213     | 1370     | 11.20  | cps   |
| Antimony   | 121-1 | 3187     | 4041     | 5548     | 4258     | 28.07  | cps   |
| Arsenic    | 75-2  | 60       | 53       | 63       | 59       | 8.65   | cps   |
| Barium     | 135-1 | 1380     | 1267     | 1200     | 1282     | 7.10   | cps   |
| Barium     | 137-1 | 2410     | 2210     | 2074     | 2231     | 7.59   | cps   |
| Beryllium  | 9-1   | 233      | 211      | 233      | 226      | 5.68   | cps   |
| Bismuth    | 209-1 | 16700131 | 16962383 | 17042197 | 16901571 | 1.06   | cps   |
| Bismuth    | 209-2 | 12456231 | 12554277 | 12607160 | 12539223 | 0.61   | cps   |
| Bromine    | 81-1  | 15114    | 15872    | 14848    | 15278    | 3.48   | cps   |
| Bromine    | 81-2  | 183      | 177      | 147      | 169      | 11.57  | cps   |
| Cadmium    | 108-1 | 43       | 57       | 47       | 49       | 14.20  | cps   |
| Cadmium    | 106-1 | 7045     | 6762     | 6408     | 6738     | 4.74   | cps   |
| Cadmium    | 111-1 | 5248     | 5010     | 4796     | 5018     | 4.50   | cps   |
| Calcium    | 43-1  | 2227     | 2060     | 1940     | 2076     | 6.94   | cps   |
| Calcium    | 44-1  | 47538    | 44378    | 43405    | 45107    | 4.79   | cps   |
| Carbon     | 12-1  |          |          |          |          |        | cps   |
| Carbon     | 12-2  |          |          |          |          |        | cps   |
| Chlorine   | 35-1  |          |          |          |          |        | cps   |
| Chlorine   | 35-2  |          |          |          |          |        | cps   |
| Chromium   | 52-2  | 2547     | 2460     | 2440     | 2482     | 2.28   | cps   |
| Cobalt     | 59-2  | 467      | 430      | 417      | 438      | 5.91   | cps   |
| Copper     | 63-2  | 5088     | 4807     | 4264     | 4720     | 8.87   | cps   |
| Dysprosium | 156-1 | 20       | 33       | 37       | 30       | 29.40  | cps   |
| Dysprosium | 156-2 | 40       | 20       | 20       | 27       | 43.30  | cps   |
| Erbium     | 164-1 | 130      | 107      | 113      | 117      | 10.30  | cps   |
| Erbium     | 164-2 | 73       | 77       | 93       | 81       | 13.21  | cps   |
| Gadolinium | 160-1 | 103      | 133      | 140      | 126      | 15.56  | cps   |
| Gadolinium | 160-2 | 873      | 833      | 883      | 863      | 3.06   | cps   |
| Holmium    | 165-1 | 26692640 | 26437540 | 26570828 | 26567003 | 0.48   | cps   |
| Holmium    | 165-2 | 17203194 | 17315704 | 17270620 | 17263173 | 0.33   | cps   |
| Indium     | 115-1 | 20733848 | 20609397 | 20785110 | 20709452 | 0.44   | cps   |
| Indium     | 115-2 | 7106582  | 6991886  | 6978759  | 7025742  | 1.00   | cps   |
| Iron       | 56-2  | 86765    | 79623    | 75472    | 80620    | 7.09   | cps   |
| Iron       | 57-2  | 2560     | 2720     | 2304     | 2528     | 8.32   | cps   |
| Iron       | 54-2  | 6495     | 6078     | 5734     | 6102     | 6.24   | cps   |
| Krypton    | 83-1  | 280      | 347      | 253      | 293      | 16.39  | cps   |

LB Number : LB133687 Operator : Jaswal  
Lab Sample ID : CCB003 Instrumnet Name : P7  
Client Sample ID : CCB003 Dilution Factor : 1  
Date & Time Acquired : 2024-11-27 20:36:16 DataFile Name : 078CCBE.d

| Parameter  | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|------------|-------|----------|----------|----------|----------|--------|-------|
| Lead       | 206-1 | 6858     | 6001     | 5391     | 6084     | 12.12  | cps   |
| Lead       | 207-1 | 5811     | 4988     | 4704     | 5168     | 11.13  | cps   |
| Lead       | 208-1 | 26567    | 23438    | 21634    | 23880    | 10.45  | cps   |
| Lithium    | 6-1   | 2228328  | 2190158  | 2199768  | 2206085  | 0.90   | cps   |
| Magnesium  | 24-2  | 12940    | 11899    | 10811    | 11883    | 8.96   | cps   |
| Manganese  | 55-2  | 3604     | 3357     | 3197     | 3386     | 6.05   | cps   |
| Molybdenum | 94-1  | 4521     | 4151     | 4144     | 4272     | 5.05   | cps   |
| Molybdenum | 95-1  | 5768     | 5498     | 5478     | 5581     | 2.90   | cps   |
| Molybdenum | 96-1  | 6732     | 6098     | 6145     | 6325     | 5.58   | cps   |
| Molybdenum | 97-1  | 3787     | 3557     | 3597     | 3647     | 3.37   | cps   |
| Molybdenum | 98-1  | 9600     | 9046     | 9390     | 9345     | 2.99   | cps   |
| Neodymium  | 150-1 | 3        | 20       | 13       | 12       | 68.66  | cps   |
| Neodymium  | 150-2 | 10       | 10       | 10       | 10       | 0.00   | cps   |
| Nickel     | 60-2  | 4786     | 4694     | 4714     | 4731     | 1.02   | cps   |
| Phosphorus | 31-2  | 183      | 240      | 217      | 213      | 13.35  | cps   |
| Potassium  | 39-2  | 77228    | 76424    | 74494    | 76048    | 1.85   | cps   |
| Rhodium    | 103-1 | 19432877 | 19276183 | 19410384 | 19373148 | 0.44   | cps   |
| Rhodium    | 103-2 | 11506081 | 11369704 | 11479851 | 11451879 | 0.63   | cps   |
| Scandium   | 45-1  | 10106252 | 10262578 | 10111269 | 10160033 | 0.87   | cps   |
| Scandium   | 45-2  | 884488   | 882746   | 877198   | 881477   | 0.43   | cps   |
| Selenium   | 82-1  | 714      | 588      | 648      | 650      | 9.69   | cps   |
| Selenium   | 77-2  | 10       | 0        | 7        | 6        | 91.64  | cps   |
| Selenium   | 78-2  | 397      | 420      | 467      | 428      | 8.33   | cps   |
| Silicon    | 28-1  | 1306121  | 1251081  | 1191968  | 1249723  | 4.57   | cps   |
| Silver     | 107-1 | 2544     | 2144     | 1767     | 2151     | 18.06  | cps   |
| Silver     | 109-1 | 2417     | 1977     | 1790     | 2061     | 15.61  | cps   |
| Sodium     | 23-2  | 72520    | 70638    | 68056    | 70404    | 3.18   | cps   |
| Strontium  | 86-1  | 973      | 867      | 920      | 920      | 5.80   | cps   |
| Strontium  | 88-1  | 3911     | 3547     | 3460     | 3639     | 6.56   | cps   |
| Sulfur     | 34-1  | 281529   | 280887   | 280056   | 280824   | 0.26   | cps   |
| Terbium    | 159-1 | 26944505 | 26832970 | 26852481 | 26876652 | 0.22   | cps   |
| Terbium    | 159-2 | 16978933 | 17086957 | 16993523 | 17019804 | 0.34   | cps   |
| Thallium   | 203-1 | 3024     | 2514     | 2484     | 2674     | 11.35  | cps   |
| Thallium   | 205-1 | 7289     | 6241     | 5394     | 6308     | 15.04  | cps   |
| Tin        | 118-1 | 6121     | 5631     | 5401     | 5718     | 6.43   | cps   |
| Titanium   | 47-1  | 1163     | 1013     | 890      | 1022     | 13.39  | cps   |

LB Number :

LB133687

Operator :

Jaswal

Lab Sample ID :

CCB003

Instrumnet Name :

P7

Client Sample ID :

CCB003

Dilution Factor :

1

Date & Time Acquired :

2024-11-27 20:36:16

DataFile Name :

078CCBE.d

| Parameter | Mass  | CPS1     | CPS2     | CPS3     | CPSMean  | CPSRSD | Units |
|-----------|-------|----------|----------|----------|----------|--------|-------|
| Uranium   | 238-1 | 3067     | 2854     | 2510     | 2810     | 10.00  | cps   |
| Vanadium  | 51-2  | 253      | 180      | 250      | 228      | 18.18  | cps   |
| Yttrium   | 89-1  | 23466956 | 23243782 | 23092385 | 23267708 | 0.81   | cps   |
| Yttrium   | 89-2  | 5870089  | 5886929  | 5862607  | 5873208  | 0.21   | cps   |
| Zinc      | 66-2  | 1807     | 1680     | 1770     | 1752     | 3.72   | cps   |
| Zirconium | 90-1  | 2924     | 2940     | 3110     | 2991     | 3.45   | cps   |
| Zirconium | 91-1  | 617      | 653      | 607      | 626      | 3.93   | cps   |

### Prep Standard - Chemical Standard Summary

**Order ID :** P4957  
**Test :** Metals CLP MS FULL

**Prepbatch ID :** PB165208,  
**Sequence ID/Qc Batch ID:** LB133687,

**Standard ID :**  
MP82128,MP83014,MP83016,MP83032,MP83033,MP83034,MP83035,MP83036,MP83037,MP83038,MP83039,MP830  
41,MP83042,MP83043,MP83044,MP83046,MP83047,MP83048,MP83049,MP83050,MP83122,

**Chemical ID :**  
M5192,M5288,M5289,M5294,M5304,M5390,M5476,M5498,M5513,M5515,M5519,M5658,M5698,M5739,M5751,M5769  
,M5798,M5799,M5800,M5801,M5802,M5806,M5815,M5816,M5817,M5818,M5819,M5820,M5873,M5874,M5961,M596  
2,M5976,M5978,M5981,M5982,M5983,M5993,M5999,M6021,M6023,M6025,M6028,M6030,M6033,M6040,M6055,M60  
95,M6115,M6116,W3112,



## Metals STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 641              | 1:4 HCL     | <a href="#">MP82128</a> | 09/03/2024       | 02/08/2025             | Janvi Patel        | None           | None             | Sarabjit Jaswal      |
|                  |             |                         |                  |                        |                    |                |                  | 09/03/2024           |

**FROM** 1500.00000ml of W3112 + 500.00000ml of M6040 = Final Quantity: 2000.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                      | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|----------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1122             | ICPMS CALIB<br>BLANK(S0/ICB/CCB) | <a href="#">MP83014</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | None             | Mohan Bera           |
|                  |                                  |                         |                  |                        |                    |                |                  | 11/04/2024           |

**FROM** 25.00000ml of M6095 + 4925.00000ml of W3112 + 50.00000ml of M6115 = Final Quantity: 5000.000 ml

## Metals STANDARD PREPARATION LOG

| <u>Recipe ID</u>                                                                                                                                                                             | <u>NAME</u> | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 2902                                                                                                                                                                                         | S8 ICPMS    | <a href="#">MP83016</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |
| <b>FROM</b> 1.00000ml of M6033 + 2.50000ml of M5288 + 2.50000ml of M5515 + 5.00000ml of M5498 + 5.00000ml of M5769 + 5.00000ml of M5806 + 79.00000ml of MP83014 = Final Quantity: 100.000 ml |             |                         |                  |                        |                    |                |                      |                          |

| <u>Recipe ID</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <u>NAME</u>         | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3947                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | S7(SFAM,6020,200.8) | <a href="#">MP83032</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |
| <b>FROM</b> 0.40000ml of M5513 + 1.00000ml of M5799 + 1.00000ml of M5818 + 1.00000ml of M5981 + 1.00000ml of M5983 + 1.90000ml of M6033 + 10.00000ml of M6115 + 2.00000ml of M5815 + 2.00000ml of M5817 + 2.50000ml of M5476 + 4.00000ml of M5390 + 4.90000ml of M5515 + 4.90000ml of M5519 + 5.00000ml of M6095 + 50.00000ml of M5304 + 832.80000ml of W3112 + 9.00000ml of M5698 + 9.00000ml of M5819 + 9.00000ml of M5976 + 9.00000ml of M5978 + 9.90000ml of M5498 + 9.90000ml of M5751 + 9.90000ml of M5769 + 9.90000ml of M5806 = Final Quantity: 1000.000 ml |                     |                         |                  |                        |                    |                |                      |                          |

## Metals STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>         | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|------------------|---------------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3948             | S6(SFAM,6020,200.8) | <a href="#">MP83033</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |

**FROM** 0.50000ml of M6095 + 1.00000ml of M6115 + 48.50000ml of W3112 + 50.00000ml of MP83032 = Final Quantity: 100.000 ml

| <u>Recipe ID</u> | <u>NAME</u>         | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|------------------|---------------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3954             | S4(SFAM,6020,200.8) | <a href="#">MP83034</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |

**FROM** 0.50000ml of M6095 + 1.00000ml of M6115 + 86.00000ml of W3112 + 12.50000ml of MP83032 = Final Quantity: 100.000 ml

## Metals STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>         | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|------------------|---------------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3949             | S5(SFAM,6020,200.8) | <a href="#">MP83035</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |

**FROM** 0.50000ml of M6095 + 1.00000ml of M6115 + 73.50000ml of W3112 + 25.00000ml of MP83032 = Final Quantity: 100.000 ml

| <u>Recipe ID</u> | <u>NAME</u>          | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|------------------|----------------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3951             | S3(SFAM, 6020,200.8) | <a href="#">MP83036</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |

**FROM** 0.50000ml of M6095 + 1.00000ml of M6115 + 88.50000ml of W3112 + 10.00000ml of MP83033 = Final Quantity: 100.000 ml

## Metals STANDARD PREPARATION LOG

| <u>Recipe ID</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <u>NAME</u>             | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3955                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | S2CONC(SFAM,6020,200.8) | <a href="#">MP83037</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |
| <b>FROM</b> 0.05000ml of M5698 + 0.05000ml of M5798 + 0.05000ml of M5800 + 0.05000ml of M5801 + 0.05000ml of M5961 + 0.05000ml of M5981 + 0.05000ml of M5982 + 0.05000ml of M5983 + 0.05000ml of M6023 + 0.05000ml of M6025 + 0.05000ml of M6028 + 0.05000ml of M6030 + 0.10000ml of M5658 + 0.10000ml of M5751 + 0.10000ml of M5802 + 0.10000ml of M6033 + 0.25000ml of M5515 + 0.25000ml of M5799 + 0.25000ml of M5819 + 0.25000ml of M5962 + 0.25000ml of M5976 + 0.25000ml of M5978 + 0.25000ml of M6021 + 0.50000ml of M5390 + 0.50000ml of M5818 + 1.25000ml of M5815 + 1.25000ml of M5817 + 2.50000ml of M5498 + 2.50000ml of M5519 + 2.50000ml of M5769 + 2.50000ml of M5806 + 2.50000ml of M6095 + 226.25000ml of W3112 + 5.00000ml of M6115 = Final Quantity: 250.000 ml |                         |                         |                  |                        |                    |                |                      |                          |

| <u>Recipe ID</u>                                                                                                              | <u>NAME</u>         | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|-------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3956                                                                                                                          | S2(SFAM,6020,200.8) | <a href="#">MP83038</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |
| <b>FROM</b> 0.50000ml of M6095 + 1.00000ml of M6115 + 88.50000ml of W3112 + 0.50000ml of MP83037 = Final Quantity: 100.000 ml |                     |                         |                  |                        |                    |                |                      |                          |

## Metals STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>         | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|------------------|---------------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3957             | S1(SFAM,6020,200.8) | <a href="#">MP83039</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |

**FROM** 0.50000ml of M6095 + 1.00000ml of M6115 + 88.50000ml of W3112 + 10.00000ml of MP83038 = Final Quantity: 100.000 ml

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|------------------|-------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3958             | ICV(SFAM)   | <a href="#">MP83041</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |

**FROM** 2.00000ml of M5294 + 98.00000ml of MP83014 = Final Quantity: 100.000 ml

## Metals STANDARD PREPARATION LOG

| <u>Recipe ID</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <u>NAME</u> | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3961                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | CCV         | <a href="#">MP83042</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |
| <b>FROM</b> 0.20000ml of M5513 + 0.50000ml of M5799 + 0.50000ml of M5818 + 0.50000ml of M5981 + 0.50000ml of M5983 + 1.00000ml of M5815 + 1.00000ml of M5817 + 1.25000ml of M5476 + 10.00000ml of M6115 + 12.45000ml of M5515 + 12.45000ml of M5519 + 2.00000ml of M5390 + 24.95000ml of M5498 + 24.95000ml of M5769 + 24.95000ml of M5806 + 25.00000ml of M5304 + 4.50000ml of M5698 + 4.50000ml of M5751 + 4.50000ml of M5819 + 4.95000ml of M6033 + 5.00000ml of M5976 + 5.00000ml of M5978 + 5.00000ml of M6095 + 823.45000ml of W3112 = Final Quantity: 1000.000 ml |             |                         |                  |                        |                    |                |                      |                          |

| <u>Recipe ID</u>                                                                     | <u>NAME</u> | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|--------------------------------------------------------------------------------------|-------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 1142                                                                                 | ICSA ICPMS  | <a href="#">MP83043</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |
| <b>FROM</b> 10.00000ml of M5873 + 90.00000ml of MP83014 = Final Quantity: 100.000 ml |             |                         |                  |                        |                    |                |                      |                          |

## Metals STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|------------------|-------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 1143             | ICSAB ICPMS | <a href="#">MP83044</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |

**FROM** 10.00000ml of M5873 + 10.00000ml of M5874 + 80.00000ml of MP83014 = Final Quantity: 100.000 ml

| <u>Recipe ID</u> | <u>NAME</u>     | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|------------------|-----------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3964             | CONC.LCSS SPIKE | <a href="#">MP83046</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |

**FROM** 0.25000ml of M5698 + 0.25000ml of M5798 + 0.25000ml of M5800 + 0.25000ml of M5801 + 0.25000ml of M5961 + 0.25000ml of M5981 + 0.25000ml of M5982 + 0.25000ml of M5983 + 0.25000ml of M6023 + 0.25000ml of M6025 + 0.25000ml of M6028 + 0.25000ml of M6030 + 0.50000ml of M5289 + 0.50000ml of M5658 + 0.50000ml of M5751 + 0.50000ml of M5802 + 1.25000ml of M5192 + 1.25000ml of M5799 + 1.25000ml of M5819 + 1.25000ml of M5962 + 1.25000ml of M6021 + 12.50000ml of M5498 + 12.50000ml of M5769 + 12.50000ml of M5806 + 12.52000ml of M5519 + 156.23000ml of W3112 + 2.50000ml of M5390 + 2.50000ml of M5818 + 5.00000ml of M5515 + 5.00000ml of M6095 + 5.00000ml of M6115 + 6.25000ml of M5816 + 6.25000ml of M5820 = Final Quantity: 250.000 ml



## Metals STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>       | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|------------------|-------------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 870              | ICPMS SPIKE SOL.B | <a href="#">MP83047</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |

**FROM** 0.45000ml of M5962 + 5.00000ml of M5993 + 5.00000ml of M5999 + 39.55000ml of MP83014 = Final Quantity: 50.000 ml

| <u>Recipe ID</u> | <u>NAME</u>       | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|------------------|-------------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3962             | MG 10PPM FOR TUNE | <a href="#">MP83048</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |

**FROM** 0.01000ml of M5769 + 9.99000ml of MP83014 = Final Quantity: 100.000 ml

## Metals STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|------------------|-------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3894             | TUNE 200PPB | <a href="#">MP83049</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |

**FROM** 2.00000ml of M6055 + 2.00000ml of MP83048 + 98.00000ml of MP83014 = Final Quantity: 100.000 ml

| <u>Recipe ID</u> | <u>NAME</u> | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>     | <u>Supervised By</u>     |
|------------------|-------------|-------------------------|------------------|------------------------|--------------------|----------------|----------------------|--------------------------|
| 3903             | ISS 3PPM    | <a href="#">MP83050</a> | 11/02/2024       | 12/06/2024             | Sarabjit Jaswal    | None           | METALS_PIPETTE_3 (A) | Mohan Bera<br>11/04/2024 |

**FROM** 5.00000ml of M6115 + 75.00000ml of M5739 + 30.00000ml of MP83014 = Final Quantity: 100.000 ml

## Metals STANDARD PREPARATION LOG

| <u>Recipe ID</u>                                                                        | <u>NAME</u> | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|-----------------------------------------------------------------------------------------|-------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 169                                                                                     | 1:1HNO3     | <a href="#">MP83122</a> | 11/07/2024       | 12/06/2024             | Janvi Patel        | None           | None             | Sarabjit Jaswal      |
| <b>FROM</b> 1000.00000ml of M6116 + 1000.00000ml of W3112 = Final Quantity: 2000.000 ml |             |                         |                  |                        |                    |                |                  |                      |
|                                                                                         |             |                         |                  |                        |                    |                |                  |                      |

### CHEMICAL RECEIPT LOG BOOK

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57042 / Mo, 1000 PPM, 125 ml | 051722 | 05/17/2025      | 07/01/2022 / bin        | 06/17/2022 / jaswal         | M5192          |

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 58119 / K, 10000 PPM, 500 ml | 071122 | 07/11/2025      | 09/01/2022 / jaswal     | 07/21/2022 / jaswal         | M5288          |

| Supplier                 | ItemCode / ItemName             | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|---------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 58113 / Aluminum (Al) 10,000PPM | 070622 | 07/06/2025      | 09/02/2022 / jaswal     | 07/12/2022 / jaswal         | M5289          |

| Supplier | ItemCode / ItemName                  | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--------------------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| EPA      | ICV-1 / ICV ( ICP/ICPMS ) STOCK SOLN | ICV-1014 | 01/01/2025      | 12/13/2023 / bin        | 02/20/2020 / bin            | M5294          |

| Supplier           | ItemCode / ItemName                          | Lot #        | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------|----------------------------------------------|--------------|-----------------|-------------------------|-----------------------------|----------------|
| Inorganic Ventures | 6020CAL-1 / Calibration Standard Method 6020 | S2-MEB711244 | 10/20/2026      | 08/07/2024 / jaswal     | 04/01/2022 / jaswal         | M5304          |

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57056 / Ba, 1000 PPM, 125 ml | 072122 | 07/21/2025      | 08/07/2024 / jaswal     | 09/18/2022 / bin            | M5390          |

### CHEMICAL RECEIPT LOG BOOK

| Supplier                 | ItemCode / ItemName           | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|-------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57138 / Sr, 10000 PPM, 125 ml | 082922 | 08/09/2025      | 07/29/2024 / jaswal     | 03/16/2023 / jaswal         | M5476          |

| Supplier                 | ItemCode / ItemName           | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|-------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 58120 / Ca, 10000 PPM, 500 ml | 031523 | 03/15/2026      | 08/15/2023 / jaswal     | 03/17/2023 / bin            | M5498          |

| Supplier                 | ItemCode / ItemName           | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|-------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57182 / Pb, 10000 PPM, 125 ml | 061522 | 06/15/2025      | 03/19/2023 / bin        | 03/17/2023 / bin            | M5513          |

| Supplier                 | ItemCode / ItemName           | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|-------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 58126 / Fe, 10000 PPM, 500 ml | 092122 | 09/21/2025      | 08/01/2024 / Jaswal     | 03/17/2023 / bin            | M5515          |

| Supplier                 | ItemCode / ItemName             | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|---------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57119 / Potassium (K) 10,000PPM | 120822 | 12/08/2025      | 01/08/2024 / bin        | 03/17/2023 / bin            | M5519          |

| Supplier                 | ItemCode / ItemName                    | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|----------------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 58024 / Chromium, Cr, 500 ml, 1000 PPM | 060523 | 06/05/2026      | 08/28/2023 / jaswal     | 08/25/2023 / jaswal         | M5658          |

## CHEMICAL RECEIPT LOG BOOK

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 58025 / Mn, 1000 PPM, 500 ml | 102623 | 10/26/2026      | 04/18/2024 / jaswal     | 10/27/2023 / jaswal         | M5698          |

| Supplier           | ItemCode / ItemName                                         | Lot #        | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------|-------------------------------------------------------------|--------------|-----------------|-------------------------|-----------------------------|----------------|
| Inorganic Ventures | 6020ISS / 6020ISS, 10 ug/ml, Bi, Ho, In, 6Li, Rh, Sc, TB, Y | T2-MEB709511 | 09/03/2026      | 08/07/2024 / jaswal     | 04/11/2022 / jaswal         | M5739          |

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 58029 / Cu, 1000 PPM, 500 ml | 071723 | 07/17/2026      | 10/01/2024 / Jaswal     | 08/25/2023 / jaswal         | M5751          |

| Supplier                 | ItemCode / ItemName           | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|-------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 58112 / Mg, 10000 PPM, 500 ml | 091823 | 09/18/2026      | 05/24/2024 / Jaswal     | 01/03/2024 / bin            | M5769          |

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57004 / Be, 1000 PPM, 125 ml | 102523 | 10/25/2026      | 02/09/2024 / bin        | 02/09/2024 / bin            | M5798          |

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57050 / Sn, 1000 PPM, 125 ml | 071123 | 07/11/2026      | 02/09/2024 / bin        | 02/09/2024 / bin            | M5799          |

## CHEMICAL RECEIPT LOG BOOK

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57027 / CO, 1000 PPM, 125 ml | 091923 | 09/19/2026      | 05/31/2024 / bin        | 02/09/2024 / bin            | M5800          |

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57033 / As, 1000 PPM, 125 ml | 111323 | 11/13/2026      | 02/09/2024 / bin        | 02/09/2024 / bin            | M5801          |

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57051 / Sb, 1000 PPM, 125 ml | 120523 | 12/05/2026      | 08/07/2024 / jaswal     | 01/03/2024 / jaswal         | M5802          |

| Supplier                 | ItemCode / ItemName           | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|-------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 58111 / Na, 10000 PPM, 500 ml | 122223 | 12/22/2026      | 08/01/2024 / Jaswal     | 01/03/2024 / jaswal         | M5806          |

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57115 / P, 10000 PPM, 125 ml | 041723 | 04/17/2026      | 05/21/2024 / Jaswal     | 02/09/2024 / jaswal         | M5815          |

| Supplier                 | ItemCode / ItemName         | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|-----------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57016 / S, 1000 PPM, 125 ml | 122923 | 12/29/2026      | 05/20/2024 / Jaswal     | 02/09/2024 / jaswal         | M5816          |

## CHEMICAL RECEIPT LOG BOOK

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57116 / S, 10000 PPM, 125 ml | 071123 | 07/11/2026      | 03/01/2024 / jaswal     | 02/09/2024 / jaswal         | M5817          |

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57014 / Si, 1000 PPM, 125 ml | 122023 | 12/20/2026      | 03/06/2024 / jaswal     | 02/09/2024 / jaswal         | M5818          |

| Supplier                 | ItemCode / ItemName                | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 58030 / Zinc, Zn, 500 ml, 1000 PPM | 111623 | 11/16/2026      | 03/20/2024 / jaswal     | 02/09/2024 / jaswal         | M5819          |

| Supplier                 | ItemCode / ItemName         | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|-----------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57015 / P, 1000 PPM, 125 ml | 091123 | 09/11/2026      | 05/01/2024 / jaswal     | 02/09/2024 / jaswal         | M5820          |

| Supplier | ItemCode / ItemName                | Lot #           | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|------------------------------------|-----------------|-----------------|-------------------------|-----------------------------|----------------|
| EPA      | PART A / ICSA ( ICPMS ) STOCK SOLN | CP-MS ICSA-0803 | 04/30/2025      | 04/17/2024 / jaswal     | 07/14/2022 / jaswal         | M5873          |

| Supplier | ItemCode / ItemName                  | Lot #           | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|--------------------------------------|-----------------|-----------------|-------------------------|-----------------------------|----------------|
| EPA      | PART B / ICSB (ICPMS) STOCK SOLUTION | CP-MS ICSB-0803 | 04/30/2025      | 04/17/2024 / jaswal     | 07/14/2022 / jaswal         | M5874          |



## CHEMICAL RECEIPT LOG BOOK

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57028 / Ni, 1000 PPM, 125 ml | 041124 | 04/11/2027      | 07/02/2024 / Jaswal     | 06/11/2024 / Jaswal         | M5961          |

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57034 / Se, 1000 PPM, 125 ml | 060624 | 06/06/2027      | 07/02/2024 / Jaswal     | 06/14/2024 / Jaswal         | M5962          |

| Supplier           | ItemCode / ItemName                  | Lot #       | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------|--------------------------------------|-------------|-----------------|-------------------------|-----------------------------|----------------|
| Inorganic Ventures | CGMO1-1 / MOLYBDENUM 125mL 1000ug/mL | T2-MO720876 | 07/17/2027      | 08/07/2024 / jaswal     | 02/22/2024 / Jaswal         | M5976          |

| Supplier           | ItemCode / ItemName                | Lot #       | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------|------------------------------------|-------------|-----------------|-------------------------|-----------------------------|----------------|
| Inorganic Ventures | CGTI1-1 / TITANIUM 125mL 1000ug/mL | T2-TI719972 | 06/17/2027      | 08/07/2024 / jaswal     | 02/22/2024 / Jaswal         | M5978          |

| Supplier                 | ItemCode / ItemName         | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|-----------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57092 / U, 1000 PPM, 125 ml | 060724 | 06/07/2027      | 07/29/2024 / Jaswal     | 06/11/2024 / Jaswal         | M5981          |

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57038 / Sr, 1000 PPM, 125 ml | 031524 | 03/15/2027      | 07/01/2024 / Jaswal     | 06/11/2024 / Jaswal         | M5982          |

### CHEMICAL RECEIPT LOG BOOK

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57040 / Zr, 1000 PPM, 125 ml | 071423 | 07/14/2026      | 07/29/2024 / Jaswal     | 06/11/2024 / Jaswal         | M5983          |

| Supplier           | ItemCode / ItemName                         | Lot #        | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------|---------------------------------------------|--------------|-----------------|-------------------------|-----------------------------|----------------|
| Inorganic Ventures | CLPP-SPK-4 / SOIL/WATER SPIKE SOLN 4, 125mL | V2-MEB742036 | 03/12/2029      | 10/04/2024 / Jaswal     | 02/22/2024 / Jaswal         | M5993          |

| Supplier           | ItemCode / ItemName                         | Lot #        | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------|---------------------------------------------|--------------|-----------------|-------------------------|-----------------------------|----------------|
| Inorganic Ventures | CLPP-SPK-1 / SOIL/WATER SPIKE SOLN 1, 125mL | T2-MEB721963 | 07/27/2027      | 09/04/2024 / Jaswal     | 02/22/2024 / kareem         | M5999          |

| Supplier                 | ItemCode / ItemName         | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|-----------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57023 / V, 1000 PPM, 125 ml | 062424 | 06/24/2027      | 09/28/2024 / jaswal     | 08/05/2024 / Jaswal         | M6021          |

| Supplier                 | ItemCode / ItemName          | Lot #   | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|---------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57081 / TI, 1000 PPM, 125 ml | 0624724 | 06/27/2027      | 08/05/2024 / kareem     | 08/05/2024 / Jaswal         | M6023          |

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57082 / Pb, 1000 PPM, 125 ml | 061224 | 06/12/2027      | 08/05/2024 / Jaswal     | 08/05/2024 / Jaswal         | M6025          |

## CHEMICAL RECEIPT LOG BOOK

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57048 / Cd, 1000 PPM, 125 ml | 070124 | 07/01/2027      | 08/05/2024 / kareem     | 01/25/2019 / Jaswal         | M6028          |

| Supplier                 | ItemCode / ItemName          | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 57047 / Ag, 1000 PPM, 125 ml | 122823 | 12/28/2026      | 08/05/2024 / kareem     | 08/05/2024 / Jaswal         | M6030          |

| Supplier                 | ItemCode / ItemName           | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|-------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 58113 / Al, 10000 PPM, 500 ml | 011623 | 01/16/2026      | 08/07/2024 / Jaswal     | 01/03/2024 / Jaswal         | M6033          |

| Supplier         | ItemCode / ItemName                                         | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|-------------------------------------------------------------|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L) | 24D1562005 | 02/08/2025      | 08/09/2024 / jaswal     | 08/01/2024 / Janvi          | M6040          |

| Supplier           | ItemCode / ItemName                         | Lot #        | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------|---------------------------------------------|--------------|-----------------|-------------------------|-----------------------------|----------------|
| Inorganic Ventures | IV-STOCK-12 / ICP-MS TUNING SOLUTION, 125mL | U2-MEB734294 | 06/21/2028      | 08/21/2024 / Jaswal     | 08/19/2024 / Jaswal         | M6055          |

| Supplier         | ItemCode / ItemName                                         | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|-------------------------------------------------------------|-------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L) |       | 03/17/2029      | 10/26/2024 / Janvi      | 10/21/2024 / Janvi          | M6095          |

### CHEMICAL RECEIPT LOG BOOK

| Supplier         | ItemCode / ItemName                                   | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|-------------------------------------------------------|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L) | 24B1362001 | 05/04/2025      | 11/02/2024 / Janvi      | 09/29/2024 / Eman           | M6115          |

| Supplier         | ItemCode / ItemName                                   | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|-------------------------------------------------------|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L) | 24B1362001 | 05/03/2025      | 11/04/2024 / Janvi      | 09/29/2024 / Eman           | M6116          |

| Supplier         | ItemCode / ItemName | Lot #               | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|---------------------|---------------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | DIW / DI Water      | Daily Lab-Certified | 07/03/2029      | 07/03/2024 / lwona      | 07/03/2024 / lwona          | W3112          |

# Certificate of Analysis

R: 02/22/24 M5991 M5992 M5993 M5994 M5995

P: 800-669-6799/540-585-3030

F: 540-585-3012

info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



## 2.0 PRODUCT DESCRIPTION

Product Code: Multi Analyte Custom Grade Solution

Catalog Number: CLPP-SPK-4

Lot Number: V2-MEB742036

Matrix: 3% (v/v) HNO<sub>3</sub>

Value / Analyte(s):

- 100 µg/mL ea:
- Antimony,
- 50 µg/mL ea:
- Cadmium, Thallium,
- 40 µg/mL ea:
- Arsenic,
- 20 µg/mL ea:
- Lead,
- 10 µg/mL ea:
- Selenium

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

| ANALYTE      | CERTIFIED VALUE    | ANALYTE      | CERTIFIED VALUE    |
|--------------|--------------------|--------------|--------------------|
| Antimony, Sb | 100.0 ± 0.7 µg/mL  | Arsenic, As  | 40.00 ± 0.26 µg/mL |
| Cadmium, Cd  | 50.00 ± 0.22 µg/mL | Lead, Pb     | 20.00 ± 0.09 µg/mL |
| Selenium, Se | 10.00 ± 0.04 µg/mL | Thallium, Tl | 50.00 ± 0.22 µg/mL |

Density: 1.016 g/mL (measured at 20 ± 4 °C)

Assay Information:

| ANALYTE | METHOD     | NIST SRM# | SRM LOT#     |
|---------|------------|-----------|--------------|
| As      | ICP Assay  | 3103a     | 100818       |
| Cd      | ICP Assay  | 3108      | 130116       |
| Cd      | EDTA       | 928       | 928          |
| Cd      | Calculated |           | See Sec. 4.2 |
| Pb      | ICP Assay  | 3128      | 101026       |
| Pb      | EDTA       | 928       | 928          |
| Pb      | Calculated |           | See Sec. 4.2 |
| Sb      | ICP Assay  | 3102a     | 140911       |
| Se      | ICP Assay  | 3149      | 100901       |
| Se      | Calculated |           | See Sec. 4.2 |
| Tl      | ICP Assay  | 3158      | 151215       |
| Tl      | Calculated |           | See Sec. 4.2 |

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of  $k = 2$ .

#### Characterization of CRM/RM by Two or More Methods

Certified Value,  $X_{\text{CRM/RM}}$ , where two or more methods of characterization are used is the weighted mean of the results:

$$X_{\text{CRM/RM}} = \sum (w_i) (X_i)$$

$X_i$  = mean of Assay Method  $i$  with standard uncertainty  $u_{\text{char } i}$

$w_i$  = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{\text{char } i}^2) / (\sum (1/u_{\text{char } i}^2))$$

$$\text{CRM/RM Expanded Uncertainty (k)} = U_{\text{CRM/RM}} = k (u_{\text{char}}^2 + u_{\text{bb}}^2 + u_{\text{ITS}}^2 + u_{\text{TS}}^2)^{1/2}$$

$k$  = coverage factor = 2

$u_{\text{char}} = [\sum (w_i)^2 (u_{\text{char } i}^2)]^{1/2}$  where  $u_{\text{char } i}$  are the errors from each characterization method

$u_{\text{bb}}$  = bottle to bottle homogeneity standard uncertainty

$u_{\text{ITS}}$  = long term stability standard uncertainty (storage)

$u_{\text{TS}}$  = transport stability standard uncertainty

#### Characterization of CRM/RM by One Method

Certified Value,  $X_{\text{CRM/RM}}$ , where one method of characterization is used is the mean of individual results:

$$X_{\text{CRM/RM}} = (X_a) (u_{\text{char } a})$$

$X_a$  = mean of Assay Method A with

$u_{\text{char } a}$  = the standard uncertainty of characterization Method A

$$\text{CRM/RM Expanded Uncertainty (k)} = U_{\text{CRM/RM}} = k (u_{\text{char } a}^2 + u_{\text{bb}}^2 + u_{\text{ITS}}^2 + u_{\text{TS}}^2)^{1/2}$$

$k$  = coverage factor = 2

$u_{\text{char } a}$  = the errors from characterization

$u_{\text{bb}}$  = bottle to bottle homogeneity standard uncertainty

$u_{\text{ITS}}$  = long term stability standard uncertainty (storage)

$u_{\text{TS}}$  = transport stability standard uncertainty

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

## 5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

## 6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

**6.2** For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale, <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

## **7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL**

### **7.1 Storage and Handling Recommendations**

- Store between approximately 4° - 30° C while in sealed TCT bag.
- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.
- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit [www.inorganicventures.com/TCT](http://www.inorganicventures.com/TCT)

## **8.0 HAZARDOUS INFORMATION**

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

## **9.0 HOMOGENEITY**

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

## **10.0 QUALITY STANDARD DOCUMENTATION**

### **10.1 ISO 9001 Quality Management System Registration**

- QSR Certificate Number QSR-1034

### **10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"**

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

### **10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"**

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; [inorganicventures.com](http://inorganicventures.com); [info@inorganicventures.com](mailto:info@inorganicventures.com)

## **11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY**

### 11.1 Certification Issue Date

March 12, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

### 11.2 Lot Expiration Date

- **March 12, 2029**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

### 11.3 Period of Validity

- Sealed TCT Bag Open Date: \_\_\_\_\_

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

### Certificate Approved By:

Joseph Burns  
Custom VS Manager



### Certifying Officer:

Paul Gaines  
Chairman / Senior Technical Director







**CERTIFIED WEIGHT REPORT:**

**Part Number:** 57048  
**Lot Number:** 070124  
**Description:** Cadmium (Cd)

**Lot #**  
**Solvent:** 24002546 Nitric Acid

**2%** 40.0 Nitric Acid (mL)

**Expiration Date:** 070127

**Recommended Storage:** Ambient (20 °C)

**Nominal Concentration (µg/mL):** 1000

**NIST Test Number:** 6UTB

SE-05 Balance Uncertainty

**Weight shown below was diluted to (mL):** 2000.07 0.100 Flask Uncertainty

|                        |                 |
|------------------------|-----------------|
| <i>Aleah O'Brady</i>   |                 |
| Formulated By:         | Aleah O'Brady   |
|                        | 070124          |
| <i>Pedro L. Rentas</i> |                 |
| Reviewed By:           | Pedro L. Rentas |
|                        | 070124          |

**Compound**

**Lot**  
**Number**

**Nominal**  
**Conc. (µg/mL)**

**Purity**  
**(%)**

**Uncertainty**  
**Assay (%)**

**Target**  
**Weight (g)**

**Actual**  
**Weight (g)**


**Actual**  
**Conc. (µg/mL)**

**Expanded**  
**Uncertainty**  
**+/- (µg/mL)**

**CAS#** **OSHA PEL (TWA)** **LD50** **NIST SRM**

1. Cadmium nitrate tetrahydrate (Cd) IN024 CDM09221A1 1000 99.999 0.10 36.5 5.4797 5.4804 1000.1 2.0 10022-68-1 0.01 mg/m3 or-rat 60.2mg/kg 3108

[1] Spectrum No.1 [12.514 sec]:\$8148.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

518

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.2  | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Ba | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Cd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pr | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**


**Part Number:** 57182  
**Lot Number:** 110923  
**Description:** Lead (Pb)  
**Solvent:** 24002546 Nitric Acid  
**Lot #**

**Expiration Date:** 110926  
**Recommended Storage:** Ambient (20 °C)  
**Nominal Concentration (µg/mL):** 10000  
**NIST Test Number:** 6UTB  
**Weight shown below was diluted to (mL):** 2000.02  
**5E-05 Balance Uncertainty**  
**0.058 Flask Uncertainty**

|                        |                 |
|------------------------|-----------------|
| <i>Lawrence Barry</i>  |                 |
| Formulated By:         | Lawrence Barry  |
| 110923                 |                 |
| <i>Pedro L. Rentas</i> |                 |
| Reviewed By:           | Pedro L. Rentas |
| 110923                 |                 |

| SDS Information          |       |             |                       |            |                        |           |                   |                        |                      |
|--------------------------|-------|-------------|-----------------------|------------|------------------------|-----------|-------------------|------------------------|----------------------|
| Compound                 | RM#   | Lot Number  | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g)      | Actual Conc. (µg/mL) |
| 1. Lead(II) nitrate (Pb) | IN029 | PED122016A1 | 10000                 | 99.999     | 0.10                   | 62.5      | 32.0006           | 32.0040                | 10001.1              |
|                          |       |             |                       |            |                        |           | 20.0              | 10099.74-8             | 0.05 mg/m3           |
|                          |       |             |                       |            |                        |           |                   | intrinsic rat 83 mg/kg | 3128                 |

[1] Spectrum No.1 [ 17.284 sec]:58182.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

520

**Trace Metals Verification by ICP-MS ( $\mu\text{g/mL}$ )**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | T     | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

**Physical Characterization:**

(T)= Target analyte

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**

**Part Number:**  
**Lot Number:**  
**Description:**

**57042**  
**051722**  
**Molybdenum (Mo)**

**Lot #**  
**Solvent:**

**MKB08597V** Ammonium hydroxide

0.5%

15.0 (mL)

Ammonium hydroxide

**Expiration Date:**  
**Recommended Storage:**  
**Nominal Concentration (µg/mL):**

051725  
Ambient (20 °C)  
**1000**

**NIST Test Number:**


6UTB  
5E-05 Balance Uncertainty  
0.058 Flask Uncertainty

|                       |                        |
|-----------------------|------------------------|
| <i>Lawrence Barry</i> |                        |
| Formulated By:        | Lawrence Barry         |
| Reviewed By:          | <i>Pedro L. Rentas</i> |
|                       | Pedro L. Rentas        |
|                       | 051722                 |

**SDS Information**

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | (Solvent Safety Info. On Attached pg.) | NIST SRM |
|----------|-------------|------------|-----------------|-------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------------------------|----------------------------------------|----------|
|----------|-------------|------------|-----------------|-------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------------------------|----------------------------------------|----------|

1. Ammonium molybdate (Mo) 58142 022222 0.1000 300.0 0.084 1000 10001.0 1000.0 2.1 13106-76-8 5 mg(Mo)/m3 or-trat 333 mg/kg 3134





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | T     | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**

**Part Number:** 58119  
**Lot Number:** 071122  
**Description:** Potassium (K)

**Solvent:** 20510011 Nitric Acid  
**Lot #**

**Expiration Date:** 071125  
**Recommended Storage:** Ambient (20 °C)  
**Nominal Concentration (µg/mL):** 10000  
**NIST Test Number:** 6UTB  
**Weight shown below was diluted to (mL):** 2000.02  
**5E-05 Balance Uncertainty**  
**0.058 Flask Uncertainty**

|                        |                 |
|------------------------|-----------------|
| <i>Lawrence Barry</i>  |                 |
| Formulated By:         | Lawrence Barry  |
|                        | 071122          |
| <i>Pedro L. Rentas</i> |                 |
| Reviewed By:           | Pedro L. Rentas |
|                        | 071122          |

**Compound**


1. Potassium nitrate (K)

| RM#   | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS#      | OSHA PEL (TWA) | LD50              | NIST SRM |
|-------|------------|-----------------------|------------|------------------------|-----------|-------------------|-------------------|----------------------|----------------------------------|-----------|----------------|-------------------|----------|
| IN034 | KD022021A1 | 10000                 | 99.999     | 0.10                   | 37.6      | 53.1925           | 53.1934           | 10000.2              | 20.0                             | 7757-79-1 | 5 mg/m3        | or-rat 3015 mg/kg | 3141a    |

**SDS Information**

(Solvent Safety Info. On Attached pg.)

[1] Spectrum No. 1 [ 35.763 sec]:58119.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.02 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).





M5289 R: 07/12/22  
Certified Reference Material CRM

34



ANAB ISO 17034 Accredited  
AR-1539 Certificate Number  
https://AbsoluteStandards.com

**CERTIFIED WEIGHT REPORT:**

**Part Number:** 58113  
**Lot Number:** 070622  
**Description:** Aluminum (Al)

**Solvent:** 20370011 Nitric Acid  
**Lot #**

**Expiration Date:** 070625  
**Recommended Storage:** Ambient (20 °C)  
**Nominal Concentration (µg/mL):** 10000  
**NIST Test Number:** 6UTB

2% 40.0 (mL) Nitric Acid


**Weight shown below was diluted to (mL):** 2000.02  
5E-05 Balance Uncertainty  
0.058 Flask Uncertainty

|                |                   |
|----------------|-------------------|
|                |                   |
| Formulated By: | Lawrence Barry    |
|                | 070622            |
|                |                   |
| Reviewed By:   | Pedro L. Renteria |
|                | 070622            |

| Compound | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information               |                                        |          |
|----------|------------|-----------------------|------------|------------------------|-----------|-------------------|-------------------|----------------------|----------------------------------|-------------------------------|----------------------------------------|----------|
|          |            |                       |            |                        |           |                   |                   |                      |                                  | Safety Info. On Attached pg.) |                                        |          |
|          | RM#        |                       |            |                        |           |                   |                   |                      |                                  | CAS#                          | (Solvent Safety Info. On Attached pg.) | NIST SRM |
|          |            |                       |            |                        |           |                   |                   |                      |                                  |                               | OSHA PEL (TWA)                         | LD50     |
|          |            |                       |            |                        |           |                   |                   |                      |                                  |                               |                                        | SRM      |

|                                      |       |             |       |        |      |      |          |          |         |      |           |         |                         |
|--------------------------------------|-------|-------------|-------|--------|------|------|----------|----------|---------|------|-----------|---------|-------------------------|
| 1. Aluminum nitrate nonahydrate (Al) | IN022 | AUD012021A1 | 10000 | 99.999 | 0.10 | 7.10 | 281.6956 | 281.6977 | 10000.1 | 20.0 | 7784-27-2 | 2 mg/m3 | or-tal 3671 mg/kg 3101a |
|--------------------------------------|-------|-------------|-------|--------|------|------|----------|----------|---------|------|-----------|---------|-------------------------|

[1] Spectrum No. 1 [15.014 sec]:58113.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | T     | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Ru | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Sr | <0.02 | S  | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | Ta | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



R: 4/20/21


Instructions for QATS Reference Material: *Inorganic ICV Solutions*

QATS LABORATORY INORGANIC REFERENCE MATERIAL  
INITIAL CALIBRATION VERIFICATION SOLUTIONS  
(ICV1, ICV5, AND ICV6)

**NOTE:** These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

**APPLICATION:** For use with the CLP SFAM01.0 SOW and revisions.

**CAUTION:** Read instructions carefully before opening bottle(s) and proceeding with the analyses.



M5291  
M5292  
M5293  
M5294  
M5295

**(A) SAMPLE DESCRIPTION**

Enclosed is a set of one (1) or more Aqueous Inorganic Reference Materials containing various analyte concentrations. ICV1 and ICV5 are in a matrix of dilute nitric acid. ICV6 is in a matrix of dilute basic solution. **For the reference material source in reporting ICVs use "USEPA". For the reference material lot number for the ICV1, ICV5, and ICV6 solutions use "ICV1-1014", "ICV5-0415", and "ICV6-0400", respectively.**

**(B) BREAKAGE OR MISSING ITEMS**

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to Mr. Keith Strout, APTIM Federal Services, LLC, at (702) 895-8722. If requested, return the chain-of-custody record with appropriate annotations and signatures to the address provided below.

QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY  
APTIM Federal Services, LLC  
2700 Chandler Avenue - Building C  
Las Vegas, NV 89120

**(C) ANALYSIS OF SAMPLES**

The Initial Calibration Verification Solutions (ICVs) are to be used to evaluate the accuracy of the initial calibrations of ICP, AA, and Cyanide colorimetric instruments, and are to be used with the CLP SOWs and revisions. The values for each element in the ICVs are listed below in µg/L (ppb) for the resulting solution(s) after the dilution of the concentrate(s) according to the following instructions. Use Class 'A' glassware to prepare the solution(s).

**ICV1-1014** For ICP-AES analysis, use a 10-fold dilution by pipetting 10 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid.





Instructions for QATS Reference Material: *Inorganic ICV Solutions*

- ICV1-1014** For ICP-MS analysis, use a 50-fold dilution by pipetting 2 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 1% (v/v) nitric acid.
- ICV5-0415** For the cold vapor analysis of mercury by AA, use a 100-fold dilution by pipetting 1 mL of the ICV5 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid. The ICV5 concentrate is prepared in 0.05% (w/v)  $K_2Cr_2O_7$  and 5% (v/v) nitric acid.
- ICV6-0400** For the analysis of cyanide, use a 100-fold dilution by pipetting 1 mL of the ICV6 concentrate into a 100 mL volumetric flask and dilute to volume with Type II water. Distill this solution along with the samples before analysis. The cyanide concentrate is prepared from  $K_3Fe(CN)_6$ , Type II water, and 0.1 % sodium hydroxide, and will decompose rapidly if exposed to light.

NOTE: USE TYPE II WATER AND HIGH-PURITY ACIDS FOR ALL DILUTIONS.

(D) CERTIFIED CONCENTRATIONS OF QATS ICV1, ICV5, AND ICV6 SOLUTIONS

| ICV1-1014 |                                                  |                                                  |
|-----------|--------------------------------------------------|--------------------------------------------------|
| Element   | Concentration (µg/L)<br>(after 10-fold dilution) | Concentration (µg/L)<br>(after 50-fold dilution) |
| Al        | 2500                                             | 500                                              |
| Sb        | 1000                                             | 200                                              |
| As        | 1000                                             | 200                                              |
| Ba        | 520                                              | 100                                              |
| Be        | 510                                              | 100                                              |
| Cd        | 510                                              | 100                                              |
| Ca        | 10000                                            | 2000                                             |
| Cr        | 520                                              | 100                                              |
| Co        | 520                                              | 100                                              |
| Cu        | 510                                              | 100                                              |
| Fe        | 10000                                            | 2000                                             |
| Pb        | 1000                                             | 200                                              |
| Mg        | 6000                                             | 1200                                             |
| Mn        | 520                                              | 100                                              |
| Ni        | 530                                              | 110                                              |
| K         | 9900                                             | 2000                                             |
| Se        | 1000                                             | 200                                              |
| Ag        | 250                                              | 50                                               |
| Na        | 10000                                            | 2000                                             |
| Tl        | 1000                                             | 210                                              |
| V         | 500                                              | 100                                              |
| Zn        | 1000                                             | 200                                              |

| ICV5-0415 |                                                   | ICV6-0400       |                                                   |
|-----------|---------------------------------------------------|-----------------|---------------------------------------------------|
| Element   | Concentration (µg/L)<br>(after 100-fold dilution) | Analyte         | Concentration (µg/L)<br>(after 100-fold dilution) |
| Hg        | 4.0                                               | CN <sup>-</sup> | 99                                                |



Refine your results. Redefine your industry.

# Certificate of Analysis

300 Technology Drive  
Christiansburg, VA 24073 USA  
inorganicventures.com

P: 800-669-6799/540-585-3030  
F: 540-585-3012  
info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



## 2.0 PRODUCT DESCRIPTION

Product Code: Multi Analyte Custom Grade Solution  
Catalog Number: 6020CAL-1  
Lot Number: S2-MEB711244  
Matrix: 5% (v/v) HNO<sub>3</sub>  
tr. HF  
Value / Analyte(s): 20 µg/mL ea:  
Silver, Aluminum,  
Arsenic, Barium,  
Beryllium, Calcium,  
Cadmium, Cobalt,  
Chromium, Copper,  
Iron, Potassium,  
Magnesium, Manganese,  
Sodium, Nickel,  
Lead, Antimony,  
Selenium, Thallium,  
Vanadium, Zinc

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

| ANALYTE       | CERTIFIED VALUE    | ANALYTE       | CERTIFIED VALUE    |
|---------------|--------------------|---------------|--------------------|
| Aluminum, Al  | 20.01 ± 0.08 µg/mL | Antimony, Sb  | 20.01 ± 0.12 µg/mL |
| Arsenic, As   | 20.01 ± 0.18 µg/mL | Barium, Ba    | 20.01 ± 0.11 µg/mL |
| Beryllium, Be | 20.01 ± 0.14 µg/mL | Cadmium, Cd   | 20.01 ± 0.11 µg/mL |
| Calcium, Ca   | 20.01 ± 0.10 µg/mL | Chromium, Cr  | 20.01 ± 0.16 µg/mL |
| Cobalt, Co    | 20.01 ± 0.11 µg/mL | Copper, Cu    | 20.01 ± 0.10 µg/mL |
| Iron, Fe      | 20.01 ± 0.09 µg/mL | Lead, Pb      | 20.01 ± 0.11 µg/mL |
| Magnesium, Mg | 19.99 ± 0.10 µg/mL | Manganese, Mn | 20.01 ± 0.10 µg/mL |
| Nickel, Ni    | 20.01 ± 0.11 µg/mL | Potassium, K  | 20.01 ± 0.10 µg/mL |
| Selenium, Se  | 20.02 ± 0.14 µg/mL | Silver, Ag    | 20.02 ± 0.09 µg/mL |
| Sodium, Na    | 20.01 ± 0.10 µg/mL | Thallium, Tl  | 20.01 ± 0.13 µg/mL |
| Vanadium, V   | 20.01 ± 0.11 µg/mL | Zinc, Zn      | 20.01 ± 0.11 µg/mL |

**Density:** 1.026 g/mL (measured at 20 ± 4 °C)

**Assay Information:**

| ANALYTE | METHOD      | NIST SRM# | SRM LOT#     |
|---------|-------------|-----------|--------------|
| Ag      | ICP Assay   | 3151      | 160729       |
| Ag      | Volhard     | 999c      | 999c         |
| Al      | ICP Assay   | 3101a     | 140903       |
| Al      | EDTA        | 928       | 928          |
| As      | ICP Assay   | 3103a     | 100818       |
| Ba      | ICP Assay   | 3104a     | 140909       |
| Ba      | Gravimetric |           | See Sec. 4.2 |
| Be      | ICP Assay   | 3105a     | 090514       |
| Ca      | ICP Assay   | 3109a     | 130213       |
| Ca      | EDTA        | 928       | 928          |
| Cd      | ICP Assay   | 3108      | 130116       |
| Cd      | EDTA        | 928       | 928          |
| Co      | ICP Assay   | 3113      | 190630       |
| Co      | EDTA        | 928       | 928          |
| Cr      | ICP Assay   | 3112a     | 170630       |
| Cu      | ICP Assay   | 3114      | 121207       |
| Cu      | EDTA        | 928       | 928          |
| Fe      | ICP Assay   | 3126a     | 140812       |
| Fe      | EDTA        | 928       | 928          |
| Fe      | Calculated  |           | See Sec. 4.2 |
| K       | ICP Assay   | 3141a     | 140813       |
| K       | Gravimetric |           | See Sec. 4.2 |
| Mg      | ICP Assay   | 3131a     | 140110       |
| Mg      | EDTA        | 928       | 928          |
| Mn      | ICP Assay   | 3132      | 050429       |
| Mn      | EDTA        | 928       | 928          |
| Na      | ICP Assay   | 3152a     | 120715       |
| Na      | Gravimetric |           | See Sec. 4.2 |
| Ni      | ICP Assay   | 3136      | 120619       |
| Ni      | EDTA        | 928       | 928          |
| Pb      | ICP Assay   | 3128      | 101026       |
| Pb      | EDTA        | 928       | 928          |
| Se      | ICP Assay   | 3149      | 100901       |
| Se      | Calculated  |           | See Sec. 4.2 |
| Tl      | ICP Assay   | 3158      | 151215       |
| Tl      | Calculated  |           | See Sec. 4.2 |
| V       | ICP Assay   | 3165      | 160906       |
| V       | EDTA        | 928       | 928          |
| Zn      | ICP Assay   | 3168a     | 120629       |
| Zn      | EDTA        | 928       | 928          |

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of  $k = 2$ .

#### Characterization of CRM/RM by Two or More Methods

Certified Value,  $X_{\text{CRM/RM}}$ , where two or more methods of characterization are used is the weighted mean of the results:

$$X_{\text{CRM/RM}} = \sum(w_i)(X_i)$$

$X_i$  = mean of Assay Method  $i$  with standard uncertainty  $u_{\text{char } i}$

$w_i$  = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{\text{char } i}^2) / (\sum(1/u_{\text{char } i}^2))$$

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char}}^2 + u_{\text{bb}}^2 + u_{\text{Its}}^2 + u_{\text{ts}}^2)^{1/2}$$

$k$  = coverage factor = 2

$u_{\text{char}} = [\sum(w_i)^2 (u_{\text{char } i}^2)]^{1/2}$  where  $u_{\text{char } i}$  are the errors from each characterization method

$u_{\text{bb}}$  = bottle to bottle homogeneity standard uncertainty

$u_{\text{Its}}$  = long term stability standard uncertainty (storage)

$u_{\text{ts}}$  = transport stability standard uncertainty

#### Characterization of CRM/RM by One Method

Certified Value,  $X_{\text{CRM/RM}}$ , where one method of characterization is used is the mean of individual results:

$$X_{\text{CRM/RM}} = (X_a)(u_{\text{char } a})$$

$X_a$  = mean of Assay Method A with

$u_{\text{char } a}$  = the standard uncertainty of characterization Method A

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char } a}^2 + u_{\text{bb}}^2 + u_{\text{Its}}^2 + u_{\text{ts}}^2)^{1/2}$$

$k$  = coverage factor = 2

$u_{\text{char } a}$  = the errors from characterization

$u_{\text{bb}}$  = bottle to bottle homogeneity standard uncertainty

$u_{\text{Its}}$  = long term stability standard uncertainty (storage)

$u_{\text{ts}}$  = transport stability standard uncertainty

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

## 5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

## 6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

## 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

### 7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit [www.inorganicventures.com/TCT](http://www.inorganicventures.com/TCT)

**HF Note:** This standard should not be prepared or stored in glass.

**Low Silver Note:** This solution contains "LOW" levels of Silver. Please store this entire bottle inside a sealed glass jar.

## 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

## 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

## 10.0 QUALITY STANDARD DOCUMENTATION

### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

### 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

### 10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; [inorganicventures.com](http://inorganicventures.com); [info@inorganicventures.com](mailto:info@inorganicventures.com)

## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

### 11.1 Certification Issue Date

October 20, 2021

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

### 11.2 Lot Expiration Date

- **October 20, 2026**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

### 11.3 Period of Validity

- Sealed TCT Bag Open Date: \_\_\_\_\_

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

### Certificate Approved By:

Michael Booth  
Director, Quality Control



### Certifying Officer:

Paul Gaines  
Chairman / Senior Technical Director







*R-09/18/22* (RH)  
Certified Reference Material CRM

**CERTIFIED WEIGHT REPORT:**

Part Number: **57056**  
Lot Number: **072122**  
Description: **Barium (Ba)**

Solvent: **20510011 Nitric Acid**

Lot #

Expiration Date: **072125**  
Recommended Storage: **Ambient (20 °C)**  
Nominal Concentration (µg/mL): **1000**  
NIST Test Number: **6UTB**  
Weight shown below was diluted to (mL): **2000.02**  
5E-05 Balance Uncertainty  
0.058 Flask Uncertainty

|                          |                        |
|--------------------------|------------------------|
| <i>Giovanni Esposito</i> |                        |
| Formulated By:           | Giovanni Esposito      |
| Reviewed By:             | <i>Pedro L. Rentes</i> |
|                          | 072122                 |

| SDS Information |            |                       |            |                       |                   |                   |                      |                                  |          |
|-----------------|------------|-----------------------|------------|-----------------------|-------------------|-------------------|----------------------|----------------------------------|----------|
| Compound        | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | NIST SRM |

|                        |       |            |      |        |      |      |         |         |        |     |            |           |                    |       |
|------------------------|-------|------------|------|--------|------|------|---------|---------|--------|-----|------------|-----------|--------------------|-------|
| 1. Barium nitrate (Ba) | IN023 | BA022019A1 | 1000 | 99.999 | 0.10 | 52.3 | 3.82417 | 3.82426 | 1000.0 | 2.0 | 10022-31-8 | 0.5 mg/m3 | original 355 mg/kg | 3104a |
|------------------------|-------|------------|------|--------|------|------|---------|---------|--------|-----|------------|-----------|--------------------|-------|

[1] Spectrum No. 1 [ 12.514 sec]:58156.D# [Count] [Linear]





## Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

### Trace Metals Verification by ICP-MS ( $\mu\text{g/mL}$ )

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.02 | Er | <0.2  | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.02 | Os | <0.01 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | T     | Cs | <0.02 | Cd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.02 | Hg | <0.2  | P  | <0.2  | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.2  | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

### Physical Characterization:

**Homogeneity:** No heterogeneity was observed in the preparation of this standard.

**Certified by:**

Ben. L. R.

\* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.  
\* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.

\* All standard containers are meticulously cleaned prior to use.

\* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).

\* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.

**ALL Standards** should be stored with caps tight and under appropriate laboratory conditions.

Uncertainty References: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



15497-15498 R203/17/23(2)

**CERTIFIED WEIGHT REPORT:**

**Part Number:**  
**Lot Number:**  
**Description:**

**58120**  
**031523**  
**Calcium (Ca)**

**Solvent:** 21110221 Nitric Acid

**Expiration Date:**  
**Recommended Storage:**  
**Nominal Concentration (µg/mL):**  
**NIST Test Number:**

**031526**  
**Ambient (20 °C)**  
**10000**  
**6UTB**

**2%**  
**60.0**  
**(mL)**  
**Nitric Acid**

**Weight shown below was diluted to (mL):** 3000.41  
**5E-05 Balance Uncertainty**  
**0.058 Flask Uncertainty**

|                          |                          |
|--------------------------|--------------------------|
| <i>Giovanni Esposito</i> |                          |
| Formulated By:           | Giovanni Esposito 031523 |
| <i>Pedro L. Rentas</i>   |                          |
| Reviewed By:             | Pedro L. Rentas 031523   |

**SDS Information**

(Solvent Safety Info. On Attached pg.)  
NIST SRM  
LD50  
OSHA PEL (TWA)  
CAS#

Expanded  
Uncertainty

Actual  
Conc. (µg/mL)

Actual  
Weight (g)

Target  
Weight (g)

Assay  
(%)

Purity  
(%)


Nominal  
Conc. (µg/mL)

Lot  
Number

RM#

|                           |       |             |       |        |      |      |         |         |         |      |          |         |                   |       |
|---------------------------|-------|-------------|-------|--------|------|------|---------|---------|---------|------|----------|---------|-------------------|-------|
| 1. Calcium carbonate (Ca) | IN014 | CAD072022A1 | 10000 | 99.999 | 0.10 | 39.9 | 75.1990 | 75.2093 | 10001.4 | 20.0 | 471-34-1 | 5 mg/m3 | or:rat >2000mg/kg | 3109a |
|---------------------------|-------|-------------|-------|--------|------|------|---------|---------|---------|------|----------|---------|-------------------|-------|

[1] Spectrum No.1 [ 12.514 sec]:58120.D# [Count] [Linear]



535



# Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

## Trace Metals Verification by ICP-MS (µg/mL)

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.02 | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Tc | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Ti | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.2  | Fe | <0.02 | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Tl | <0.02 | Zr | <0.02 |

(T) = Target analyte

## Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).





# Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

## Trace Metals Verification by ICP-MS (µg/mL)

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.2  | Fe | <0.02 | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pr | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

## Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.


Certified by:

*[Signature]*

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



Certified Reference Material CRM



MS54-MS55 R:03/17/22

CERTIFIED WEIGHT REPORT:

Part Number:  
Lot Number:  
Description:

58126  
092122  
Iron (Fe)

Expiration Date:  
Recommended Storage:  
Nominal Concentration (µg/mL):  
NIST Test Number:

092125  
Ambient (20 °C)  
10000  
6UTB

Weight shown below was diluted to (mL):

5000.1

Solvent: 20510011 Nitric Acid

7.0% 350.0 Nitric Acid  
(mL)

5E-05 Balance Uncertainty  
0.12 Flask Uncertainty

|                |                   |        |
|----------------|-------------------|--------|
| Formulated By: | Giovanni Esposito | 092122 |
| Reviewed By:   | Pedro L. Rentas   | 092122 |

SDS Information

Expanded  
Uncertainty  
(Solvent Safety Info. On Attached pg.)  
LD50  
SRM

Actual  
Conc. (µg/mL)  
CAS#

Actual  
Weight (g)  
Conc. (µg/mL)

Target  
Weight (g)

Assay  
(%)

Purity  
(%)


Nominal  
Conc. (µg/mL)

Lot  
Number

RM#

|          |              |       |             |       |        |      |       |         |         |         |      |           |         |                         |
|----------|--------------|-------|-------------|-------|--------|------|-------|---------|---------|---------|------|-----------|---------|-------------------------|
| Compound | 1. Iron (Fe) | IN346 | 2224912-500 | 10000 | 99.985 | 0.10 | 100.0 | 50.0034 | 50.0111 | 10001.5 | 20.0 | 7439-88-6 | 5 mg/m3 | orl-rat 7500mg/kg 3126a |
|----------|--------------|-------|-------------|-------|--------|------|-------|---------|---------|---------|------|-----------|---------|-------------------------|

[1] Spectrum No.1 [ 30.763 sec]:58126.D# [Count] [Linear]



539



# Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

## Trace Metals Verification by ICP-MS (µg/mL)

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.10 | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | La | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.02 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.05 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.10 | Ge | <0.10 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.05 |
| B  | <0.02 | Cu | <0.10 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

## Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

*Bar P. Jha*

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

540





*Certified Reference Material CRM*

**CERTIFIED WEIGHT REPORT:**

Part Number: **58119**  
Lot Number: **120822**  
Description: **Potassium (K)**

Solvent: 20510011 Nitric Acid

Lot #

*Giovanni Esposito*

Formulated By: Giovanni Esposito 120822

Expiration Date: 120825  
Recommended Storage: Ambient (20 °C)  
Nominal Concentration (µg/mL): 10000  
NIST Test Number: 6UTB

2% 60.0 (mL) Nitric Acid

*Pedro L. Rantas*

Reviewed By: Pedro L. Rantas 120822


Weight shown below was diluted to (mL): 3000.4 0.06 Flask Uncertainty

**Compound**

| Lot | Nominal | Purity        | Uncertainty | Assay      | Target     | Actual     | Actual        | Expanded    | SDS Information                        | NIST |
|-----|---------|---------------|-------------|------------|------------|------------|---------------|-------------|----------------------------------------|------|
| RM# | Number  | Conc. (µg/mL) | (%)         | Purity (%) | Weight (g) | Weight (g) | Conc. (µg/mL) | +/- (µg/mL) | (Solvent Safety Info. On Attached pg.) | SRM  |

1. Potassium nitrate (K) IN034 KD022021A1 10000 99.989 0.10 37.6 79.7990 79.8075 10001.1 20.0 7757-79-1 5 mg/m3 or/air 3015 mg/kg 3141a

[1] Spectrum No.1 [ 35.763 sec]:58119.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

542

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.02 | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

**Certified by:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**

Part Number: 58024  
Lot Number: 060523  
Description: Chromium (Cr)

Lot #  
21110221  
Solvent: Nitric Acid

2.0%

40.0 (mL)  
Nitric Acid

Formulated By: *Lawrence Barry*  
Reviewed By: *Pedro L. Renteria*

543

Expiration Date: 060526  
Recommended Storage: Ambient (20 °C)  
Nominal Concentration (µg/mL): 1000


Formulated By: *Lawrence Barry*  
Reviewed By: *Pedro L. Renteria*

NIST Test Number: 6UTB  
Volume shown below was diluted to (mL): 2000.02  
5E-05 Balance Uncertainty  
0.058 Flask Uncertainty

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|----------|-------------|------------|-----------------|-------------------|------------------|-----------------------|-----------------------|---------------------|----------------------------------|------|----------------|------|----------|
|----------|-------------|------------|-----------------|-------------------|------------------|-----------------------|-----------------------|---------------------|----------------------------------|------|----------------|------|----------|

1. Chromium(III) nitrate nonahydrate (Cr) 58124 071122 0.1000 200.0 0.084 1000 10000.1 1000.0 2.2 7789-02-8 0.5 mg(Cr)/m3 or rat 3250 mg/kg 3112a

[1] Spectrum No.1 [31.393 sec]:57024.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

544

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | T     | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**

**Part Number:**  
**Lot Number:**  
**Description:**

**58025**  
**102623**  
**Manganese (Mn)**

**Lot #**  
**Solvent:**

**24002546**  
**Nitric Acid**

**Expiration Date:**

**102626**

**Recommended Storage:**  
**Nominal Concentration (µg/mL):**

**Ambient (20 °C)**  
**1000**

**2.0%**

**60.0**  
**(mL)**

**Nitric Acid**

|                |                 |        |
|----------------|-----------------|--------|
| Formulated By: | Benson Chan     | 102623 |
| Reviewed By:   | Pedro L. Ruelas | 102623 |

*[Signature]*  
*[Signature]*

**NIST Test Number:**  
**Volume shown below was diluted to (mL):**

**6UTB**

**5E-05**  
**0.058**


**Balance Uncertainty**  
**Flask Uncertainty**

**Compound**

| Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) | NIST SRM |
|-------------|------------|-----------------|-------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------------------------|--------------------------------------------------------|----------|
|-------------|------------|-----------------|-------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------------------------|--------------------------------------------------------|----------|

1. Manganese(II) nitrate tetrahydrate (Mn) 58125 071123 0.1000 300.0 0.084 1000 10000.1 1000.0 2.1 20694-39-7 5 mg/m3 or-rel >300mg/kg 3132

[1] Spectrum No.1 [34.243 sec]:57025.D# [Count] [Linear]





## Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

## Trace Metals Verification by ICP-MS (µg/mL)

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | T     | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

## Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**

Part Number: **58029**  
Lot Number: **071723**  
Description: **Copper (Cu)**

Lot #: **2110221**  
Solvent: **Nitric Acid**

Expiration Date: **071726**  
Recommended Storage: **Ambient (20 °C)**  
Nominal Concentration (µg/mL): **1000**

2.0%  
40.0 (mL)  
Nitric Acid

NIST Test Number: **6L7B**  
Volume shown below was diluted to (mL): **2000.02**  
Balance Uncertainty: **5E-05**  
Flask Uncertainty: **0.058**

|                |                 |        |
|----------------|-----------------|--------|
| Formulated By: | Benson Chan     | 071723 |
| Reviewed By:   | Pedro L. Ruelas | 071723 |

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | SDS Information (Solvent Safety Info. On Attached pg.) | CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|----------|-------------|------------|-----------------|-------------------|------------------|-----------------------|-----------------------|---------------------|----------------------------------|--------------------------------------------------------|------|----------------|------|----------|
|----------|-------------|------------|-----------------|-------------------|------------------|-----------------------|-----------------------|---------------------|----------------------------------|--------------------------------------------------------|------|----------------|------|----------|

1. Copper(II) nitrate trihydrate (Cu) 58129 022723 0.1000 200.0 0.084 1000 10000.5 1000.0 2.2 10031-43-3 1 mg/m3 or rat 794 mg/kg 3114

[1] Spectrum No.1 [33.422 sec]:58029.D# [Count] [Linear]

|       |        |     |     |     |     |     |     |     |     |     |     |
|-------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1.0E6 | m/z--> | 10  | 20  | 30  | 40  | 50  | 60  | 70  | 80  | 90  | 100 |
| 5.0E5 |        |     |     |     |     |     |     |     |     |     |     |
| 5.0E7 | m/z--> | 110 | 120 | 130 | 140 | 150 | 160 | 170 | 180 | 190 | 200 |
| 2.0E7 |        |     |     |     |     |     |     |     |     |     |     |
| 2.5E7 | m/z--> | 210 | 220 | 230 | 240 | 250 | 260 |     |     |     |     |
| 1.0E7 |        |     |     |     |     |     |     |     |     |     |     |



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Bu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Ru | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | La | <0.2  | Hg | <0.2  | P  | <0.02 | Sr | <0.02 | S  | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | Pb | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | Ta | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | T     | Au | <0.02 |    |       | Nd | <0.02 | K  | <0.2  | Sc | <0.02 |    |       | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).





M5768 M5769  
Certified Reference Material CRM  
R: 1/13/24



ANAB ISO 17034 Accredited  
AR-1539 Certificate Number  
https://AbsoluteStandards.com

**CERTIFIED WEIGHT REPORT:**

Part Number:  
Lot Number:  
Description:

58112  
091823  
Magnesium (Mg)

Solvent: 24002546 Nitric Acid

Lot #

Expiration Date:  
Recommended Storage:  
Nominal Concentration (µg/mL):  
NIST Test Number:

091826  
Ambient (20 °C)  
10000  
6UTB

M5768 M5769  
5E-05 Balance Uncertainty  
0.058 Flask Uncertainty

40.0 (mL)  
Nitric Acid  
BP R: 1/13/24

|                |                 |        |
|----------------|-----------------|--------|
| Formulated By: | Lawrence Barry  | 091823 |
| Reviewed By:   | Pedro L. Rentas | 091823 |


Weight shown below was diluted to (mL): 2000.02 0.058

**Compound**

| Lot | Nominal | Purity        | Uncertainty | Assay      | Target     | Actual     | Actual        | Expanded    | SDS Information                        | NIST |
|-----|---------|---------------|-------------|------------|------------|------------|---------------|-------------|----------------------------------------|------|
| RW# | Number  | Conc. (µg/mL) | (%)         | Purity (%) | Weight (g) | Weight (g) | Conc. (µg/mL) | +/- (µg/mL) | (Solvent Safety Info. On Attached pg.) | SRM  |

1. Magnesium nitrate hexahydrate (Mg) IN030 M500222A1 10000 99.999 0.10 8.51 234.9118 234.9126 10000.0 20.0 13446-18-9 NA or-rat 5440 mg/kg 3131a

[1] Spectrum No. 1 [ 19.923 sec]: 58112.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | T     | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**

**Part Number:** 57004  
**Lot Number:** 102523  
**Description:** Beryllium (Be)

**Lot #** 24002546  
**Solvent:** Nitric Acid

**Expiration Date:**

102526

2.0%

40.0 (mL)

Nitric Acid

**Recommended Storage:**

Ambient (20 °C)

**Nominal Concentration (µg/mL):**

1000

**NIST Test Number:**

6UTB

**Volume shown below was diluted to (mL):** 2000.02

5E-05 Balance Uncertainty


0.058 Flask Uncertainty

|                |                 |        |
|----------------|-----------------|--------|
| Formulated By: | Benson Chan     | 102523 |
| Reviewed By:   | Pedro L. Rentas | 102523 |

**SDS Information**

| Compound | Part Number | Lot | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|----------|-------------|-----|-----------------|-------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------------------------|------|----------------|------|----------|
|----------|-------------|-----|-----------------|-------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------------------------|------|----------------|------|----------|

|                           |       |        |        |       |       |      |         |        |     |            |          |                        |    |
|---------------------------|-------|--------|--------|-------|-------|------|---------|--------|-----|------------|----------|------------------------|----|
| 1. Beryllium nitrate (Be) | 58104 | 091423 | 0.1000 | 200.0 | 0.084 | 1000 | 10001.5 | 1000.0 | 2.2 | 13597-99-4 | 0.2µg/m3 | intrinsc-rat 3.16mg/kg | NA |
|---------------------------|-------|--------|--------|-------|-------|------|---------|--------|-----|------------|----------|------------------------|----|





Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS ( $\mu\text{g/mL}$ )

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Tc | <0.02 | U  | <0.02 |
| As | <0.02 | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Ti | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | T     | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Ta | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Tl | <0.02 | Zr | <0.02 |

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

552



**Certified Reference Material CRM**

**CERTIFIED WEIGHT REPORT:**


Part Number: **57050**  
Lot Number: **071123**  
Description: **Tin (Sn)**

Solvents: **21110221** Nitric Acid  
**22D0562008** Hydrochloric acid

Lot #

*R-1.025009124*

*M599*



553


Expiration Date: **071126**  
Recommended Storage: **Ambient (20 °C)**  
Nominal Concentration (µg/mL): **1000**  
NIST Test Number: **6UTB**

Weight shown below was diluted to (mL): **499.93**  
**5E-05** Balance Uncertainty  
**0.058** Flask Uncertainty

|                                      |                  |
|--------------------------------------|------------------|
| Formulated By: <i>Benson Chan</i>    |                  |
| Benson Chan                          |                  |
| 071123                               |                  |
| Reviewed By: <i>Pedro L. Rientas</i> | Pedro L. Rientas |
| 071123                               |                  |

| SDS Information                          |            |                       |            |                 |           |                   |                   |                      |                                  |
|------------------------------------------|------------|-----------------------|------------|-----------------|-----------|-------------------|-------------------|----------------------|----------------------------------|
| Compound                                 | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) |
| 1. Ammonium hexafluoroantimonate(V) (Sn) | IN010      | SND042023A1           | 1000       | 99.999          | 0.10      | 44.2              | 1.13107           | 1.13286              | 1001.6                           |
|                                          |            |                       |            |                 |           | 2.0               | 16919-24-7        | 7 mg/m3              | NA                               |
|                                          |            |                       |            |                 |           |                   |                   |                      | 3161a                            |

[1] Spectrum No. 1 [ 15.034 sec]:56150.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

554

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Ti | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <500  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Ta | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



R: 02/09/24 115800 (54)

CERTIFIED WEIGHT REPORT:

Part Number: 57027  
Lot Number: 091923  
Description: Cobalt (Co)

Expiration Date: 091926  
Recommended Storage: Ambient (20 °C)  
Nominal Concentration (µg/mL): 1000  
NIST Test Number: 6UTB

Volume shown below was diluted to (mL): 2000.02

5E-05 Balance Uncertainty  
0.058 Flask Uncertainty

Lot # 24002546  
Solvent: Nitric Acid

2.0% Nitric Acid  
40.0 (mL)

|                |                 |
|----------------|-----------------|
|                |                 |
| Formulated By: | Lawrence Barry  |
|                |                 |
| Reviewed By:   | Pedro L. Rentas |


SDS Information

Expanded Uncertainty +/- (µg/mL)  
Final Conc. (µg/mL)  
Initial Conc. (µg/mL)  
Nominal Conc. (µg/mL)  
Pipette (mL)  
Initial Vol. (mL)  
Dilution Factor  
Part Number  
Lot Number

(Solvent Safety Info. On Attached pg.)  
CAS#  
OSHA PEL (TWA)  
LD50  
NIST  
SRM

1. Cobalt(II) nitrate hexahydrate (Co) 58127 050923 0.1000 200.0 0.084 1000 10000.0 1000.0 2.2 10026-22-9 0.02 mg/m3 orl-rat 691 mg/kg 3113

[1] Spectrum No.1 [ 34.243 sec]:58027.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.02 | Os | <0.01 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.2  | Na | <0.02 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | T     | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).





**CERTIFIED WEIGHT REPORT:**

**Part Number:** 57033  
**Lot Number:** 111323  
**Description:** Arsenic (As)

**Lot #** 24002546  
**Solvent:** Nitric Acid

**Expiration Date:** 111326  
**Recommended Storage:** Ambient (20 °C)  
**Nominal Concentration (µg/mL):** 1000  
**NIST Test Number:** 6LUTB  
**Volume shown below was diluted to (mL):** 4000.0


**Balance Uncertainty:** 5E-05  
**Flask Uncertainty:** 0.06

**2.0%** 80.0 (mL) Nitric Acid

|                |                 |        |
|----------------|-----------------|--------|
| Formulated By: | Lawrence Barry  | 111323 |
| Reviewed By:   | Pedro L. Rendas | 111323 |

| SDS Information |             |            |                 |                   |                          |                       |                       |                     |                                  |
|-----------------|-------------|------------|-----------------|-------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------------------------|
| Compound        | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) |
| 1. Arsenic (As) | 57033       | 020522     | 0.1000          | 400.0             | 0.084                    | 1000                  | 10001.0               | 1000.0              | 2.0                              |

(Solvent Safety Info. On Attached pg.) CAS# OSHA PEL (TWA) LD50 NIST SRM  
0.5 mg/m3 or rat 500 mg/kg 3103a





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |     |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|-----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy  | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er  | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | T     | Ce | <0.02 | Eu  | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Ti | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd  | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Bc | <0.01 | Cr | <0.02 | Ga  | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge* | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sa | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au  | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Tl | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**

**Part Number:** 57115  
**Lot Number:** 041723  
**Description:** Phosphorous (P)

**Solvent:** 21110221 Nitric Acid

**Lot #**

559

**Expiration Date:** 041726  
**Recommended Storage:** Ambient (20 °C)  
**Nominal Concentration (µg/mL):** 10000  
**NIST Test Number:** 6UTB

**2% 40.0 (mL) Nitric Acid**


**Weight shown below was diluted to (mL):** 2000.02 0.056 Balance Uncertainty Flask Uncertainty

|                                      |               |
|--------------------------------------|---------------|
|                                      |               |
| <b>Formulated By:</b> Lawrence Barry | <b>041723</b> |
|                                      |               |
| <b>Reviewed By:</b> Pedro L. Rentas  | <b>041723</b> |

**SDS Information**

| Compound                             | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS# | OSHA PEL (TWA) | LD50    | NIST SRM              |
|--------------------------------------|------------|-----------------------|------------|-----------------|-----------|-------------------|-------------------|----------------------|----------------------------------|------|----------------|---------|-----------------------|
| 1. Ammonium dihydrogen phosphate (P) | IN008      | PV082019A1            | 10000      | 99.999          | 0.10      | 27.5              | 72.7287           | 72.7289              | 10000.0                          | 20.0 | 7722-76-1      | 5 mg/m3 | or:rat>2000mg/kg 3186 |

[1] Spectrum No.1 [ 12.074 sec]:58115.D# [Count] [Linear]





Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):

Trace Metals Verification by ICP-MS ( $\mu\text{g/mL}$ )

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | T     | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**

Part Number:  
Lot Number:  
Description:

57016  
122923  
Sulfur (S)

Solvent: 122923

ASTM Type 1 Water

|                |                 |
|----------------|-----------------|
|                |                 |
| Formulated By: | Benson Chan     |
| 122923         |                 |
|                |                 |
| Reviewed By:   | Pedro L. Rentas |
| 122923         |                 |

561

Expiration Date: 122926  
Recommended Storage: Ambient (20 °C)  
Nominal Concentration (µg/mL): 1000  
NIST Test Number: 6L7B  
Weight shown below was diluted to (mL): 4000.0  
SE-05 Balance Uncertainty  
0.06 Flask Uncertainty

**Compound**

| Lot    | Nominal       | Purity | Uncertainty | Assay | Target     | Actual     | Actual        | Expanded    | SDS Information                        | NIST |
|--------|---------------|--------|-------------|-------|------------|------------|---------------|-------------|----------------------------------------|------|
| Number | Conc. (µg/mL) | (%)    | Purity (%)  | (%)   | Weight (g) | Weight (g) | Conc. (µg/mL) | +/- (µg/mL) | (Solvent Safety Info. On Attached pg.) | SRM  |
| RM#    |               |        |             |       |            |            |               |             | OSHA PEL (TWA)                         | LD50 |

1. Ammonium sulfate (S) IN117 SLBR725V 1000 99.9 0.10 24.3 16.4979 16.4980 1000.0 2.0 7783-20-2 NA or-rel 4250mg/kg 3181

[1] Spectrum No. 1 [33.603 sec]:57016.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

562

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | La | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Ba | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Ru | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | S  | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | Ta | <0.02 | Ti | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**

Part Number: **57116**  
Lot Number: **071123**  
Description: **Sulfur (S)**

Lot #  
Solvent: 071123  
ASTM Type 1 Water


|                 |                |
|-----------------|----------------|
|                 |                |
| Formulated By:  | Lawrence Barry |
| Reviewed By:    |                |
| Pedro L. Rentas |                |
| 071123          |                |

563

Expiration Date: 071126  
Recommended Storage: Ambient (20 °C)  
Nominal Concentration (µg/mL): 10000  
NIST Test Number: 6UTB  
Weight shown below was diluted to (mL): 1999.48  
5E-05 Balance Uncertainty  
0.058 Flask Uncertainty

| SDS Information      |                 |                       |            |                        |           |                   |                   |                      |                                  |
|----------------------|-----------------|-----------------------|------------|------------------------|-----------|-------------------|-------------------|----------------------|----------------------------------|
| Compound             | Lot Number      | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) |
| Ammonium sulfate (S) | IN117 SLBR7225V | 10000                 | 99.9       | 0.10                   | 24.3      | 82.4675           | 82.4692           | 10000.1              | 20.0                             |
|                      |                 |                       |            |                        |           | 7763-20-2         | NA                | oralal 4250mg/kg     | 3181                             |

[1] Spectrum No. 1 [ 24.004 sec]:58116.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | T     | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

**Physical Characterization:**

(T)= Target analyte

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).





**CERTIFIED WEIGHT REPORT:**

**Part Number:** 57014  
**Lot Number:** 122023  
**Description:** Silicon (Si)  
**Solvent:** 24002546 Nitric Acid  
**Lot #**

**Expiration Date:** 122026  
**Recommended Storage:** Ambient (20 °C)  
**Weight shown below was diluted to (mL):** 40.0 mL


**Nominal Concentration (µg/mL):** 1000  
**NIST Test Number:** 6UTB  
**Balance Uncertainty:** 5E-05  
**Flask Uncertainty:** 0.058

|                |                 |
|----------------|-----------------|
| Aleah O Brady  |                 |
| Formulated By: | Aleah O Brady   |
| Reviewed By:   | Pedro L. Rentas |
|                | 122023          |

**SDS Information**

| Compound                            | Lot Number       | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS#       | OSHA PEL (TWA) | LD50         | NIST SRM |
|-------------------------------------|------------------|-----------------------|------------|-----------------|-----------|-------------------|-------------------|----------------------|----------------------------------|------------|----------------|--------------|----------|
| 1. Ammonium hexafluorosilicate (Si) | IN009 S1D08022A1 | 1000                  | 99.999     | 0.10            | 14.4      | 13.8854           | 13.8855           | 1000.0               | 2.0                              | 18919-19-0 | 2.5 mg/m3      | or: 70 mg/kg | NA       |

[1] Spectrum No. 1 [ 31.393 sec; 158014.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS ( $\mu\text{g/mL}$ )**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | T     | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Bu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Ru | <0.02 | Ag | <0.02 | Ti | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Tl | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**

**Part Number:** 58030  
**Lot Number:** 111623  
**Description:** Zinc (Zn)

**Solvent:** 24002546 Nitric Acid

**Lot #** R: 02109124 MS819

**2%** 60.0 (mL) Nitric Acid

**Expiration Date:** 111626

**Recommended Storage:** Ambient (20 °C)

**Nominal Concentration (µg/mL):** 1000

**NIST Test Number:** 6UTB

**Weight shown below was diluted to (mL):** 3000.4

**5E-05** Balance Uncertainty


**0.06** Flask Uncertainty

|                |                  |        |
|----------------|------------------|--------|
| Formulated By: | Benson Chan      | 111623 |
| Reviewed By:   | Pedro L. Rientas | 111623 |

**Compound**

| Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS# | OSHA PEL (TWA) | LDSO | NIST SRM |
|------------|-----------------------|------------|------------------------|------------------|-------------------|----------------------|----------------------------------|------|----------------|------|----------|
|------------|-----------------------|------------|------------------------|------------------|-------------------|----------------------|----------------------------------|------|----------------|------|----------|

1. Zinc nitrate hexahydrate (Zn) IN016 ZNE03021A1 1000 99.999 0.10 24.3 12.3475 12.3502 1000.2 2.0 10196-18-6 1 mg/mL 3168 on-rat 1190mg/kg





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Bu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**

Part Number:  
Lot Number:  
Description:

**57015**  
**091123**  
**Phosphorous (P)**

Solvent: 24002546 Nitric Acid

Lot #

R: 02109124 M5820

2% 40.0 (mL) Nitric Acid

Expiration Date: 091126

Recommended Storage: Ambient (20 °C)

Nominal Concentration (µg/mL): 1000

NIST Test Number: 6LJB

Weight shown below was diluted to (mL): 2000.02 0.058 Balance Uncertainty Flask Uncertainty


|                |                 |        |
|----------------|-----------------|--------|
| Formulated By: | Lawrence Barry  | 091123 |
| Reviewed By:   | Pedro L. Rentas | 091123 |

**SDS Information**

| Compound | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|----------|------------|-----------------------|------------|-----------------|-----------|-------------------|-------------------|----------------------|----------------------------------|------|----------------|------|----------|
|----------|------------|-----------------------|------------|-----------------|-----------|-------------------|-------------------|----------------------|----------------------------------|------|----------------|------|----------|

1. Ammonium dihydrogen phosphate (P) IN008 PVO62019A1 1000 99.999 0.10 27.5 7.2729 7.2730 1000.0 2.0 7722-76-1 5 mg/m3 xH-rat >2000mg/kg 3186

[1] Spectrum No.1 [ 12.074 sec]:58115.D# [Count] [Linear]





## Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS ( $\mu\text{g/mL}$ )

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Tc | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | T     | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sa | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

## Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**

MS961 R-611124

Lot #

Part Number:

57028

Solvent: 24002546 Nitric Acid

Lot Number:

041124

Description:

Nickel (NI)

Expiration Date:

041127

Recommended Storage:

Ambient (20 °C)

Nominal Concentration (µg/mL):

1000

NIST Test Number:

6UTB

Weight shown below was diluted to (mL):

249.85

5E-05 Balance Uncertainty  
0.002 Flask Uncertainty

2% 5.0 (mL) Nitric Acid


|                |                 |        |
|----------------|-----------------|--------|
| Formulated By: | Brian Geddes    | 041124 |
| Reviewed By:   | Pedro L. Rentas | 041124 |

**SDS Information**

| Compound | Lot | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|----------|-----|-----------------------|------------|-----------------|-----------|-------------------|-------------------|----------------------|----------------------------------|------|----------------|------|----------|
|----------|-----|-----------------------|------------|-----------------|-----------|-------------------|-------------------|----------------------|----------------------------------|------|----------------|------|----------|

1. Nickel(II) nitrate hexahydrate (NI) IN033 NIM052023A1 1000 99.999 0.10 20.2 1.2369 1.2369 1000.0 2.0 13478-00-7 1 mg/m3 or-rat 1620 mg/kg 3136

[1] Spectrum No.1 [ 12.374 sec]:58128.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | T  | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Ba | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Ba | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Bc | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).





**Certified Reference Material CRM**  
**M5962** **R1061424**



ANAB ISO 17034 Accredited  
AR-1539 Certificate Number  
<https://AbsoluteStandards.com>

**CERTIFIED WEIGHT REPORT:**


**Part Number:** 57034  
**Lot Number:** 060624  
**Description:** Selenium (Se)  
**Expiration Date:** 060627  
**Recommended Storage:** Ambient (20 °C)  
**Nominal Concentration (µg/mL):** 1000  
**NIST Test Number:** 6LUTB  
**Volume shown below was diluted to (mL):** 2000.07

**Lot #** 24002546  
**Solvent:** Nitric Acid  
**2.0%**  
**40.0 (mL)**  
**Nitric Acid**

|                |                 |        |
|----------------|-----------------|--------|
| Formulated By: | Benson Chan     | 060624 |
| Reviewed By:   | Pedro L. Rantas | 060624 |

| SDS Information  |             |            |                 |                   |              |                       |                       |                     |                                  |
|------------------|-------------|------------|-----------------|-------------------|--------------|-----------------------|-----------------------|---------------------|----------------------------------|
| Compound         | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) |
| 1. Selenium (Se) | 58134       | 071223     | 0.1000          | 200.0             | 0.084        | 1000                  | 10002.5               | 1000.0              | 2.2                              |

(Solvent Safety Info. On Attached pg.) CAS# OSHA PEL (TWA) LDSO NIST SRM  
7782-49-2 0.2 mg/m3 or-lal 6700 mg/kg 3149





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | T     | Tb | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Bu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Ru | <0.02 | Na | <0.2  | Th | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Sr | <0.02 | S  | <0.02 | Tm | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | Ta | <0.02 | Sn | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 |    | <0.02 | Ti | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



## 2.0 PRODUCT DESCRIPTION

Product Code: Single Analyte Custom Grade Solution  
Catalog Number: CGMO1  
Lot Number: T2-MO720876  
Matrix: H2O  
tr. NH4OH  
Value / Analyte(s): 1 000 µg/mL ea:  
Molybdenum  
Starting Material: Ammonium Molybdate  
Starting Material Lot#: 2361  
Starting Material Purity: 99.9893%

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

**Certified Value:** 998 ± 7 µg/mL  
**Density:** 1.000 g/mL (measured at 20 ± 4 °C)  
**Assay Information:**

**Assay Method #1**      **998 ± 4 µg/mL**  
ICP Assay NIST SRM 3134 Lot Number: 130418

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of  $k = 2$ .

### Characterization of CRM/RM by Two or More Methods

Certified Value,  $X_{CRM/RM}$ , where two or more methods of characterization are used is the weighted mean of the results:

$$X_{CRM/RM} = \sum(w_i)(X_i)$$

$X_i$  = mean of Assay Method  $i$  with standard uncertainty  $u_{char i}$

$w_i$  = the weighting factors for each method calculated using the inverse square of the variance.

$$w_i = (1/u_{char i}^2) / (\sum(1/u_{char i}^2))$$

$$CRM/RM \text{ Expanded Uncertainty } (\pm) = U_{CRM/RM} = k(u_{char}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

$k$  = coverage factor = 2

$u_{char} = [\sum(w_i)^2(u_{char i}^2)]^{1/2}$  where  $u_{char i}$  are the errors from each characterization method

$u_{bb}$  = bottle to bottle homogeneity standard uncertainty

$u_{lts}$  = long term stability standard uncertainty (storage)

$u_{ts}$  = transport stability standard uncertainty

### Characterization of CRM/RM by One Method

Certified Value,  $X_{CRM/RM}$ , where one method of characterization is used is the mean of individual results:

$$X_{CRM/RM} = (X_a)(u_{char a})$$

$X_a$  = mean of Assay Method A with

$u_{char a}$  = the standard uncertainty of characterization Method A

$$CRM/RM \text{ Expanded Uncertainty } (\pm) = U_{CRM/RM} = k(u_{char a}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

$k$  = coverage factor = 2

$u_{char a}$  = the errors from characterization

$u_{bb}$  = bottle to bottle homogeneity standard uncertainty

$u_{lts}$  = long term stability standard uncertainty (storage)

$u_{ts}$  = transport stability standard uncertainty

#### 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

##### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

##### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

##### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

#### 5.0 TRACE METALLIC IMPURITIES (TMI ) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

|   |    |   |          |   |    |   |          |   |    |   |          |   |    |   |          |   |    |   |          |
|---|----|---|----------|---|----|---|----------|---|----|---|----------|---|----|---|----------|---|----|---|----------|
| M | Ag | < | 0.000590 | M | Eu | < | 0.000300 | M | Na |   | 0.000879 | M | Se | < | 0.008000 | M | Zn |   | 0.000598 |
| M | Al |   | 0.000563 | M | Fe | < | 0.006500 | M | Nb | < | 0.029000 | i | Si | < |          | M | Zr | < | 0.001800 |
| M | As | < | 0.002100 | M | Ga | < | 0.000300 | i | Nd | < |          | M | Sm | < | 0.000300 |   |    |   |          |
| M | Au | < | 0.000300 | M | Gd | < | 0.000300 | M | Ni | < | 0.008000 | M | Sn | < | 0.008900 |   |    |   |          |
| M | B  | < | 0.003300 | M | Ge | < | 0.000300 | M | Os | < | 0.000590 | M | Sr |   | 0.000175 |   |    |   |          |
| M | Ba |   | 0.001689 | M | Hf | < | 0.001800 | i | P  | < |          | M | Ta | < | 0.004200 |   |    |   |          |
| M | Be | < | 0.000890 | M | Hg | < | 0.003300 | M | Pb | < | 0.000300 | M | Tb | < | 0.000300 |   |    |   |          |
| M | Bi | < | 0.000890 | M | Ho | < | 0.000300 | M | Pd | < | 0.001800 | M | Te | < | 0.021000 |   |    |   |          |
| O | Ca |   | 0.006334 | M | In | < | 0.032000 | M | Pr | < | 0.013000 | M | Th | < | 0.000300 |   |    |   |          |
| O | Cd | < | 0.026000 | M | Ir | < | 0.000300 | M | Pt | < | 0.000300 | O | Ti | < | 0.032000 |   |    |   |          |
| M | Ce | < | 0.008300 | M | K  |   | 0.130213 | M | Rb |   | 0.004575 | M | Tl |   | 0.001266 |   |    |   |          |
| M | Co |   | 0.000598 | M | La | < | 0.000300 | M | Re | < | 0.000300 | M | Tm | < | 0.000300 |   |    |   |          |
| M | Cr |   | 0.000527 | O | Li |   | 0.000059 | M | Rh | < | 0.000300 | M | U  | < | 0.005300 |   |    |   |          |
| M | Cs |   | 0.000527 | M | Lu | < | 0.000300 | M | Ru | < | 0.079000 | M | V  | < | 0.000890 |   |    |   |          |
| M | Cu |   | 0.002252 | M | Mg |   | 0.000563 | i | S  | < |          | M | W  |   | 0.087982 |   |    |   |          |
| M | Dy | < | 0.000300 | M | Mn | < | 0.005900 | M | Sb |   | 0.001513 | M | Y  | < | 0.000300 |   |    |   |          |
| M | Er | < | 0.000300 | s | Mo | < |          | M | Sc | < | 0.001200 | M | Yb | < | 0.000300 |   |    |   |          |

M - Checked by ICP-MS    O - Checked by ICP-OES    i - Spectral Interference  
n - Not Checked For    s - Solution Standard Element

#### 6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

#### 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

##### 7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit [www.inorganicventures.com/TCT](http://www.inorganicventures.com/TCT)

**Atomic Weight; Valence; Coordination Number; Chemical Form in Solution** - 95.94 +6 6,7,8,9

[MoO<sub>4</sub>]-2(chemical form as received)

**Chemical Compatibility** -Mo is received in a NH<sub>4</sub>OH matrix giving the operator the option of using HCl or HF to stabilize acidic solutions. The [MoO<sub>4</sub>]-2 is soluble in concentrated HCl [MoOCl<sub>5</sub>]-2, dilute HF / HNO<sub>3</sub> [MoOF<sub>5</sub>]-2 and basic media [MoO<sub>4</sub>]-2. Stable at ppm levels with some metals provided it is fluorinated. Do not mix with Alkaline or Rare Earths when HF is present. Stable with most inorganic anions provided it is in the [MoO<sub>4</sub>]-2 chemical form.

**Stability** - 2-100 ppb levels stable (alone or mixed with all other metals that are at comparable levels) as the [MoOF<sub>5</sub>]-2 for months in 1% HNO<sub>3</sub> / LDPE container. 1-10,000 ppm single element solutions as the [MoO<sub>4</sub>]-2 chemically stable for years in 1% NH<sub>4</sub>OH in a LDPE container.

**Mo Containing Samples (Preparation and Solution)** -Metal (Soluble in HF / HNO<sub>3</sub> or hot dilute HCl); Oxide (soluble in HF or NH<sub>4</sub>OH) ; Organic Matrices (Dry ash at 450EC in Pt0 and dissolve oxide with HF or HCl ).

**Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):**

| Technique/Line     | Estimated D.L.       | Order | Interferences (underlined indicates severe) |
|--------------------|----------------------|-------|---------------------------------------------|
| ICP-MS 95 amu      | 3 ppt                | n/a   | 40Ar39K16O,79Br16O,190Os2+,190Pt2+          |
| ICP-OES 202.030 nm | 0.008 / 0.0002 µg/mL | 1     | Os, Hf                                      |
| ICP-OES 203.844 nm | 0.012 / 0.002 µg/mL  | 1     |                                             |
| ICP-OES 204.598 nm | 0.012 / 0.001 µg/mL  | 1     | Ir, Ta                                      |

## 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

## 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

## 10.0 QUALITY STANDARD DOCUMENTATION

### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

### 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

### 10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.569.6799; 540.585.3030, Fax: 540.585.3012; [info@inorganicventures.com](mailto:info@inorganicventures.com)

## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

### 11.1 Certification Issue Date

July 17, 2022

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

### 11.2 Lot Expiration Date

- July 17, 2027

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

### 11.3 Period of Validity

- Sealed TCT Bag Open Date: \_\_\_\_\_

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

### Certificate Prepared By:

Uyen Truong  
Supervisor, Product Documentation



### Certificate Approved By:

Michael Booth  
Director, Technical



### Certifying Officer:

Paul Gaines  
Chairman / Senior Technical Director





4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0

TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an UHPA-filtered Clean Room. An UHPA-filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

|      |   |          |      |   |          |      |   |          |      |          |          |   |          |
|------|---|----------|------|---|----------|------|---|----------|------|----------|----------|---|----------|
| M Ag | < | 0.000536 | M Eu | < | 0.000268 | O Na | < | 0.032670 | M Se | 0.001204 | O Zn     | < | 0.003267 |
| M Al | < | 0.000872 | O Fe | < | 0.003225 | O Nb | < | 0.043560 | O Si | 0.004735 | O Zr     | < | 0.043560 |
| M As | < | 0.008586 | M Ga | < | 0.000268 | M Nd | < | 0.000268 | M Sm | <        | 0.000268 |   |          |
| M Au | < | 0.004577 | M Gd | < | 0.000268 | O Ni | < | 0.010890 | M Sn | <        | 0.00096  |   |          |
| O B  | < | 0.008929 | M Ge | < | 0.002146 | M Os | < | 0.000269 | O Sr | <        | 0.00096  |   |          |
| M Ba | < | 0.002683 | M Hf | < | 0.002161 | O P  | < | 0.054450 | M Ta | <        | 0.010560 |   |          |
| M Be | < | 0.005366 | M Hg | < | 0.003231 | M Pb | < | 0.001073 | M Tb | <        | 0.000268 |   |          |
| M Bi | < | 0.001609 | M Ho | < | 0.000268 | M Pd | < | 0.000268 | M Th | <        | 0.001341 |   |          |
| O Ca | < | 0.000676 | M In | < | 0.002683 | M Pr | < | 0.000268 | M Tl | <        | 0.053663 |   |          |
| M Cd | < | 0.000268 | M Ir | < | 0.000269 | M Pt | < | 0.000536 | S Ti | <        |          |   |          |
| M Co | < | 0.000268 | M K  | < | 0.001172 | M Rb | < | 0.000268 | M Tl | <        | 0.000268 |   |          |
| M Cr | < | 0.000752 | O Li | < | 0.000268 | M Re | < | 0.000268 | M Tm | <        | 0.000268 |   |          |
| M Cs | < | 0.000268 | M Lu | < | 0.000268 | M Rh | < | 0.000268 | M U  | <        | 0.000268 |   |          |
| O Cu | < | 0.010890 | O Mg | < | 0.005445 | I S  | < | 0.006976 | M Y  | <        | 0.002146 |   |          |
| M Dy | < | 0.000268 | O Mn | < | 0.003267 | M Sb | < | 0.004900 | M Yb | <        | 0.000536 |   |          |
| M Er | < | 0.000268 | M Mo | < | 0.000774 | O Sc | < | 0.004900 | M Yb | <        | 0.000536 |   |          |

6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations



- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit [www.inorganicventures.com/TCT](http://www.inorganicventures.com/TCT)

**Atomic Weight; Valence:** Soluble in concentrated HCl, HF, H3PO4 H2SO4 and HNO3. Avoid neutral to basic media. Unstable at ppm levels with metals that would pull F- away (i.e. Do not mix with Alkaline or Rare Earths or high levels of transition elements unless they are fluorinated). Stable with most inorganic anions with a tendency to hydrolyze forming the hydrated oxide in all dilute acids except HF.

**Stability:** - 2-100 ppb levels stable (Alone or mixed with all other metals) as the Ti(F)6-2 for months in 1% HNO3 / LDPE container. - 1-10,000 ppm single element solutions as the Ti(F)6-2 chemically stable for years in 2-5% HNO3 / trace HF in an LDPE container.

**Ti Containing Samples (Preparation and Solution) - Metal (Soluble in H2O / HF caution - powder reacts violently):** Oxide - high temperature history (~800EC) brookite (fuse in P10 with K2S2O7); Ores (fuse in P10 with K2S2O7 - no KF if silica not present); Organic Matrices (Dry ash at 450EC in P10 and dissolve by heating with 1:1:1 H2O / HF / H2SO4 or fuse ash with pyrosulfate if oxide is as plastic pigment and likely in brookite crystalline form).

**Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):**

| Technique/Line | Estimated D.L. | 14 ppt |
|----------------|----------------|--------|
| ICP-MS 48 amu  |                |        |

**HAZARDOUS INFORMATION**

HF Note: This standard should not be prepared or stored in glass.

|                    |                        |   |
|--------------------|------------------------|---|
| ICP-OES 323.452 nm | 0.0054 / 0.00092 µg/mL | 1 |
| ICP-OES 334.941 nm | 0.0038 / 0.00028 µg/mL | 1 |
| ICP-OES 336.121 nm | 0.0053 / 0.00034 µg/mL | 1 |

W, Mo, Co  
Nb, Ta, Cr, U  
Ce, Ar, Ni  
Ru]]  
(where X = Zr, Mo,  
48Ca, [96X=2  
14N17N2, 36Ar12C,  
14N16O18O,  
32S16O, 32S14N,  
N/A

**8.0 HOMOGENEITY**

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

**9.0 HOMOGENEITY**

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

**10.0 QUALITY STANDARD DOCUMENTATION**

**10.1 ISO 9001 Quality Management System Registration**

- QSR Certificate Number QSR-1034

**10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"**

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Chesapeake, VA 24073, USA; Telephone: 800.868.6786; 540.565.3030; Fax: 540.565.3012; [info@inorganicventures.com](mailto:info@inorganicventures.com)

11.0

CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

June 17, 2022

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- June 17, 2027

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date:

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0

NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Thomas Kozlikowski  
Manager, Quality Control

Certifying Officer:

Paul Gaines  
Chairman / Senior Technical Director

*Paul Gaines*

*80978*



MS981 R:6/11/24



CERTIFIED WEIGHT REPORT:

Part Number:  
Lot Number:  
Description:

57092  
060724  
Uranium (U)

Expiration Date:  
Recommended Storage:  
Nominal Concentration (µg/mL):  
NIST Test Number:

060727  
Ambient (20 °C)  
1000  
6UTB

Volume shown below was diluted to (mL): 2000.07

5E-05 Balance Uncertainty  
0.100 Flask Uncertainty

Lot # Solvent:  
24002546 Nitric Acid

2.0% Nitric Acid  
40.0 (mL)


|                          |                   |
|--------------------------|-------------------|
| <i>Giovanni Esposito</i> |                   |
| Formulated By:           | Giovanni Esposito |
| <i>Pedro L. Rentas</i>   |                   |
| Reviewed By:             | Pedro L. Rentas   |

SDS Information

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | (Solvent Safety Info. On Attached pg.) | CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|----------|-------------|------------|-----------------|-------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------------------------|----------------------------------------|------|----------------|------|----------|
|----------|-------------|------------|-----------------|-------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------------------------|----------------------------------------|------|----------------|------|----------|

1. Uranyl nitrate hexahydrate (U) 58192 041524 0.1000 200.0 0.084 1000 10001.5 1000.0 2.2 13620-83-7 0.05 mg/m3 orl-rat 1040 mg/kg 3164

[1] Spectrum No.1 [ 23.264 sec]:57092.D# [Count] [Linear]



583



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

| Trace Metals Verification by ICP-MS (µg/mL) |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|---------------------------------------------|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al                                          | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb                                          | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As                                          | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.02 | Os | <0.01 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba                                          | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be                                          | <0.01 | Cr | <0.02 | Ga | <0.2  | Fe | <0.02 | Hg | <0.2  | P  | <0.2  | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi                                          | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B                                           | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

*[Signature]*

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

584



Certified Reference Material CRM



45982 R: 6/11/24

CERTIFIED WEIGHT REPORT:

Part Number:  
Lot Number:  
Description:

57038  
031524  
Strontium (Sr)

Solvent: 24002546 Nitric Acid

Expiration Date:  
Recommended Storage:  
Nominal Concentration (µg/mL):  
NIST Test Number:

031527  
Ambient (20 °C)  
1000  
6UTB  
5E-05 Balance Uncertainty  
0.100 Flask Uncertainty

Weight shown below was diluted to (mL): 2000.07

Lot #

2% 40.0 Nitric Acid  
(mL)

|                |                 |        |
|----------------|-----------------|--------|
| Formulated By: | Benson Chan     | 031524 |
| Reviewed By:   | Pedro L. Rentas | 031524 |

SDS Information

Expanded

Uncertainty

(Solvent Safety Info. On Attached pg.)

NIST

LD50

SRM

+/- (µg/mL)

CAS#

OSHA PEL (TWA)

LD50

SRM

2.0

10042-76-9

NA

orl-rat >2000mg/kg 3153a

1. Strontium nitrate (Sr)

IN017 SR202018A1

1000

89.997

0.10

41.2

4.85470

4.85502

1000.1

2.0

10042-76-9

NA

orl-rat >2000mg/kg 3153a

[1] Spectrum No.1 [ 14.495 sec]:58136.D# [Count] [Linear]

5.0E6

2.5E6

m/z-->

1.0E6

5.0E5

m/z-->

5.0E6

2.5E6

m/z-->

585



**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

| Trace Metals Verification by ICP-MS (µg/mL) |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|---------------------------------------------|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al                                          | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 |
| Sb                                          | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 |
| As                                          | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.02 | Os | <0.01 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 |
| Ba                                          | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 |
| Be                                          | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.02 | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | T     | Tm | <0.02 |
| Bi                                          | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 |
| B                                           | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 |
|                                             |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       | W  | <0.02 |
|                                             |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       | U  | <0.02 |
|                                             |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       | V  | <0.02 |
|                                             |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       | Yb | <0.02 |
|                                             |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       | Y  | <0.02 |
|                                             |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       | Zn | <0.02 |
|                                             |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

586

2024 JUN 7 10:01 AM



145983

R: 6/11/24



CERTIFIED WEIGHT REPORT:

Part Number:  
Lot Number:  
Description:

57040  
071423  
Zirconium (Zr)

Expiration Date:  
Recommended Storage:  
Nominal Concentration (µg/mL):  
NIST Test Number:

071426  
Ambient (20 °C)  
1000  
6UTB

Volume shown below was diluted to (mL): 2000.02

5E-05 Balance Uncertainty  
0.058 Flask Uncertainty

Lot # Solvent:  
21110221 Nitric Acid

2.0% Nitric Acid  
40.0 (mL)

|                |                 |
|----------------|-----------------|
|                |                 |
| Formulated By: | Benson Chan     |
|                |                 |
| Reviewed By:   | Pedro L. Rentas |

Expanded  
Uncertainty  
+/- (µg/mL)

SDS Information  
(Solvent Safety Info. On Attached pg.)  
CAS# OSHA PEL (TWA) LD50

| Compound                              | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS#       | OSHA PEL (TWA) | LD50 | NIST SRM |
|---------------------------------------|-------------|------------|-----------------|-------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------------------------|------------|----------------|------|----------|
| 1. Zirconyl chloride octahydrate (Zr) | 58140       | 070621     | 0.1000          | 200.0             | 0.084                    | 1000                  | 10000.3               | 1000.0              | 2.2                              | 13520-92-8 | NA             | NA   | NA       |

[1] Spectrum No.1 [ 41.153 sec]:57040.D# [Count] [Linear]

1.OE6

5.OE5

m/z-->

1.OE8

5.OE7

m/z-->

1.OE8

5.OE7

m/z-->

587



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

| Trace Metals Verification by ICP-MS ( $\mu\text{g/mL}$ ) |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----------------------------------------------------------|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al                                                       | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb                                                       | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As                                                       | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.02 | Os | <0.01 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba                                                       | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be                                                       | <0.01 | Cr | <0.02 | Ga | <0.2  | Fe | <0.02 | Hg | <0.2  | P  | <0.2  | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi                                                       | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Ta | <0.02 | Zn | <0.02 |
| B                                                        | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.02 | Sc | <0.2  | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |
|                                                          |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    | T     |

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

*[Signature]*

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

588



# Certificate of Analysis

300 Technology Drive  
Christiansburg, VA 24073 USA  
inorganicventures.com

*R: 2/22/2024*  
*M5999*

P: 800-669-6799/540-585-3030

F: 540-585-3012

info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



## 2.0 PRODUCT DESCRIPTION

Product Code: Multi Analyte Custom Grade Solution  
Catalog Number: CLPP-SPK-1  
Lot Number: T2-MEB721963  
Matrix: 7% (v/v) HNO<sub>3</sub>  
Value / Analyte(s):  
2 000 µg/mL ea: Aluminum, Barium,  
1 000 µg/mL ea: Iron,  
500 µg/mL ea: Manganese, Nickel,  
Vanadium, Zinc,  
Cobalt,  
250 µg/mL ea: Copper,  
200 µg/mL ea: Chromium,  
50 µg/mL ea: Beryllium, Silver

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

| ANALYTE       | CERTIFIED VALUE    | ANALYTE       | CERTIFIED VALUE    |
|---------------|--------------------|---------------|--------------------|
| Aluminum, Al  | 2 000 ± 7 µg/mL    | Barium, Ba    | 2 000 ± 9 µg/mL    |
| Beryllium, Be | 50.00 ± 0.26 µg/mL | Chromium, Cr  | 200.0 ± 1.1 µg/mL  |
| Cobalt, Co    | 500.0 ± 2.4 µg/mL  | Copper, Cu    | 250.0 ± 1.0 µg/mL  |
| Iron, Fe      | 1 000 ± 4 µg/mL    | Manganese, Mn | 500.0 ± 2.0 µg/mL  |
| Nickel, Ni    | 500.0 ± 2.2 µg/mL  | Silver, Ag    | 50.00 ± 0.22 µg/mL |
| Vanadium, V   | 500.0 ± 2.2 µg/mL  | Zinc, Zn      | 500.0 ± 2.2 µg/mL  |

Density: 1.070 g/mL (measured at 20 ± 4 °C)

Assay Information:

| ANALYTE | METHOD      | NIST SRM# | SRM LOT#     |
|---------|-------------|-----------|--------------|
| Ag      | ICP Assay   | 3151      | 160729       |
| Ag      | Volhard     | 999c      | 999c         |
| Ag      | Calculated  |           | See Sec. 4.2 |
| Al      | ICP Assay   | 3101a     | 140903       |
| Al      | EDTA        | 928       | 928          |
| Ba      | ICP Assay   | 3104a     | 140909       |
| Ba      | Gravimetric |           | See Sec. 4.2 |
| Be      | ICP Assay   | 3105a     | 090514       |
| Be      | Calculated  |           | See Sec. 4.2 |
| Co      | ICP Assay   | 3113      | 190630       |
| Co      | EDTA        | 928       | 928          |
| Cr      | ICP Assay   | 3112a     | 170630       |
| Cu      | ICP Assay   | 3114      | 121207       |
| Cu      | EDTA        | 928       | 928          |
| Fe      | ICP Assay   | 3126a     | 140812       |
| Fe      | EDTA        | 928       | 928          |
| Mn      | ICP Assay   | 3132      | 050429       |
| Mn      | EDTA        | 928       | 928          |
| Ni      | ICP Assay   | 3136      | 120619       |
| Ni      | EDTA        | 928       | 928          |
| V       | IC Assay    | 3165      | 160906       |
| V       | EDTA        | 928       | 928          |
| Zn      | ICP Assay   | 3168a     | 120629       |
| Zn      | EDTA        | 928       | 928          |

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of  $k = 2$ .

#### Characterization of CRM/RM by Two or More Methods

Certified Value,  $X_{\text{CRM/RM}}$ , where two or more methods of characterization are used is the weighted mean of the results:

$$X_{\text{CRM/RM}} = \sum(w_i)(X_i)$$

$X_i$  = mean of Assay Method  $i$  with standard uncertainty  $u_{\text{char } i}$

$w_i$  = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{\text{char } i}^2) / (\sum(1/u_{\text{char } i}^2))$$

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k(u_{\text{char}}^2 + u_{\text{bb}}^2 + u_{\text{tts}}^2 + u_{\text{ts}}^2)^{1/2}$$

$k$  = coverage factor = 2

$u_{\text{char}} = [\sum(w_i)^2(u_{\text{char } i}^2)]^{1/2}$  where  $u_{\text{char } i}$  are the errors from each characterization method

$u_{\text{bb}}$  = bottle to bottle homogeneity standard uncertainty

$u_{\text{tts}}$  = long term stability standard uncertainty (storage)

$u_{\text{ts}}$  = transport stability standard uncertainty

#### Characterization of CRM/RM by One Method

Certified Value,  $X_{\text{CRM/RM}}$ , where one method of characterization is used is the mean of individual results:

$$X_{\text{CRM/RM}} = (X_a)(u_{\text{char } a})$$

$X_a$  = mean of Assay Method A with

$u_{\text{char } a}$  = the standard uncertainty of characterization Method A

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k(u_{\text{char } a}^2 + u_{\text{bb}}^2 + u_{\text{tts}}^2 + u_{\text{ts}}^2)^{1/2}$$

$k$  = coverage factor = 2

$u_{\text{char } a}$  = the errors from characterization

$u_{\text{bb}}$  = bottle to bottle homogeneity standard uncertainty

$u_{\text{tts}}$  = long term stability standard uncertainty (storage)

$u_{\text{ts}}$  = transport stability standard uncertainty

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

#### **4.1 Thermometer Calibration**

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

#### **4.2 Balance Calibration**

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

#### **4.3 Glassware Calibration**

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

### **5.0 TRACE METALLIC IMPURITIES (TMI ) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)**

N/A

### **6.0 INTENDED USE**

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

### **7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL**

#### **7.1 Storage and Handling Recommendations**

- Store between approximately 4° - 30° C while in sealed TCT bag.
- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.
- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit [www.inorganicventures.com/TCT](http://www.inorganicventures.com/TCT)

**Note:** This solution contains Silver (Ag), please refer to our Sample Preparation Guide for more information.

<https://www.inorganicventures.com/sample-preparation-guide/samples-containing-silver>

### **8.0 HAZARDOUS INFORMATION**

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

### **9.0 HOMOGENEITY**

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

### **10.0 QUALITY STANDARD DOCUMENTATION**

#### **10.1 ISO 9001 Quality Management System Registration**

- QSR Certificate Number QSR-1034

#### **10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"**

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

#### **10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"**

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; [inorganicventures.com](http://inorganicventures.com); [info@inorganicventures.com](mailto:info@inorganicventures.com)

## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

### 11.1 Certification Issue Date

July 27, 2022

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

### 11.2 Lot Expiration Date

- July 27, 2027

- The date after which this CRM/RM should not be used.
- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

### 11.3 Period of Validity

- Sealed TCT Bag Open Date: \_\_\_\_\_

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

### Certificate Approved By:

Thomas Kozikowski  
Manager, Quality Control



### Certifying Officer:

Paul Gaines  
Chairman / Senior Technical Director





**Certified Reference Material CRM**  
R: 01/03/24 M6033




**CERTIFIED WEIGHT REPORT:**

**Part Number:** 58113  
**Lot Number:** 011623  
**Description:** Aluminum (Al)  
**Expiration Date:** 011626  
**Recommended Storage:** Ambient (20 °C)  
**Nominal Concentration (µg/mL):** 10000  
**NIST Test Number:** 6LUTB  
**Weight shown below was diluted to (mL):** 2000.02  
**Solvent:** 20510011 Nitric Acid  
**Lot #**  
**2%** 40.0 (mL) Nitric Acid  
**5E-05** Balance Uncertainty  
**0.058** Flask Uncertainty

|                          |                        |
|--------------------------|------------------------|
| <i>Giovanni Esposito</i> |                        |
| Formulated By:           | Giovanni Esposito      |
| Reviewed By:             | <i>Pedro L. Rentas</i> |
|                          | Pedro L. Rentas        |
|                          | 011623                 |

| Compound | RM# | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty Purity (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|----------|-----|------------|-----------------------|------------|------------------------|-----------|-------------------|-------------------|----------------------|----------------------------------|------|----------------|------|----------|
|----------|-----|------------|-----------------------|------------|------------------------|-----------|-------------------|-------------------|----------------------|----------------------------------|------|----------------|------|----------|

1. Aluminum nitrate nonahydrate (Al) IN022 ALUM12021A1 10000 99.999 0.10 7.30 273.9779 274.0078 10001.1 20.0 7784-27-2 2 mg/m3 or rat 3671 mg/kg 3101a



Hydrochloric Acid, 36.5–38.0%  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis

 **avantor™**



Material No.: 9530-33  
Batch No.: 24D1562005  
Manufactured Date: 2024-03-18  
Retest Date: 2029-03-17  
Revision No.: 0

Received! — 08/01/2024  
pater  
m6039  
m6040

## Certificate of Analysis

| Test                                      | Specification | Result      |
|-------------------------------------------|---------------|-------------|
| ACS – Assay (as HCl) (by acid–base titrn) | 36.5 – 38.0 % | 37.6 %      |
| ACS – Color (APHA)                        | ≤ 10          | 5           |
| ACS – Residue after Ignition              | ≤ 3 ppm       | < 1 ppm     |
| ACS – Specific Gravity at 60°/60°F        | 1.185 – 1.192 | 1.192       |
| ACS – Bromide (Br)                        | ≤ 0.005 %     | < 0.005 %   |
| ACS – Extractable Organic Substances      | ≤ 5 ppm       | < 1 ppm     |
| ACS – Free Chlorine (as Cl <sub>2</sub> ) | ≤ 0.5 ppm     | < 0.5 ppm   |
| Phosphate (PO <sub>4</sub> )              | ≤ 0.05 ppm    | 0.03 ppm    |
| Sulfate (SO <sub>4</sub> )                | ≤ 0.5 ppm     | < 0.3 ppm   |
| Sulfite (SO <sub>3</sub> )                | ≤ 0.8 ppm     | 0.3 ppm     |
| Ammonium (NH <sub>4</sub> )               | ≤ 3 ppm       | < 1 ppm     |
| Trace Impurities – Arsenic (As)           | ≤ 0.010 ppm   | < 0.003 ppm |
| Trace Impurities – Aluminum (Al)          | ≤ 10.0 ppb    | < 5.0 ppb   |
| Arsenic and Antimony (as As)              | ≤ 5.0 ppb     | < 3.0 ppb   |
| Trace Impurities – Barium (Ba)            | ≤ 1.0 ppb     | < 1.0 ppb   |
| Trace Impurities – Beryllium (Be)         | ≤ 1.0 ppb     | < 1.0 ppb   |
| Trace Impurities – Bismuth (Bi)           | ≤ 10.0 ppb    | < 10.0 ppb  |
| Trace Impurities – Boron (B)              | ≤ 20.0 ppb    | 2.2 ppb     |
| Trace Impurities – Cadmium (Cd)           | ≤ 1.0 ppb     | < 1.0 ppb   |
| Trace Impurities – Calcium (Ca)           | ≤ 50.0 ppb    | 31.0 ppb    |
| Trace Impurities – Chromium (Cr)          | ≤ 1.0 ppb     | 0.5 ppb     |
| Trace Impurities – Cobalt (Co)            | ≤ 1.0 ppb     | 0.2 ppb     |
| Trace Impurities – Copper (Cu)            | ≤ 1.0 ppb     | < 0.1 ppb   |
| Trace Impurities – Gallium (Ga)           | ≤ 1.0 ppb     | < 0.2 ppb   |
| Trace Impurities – Germanium (Ge)         | ≤ 3.0 ppb     | < 2.0 ppb   |
| Trace Impurities – Gold (Au)              | ≤ 4.0 ppb     | < 0.2 ppb   |
| Heavy Metals (as Pb)                      | ≤ 100 ppb     | < 50 ppb    |
| Trace Impurities – Iron (Fe)              | ≤ 15 ppb      | 3 ppb       |

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5–38.0%  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis

 **avantorsm**



Material No.: 9530-33  
Batch No.: 24D1562005

| Test                                                   | Specification | Result     |
|--------------------------------------------------------|---------------|------------|
| Trace Impurities – Lead (Pb)                           | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Lithium (Li)                        | ≤ 1.0 ppb     | < 0.1 ppb  |
| Trace Impurities – Magnesium (Mg)                      | ≤ 10.0 ppb    | 2.2 ppb    |
| Trace Impurities – Manganese (Mn)                      | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Mercury (Hg)                        | ≤ 0.5 ppb     | < 0.1 ppb  |
| Trace Impurities – Molybdenum (Mo)                     | ≤ 10.0 ppb    | < 5.0 ppb  |
| Trace Impurities – Nickel (Ni)                         | ≤ 4.0 ppb     | 0.2 ppb    |
| Trace Impurities – Niobium (Nb)                        | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Potassium (K)                       | ≤ 9.0 ppb     | < 1.0 ppb  |
| Trace Impurities – Selenium (Se), For Information Only |               | < 1.0 ppb  |
| Trace Impurities – Silicon (Si)                        | ≤ 100.0 ppb   | < 10.0 ppb |
| Trace Impurities – Silver (Ag)                         | ≤ 1.0 ppb     | < 0.3 ppb  |
| Trace Impurities – Sodium (Na)                         | ≤ 100.0 ppb   | 2.0 ppb    |
| Trace Impurities – Strontium (Sr)                      | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Tantalum (Ta)                       | ≤ 1.0 ppb     | < 0.9 ppb  |
| Trace Impurities – Thallium (Tl)                       | ≤ 5.0 ppb     | < 2.0 ppb  |
| Trace Impurities – Tin (Sn)                            | ≤ 5.0 ppb     | < 0.4 ppb  |
| Trace Impurities – Titanium (Ti)                       | ≤ 1.0 ppb     | 0.2 ppb    |
| Trace Impurities – Vanadium (V)                        | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Zinc (Zn)                           | ≤ 5.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Zirconium (Zr)                      | ≤ 1.0 ppb     | < 0.1 ppb  |

>>> Continued on page 3 >>>

Hydrochloric Acid, 36.5–38.0%  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis

 **avantor™**



Material No.: 9530-33  
Batch No.: 24D1562005

| Test | Specification | Result |
|------|---------------|--------|
|------|---------------|--------|

For Laboratory, Research, or Manufacturing Use  
Product Information (not specifications):  
Appearance (clear, fuming liquid)  
Meets ACS Specifications  
Storage Condition: Store below 25 °C.

Country of Origin: USA  
Packaging Site: Phillipsburg Mfg Ctr & DC



Jamie Croak  
Director Quality Operations, Bioscience Production

596



*Re: 8/19/24, M6055*

300 Technology Drive  
Christiansburg, VA 24073 USA  
inorganicventures.com

P: 800-669-6799/540-585-3030

F: 540-585-3012

info@inorganicventures.com

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories".

Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



## 2.0 PRODUCT DESCRIPTION

Product Code: Multi Analyte Custom Grade Solution  
Catalog Number: IV-STOCK-12  
Lot Number: U2-MEB734294  
Matrix: 5% (v/v) HNO<sub>3</sub>  
Value / Analyte(s): 10 µg/mL ea:  
Barium, Beryllium,  
Bismuth, Cerium,  
Cobalt, Indium,  
Lithium, Nickel,  
Lead, Uranium

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

| ANALYTE     | CERTIFIED VALUE    | ANALYTE       | CERTIFIED VALUE    |
|-------------|--------------------|---------------|--------------------|
| Barium, Ba  | 10.01 ± 0.04 µg/mL | Beryllium, Be | 10.01 ± 0.05 µg/mL |
| Bismuth, Bi | 10.01 ± 0.06 µg/mL | Cerium, Ce    | 10.01 ± 0.04 µg/mL |
| Cobalt, Co  | 10.01 ± 0.05 µg/mL | Indium, In    | 10.01 ± 0.04 µg/mL |
| Lead, Pb    | 10.00 ± 0.04 µg/mL | Lithium, Li   | 10.01 ± 0.04 µg/mL |
| Nickel, Ni  | 10.01 ± 0.04 µg/mL | Uranium, U    | 10.01 ± 0.05 µg/mL |

Density: 1.025 g/mL (measured at 20 ± 4 °C)

Assay Information:

| ANALYTE | METHOD      | NIST SRM#         | SRM LOT#     |
|---------|-------------|-------------------|--------------|
| Ba      | ICP Assay   | 3104a             | 140909       |
| Ba      | Calculated  |                   | See Sec. 4.2 |
| Ba      | Gravimetric |                   | See Sec. 4.2 |
| Be      | ICP Assay   | 3105a             | 090514       |
| Be      | Calculated  |                   | See Sec. 4.2 |
| Bi      | ICP Assay   | 3106              | 180815       |
| Ce      | ICP Assay   | 3110              | 160830       |
| Ce      | EDTA        | 928               | 928          |
| Ce      | Calculated  |                   | See Sec. 4.2 |
| Co      | ICP Assay   | 3113              | 190630       |
| Co      | EDTA        | 928               | 928          |
| Co      | Calculated  |                   | See Sec. 4.2 |
| In      | ICP Assay   | 3124a             | 110516       |
| In      | EDTA        | 928               | 928          |
| In      | Calculated  |                   | See Sec. 4.2 |
| Li      | ICP Assay   | 3129a             | 100714       |
| Li      | Calculated  |                   | See Sec. 4.2 |
| Li      | Gravimetric |                   | See Sec. 4.2 |
| Ni      | ICP Assay   | 3136              | 120619       |
| Ni      | EDTA        | 928               | 928          |
| Ni      | Calculated  |                   | See Sec. 4.2 |
| Pb      | ICP Assay   | 3128              | 101026       |
| Pb      | EDTA        | 928               | 928          |
| Pb      | Calculated  |                   | See Sec. 4.2 |
| U       | ICP Assay   | traceable to 3164 | R2-U689597   |
| U       | Calculated  |                   | See Sec. 4.2 |

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of  $k = 2$ .

#### Characterization of CRM/RM by Two or More Methods

Certified Value,  $X_{\text{CRM/RM}}$ , where two or more methods of characterization are used is the weighted mean of the results:

$$X_{\text{CRM/RM}} = \sum (w_i) (X_i)$$

$X_i$  = mean of Assay Method  $i$  with standard uncertainty  $u_{\text{char } i}$

$w_i$  = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{\text{char } i})^2 / (\sum (1/(u_{\text{char } i})^2))$$

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char}}^2 + u_{\text{bb}}^2 + u_{\text{ts}}^2 + u_{\text{ts}}^2)^{1/2}$$

$k$  = coverage factor = 2

$u_{\text{char}} = [\sum ((w_i)^2 (u_{\text{char } i})^2)]^{1/2}$  where  $u_{\text{char } i}$  are the errors from each characterization method

$u_{\text{bb}}$  = bottle to bottle homogeneity standard uncertainty

$u_{\text{ts}}$  = long term stability standard uncertainty (storage)

$u_{\text{ts}}$  = transport stability standard uncertainty

#### Characterization of CRM/RM by One Method

Certified Value,  $X_{\text{CRM/RM}}$ , where one method of characterization is used is the mean of individual results:

$$X_{\text{CRM/RM}} = (X_a) (u_{\text{char } a})$$

$X_a$  = mean of Assay Method A with

$u_{\text{char } a}$  = the standard uncertainty of characterization Method A

$$\text{CRM/RM Expanded Uncertainty } (\pm) = U_{\text{CRM/RM}} = k (u_{\text{char } a}^2 + u_{\text{bb}}^2 + u_{\text{ts}}^2 + u_{\text{ts}}^2)^{1/2}$$

$k$  = coverage factor = 2

$u_{\text{char } a}$  = the errors from characterization

$u_{\text{bb}}$  = bottle to bottle homogeneity standard uncertainty

$u_{\text{ts}}$  = long term stability standard uncertainty (storage)

$u_{\text{ts}}$  = transport stability standard uncertainty

#### Certified Abundance:

##### IV's Certified Abundance

| Isotope      | Atom %      |
|--------------|-------------|
| Uranium 238U | 99.8 ± 0.1  |
| Uranium 235U | 0.19 ± 0.05 |

#### 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

#### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

#### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

#### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

### 5.0 TRACE METALLIC IMPURITIES (TMI ) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

### 6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale, <https://www.inorganicventures.com/terms-and-conditions-sale>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

### 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

#### 7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.
- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.
- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.
- For more information, visit [www.inorganicventures.com/TCT](http://www.inorganicventures.com/TCT)

### 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

### 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

### 10.0 QUALITY STANDARD DOCUMENTATION

#### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

## 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

## 10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

## 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

### 11.1 Certification Issue Date

June 21, 2023

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

### 11.2 Lot Expiration Date

- June 21, 2028

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

### 11.3 Period of Validity

- Sealed TCT Bag Open Date: \_\_\_\_\_

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

### Certificate Approved By:

Thomas Kozikowski  
Manager, Quality Control



### Certifying Officer:

Paul Gaines  
Chairman / Senior Technical Director



Hydrochloric Acid, 36.5–38.0%  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis

 **avantor™**



M6094  
M6095

metdig  
10/21/24

Material No.: 9530-33  
Batch No.: 24D1562005  
Manufactured Date: 2024-03-18  
Retest Date: 2029-03-17  
Revision No.: 0

## Certificate of Analysis

| Test                                      | Specification | Result      |
|-------------------------------------------|---------------|-------------|
| ACS – Assay (as HCl) (by acid-base titrn) | 36.5 – 38.0 % | 37.6 %      |
| ACS – Color (APHA)                        | ≤ 10          | 5           |
| ACS – Residue after Ignition              | ≤ 3 ppm       | < 1 ppm     |
| ACS – Specific Gravity at 60°/60°F        | 1.185 – 1.192 | 1.192       |
| ACS – Bromide (Br)                        | ≤ 0.005 %     | < 0.005 %   |
| ACS – Extractable Organic Substances      | ≤ 5 ppm       | < 1 ppm     |
| ACS – Free Chlorine (as Cl <sub>2</sub> ) | ≤ 0.5 ppm     | < 0.5 ppm   |
| Phosphate (PO <sub>4</sub> )              | ≤ 0.05 ppm    | 0.03 ppm    |
| Sulfate (SO <sub>4</sub> )                | ≤ 0.5 ppm     | < 0.3 ppm   |
| Sulfite (SO <sub>3</sub> )                | ≤ 0.8 ppm     | 0.3 ppm     |
| Ammonium (NH <sub>4</sub> )               | ≤ 3 ppm       | < 1 ppm     |
| Trace Impurities – Arsenic (As)           | ≤ 0.010 ppm   | < 0.003 ppm |
| Trace Impurities – Aluminum (Al)          | ≤ 10.0 ppb    | < 5.0 ppb   |
| Arsenic and Antimony (as As)              | ≤ 5.0 ppb     | < 3.0 ppb   |
| Trace Impurities – Barium (Ba)            | ≤ 1.0 ppb     | < 1.0 ppb   |
| Trace Impurities – Beryllium (Be)         | ≤ 1.0 ppb     | < 1.0 ppb   |
| Trace Impurities – Bismuth (Bi)           | ≤ 10.0 ppb    | < 10.0 ppb  |
| Trace Impurities – Boron (B)              | ≤ 20.0 ppb    | 2.2 ppb     |
| Trace Impurities – Cadmium (Cd)           | ≤ 1.0 ppb     | < 1.0 ppb   |
| Trace Impurities – Calcium (Ca)           | ≤ 50.0 ppb    | 31.0 ppb    |
| Trace Impurities – Chromium (Cr)          | ≤ 1.0 ppb     | 0.5 ppb     |
| Trace Impurities – Cobalt (Co)            | ≤ 1.0 ppb     | 0.2 ppb     |
| Trace Impurities – Copper (Cu)            | ≤ 1.0 ppb     | < 0.1 ppb   |
| Trace Impurities – Gallium (Ga)           | ≤ 1.0 ppb     | < 0.2 ppb   |
| Trace Impurities – Germanium (Ge)         | ≤ 3.0 ppb     | < 2.0 ppb   |
| Trace Impurities – Gold (Au)              | ≤ 4.0 ppb     | < 0.2 ppb   |
| Heavy Metals (as Pb)                      | ≤ 100 ppb     | < 50 ppb    |
| Trace Impurities – Iron (Fe)              | ≤ 15 ppb      | 3 ppb       |

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5–38.0%  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis

 **avantorsm**



Material No.: 9530-33  
Batch No.: 24D1562005

| Test                                                   | Specification | Result     |
|--------------------------------------------------------|---------------|------------|
| Trace Impurities – Lead (Pb)                           | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Lithium (Li)                        | ≤ 1.0 ppb     | < 0.1 ppb  |
| Trace Impurities – Magnesium (Mg)                      | ≤ 10.0 ppb    | 2.2 ppb    |
| Trace Impurities – Manganese (Mn)                      | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Mercury (Hg)                        | ≤ 0.5 ppb     | < 0.1 ppb  |
| Trace Impurities – Molybdenum (Mo)                     | ≤ 10.0 ppb    | < 5.0 ppb  |
| Trace Impurities – Nickel (Ni)                         | ≤ 4.0 ppb     | 0.2 ppb    |
| Trace Impurities – Niobium (Nb)                        | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Potassium (K)                       | ≤ 9.0 ppb     | < 1.0 ppb  |
| Trace Impurities – Selenium (Se), For Information Only |               | < 1.0 ppb  |
| Trace Impurities – Silicon (Si)                        | ≤ 100.0 ppb   | < 10.0 ppb |
| Trace Impurities – Silver (Ag)                         | ≤ 1.0 ppb     | < 0.3 ppb  |
| Trace Impurities – Sodium (Na)                         | ≤ 100.0 ppb   | 2.0 ppb    |
| Trace Impurities – Strontium (Sr)                      | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Tantalum (Ta)                       | ≤ 1.0 ppb     | < 0.9 ppb  |
| Trace Impurities – Thallium (Tl)                       | ≤ 5.0 ppb     | < 2.0 ppb  |
| Trace Impurities – Tin (Sn)                            | ≤ 5.0 ppb     | < 0.4 ppb  |
| Trace Impurities – Titanium (Ti)                       | ≤ 1.0 ppb     | 0.2 ppb    |
| Trace Impurities – Vanadium (V)                        | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Zinc (Zn)                           | ≤ 5.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Zirconium (Zr)                      | ≤ 1.0 ppb     | < 0.1 ppb  |

>>> Continued on page 3 >>>

Hydrochloric Acid, 36.5–38.0%  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis

 **avantorsm**



Material No.: 9530-33  
Batch No.: 24D1562005

| Test | Specification | Result |
|------|---------------|--------|
|------|---------------|--------|

For Laboratory, Research, or Manufacturing Use  
Product Information (not specifications):  
Appearance (clear, fuming liquid)  
Meets ACS Specifications  
Storage Condition: Store below 25 °C.

Country of Origin: USA  
Packaging Site: Phillipsburg Mfg Ctr & DC



Jamie Croak  
Director Quality Operations, Bioscience Production

603

Nitric Acid 69%  
CMOS

avantor™



Receive:  
9/29/24  
met dig

Material No.: 9606-03  
Batch No.: 24B1362001  
Manufactured Date: 2024-01-25  
Retest Date: 2029-01-23  
Revision No.: 0

## Certificate of Analysis

| Test                              | Specification | Result      |
|-----------------------------------|---------------|-------------|
| Assay (HNO <sub>3</sub> )         | 69.0 – 70.0 % | 69.6 %      |
| Appearance                        | Passes Test   | Passes Test |
| Color (APHA)                      | ≤ 10          | 5           |
| Residue after Ignition            | ≤ 2 ppm       | < 1 ppm     |
| Chloride (Cl)                     | ≤ 0.08 ppm    | < 0.03 ppm  |
| Phosphate (PO <sub>4</sub> )      | ≤ 0.10 ppm    | < 0.03 ppm  |
| Sulfate (SO <sub>4</sub> )        | ≤ 0.2 ppm     | < 0.2 ppm   |
| Trace Impurities – Aluminum (Al)  | ≤ 40.0 ppb    | < 1.0 ppb   |
| Arsenic and Antimony (as As)      | ≤ 5.0 ppb     | < 2.0 ppb   |
| Trace Impurities – Barium (Ba)    | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Beryllium (Be) | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Bismuth (Bi)   | ≤ 20.0 ppb    | < 10.0 ppb  |
| Trace Impurities – Boron (B)      | ≤ 10.0 ppb    | < 5.0 ppb   |
| Trace Impurities – Cadmium (Cd)   | ≤ 50 ppb      | < 1 ppb     |
| Trace Impurities – Calcium (Ca)   | ≤ 50.0 ppb    | < 0.2 ppb   |
| Trace Impurities – Chromium (Cr)  | ≤ 30.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Cobalt (Co)    | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Copper (Cu)    | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Gallium (Ga)   | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Germanium (Ge) | ≤ 20 ppb      | < 10 ppb    |
| Trace Impurities – Gold (Au)      | ≤ 20 ppb      | < 5 ppb     |
| Heavy Metals (as Pb)              | ≤ 100 ppb     | < 50 ppb    |
| Trace Impurities – Iron (Fe)      | ≤ 40.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Lead (Pb)      | ≤ 20.0 ppb    | < 10.0 ppb  |
| Trace Impurities – Lithium (Li)   | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Magnesium (Mg) | ≤ 20 ppb      | < 1 ppb     |
| Trace Impurities – Manganese (Mn) | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Nickel (Ni)    | ≤ 20.0 ppb    | < 5.0 ppb   |

>>> Continued on page 2 >>>



| Test                                | Specification | Result     |
|-------------------------------------|---------------|------------|
| Trace Impurities – Niobium (Nb)     | ≤ 50.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Potassium (K)    | ≤ 50 ppb      | < 10 ppb   |
| Trace Impurities – Silicon (Si)     | ≤ 50 ppb      | < 10 ppb   |
| Trace Impurities – Silver (Ag)      | ≤ 20.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Sodium (Na)      | ≤ 150.0 ppb   | < 5.0 ppb  |
| Trace Impurities – Strontium (Sr)   | ≤ 30.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Tantalum (Ta)    | ≤ 10.0 ppb    | < 5.0 ppb  |
| Trace Impurities – Thallium (Tl)    | ≤ 10.0 ppb    | < 5.0 ppb  |
| Trace Impurities – Tin (Sn)         | ≤ 20.0 ppb    | < 10.0 ppb |
| Trace Impurities – Titanium (Ti)    | ≤ 10.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Vanadium (V)     | ≤ 10.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Zinc (Zn)        | ≤ 20.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Zirconium (Zr)   | ≤ 10.0 ppb    | < 1.0 ppb  |
| Particle Count – 0.5 µm and greater | ≤ 60 par/ml   | 3 par/ml   |
| Particle Count – 1.0 µm and greater | ≤ 10 par/ml   | 1 par/ml   |

>>> Continued on page 3 >>>

Nitric Acid 69%  
CMOS

 **avantor™**




Material No.: 9606-03  
Batch No.: 24B1362001

| Test | Specification | Result |
|------|---------------|--------|
|------|---------------|--------|

For Microelectronic Use

Country of Origin: USA  
Packaging Site: Phillipsburg Mfg Ctr & DC



Ken Koehnlein  
Sr. Manager, Quality Assurance

606

Nitric Acid 69%  
CMOS

avantor™



Receive:  
9/29/24  
met dig

Material No.: 9606-03  
Batch No.: 24B1362001  
Manufactured Date: 2024-01-25  
Retest Date: 2029-01-23  
Revision No.: 0

## Certificate of Analysis

| Test                              | Specification | Result      |
|-----------------------------------|---------------|-------------|
| Assay (HNO <sub>3</sub> )         | 69.0 – 70.0 % | 69.6 %      |
| Appearance                        | Passes Test   | Passes Test |
| Color (APHA)                      | ≤ 10          | 5           |
| Residue after Ignition            | ≤ 2 ppm       | < 1 ppm     |
| Chloride (Cl)                     | ≤ 0.08 ppm    | < 0.03 ppm  |
| Phosphate (PO <sub>4</sub> )      | ≤ 0.10 ppm    | < 0.03 ppm  |
| Sulfate (SO <sub>4</sub> )        | ≤ 0.2 ppm     | < 0.2 ppm   |
| Trace Impurities – Aluminum (Al)  | ≤ 40.0 ppb    | < 1.0 ppb   |
| Arsenic and Antimony (as As)      | ≤ 5.0 ppb     | < 2.0 ppb   |
| Trace Impurities – Barium (Ba)    | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Beryllium (Be) | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Bismuth (Bi)   | ≤ 20.0 ppb    | < 10.0 ppb  |
| Trace Impurities – Boron (B)      | ≤ 10.0 ppb    | < 5.0 ppb   |
| Trace Impurities – Cadmium (Cd)   | ≤ 50 ppb      | < 1 ppb     |
| Trace Impurities – Calcium (Ca)   | ≤ 50.0 ppb    | < 0.2 ppb   |
| Trace Impurities – Chromium (Cr)  | ≤ 30.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Cobalt (Co)    | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Copper (Cu)    | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Gallium (Ga)   | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Germanium (Ge) | ≤ 20 ppb      | < 10 ppb    |
| Trace Impurities – Gold (Au)      | ≤ 20 ppb      | < 5 ppb     |
| Heavy Metals (as Pb)              | ≤ 100 ppb     | < 50 ppb    |
| Trace Impurities – Iron (Fe)      | ≤ 40.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Lead (Pb)      | ≤ 20.0 ppb    | < 10.0 ppb  |
| Trace Impurities – Lithium (Li)   | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Magnesium (Mg) | ≤ 20 ppb      | < 1 ppb     |
| Trace Impurities – Manganese (Mn) | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Nickel (Ni)    | ≤ 20.0 ppb    | < 5.0 ppb   |

>>> Continued on page 2 >>>

| Test                                | Specification | Result     |
|-------------------------------------|---------------|------------|
| Trace Impurities – Niobium (Nb)     | ≤ 50.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Potassium (K)    | ≤ 50 ppb      | < 10 ppb   |
| Trace Impurities – Silicon (Si)     | ≤ 50 ppb      | < 10 ppb   |
| Trace Impurities – Silver (Ag)      | ≤ 20.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Sodium (Na)      | ≤ 150.0 ppb   | < 5.0 ppb  |
| Trace Impurities – Strontium (Sr)   | ≤ 30.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Tantalum (Ta)    | ≤ 10.0 ppb    | < 5.0 ppb  |
| Trace Impurities – Thallium (Tl)    | ≤ 10.0 ppb    | < 5.0 ppb  |
| Trace Impurities – Tin (Sn)         | ≤ 20.0 ppb    | < 10.0 ppb |
| Trace Impurities – Titanium (Ti)    | ≤ 10.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Vanadium (V)     | ≤ 10.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Zinc (Zn)        | ≤ 20.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Zirconium (Zr)   | ≤ 10.0 ppb    | < 1.0 ppb  |
| Particle Count – 0.5 µm and greater | ≤ 60 par/ml   | 3 par/ml   |
| Particle Count – 1.0 µm and greater | ≤ 10 par/ml   | 1 par/ml   |

>>> Continued on page 3 >>>

Nitric Acid 69%  
CMOS

 **avantor™**




Material No.: 9606-03  
Batch No.: 24B1362001

| Test | Specification | Result |
|------|---------------|--------|
|------|---------------|--------|

For Microelectronic Use

Country of Origin: USA  
Packaging Site: Phillipsburg Mfg Ctr & DC



Ken Koehnlein  
Sr. Manager, Quality Assurance

609



**CERTIFIED WEIGHT REPORT:**

**Part Number:** 58111  
**Lot Number:** 122223  
**Description:** Sodium (Na)

**Solvent:** 24002546 Nitric Acid

**Lot #**

**Expiration Date:** 122226

**Recommended Storage:** Ambient (20 °C)

**Nominal Concentration (µg/mL):** 10000

**NIST Test Number:** 6UTB

**Weight shown below was diluted to (mL):** 3000.4 0.06 Flask Uncertainty

2% 60.0 (mL) Nitric Acid

|                      |                 |
|----------------------|-----------------|
| <i>Aleah O Brady</i> |                 |
| Formulated By:       | Aleah O Brady   |
| Reviewed By:         | Pedro L. Rentas |
|                      | 122223          |


**Expanded**

**SDS Information**

| Compound | Lot    | Nominal       | Purity | Uncertainty | Assay | Target     | Actual     | Actual        | Uncertainty | (Solvent Safety Info. On Attached pg.) | NIST |
|----------|--------|---------------|--------|-------------|-------|------------|------------|---------------|-------------|----------------------------------------|------|
| RM#      | Number | Conc. (µg/mL) | (%)    | Purity (%)  | (%)   | Weight (g) | Weight (g) | Conc. (µg/mL) | +/- (µg/mL) | CAS#                                   | SRM  |
|          |        |               |        |             |       |            |            |               |             | OSHA PEL (TWA)                         | LD50 |

1. Sodium nitrate (Na) IN036 NAV01201511 10000 99.999 0.10 26.9 111.5406 111.5479 10000.7 20.0 7631-99-4 5 mg/m3 or-trat 3430 mg/kg 3152a

[1] Spectrum No.1 [ 8.935 sec]:58111.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.02 | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

## 1.0 ACCREDITATION / REGISTRATION

**INORGANIC VENTURES** is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



## 2.0 PRODUCT DESCRIPTION

Product Code: Multi Analyte Custom Grade Solution  
Catalog Number: 6020ISS  
Lot Number: S2-MEB709511  
Matrix: 7% (v/v) HNO<sub>3</sub>  
Value / Analyte(s): 10 µg/mL ea:  
Bismuth, Holmium,  
Indium, 6-Lithium,  
Rhodium, Scandium,  
Terbium, Yttrium

## 3.0 CERTIFIED VALUES AND UNCERTAINTIES

| ANALYTE        | CERTIFIED VALUE    | ANALYTE      | CERTIFIED VALUE    |
|----------------|--------------------|--------------|--------------------|
| 6-Lithium, Li6 | 10.00 ± 0.03 µg/mL | Bismuth, Bi  | 10.00 ± 0.05 µg/mL |
| Holmium, Ho    | 10.00 ± 0.05 µg/mL | Indium, In   | 10.00 ± 0.04 µg/mL |
| Rhodium, Rh    | 10.00 ± 0.07 µg/mL | Scandium, Sc | 10.00 ± 0.04 µg/mL |
| Terbium, Tb    | 10.00 ± 0.04 µg/mL | Yttrium, Y   | 10.00 ± 0.04 µg/mL |

Density: 1.035 g/mL (measured at 20 ± 4 °C)

Assay Information:



| ANALYTE | METHOD      | NIST SRM# | SRM LOT#     |
|---------|-------------|-----------|--------------|
| Bi      | ICP Assay   | 3106      | 180815       |
| Bi      | Calculated  |           | See Sec. 4.2 |
| Ho      | ICP Assay   | 3123a     | 090408       |
| Ho      | EDTA        | 928       | 928          |
| In      | ICP Assay   | 3124a     | 110516       |
| In      | EDTA        | 928       | 928          |
| In      | Calculated  |           | See Sec. 4.2 |
| Li6     | Gravimetric |           | See Sec. 4.2 |
| Rh      | ICP Assay   | 3144      | 070619       |
| Sc      | ICP Assay   | 3148a     | 100701       |
| Sc      | EDTA        | 928       | 928          |
| Tb      | ICP Assay   | 3157a     | 100518       |
| Tb      | EDTA        | 928       | 928          |
| Tb      | Calculated  |           | See Sec. 4.2 |
| Y       | ICP Assay   | 3167a     | 120314       |
| Y       | EDTA        | 928       | 928          |
| Y       | Calculated  |           | See Sec. 4.2 |

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of  $k = 2$ .

#### Characterization of CRM/RM by Two or More Methods

Certified Value,  $X_{CRM/RM}$ , where two or more methods of characterization are used is the weighted mean of the results:

$$X_{CRM/RM} = \sum(w_i)(X_i)$$

$X_i$  = mean of Assay Method  $i$  with standard uncertainty  $u_{char i}$

$w_i$  = the weighting factors for each method calculated using the inverse square of the variance:

$$w_i = (1/u_{char i}^2) / (\sum(1/(u_{char i}^2)))$$

$$CRM/RM \text{ Expanded Uncertainty } (\pm) = U_{CRM/RM} = k(u_{char}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

$k$  = coverage factor = 2

$u_{char} = [\sum(w_i^2)(u_{char i}^2)]^{1/2}$  where  $u_{char i}$  are the errors from each characterization method

$u_{bb}$  = bottle to bottle homogeneity standard uncertainty

$u_{lts}$  = long term stability standard uncertainty (storage)

$u_{ts}$  = transport stability standard uncertainty

#### Characterization of CRM/RM by One Method

Certified Value,  $X_{CRM/RM}$ , where one method of characterization is used is the mean of individual results:

$$X_{CRM/RM} = (X_a)(u_{char a})$$

$X_a$  = mean of Assay Method A with

$u_{char a}$  = the standard uncertainty of characterization Method A

$$CRM/RM \text{ Expanded Uncertainty } (\pm) = U_{CRM/RM} = k(u_{char a}^2 + u_{bb}^2 + u_{lts}^2 + u_{ts}^2)^{1/2}$$

$k$  = coverage factor = 2

$u_{char a}$  = the errors from characterization

$u_{bb}$  = bottle to bottle homogeneity standard uncertainty

$u_{lts}$  = long term stability standard uncertainty (storage)

$u_{ts}$  = transport stability standard uncertainty

#### Certified Abundance:

##### IV's Certified Abundance

| Isotope     | Atom %     |
|-------------|------------|
| Lithium Li6 | 95.6 ± 0.3 |
| Lithium Li7 | 4.4 ± 0.1  |

## 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

**5.0 TRACE METALLIC IMPURITIES (TMI ) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)**

N/A

**6.0 INTENDED USE**

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

**7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL**

**7.1 Storage and Handling Recommendations**

- Store between approximately 4° - 30° C while in sealed TCT bag.
- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.
- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit [www.inorganicventures.com/TCT](http://www.inorganicventures.com/TCT)

**8.0 HAZARDOUS INFORMATION**

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

**9.0 HOMOGENEITY**

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

**10.0 QUALITY STANDARD DOCUMENTATION**

**10.1 ISO 9001 Quality Management System Registration**

- QSR Certificate Number QSR-1034

**10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"**

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

**10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"**

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; [inorganicventures.com](http://inorganicventures.com); [info@inorganicventures.com](mailto:info@inorganicventures.com)

**11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY**

### 11.1 Certification Issue Date

September 03, 2021

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

### 11.2 Lot Expiration Date

- **September 03, 2026**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

### 11.3 Period of Validity

- Sealed TCT Bag Open Date: \_\_\_\_\_

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

## 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

### Certificate Approved By:

Michael Booth  
Director, Quality Control



### Certifying Officer:

Paul Gaines  
Chairman / Senior Technical Director





**QATS LABORATORY INORGANIC REFERENCE MATERIAL  
 INTERFERENCE CHECK SAMPLE SET FOR ICP-MS (ICSA WITH ICSB)**

**NOTE:** These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

**APPLICATION:** For use with the CLP SFAM01.0 SOW and revisions.

**CAUTION:** Read instructions carefully before opening bottle(s) and proceeding with the analyses.

Contains Heavy Metals  
**HAZARDOUS MATERIAL**

Safety Data Sheets  
 Available Upon Request

**(A) SAMPLE DESCRIPTION**

Enclosed is a set of one (1) or more bottles of an Aqueous Reference Material, each composed of metals at various concentrations and prepared with nitrate salts and oxy-acids of the respective elements in a 5% nitric acid matrix. **For the reference material source in reporting ICSA and ICSAB mixture use "USEPA". For the reference material lot number for the ICSA use "ICSA-0803" and for the ICSAB mixture use "ICSA-0803+ICSB-0803".**

**CAUTION:** The bottle(s) should be protected from light during storage to ensure the stability of silver which is contained in the ICSB solution. The bottle(s) should be stored at room temperature. **Do not allow the solution(s) to freeze.**

**(B) BREAKAGE OR MISSING ITEMS**

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to the Contracting Officer, Ross Miller at [miller.ross@epa.gov](mailto:miller.ross@epa.gov). If directed by Ross Miller, return the chain of custody record with appropriate annotations and signatures to the address provided below.

QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY  
 APTIM Federal Services, LLC  
 2700 Chandler Avenue - Building C  
 Las Vegas, NV 89120

**(C) ANALYSIS OF SAMPLES**

This interference check sample set is to be used to verify elemental isobaric correction factors of inductively coupled plasma-mass spectrometers (ICP-MS). This reference material set consists of two (2) concentrated solutions. The ICSA solution contains several interferent elements and species; for a complete listing refer to the CLP SOW. The ICSB solution contains the analytes: Ag, As, Sb, Ba, Be, Cd, Co, Cr, Cu, Mn, Ni, Pb, Tl, Se, V, and Zn. This instruction sheet provides the nominal values for the ICP-MS ICS Part A and Part B target analytes when diluted as directed.

Using Class "A" glassware, preparation and analysis must be performed according to the following instructions:

**ICSA-0803, Interferents:** Pipet 10 mL of the ICSA solution into a 100 mL volumetric flask and dilute to volume with 1% v/v HNO<sub>3</sub>. Analyze this solution by ICP-MS.

**ICSB-0803, Analytes, mixed with ICSA-0803, Interferents:** Pipet 10 mL of the ICSA solution and 10 mL of the ICSB solution into a 100 mL volumetric flask and dilute to volume with 1% v/v HNO<sub>3</sub>. Analyze this ICSAB solution by ICP-MS.

**(D) "CERTIFIED VALUE" CONCENTRATIONS OF QATS ICP-MS ICS SOLUTION(S)**

The "Certified Value" concentrations of the elements, listed in Table 1 below, were derived from statistically pooled analysis results from the following sources, if available: QATS Laboratory, CLP laboratories, Quarterly Blind (QB)/Proficiency Testing (PT) events, CLP pre-award events, and external referee laboratories.

| Table 1. "CERTIFIED VALUES" FOR INTERFERENCE CHECK SAMPLE ICP-MS<br>ICSA-0803, AND ICSA-0803 MIXED WITH ICSB-0803 |      |                  |                          |                          |                             |                          |                          |
|-------------------------------------------------------------------------------------------------------------------|------|------------------|--------------------------|--------------------------|-----------------------------|--------------------------|--------------------------|
| Element                                                                                                           | CRQL | Part A<br>(µg/L) | Lower<br>Limit<br>(µg/L) | Upper<br>Limit<br>(µg/L) | Part A<br>+Part B<br>(µg/L) | Lower<br>Limit<br>(µg/L) | Upper<br>Limit<br>(µg/L) |
| Al                                                                                                                | 20.0 | [100000]         |                          |                          | [100000]                    |                          |                          |
| Sb                                                                                                                | 2.0  | (1.5)            | -2.5                     | 5.5                      | (22.0)                      | 18.0                     | 26.0                     |
| As                                                                                                                | 1.0  | (0.1)            | -1.9                     | 2.1                      | 19.0                        | 16.2                     | 21.9                     |
| Ba                                                                                                                | 10.0 | (1.2)            | -18.8                    | 21.2                     | (22.0)                      | 2.0                      | 42.0                     |
| Be                                                                                                                | 1.0  | (0)              | -2.0                     | 2.0                      | 19.0                        | 16.2                     | 21.9                     |
| Cd                                                                                                                | 1.0  | (0.7)            | -1.3                     | 2.7                      | 20.0                        | 17.0                     | 23.0                     |
| Ca                                                                                                                | 500  | [100000]         |                          |                          | [100000]                    |                          |                          |
| C                                                                                                                 |      | [200000]         |                          |                          | [200000]                    |                          |                          |
| Cl                                                                                                                |      | [1000000]        |                          |                          | [1000000]                   |                          |                          |
| Cr                                                                                                                | 2.0  | (21.0)           | 17.0                     | 25.0                     | 40.0                        | 34.0                     | 46.0                     |
| Co                                                                                                                | 1.0  | (1.0)            | -1.0                     | 3.0                      | 20.0                        | 17.0                     | 23.0                     |
| Cu                                                                                                                | 2.0  | (8.0)            | 4.0                      | 12.0                     | (25.0)                      | 21.0                     | 29.0                     |
| Fe                                                                                                                | 200  | [100000]         |                          |                          | [100000]                    |                          |                          |
| Pb                                                                                                                | 1.0  | (4.0)            | 2.0                      | 6.0                      | 25.0                        | 21.3                     | 28.8                     |
| Mg                                                                                                                | 500  | [100000]         |                          |                          | [100000]                    |                          |                          |
| Mn                                                                                                                | 1.0  | (7.0)            | 5.0                      | 9.0                      | 27.0                        | 23.0                     | 31.1                     |
| Mo                                                                                                                |      | [2000]           |                          |                          | [2000]                      |                          |                          |
| Ni                                                                                                                | 1.0  | (6.0)            | 4.0                      | 8.0                      | 24.0                        | 20.4                     | 27.6                     |
| P                                                                                                                 |      | [100000]         |                          |                          | [100000]                    |                          |                          |
| K                                                                                                                 | 500  | [100000]         |                          |                          | [100000]                    |                          |                          |
| Se                                                                                                                | 5.0  | (0.3)            | -9.7                     | 10.3                     | (19.0)                      | 9.0                      | 29.0                     |
| Ag                                                                                                                | 1.0  | (0)              | -2.0                     | 2.0                      | 18.0                        | 15.3                     | 20.7                     |
| Na                                                                                                                | 500  | [100000]         |                          |                          | [100000]                    |                          |                          |
| S                                                                                                                 |      | [100000]         |                          |                          | [100000]                    |                          |                          |
| Tl                                                                                                                | 1.0  | (0)              | -2.0                     | 2.0                      | 21.0                        | 17.9                     | 24.2                     |
| Ti                                                                                                                |      | [2000]           |                          |                          | [2000]                      |                          |                          |
| V                                                                                                                 | 5.0  | (0.5)            | -9.5                     | 10.5                     | (19.0)                      | 9.0                      | 29.0                     |
| Zn                                                                                                                | 5.0  | (11.0)           | 1.0                      | 21.0                     | (29.0)                      | 19.0                     | 39.0                     |

[ ] Indicates analytes that do not require ICP-MS determination in the ICS.

The acceptance ranges for all analytes in parentheses in the above table were determined using the listed certified value  $\pm$  2 times the associated CLP SOW CRQL. The acceptance ranges for all other analytes were determined using the certified value  $\pm$  15 percent of the listed certified value.



**QATS LABORATORY INORGANIC REFERENCE MATERIAL  
 INTERFERENCE CHECK SAMPLE SET FOR ICP-MS (ICSA WITH ICSB)**

**NOTE:** These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

**APPLICATION:** For use with the CLP SFAM01.0 SOW and revisions.

**CAUTION:** Read instructions carefully before opening bottle(s) and proceeding with the analyses.

Contains Heavy Metals  
**HAZARDOUS MATERIAL**

Safety Data Sheets  
 Available Upon Request

**(A) SAMPLE DESCRIPTION**

Enclosed is a set of one (1) or more bottles of an Aqueous Reference Material, each composed of metals at various concentrations and prepared with nitrate salts and oxy-acids of the respective elements in a 5% nitric acid matrix. **For the reference material source in reporting ICSA and ICSAB mixture use "USEPA". For the reference material lot number for the ICSA use "ICSA-0803" and for the ICSAB mixture use "ICSA-0803+ICSB-0803".**

**CAUTION:** The bottle(s) should be protected from light during storage to ensure the stability of silver which is contained in the ICSB solution. The bottle(s) should be stored at room temperature. **Do not allow the solution(s) to freeze.**

**(B) BREAKAGE OR MISSING ITEMS**

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to the Contracting Officer, Ross Miller at [miller.ross@epa.gov](mailto:miller.ross@epa.gov). If directed by Ross Miller, return the chain of custody record with appropriate annotations and signatures to the address provided below.

QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY  
 APTIM Federal Services, LLC  
 2700 Chandler Avenue - Building C  
 Las Vegas, NV 89120

**(C) ANALYSIS OF SAMPLES**

This interference check sample set is to be used to verify elemental isobaric correction factors of inductively coupled plasma-mass spectrometers (ICP-MS). This reference material set consists of two (2) concentrated solutions. The ICSA solution contains several interferent elements and species; for a complete listing refer to the CLP SOW. The ICSB solution contains the analytes: Ag, As, Sb, Ba, Be, Cd, Co, Cr, Cu, Mn, Ni, Pb, Tl, Se, V, and Zn. This instruction sheet provides the nominal values for the ICP-MS ICS Part A and Part B target analytes when diluted as directed.

Using Class "A" glassware, preparation and analysis must be performed according to the following instructions:

**ICSA-0803, Interferents:** Pipet 10 mL of the ICSA solution into a 100 mL volumetric flask and dilute to volume with 1% v/v HNO<sub>3</sub>. Analyze this solution by ICP-MS.

**ICSB-0803, Analytes, mixed with ICSA-0803, Interferents:** Pipet 10 mL of the ICSA solution and 10 mL of the ICSB solution into a 100 mL volumetric flask and dilute to volume with 1% v/v HNO<sub>3</sub>. Analyze this ICSAB solution by ICP-MS.

**(D) "CERTIFIED VALUE" CONCENTRATIONS OF QATS ICP-MS ICS SOLUTION(S)**

The "Certified Value" concentrations of the elements, listed in Table 1 below, were derived from statistically pooled analysis results from the following sources, if available: QATS Laboratory, CLP laboratories, Quarterly Blind (QB)/Proficiency Testing (PT) events, CLP pre-award events, and external referee laboratories.

| Table 1. "CERTIFIED VALUES" FOR INTERFERENCE CHECK SAMPLE ICP-MS<br>ICSA-0803, AND ICSA-0803 MIXED WITH ICSB-0803 |      |                  |                          |                          |                             |                          |                          |
|-------------------------------------------------------------------------------------------------------------------|------|------------------|--------------------------|--------------------------|-----------------------------|--------------------------|--------------------------|
| Element                                                                                                           | CRQL | Part A<br>(µg/L) | Lower<br>Limit<br>(µg/L) | Upper<br>Limit<br>(µg/L) | Part A<br>+Part B<br>(µg/L) | Lower<br>Limit<br>(µg/L) | Upper<br>Limit<br>(µg/L) |
| Al                                                                                                                | 20.0 | [100000]         |                          |                          | [100000]                    |                          |                          |
| Sb                                                                                                                | 2.0  | (1.5)            | -2.5                     | 5.5                      | (22.0)                      | 18.0                     | 26.0                     |
| As                                                                                                                | 1.0  | (0.1)            | -1.9                     | 2.1                      | 19.0                        | 16.2                     | 21.9                     |
| Ba                                                                                                                | 10.0 | (1.2)            | -18.8                    | 21.2                     | (22.0)                      | 2.0                      | 42.0                     |
| Be                                                                                                                | 1.0  | (0)              | -2.0                     | 2.0                      | 19.0                        | 16.2                     | 21.9                     |
| Cd                                                                                                                | 1.0  | (0.7)            | -1.3                     | 2.7                      | 20.0                        | 17.0                     | 23.0                     |
| Ca                                                                                                                | 500  | [100000]         |                          |                          | [100000]                    |                          |                          |
| C                                                                                                                 |      | [200000]         |                          |                          | [200000]                    |                          |                          |
| Cl                                                                                                                |      | [1000000]        |                          |                          | [1000000]                   |                          |                          |
| Cr                                                                                                                | 2.0  | (21.0)           | 17.0                     | 25.0                     | 40.0                        | 34.0                     | 46.0                     |
| Co                                                                                                                | 1.0  | (1.0)            | -1.0                     | 3.0                      | 20.0                        | 17.0                     | 23.0                     |
| Cu                                                                                                                | 2.0  | (8.0)            | 4.0                      | 12.0                     | (25.0)                      | 21.0                     | 29.0                     |
| Fe                                                                                                                | 200  | [100000]         |                          |                          | [100000]                    |                          |                          |
| Pb                                                                                                                | 1.0  | (4.0)            | 2.0                      | 6.0                      | 25.0                        | 21.3                     | 28.8                     |
| Mg                                                                                                                | 500  | [100000]         |                          |                          | [100000]                    |                          |                          |
| Mn                                                                                                                | 1.0  | (7.0)            | 5.0                      | 9.0                      | 27.0                        | 23.0                     | 31.1                     |
| Mo                                                                                                                |      | [2000]           |                          |                          | [2000]                      |                          |                          |
| Ni                                                                                                                | 1.0  | (6.0)            | 4.0                      | 8.0                      | 24.0                        | 20.4                     | 27.6                     |
| P                                                                                                                 |      | [100000]         |                          |                          | [100000]                    |                          |                          |
| K                                                                                                                 | 500  | [100000]         |                          |                          | [100000]                    |                          |                          |
| Se                                                                                                                | 5.0  | (0.3)            | -9.7                     | 10.3                     | (19.0)                      | 9.0                      | 29.0                     |
| Ag                                                                                                                | 1.0  | (0)              | -2.0                     | 2.0                      | 18.0                        | 15.3                     | 20.7                     |
| Na                                                                                                                | 500  | [100000]         |                          |                          | [100000]                    |                          |                          |
| S                                                                                                                 |      | [100000]         |                          |                          | [100000]                    |                          |                          |
| Tl                                                                                                                | 1.0  | (0)              | -2.0                     | 2.0                      | 21.0                        | 17.9                     | 24.2                     |
| Ti                                                                                                                |      | [2000]           |                          |                          | [2000]                      |                          |                          |
| V                                                                                                                 | 5.0  | (0.5)            | -9.5                     | 10.5                     | (19.0)                      | 9.0                      | 29.0                     |
| Zn                                                                                                                | 5.0  | (11.0)           | 1.0                      | 21.0                     | (29.0)                      | 19.0                     | 39.0                     |

[ ] Indicates analytes that do not require ICP-MS determination in the ICS.

The acceptance ranges for all analytes in parentheses in the above table were determined using the listed certified value  $\pm 2$  times the associated CLP SOW CRQL. The acceptance ranges for all other analytes were determined using the certified value  $\pm 15$  percent of the listed certified value.



**CERTIFIED WEIGHT REPORT:**

Part Number:  
Lot Number:  
Description:

57051  
120523  
Antimony (Sb)

Lot #  
Solvent:

24002546 Nitric Acid

2.0% 60.0 Nitric Acid (mL)

Expiration Date:

120526

Recommended Storage:

Ambient (20 °C)

Nominal Concentration (µg/mL):

1000

NIST Test Number:

6U7B

Volume shown below was diluted to (mL):

3000.41


|                |                   |        |
|----------------|-------------------|--------|
| Formulated By: | Lawrence Barry    | 120523 |
| Reviewed By:   | Pedro L. Renteria | 120523 |

**SDS Information**

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|----------|-------------|------------|-----------------|-------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------------------------|------|----------------|------|----------|
|----------|-------------|------------|-----------------|-------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------------------------|------|----------------|------|----------|

|                  |       |        |        |       |       |      |         |        |     |           |           |                   |       |
|------------------|-------|--------|--------|-------|-------|------|---------|--------|-----|-----------|-----------|-------------------|-------|
| 1. Antimony (Sb) | 58151 | 100923 | 0.1000 | 300.0 | 0.084 | 1000 | 10001.4 | 1000.0 | 2.1 | 7440-36-0 | 0.5 mg/m3 | or-rel 7000 mg/kg | 3102a |
|------------------|-------|--------|--------|-------|-------|------|---------|--------|-----|-----------|-----------|-------------------|-------|

[1] Spectrum No.1 [ 17.964 sec]:58051.D# [Count] [Linear]







**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | T     | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

**Certified by:**

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



M6030



**CERTIFIED WEIGHT REPORT:**

Part Number: **57047**  
Lot Number: **122823**  
Description: **Silver (Ag)**

Solvent: 24002546 Nitric Acid  
Lot #


|                |                 |
|----------------|-----------------|
|                |                 |
| Formulated By: | Benson Chan     |
| Reviewed By:   | Pedro L. Rentas |
|                | 122823          |

Expiration Date: 122826  
Recommended Storage: Ambient (20 °C)  
Nominal Concentration (µg/mL): 1000  
NIST Test Number: 6UTB  
Weight shown below was diluted to (mL): 4000.30  
5E-05 Balance Uncertainty  
0.058 Flask Uncertainty

| Compound | Lot |        | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty |  | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty |  | CAS# | SDS Information                        |      | NIST SRM |
|----------|-----|--------|-----------------------|------------|-------------|--|-----------|-------------------|-------------------|----------------------|----------------------|--|------|----------------------------------------|------|----------|
|          | RM# | Number |                       |            | Purity (%)  |  |           |                   |                   |                      | +/- (µg/mL)          |  |      | (Solvent Safety Info. On Attached pg.) | LD50 |          |

1. Silver nitrate (Ag) IN035 J0612AGA1 1000.0 99.999 0.10 63.7 6.27992 6.27998 1000.0 2.0 7761-88-8 10 µg/mL NA 3151

[1] Spectrum No. 1 [ 14.044 sec]:58147.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

623

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | T     | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T)= Target analyte

**Physical Characterization:**

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 meghm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**Certified Reference Material CRM**



**CERTIFIED WEIGHT REPORT:**

Part Number: **56138**  
Lot Number: **082922**  
Description: **Strontium (Sr)**  
Expiration Date: **082925**  
Recommended Storage: **Ambient (20 °C)**  
Nominal Concentration (µg/mL): **10000**  
NIST Test Number: **6UTB**  
Weight shown below was diluted to (mL): **1000.12**

Solvent: **20510011 Nitric Acid**

Lot #

Expiration Date: **082925**

Recommended Storage: **Ambient (20 °C)**

Nominal Concentration (µg/mL): **10000**

NIST Test Number: **6UTB**

Weight shown below was diluted to (mL): **1000.12**


|                                       |  |        |
|---------------------------------------|--|--------|
| Formulated By: <i>Lawrence Barry</i>  |  | 082922 |
| Reviewed By: <i>Pedro L. Renteria</i> |  | 082922 |

**SDS Information**

| Compound | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|----------|------------|-----------------------|------------|-----------------|-----------|-------------------|-------------------|----------------------|----------------------------------|------|----------------|------|----------|
|----------|------------|-----------------------|------------|-----------------|-----------|-------------------|-------------------|----------------------|----------------------------------|------|----------------|------|----------|

1. Strontium nitrate (Sr) IN017 SR2022018A1 10000 99.997 0.10 41.2 24.2756 24.2758 10000.1 20.0 10042-76-9 NA or-rat >2000mg/kg 3153a

[1] Spectrum No. 1 [14.495 sec]:56138.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):**

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pr | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | T     | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



**CERTIFIED WEIGHT REPORT:**

**Part Number:** 57081  
**Lot Number:** 062724  
**Description:** Thallium (TI)

**Solvent:** 24002546 Nitric Acid  
**Lot #**

**Expiration Date:**

062727

2% 40.0 Nitric Acid (mL)

**Recommended Storage:**

Ambient (20 °C)

**Nominal Concentration (µg/mL):**

1000

**NIST Test Number:**

6UTB

5E-05 Balance Uncertainty

**Weight shown below was diluted to (mL):**

2000.1 0.10 Flask Uncertainty


|                      |                          |
|----------------------|--------------------------|
| <i>Aleah O'Brady</i> |                          |
| Formulated By:       | Aleah O'Brady            |
|                      | 062724                   |
| Reviewed By:         | <i>Pedro L. Renteria</i> |
|                      | Pedro L. Renteria        |
|                      | 062724                   |

**SDS Information**

| Compound | Lot Number | Nominal Conc. (µg/mL) | Purity (%) | Uncertainty (%) | Assay (%) | Target Weight (g) | Actual Weight (g) | Actual Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|----------|------------|-----------------------|------------|-----------------|-----------|-------------------|-------------------|----------------------|----------------------------------|------|----------------|------|----------|
|----------|------------|-----------------------|------------|-----------------|-----------|-------------------|-------------------|----------------------|----------------------------------|------|----------------|------|----------|

1. Thallium nitrate (TI) IN037 BCCF4399 1000 99.999 0.10 77.0 2.5975 2.5977 1000.1 2.0 10102-45-1 0.1 mg/m3 orl-mus 15mg/kg 3158

[1] Spectrum No.1 [ 14.044 sec]:57081.D# [Count] [Linear]





**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

627

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Sc | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | T     | V  | <0.02 |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Tm | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Sn | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pt | <0.02 | Sm | <0.02 | S  | <0.02 | Ti | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Se | <0.02 | Ta | <0.02 |    |       | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



Certified Reference Material CRM

M6021



CERTIFIED WEIGHT REPORT:

Part Number: 57023  
Lot Number: 062424  
Description: Vanadium (V)

Lot # 24002546  
Solvent: Nitric Acid

|                |                 |
|----------------|-----------------|
| Aleah O'Brady  |                 |
| Formulated By: | Aleah O'Brady   |
| Reviewed By:   | Pedro L. Rantas |

Expiration Date: 062427  
Recommended Storage: Ambient (20 °C)  
Nominal Concentration (µg/mL): 1000  
NIST Test Number: 6UTB

Volume shown below was diluted to (mL): 2000.3

5E-05 Balance Uncertainty  
0.06 Flask Uncertainty


2.0% 40.0 (mL)

Nitric Acid

| Compound | Part Number | Lot Number | Dilution Factor | Initial Vol. (mL) | Uncertainty Pipette (mL) | Nominal Conc. (µg/mL) | Initial Conc. (µg/mL) | Final Conc. (µg/mL) | Expanded Uncertainty +/- (µg/mL) | CAS# | OSHA PEL (TWA) | LD50 | NIST SRM |
|----------|-------------|------------|-----------------|-------------------|--------------------------|-----------------------|-----------------------|---------------------|----------------------------------|------|----------------|------|----------|
|          |             |            |                 |                   |                          |                       |                       |                     |                                  |      |                |      |          |

1. Ammonium metavanadate (V) 58123 021224 0.1000 200.0 0.084 1000 10000.3 1000.0 2.2 7803-55-6 0.05 mg/m3 or-at 58.1mg/kg 3165

[1] Spectrum No.1 [ 34.243 sec]:58023.D# [Count] [Linear]







**Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):**

629

**Trace Metals Verification by ICP-MS (µg/mL)**

|    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |    |       |
|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|
| Al | <0.02 | Cd | <0.02 | Dy | <0.02 | Hf | <0.02 | Li | <0.02 | Ni | <0.02 | Pt | <0.02 | Se | <0.2  | Tb | <0.02 | W  | <0.02 |
| Sb | <0.02 | Ca | <0.2  | Er | <0.02 | Ho | <0.02 | Lu | <0.02 | Nb | <0.02 | Re | <0.02 | Si | <0.02 | Te | <0.02 | U  | <0.02 |
| As | <0.2  | Ce | <0.02 | Eu | <0.02 | In | <0.02 | Mg | <0.01 | Os | <0.02 | Rh | <0.02 | Ag | <0.02 | Tl | <0.02 | V  | T     |
| Ba | <0.02 | Cs | <0.02 | Gd | <0.02 | Ir | <0.02 | Mn | <0.02 | Pd | <0.02 | Rb | <0.02 | Na | <0.2  | Th | <0.02 | Yb | <0.02 |
| Be | <0.01 | Cr | <0.02 | Ga | <0.02 | Fe | <0.2  | Hg | <0.2  | P  | <0.02 | Ru | <0.02 | Sr | <0.02 | Tm | <0.02 | Y  | <0.02 |
| Bi | <0.02 | Co | <0.02 | Ge | <0.02 | La | <0.02 | Mo | <0.02 | Pr | <0.02 | Sm | <0.02 | S  | <0.02 | Sn | <0.02 | Zn | <0.02 |
| B  | <0.02 | Cu | <0.02 | Au | <0.02 | Pb | <0.02 | Nd | <0.02 | K  | <0.2  | Sc | <0.02 | Ta | <0.02 | Ti | <0.02 | Zr | <0.02 |

(T) = Target analyte

**Physical Characterization:**

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

- \* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- \* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
- \* All standard containers are meticulously cleaned prior to use.
- \* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- \* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- \* All Standards should be stored with caps tight and under appropriate laboratory conditions.
- \* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

**SOP ID :** M200.8-Trace Elements-22, MSFAM01.1-Metals ICPMS-2

**SDG No :** MH2GQ3

**Matrix :** SOIL

**Pipette ID:** ICP A

**Balance ID :** M SC-2

**Filter paper ID :** N/A

**pH Strip ID :** N/A

**Hood ID :** #3

**Block ID:** 1. HOT BLOCK #3 2. N/A

**Start Digest Date:** 11/22/2024 **Time :** 15:30 **Temp :** 95 °C

**End Digest Date:** 11/22/2024 **Time :** 16:05 **Temp :** 95 °C

**Digestion tube ID:** M6054

**Block thermometer ID:** MET-DIG. #3

**Dig Technician Signature:** *[Signature]*

**Supervisor Signature:** *[Signature]*

**Temp :** 1. 95°C 2. N/A

| Standard Name | MLS USED | STD REF. # FROM LOG |
|---------------|----------|---------------------|
| LCSS          | 1.00     | MP83046             |
| Spike Sol. B  | 1.00     | MP83047             |
| N/A           | N/A      | N/A                 |
| N/A           | N/A      | N/A                 |
| N/A           | N/A      | N/A                 |

| Chemical Used    | ML/SAMPLE USED | Lot Number |
|------------------|----------------|------------|
| 1:1 HNO3         | 4.00           | MP83122    |
| 1:4 HCl Solution | 10.00          | MP82128    |
| N/A              | N/A            | N/A        |
| N/A              | N/A            | N/A        |
| N/A              | N/A            | N/A        |
| N/A              | N/A            | N/A        |
| N/A              | N/A            | N/A        |
| N/A              | N/A            | N/A        |
| N/A              | N/A            | N/A        |
| N/A              | N/A            | N/A        |

**Extraction Conformance/Non-Conformance Comments:**

HOT BLOCK #3 CELL #34 : 95 C

| Date / Time    | Prepped Sample Relinquished By/Location | Received By/Location         |
|----------------|-----------------------------------------|------------------------------|
| 11/22/24 16:10 | <i>[Signature]</i> Met dig.             | <i>[Signature]</i> metal lab |
|                | Preparation Group                       | Analysis Group               |

| Lab Sample ID | Client Sample ID | pH  | Initial Weight (g) | Final Vol (ml) | Color Before | Color After | Texture | Artifact | Comment | Prep Pos |
|---------------|------------------|-----|--------------------|----------------|--------------|-------------|---------|----------|---------|----------|
| P4957-01      | MH2GQ3           | N/A | 2.25               | 500            | Gray         | Yellow      | Medium  | N/A      | N/A     | 1        |
| P4957-02      | MH2GQ3D          | N/A | 2.31               | 500            | Gray         | Yellow      | Medium  | N/A      | N/A     | 2        |
| P4957-03      | MH2GQ3S          | N/A | 2.13               | 500            | Gray         | Yellow      | Medium  | N/A      | MP83047 | 3        |
| P4957-04      | MH2GS3           | N/A | 2.30               | 500            | Gray         | Yellow      | Medium  | N/A      | N/A     | 4        |
| P4957-05      | MH2GS4           | N/A | 2.06               | 500            | Gray         | Yellow      | Medium  | N/A      | N/A     | 5        |
| P4957-06      | MH2GS5           | N/A | 2.16               | 500            | Gray         | Yellow      | Medium  | N/A      | N/A     | 6        |
| P4957-07      | MH2GS6           | N/A | 2.28               | 500            | LightBrown   | Yellow      | Medium  | N/A      | N/A     | 7        |
| P4957-08      | MH2GS7           | N/A | 2.27               | 500            | Light Brown  | Yellow      | Medium  | N/A      | N/A     | 8        |
| P4957-09      | MH2GS8           | N/A | 2.35               | 500            | Redish Brown | Yellow      | Medium  | N/A      | N/A     | 9        |
| P4957-10      | MH2GS9           | N/A | 2.10               | 500            | Gray         | Yellow      | Medium  | N/A      | N/A     | 10       |
| P4957-11      | MH2GT0           | N/A | 2.35               | 500            | Gray         | Yellow      | Medium  | N/A      | N/A     | 11       |
| P4957-12      | MH2GT1           | N/A | 2.12               | 500            | Light Brown  | Yellow      | Medium  | N/A      | N/A     | 12       |
| P4957-13      | MH2GT2           | N/A | 2.26               | 500            | Gray         | Yellow      | Medium  | N/A      | N/A     | 13       |
| P4957-14      | MH2GT3           | N/A | 2.25               | 500            | Gray         | Yellow      | Medium  | N/A      | N/A     | 14       |
| P4957-15      | MH2GT4           | N/A | 2.21               | 500            | Gray         | Yellow      | Medium  | N/A      | N/A     | 15       |
| P4957-16      | MH2GT5           | N/A | 2.15               | 500            | Gray         | Yellow      | Medium  | N/A      | N/A     | 16       |
| PB165208BL    | PBS208           | N/A | 1.00               | 500            | Colorless    | Colorless   | Fine    | N/A      | N/A     | 17       |
| PB165208BS    | LCS208           | N/A | 1.00               | 500            | Colorless    | Colorless   | Fine    | N/A      | MP83046 | 18       |

Instrument ID: P7

**Daily Analysis Runlog For Sequence/QC Batch ID # LB133687**

|                  |                                                                         |              |                      |
|------------------|-------------------------------------------------------------------------|--------------|----------------------|
| Review By        | Mohan Bera                                                              | Review On    | 12/3/2024 8:29:09 PM |
| Supervise By     | Sarabjit Jaswal                                                         | Supervise On | 12/3/2024 8:29:37 PM |
| <b>STD. NAME</b> | <b>STD REF.#</b>                                                        |              |                      |
| ICAL Standard    | MP83014,MP83039,MP83038,MP83036,MP83034,MP83035,MP83033,MP83032,MP83016 |              |                      |
| ICV Standard     | MP83041                                                                 |              |                      |
| CCV Standard     | MP83042                                                                 |              |                      |
| ICSA Standard    | MP83043,MP83044                                                         |              |                      |
| CRI Standard     |                                                                         |              |                      |
| LCS Standard     | MP83045,MP83046                                                         |              |                      |
| Chk Standard     | MP83050,MP83049                                                         |              |                      |

| Sr# | SampleId   | ClientID | QcType | Date           | Comment                             | Operator | Status |
|-----|------------|----------|--------|----------------|-------------------------------------|----------|--------|
| 1   | TUNE       | TUNE001  | TUNE   | 11/27/24 15:12 |                                     | Jaswal   | OK     |
| 2   | S00        | S0       | CAL1   | 11/27/24 16:10 |                                     | Jaswal   | OK     |
| 3   | S02        | S02      | CAL3   | 11/27/24 16:16 |                                     | Jaswal   | OK     |
| 4   | S03        | S03      | CAL4   | 11/27/24 16:20 |                                     | Jaswal   | OK     |
| 5   | S04        | S04      | CAL5   | 11/27/24 16:23 |                                     | Jaswal   | OK     |
| 6   | S05        | S05      | CAL6   | 11/27/24 16:25 |                                     | Jaswal   | OK     |
| 7   | S06        | S06      | CAL7   | 11/27/24 16:28 |                                     | Jaswal   | OK     |
| 8   | S07        | S07      | CAL8   | 11/27/24 16:31 |                                     | Jaswal   | OK     |
| 9   | S08        | S08      | CAL9   | 11/27/24 16:34 |                                     | Jaswal   | OK     |
| 10  | ICV001     | ICV001   | ICV    | 11/27/24 17:16 | Inst. paused for calibration review | Jaswal   | OK     |
| 11  | ICB001     | ICB001   | ICB    | 11/27/24 17:26 | Inst. paused for review             | Jaswal   | OK     |
| 12  | ICSA001    | ICSA001  | ICSA   | 11/27/24 17:30 |                                     | Jaswal   | OK     |
| 13  | ICSAB001   | ICSAB001 | ICSAB  | 11/27/24 17:33 |                                     | Jaswal   | OK     |
| 14  | CCV001     | CCV001   | CCV    | 11/27/24 17:36 |                                     | Jaswal   | OK     |
| 15  | CCB001     | CCB001   | CCB    | 11/27/24 17:38 |                                     | Jaswal   | OK     |
| 16  | PB165206BL | PBS206   | MB     | 11/27/24 17:42 |                                     | Jaswal   | OK     |
| 17  | PB165206BS | LCS206   | LCS    | 11/27/24 17:45 |                                     | Jaswal   | OK     |
| 18  | PB165205BL | PBS205   | MB     | 11/27/24 17:48 |                                     | Jaswal   | OK     |

Instrument ID: P7

**Daily Analysis Runlog For Sequence/QC Batch ID # LB133687**

|              |                 |              |                      |
|--------------|-----------------|--------------|----------------------|
| Review By    | Mohan Bera      | Review On    | 12/3/2024 8:29:09 PM |
| Supervise By | Sarabjit Jaswal | Supervise On | 12/3/2024 8:29:37 PM |

| STD. NAME     | STD REF.#                                                               |
|---------------|-------------------------------------------------------------------------|
| ICAL Standard | MP83014,MP83039,MP83038,MP83036,MP83034,MP83035,MP83033,MP83032,MP83016 |
| ICV Standard  | MP83041                                                                 |
| CCV Standard  | MP83042                                                                 |
| ICSA Standard | MP83043,MP83044                                                         |
| CRI Standard  |                                                                         |
| LCS Standard  | MP83045,MP83046                                                         |
| Chk Standard  | MP83050,MP83049                                                         |

|    |            |         |     |                |  |        |    |
|----|------------|---------|-----|----------------|--|--------|----|
| 19 | PB165205BS | LCS205  | LCS | 11/27/24 17:51 |  | Jaswal | OK |
| 20 | PB165214BL | PBS214  | MB  | 11/27/24 17:55 |  | Jaswal | OK |
| 21 | PB165214BS | LCS214  | LCS | 11/27/24 17:58 |  | Jaswal | OK |
| 22 | PB165208BL | PBS208  | MB  | 11/27/24 18:01 |  | Jaswal | OK |
| 23 | PB165208BS | LCS208  | LCS | 11/27/24 18:04 |  | Jaswal | OK |
| 24 | P4956-01   | MH2GQ2  | SAM | 11/27/24 18:08 |  | Jaswal | OK |
| 25 | P4956-02   | MH2GQ2D | DUP | 11/27/24 18:11 |  | Jaswal | OK |
| 26 | P4956-01L  | MH2GQ2L | SD  | 11/27/24 18:14 |  | Jaswal | OK |
| 27 | P4956-03   | MH2GQ2S | MS  | 11/27/24 18:17 |  | Jaswal | OK |
| 28 | P4956-04   | MH2GQ4  | SAM | 11/27/24 18:20 |  | Jaswal | OK |
| 29 | P4956-05   | MH2GQ5  | SAM | 11/27/24 18:23 |  | Jaswal | OK |
| 30 | P4956-06   | MH2GQ6  | SAM | 11/27/24 18:26 |  | Jaswal | OK |
| 31 | P4956-07   | MH2GQ7  | SAM | 11/27/24 18:29 |  | Jaswal | OK |
| 32 | P4956-08   | MH2GQ8  | SAM | 11/27/24 18:32 |  | Jaswal | OK |
| 33 | P4956-09   | MH2GQ9  | SAM | 11/27/24 18:35 |  | Jaswal | OK |
| 34 | P4956-10   | MH2GR0  | SAM | 11/27/24 18:38 |  | Jaswal | OK |
| 35 | P4956-11   | MH2GR1  | SAM | 11/27/24 18:41 |  | Jaswal | OK |
| 36 | P4956-12   | MH2GR2  | SAM | 11/27/24 18:44 |  | Jaswal | OK |
| 37 | P4956-13   | MH2GR3  | SAM | 11/27/24 18:47 |  | Jaswal | OK |
| 38 | P4956-14   | MH2GR4  | SAM | 11/27/24 18:50 |  | Jaswal | OK |

Instrument ID: P7

**Daily Analysis Runlog For Sequence/QC Batch ID # LB133687**

|                  |                                                                         |              |                      |
|------------------|-------------------------------------------------------------------------|--------------|----------------------|
| Review By        | Mohan Bera                                                              | Review On    | 12/3/2024 8:29:09 PM |
| Supervise By     | Sarabjit Jaswal                                                         | Supervise On | 12/3/2024 8:29:37 PM |
| <b>STD. NAME</b> | <b>STD REF.#</b>                                                        |              |                      |
| ICAL Standard    | MP83014,MP83039,MP83038,MP83036,MP83034,MP83035,MP83033,MP83032,MP83016 |              |                      |
| ICV Standard     | MP83041                                                                 |              |                      |
| CCV Standard     | MP83042                                                                 |              |                      |
| ICSA Standard    | MP83043,MP83044                                                         |              |                      |
| CRI Standard     |                                                                         |              |                      |
| LCS Standard     | MP83045,MP83046                                                         |              |                      |
| Chk Standard     | MP83050,MP83049                                                         |              |                      |

|    |           |         |     |                |  |        |    |
|----|-----------|---------|-----|----------------|--|--------|----|
| 39 | P4956-15  | MH2GR5  | SAM | 11/27/24 18:53 |  | Jaswal | OK |
| 40 | P4956-16  | MH2GR6  | SAM | 11/27/24 18:56 |  | Jaswal | OK |
| 41 | P4956-17  | MH2GR7  | SAM | 11/27/24 18:59 |  | Jaswal | OK |
| 42 | CCV002    | CCV002  | CCV | 11/27/24 19:02 |  | Jaswal | OK |
| 43 | CCB002    | CCB002  | CCB | 11/27/24 19:05 |  | Jaswal | OK |
| 44 | P4956-18  | MH2GR8  | SAM | 11/27/24 19:08 |  | Jaswal | OK |
| 45 | P4956-19  | MH2GR9  | SAM | 11/27/24 19:11 |  | Jaswal | OK |
| 46 | P4956-20  | MH2GS0  | SAM | 11/27/24 19:14 |  | Jaswal | OK |
| 47 | P4956-21  | MH2GS1  | SAM | 11/27/24 19:17 |  | Jaswal | OK |
| 48 | P4956-22  | MH2GS2  | SAM | 11/27/24 19:20 |  | Jaswal | OK |
| 49 | P4957-01  | MH2GQ3  | SAM | 11/27/24 19:23 |  | Jaswal | OK |
| 50 | P4957-02  | MH2GQ3D | DUP | 11/27/24 19:26 |  | Jaswal | OK |
| 51 | P4957-01L | MH2GQ3L | SD  | 11/27/24 19:29 |  | Jaswal | OK |
| 52 | P4957-03  | MH2GQ3S | MS  | 11/27/24 19:32 |  | Jaswal | OK |
| 53 | P4957-04  | MH2GS3  | SAM | 11/27/24 19:35 |  | Jaswal | OK |
| 54 | P4957-05  | MH2GS4  | SAM | 11/27/24 19:38 |  | Jaswal | OK |
| 55 | P4957-06  | MH2GS5  | SAM | 11/27/24 19:41 |  | Jaswal | OK |
| 56 | P4957-07  | MH2GS6  | SAM | 11/27/24 19:44 |  | Jaswal | OK |
| 57 | P4957-08  | MH2GS7  | SAM | 11/27/24 19:47 |  | Jaswal | OK |
| 58 | P4957-09  | MH2GS8  | SAM | 11/27/24 19:50 |  | Jaswal | OK |

Instrument ID: P7

**Daily Analysis Runlog For Sequence/QC Batch ID # LB133687**

|                  |                                                                         |              |                      |
|------------------|-------------------------------------------------------------------------|--------------|----------------------|
| Review By        | Mohan Bera                                                              | Review On    | 12/3/2024 8:29:09 PM |
| Supervise By     | Sarabjit Jaswal                                                         | Supervise On | 12/3/2024 8:29:37 PM |
| <b>STD. NAME</b> | <b>STD REF.#</b>                                                        |              |                      |
| ICAL Standard    | MP83014,MP83039,MP83038,MP83036,MP83034,MP83035,MP83033,MP83032,MP83016 |              |                      |
| ICV Standard     | MP83041                                                                 |              |                      |
| CCV Standard     | MP83042                                                                 |              |                      |
| ICSA Standard    | MP83043,MP83044                                                         |              |                      |
| CRI Standard     |                                                                         |              |                      |
| LCS Standard     | MP83045,MP83046                                                         |              |                      |
| Chk Standard     | MP83050,MP83049                                                         |              |                      |

|    |           |         |     |                |  |        |    |
|----|-----------|---------|-----|----------------|--|--------|----|
| 59 | P4957-10  | MH2GS9  | SAM | 11/27/24 19:53 |  | Jaswal | OK |
| 60 | P4957-11  | MH2GT0  | SAM | 11/27/24 19:56 |  | Jaswal | OK |
| 61 | P4957-12  | MH2GT1  | SAM | 11/27/24 19:59 |  | Jaswal | OK |
| 62 | P4957-15  | MH2GT4  | SAM | 11/27/24 20:09 |  | Jaswal | OK |
| 63 | P4957-16  | MH2GT5  | SAM | 11/27/24 20:12 |  | Jaswal | OK |
| 64 | P4957-13  | MH2GT2  | SAM | 11/27/24 20:15 |  | Jaswal | OK |
| 65 | P4957-14  | MH2GT3  | SAM | 11/27/24 20:18 |  | Jaswal | OK |
| 66 | P4955-01  | MH2GW5  | SAM | 11/27/24 20:21 |  | Jaswal | OK |
| 67 | P4955-02  | MH2GW6  | SAM | 11/27/24 20:24 |  | Jaswal | OK |
| 68 | P4955-03  | MH2GW7  | SAM | 11/27/24 20:27 |  | Jaswal | OK |
| 69 | P4955-04  | MH2GW8  | SAM | 11/27/24 20:30 |  | Jaswal | OK |
| 70 | CCV003    | CCV003  | CCV | 11/27/24 20:33 |  | Jaswal | OK |
| 71 | CCB003    | CCB003  | CCB | 11/27/24 20:36 |  | Jaswal | OK |
| 72 | P4955-05  | MH2GW8D | DUP | 11/27/24 20:39 |  | Jaswal | OK |
| 73 | P4955-04L | MH2GW8L | SD  | 11/27/24 20:42 |  | Jaswal | OK |
| 74 | P4955-06  | MH2GW8S | MS  | 11/27/24 20:46 |  | Jaswal | OK |
| 75 | P4902-01  | E29Y8   | SAM | 11/27/24 20:49 |  | Jaswal | OK |
| 76 | P4902-02  | E2A12   | SAM | 11/27/24 20:52 |  | Jaswal | OK |
| 77 | P4902-03  | E2A12D  | DUP | 11/27/24 20:55 |  | Jaswal | OK |
| 78 | P4902-02L | E2A12L  | SD  | 11/27/24 20:58 |  | Jaswal | OK |

Instrument ID: P7

**Daily Analysis Runlog For Sequence/QC Batch ID # LB133687**

|              |                 |              |                      |
|--------------|-----------------|--------------|----------------------|
| Review By    | Mohan Bera      | Review On    | 12/3/2024 8:29:09 PM |
| Supervise By | Sarabjit Jaswal | Supervise On | 12/3/2024 8:29:37 PM |

| STD. NAME     | STD REF.#                                                               |
|---------------|-------------------------------------------------------------------------|
| ICAL Standard | MP83014,MP83039,MP83038,MP83036,MP83034,MP83035,MP83033,MP83032,MP83016 |
| ICV Standard  | MP83041                                                                 |
| CCV Standard  | MP83042                                                                 |
| ICSA Standard | MP83043,MP83044                                                         |
| CRI Standard  |                                                                         |
| LCS Standard  | MP83045,MP83046                                                         |
| Chk Standard  | MP83050,MP83049                                                         |

|    |            |        |     |                |          |        |          |
|----|------------|--------|-----|----------------|----------|--------|----------|
| 79 | P4902-04   | E2A12S | MS  | 11/27/24 21:01 |          | Jaswal | OK       |
| 80 | PB165237BL | PBW237 | MB  | 11/27/24 21:08 |          | Jaswal | OK       |
| 81 | PB165237BS | LCS237 | LCS | 11/27/24 21:11 |          | Jaswal | OK       |
| 82 | PB165238BL | PBS238 | MB  | 11/27/24 21:14 |          | Jaswal | OK       |
| 83 | PB165238BS | LCS238 | LCS | 11/27/24 21:38 |          | Jaswal | OK       |
| 84 | P4917-01   | MX1007 | SAM | 11/27/24 21:48 |          | Jaswal | OK       |
| 85 | P4917-04   | MX1010 | SAM | 11/27/24 22:02 | V High   | Jaswal | Dilution |
| 86 | P4917-04DL | MX1010 | SAM | 11/27/24 22:06 | 2x for V | Jaswal | Confirms |
| 87 | CCV004     | CCV004 | CCV | 11/27/24 22:14 |          | Jaswal | OK       |
| 88 | CCB004     | CCB004 | CCB | 11/27/24 22:17 |          | Jaswal | OK       |



ORIGIN ID:BJCA (303) 994-3863  
MARK WOOD  
PACIFIC WESTERN TECHNOLOGIES  
3000 YOUNGFIELD ST

SHIP DATE: 21NOV24  
ACTMGT: 20.00 LB  
CAD: 25285307/INET4535  
DIMS: 16x13x16 IN

WHEATRIDGE, CO 80215  
UNITED STATES US

BILL SENDER

TO SOHIL JODHANI

ALLIANCE TECHNICAL GROUP LLC  
284 SHEFFIELD STREET

MOUNTAINSIDE NJ 07092

(908) 789-8900 REF: EN-SE-D38-004-04A-221

PO: DEPT:



J244024091001uv

*Handwritten signature*

*11/22/24 0745 2-2C*

TRK# 7701 3347 7550

FRI - 22 NOV 8:00A

FIRST OVERNIGHT

DSR

07092

N1 KBCA

NJ-US EWR



After printing this label:

**CONSIGNEE COPY - PLEASE PLACE IN FRONT OF POUCH**

1. Fold the printed page along the horizontal line.
2. Place label in shipping pouch and affix it to your shipment.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on [fedex.com](https://www.fedex.com). FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

## Login Summary Report

|                 |                       |                |                       |               |           |
|-----------------|-----------------------|----------------|-----------------------|---------------|-----------|
| Order ID :      | P4957                 | Order Date :   | 11/22/2024 7:45:00 AM | Project Mgr : | Deepak    |
| Client :        | USEPA CLP SMO         | Project :      | 51822                 | Report Type : | USEPA CLP |
| Contact :       | Anita Kapadia         | Receive Date : | 11/22/2024 7:45:00 AM | EDD Type :    | EPA CLP   |
| Date Sign Off : | 11/22/2024 1:46:42 PM |                |                       |               |           |

| Sample ID | Client ID | Matrix | Sampling Date | Test               | Test Group | Method        | TAT Days | Fax Due Date | HC Due Date |
|-----------|-----------|--------|---------------|--------------------|------------|---------------|----------|--------------|-------------|
| P4957-01  | MH2GQ3    | Solid  | 11/15/2024    |                    |            |               |          |              |             |
|           |           |        |               | Metals CLP MS FULL |            | SFAM_MS       | 10       | 12/06/2024   | 12/06/2024  |
|           |           |        |               | Percent Solids     |            | Chemtech -SOP | 10       | 12/06/2024   | 12/06/2024  |
| P4957-02  | MH2GQ3D   | Solid  | 11/15/2024    |                    |            |               |          |              |             |
|           |           |        |               | Metals CLP MS FULL |            | SFAM_MS       | 10       | 12/06/2024   | 12/06/2024  |
|           |           |        |               | Percent Solids     |            | Chemtech -SOP | 10       | 12/06/2024   | 12/06/2024  |
| P4957-03  | MH2GQ3S   | Solid  | 11/15/2024    |                    |            |               |          |              |             |
|           |           |        |               | Metals CLP MS FULL |            | SFAM_MS       | 10       | 12/06/2024   | 12/06/2024  |
|           |           |        |               | Percent Solids     |            | Chemtech -SOP | 10       | 12/06/2024   | 12/06/2024  |
| P4957-04  | MH2GS3    | Solid  | 11/15/2024    |                    |            |               |          |              |             |
|           |           |        |               | Metals CLP MS FULL |            | SFAM_MS       | 10       | 12/06/2024   | 12/06/2024  |
|           |           |        |               | Percent Solids     |            | Chemtech -SOP | 10       | 12/06/2024   | 12/06/2024  |
| P4957-05  | MH2GS4    | Solid  | 11/15/2024    |                    |            |               |          |              |             |
|           |           |        |               | Metals CLP MS FULL |            | SFAM_MS       | 10       | 12/06/2024   | 12/06/2024  |
|           |           |        |               | Percent Solids     |            | Chemtech -SOP | 10       | 12/06/2024   | 12/06/2024  |
| P4957-06  | MH2GS5    | Solid  | 11/15/2024    |                    |            |               |          |              |             |
|           |           |        |               | Metals CLP MS FULL |            | SFAM_MS       | 10       | 12/06/2024   | 12/06/2024  |
|           |           |        |               | Percent Solids     |            | Chemtech -SOP | 10       | 12/06/2024   | 12/06/2024  |
| P4957-07  | MH2GS6    | Solid  | 11/15/2024    |                    |            |               |          |              |             |
|           |           |        |               | Metals CLP MS FULL |            | SFAM_MS       | 10       | 12/06/2024   | 12/06/2024  |
|           |           |        |               | Percent Solids     |            | Chemtech -SOP | 10       | 12/06/2024   | 12/06/2024  |
| P4957-08  | MH2GS7    | Solid  | 11/15/2024    |                    |            |               |          |              |             |
|           |           |        |               | Metals CLP MS FULL |            | SFAM_MS       | 10       | 12/06/2024   | 12/06/2024  |
|           |           |        |               | Percent Solids     |            | Chemtech -SOP | 10       | 12/06/2024   | 12/06/2024  |
| P4957-09  | MH2GS8    | Solid  | 11/15/2024    |                    |            |               |          |              |             |
|           |           |        |               | Metals CLP MS FULL |            | SFAM_MS       | 10       | 12/06/2024   | 12/06/2024  |
|           |           |        |               | Percent Solids     |            | Chemtech -SOP | 10       | 12/06/2024   | 12/06/2024  |
| P4957-10  | MH2GS9    | Solid  | 11/15/2024    |                    |            |               |          |              |             |
|           |           |        |               | Metals CLP MS FULL |            | SFAM_MS       | 10       | 12/06/2024   | 12/06/2024  |
|           |           |        |               | Percent Solids     |            | Chemtech -SOP | 10       | 12/06/2024   | 12/06/2024  |

|          |        |       |            |                    |                                        |
|----------|--------|-------|------------|--------------------|----------------------------------------|
| P4957-11 | MH2GT0 | Solid | 11/15/2024 |                    |                                        |
|          |        |       |            | Metals CLP MS FULL | SFAM_MS 10 12/06/2024 12/06/2024       |
|          |        |       |            | Percent Solids     | Chemtech -SOP 10 12/06/2024 12/06/2024 |
| P4957-12 | MH2GT1 | Solid | 11/15/2024 |                    |                                        |
|          |        |       |            | Metals CLP MS FULL | SFAM_MS 10 12/06/2024 12/06/2024       |
|          |        |       |            | Percent Solids     | Chemtech -SOP 10 12/06/2024 12/06/2024 |
| P4957-13 | MH2GT2 | Solid | 11/15/2024 |                    |                                        |
|          |        |       |            | Metals CLP MS FULL | SFAM_MS 10 12/06/2024 12/06/2024       |
|          |        |       |            | Percent Solids     | Chemtech -SOP 10 12/06/2024 12/06/2024 |
| P4957-14 | MH2GT3 | Solid | 11/15/2024 |                    |                                        |
|          |        |       |            | Metals CLP MS FULL | SFAM_MS 10 12/06/2024 12/06/2024       |
|          |        |       |            | Percent Solids     | Chemtech -SOP 10 12/06/2024 12/06/2024 |
| P4957-15 | MH2GT4 | Solid | 11/15/2024 |                    |                                        |
|          |        |       |            | Metals CLP MS FULL | SFAM_MS 10 12/06/2024 12/06/2024       |
|          |        |       |            | Percent Solids     | Chemtech -SOP 10 12/06/2024 12/06/2024 |
| P4957-16 | MH2GT5 | Solid | 11/15/2024 |                    |                                        |
|          |        |       |            | Metals CLP MS FULL | SFAM_MS 10 12/06/2024 12/06/2024       |
|          |        |       |            | Percent Solids     | Chemtech -SOP 10 12/06/2024 12/06/2024 |

# WORKLIST(Hardcopy Internal Chain)

Worklist Name : PB165208

Worklist ID : 185707

Department : Digestion

Date : 11-22-2024 14:44:25

| Sample   | Customer Sample | Matrix | Test               | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method  |
|----------|-----------------|--------|--------------------|--------------|----------|-----------------------------|--------------|---------|
| P4957-01 | MH2GQ3          | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-02 | MH2GQ3D         | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-03 | MH2GQ3S         | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-04 | MH2GSS3         | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-05 | MH2GSS4         | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-06 | MH2GSS5         | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-07 | MH2GSS6         | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-08 | MH2GSS7         | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-09 | MH2GSS8         | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-10 | MH2GSS9         | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-11 | MH2GT0          | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-12 | MH2GT1          | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-13 | MH2GT2          | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-14 | MH2GT3          | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-15 | MH2GT4          | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |
| P4957-16 | MH2GT5          | Solid  | Metals CLP MS FULL | Cool 4 deg C | USEP01   | C11                         | 11/15/2024   | SFAM_MS |

Date/Time

11/22/24

14:56

Raw Sample Received by:

Raw Sample Relinquished by:

Date/Time

11/22/24

15:50

Raw Sample Received by:

Raw Sample Relinquished by: