

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
 Data File : VX043928.D
 Acq On : 21 Nov 2024 11:17
 Operator : JC/MD
 Sample : VSTDICCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VSTDICCC050

Quant Time: Nov 21 12:14:30 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 21 11:25:29 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :John Carlone 11/22/2024
 Supervised By :Mahesh Dadoda 11/22/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.538	168	138578	50.000	ug/l	-0.01
34) 1,4-Difluorobenzene	6.757	114	241629	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.049	117	212243	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.024	152	100316	50.000	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	5.946	65	104086	48.899	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	97.800%
35) Dibromofluoromethane	5.379	113	78954	48.663	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	97.320%
50) Toluene-d8	8.641	98	266650	49.194	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	98.380%
62) 4-Bromofluorobenzene	11.079	95	93510	52.209	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	104.420%

Target Compounds

						Qvalue
2) Dichlorodifluoromethane	1.167	85	94790	67.600	ug/l	98
3) Chloromethane	1.295	50	96646	55.148	ug/l	100
4) Vinyl Chloride	1.374	62	105586	59.966	ug/l	100
5) Bromomethane	1.593	94	61728	77.177	ug/l	97
6) Chloroethane	1.660	64	63580	75.594	ug/l	98
7) Trichlorofluoromethane	1.868	101	188045	74.909	ug/l	100
8) Diethyl Ether	2.130	74	65665	69.383	ug/l	96
9) 1,1,2-Trichlorotrifluo...	2.313	101	91167	61.367	ug/l	97
10) Methyl Iodide	2.441	142	112083	53.608	ug/l	95
11) Tert butyl alcohol	2.995	59	100130	295.821	ug/l	99
12) 1,1-Dichloroethene	2.307	96	83087	57.625	ug/l	92
13) Acrolein	2.233	56	100647	265.136	ug/l	97
14) Allyl chloride	2.654	41	144663	61.883	ug/l	91
15) Acrylonitrile	3.063	53	256493	294.373	ug/l	98
16) Acetone	2.380	43	294611	344.605	ug/l	93
17) Carbon Disulfide	2.502	76	178294	56.633	ug/l	99
18) Methyl Acetate	2.703	43	136735	58.404	ug/l	97
19) Methyl tert-butyl Ether	3.111	73	313754	58.872	ug/l	98
20) Methylene Chloride	2.782	84	92475	51.676	ug/l	94
21) trans-1,2-Dichloroethene	3.081	96	87752	55.825	ug/l	95
22) Diisopropyl ether	3.758	45	299631	58.668	ug/l	94
23) Vinyl Acetate	3.715	43	1344870	324.875	ug/l	97
24) 1,1-Dichloroethane	3.599	63	174008	57.932	ug/l	99
25) 2-Butanone	4.556	43	392575	328.247	ug/l	97
26) 2,2-Dichloropropane	4.465	77	158151	64.072	ug/l	96
27) cis-1,2-Dichloroethene	4.477	96	109742	56.100	ug/l	94
28) Bromochloromethane	4.885	49	62386	49.360	ug/l	88
29) Tetrahydrofuran	5.001	42	234208	303.060	ug/l	97
30) Chloroform	5.080	83	182404	58.257	ug/l	94
31) Cyclohexane	5.458	56	144224	59.242	ug/l	95
32) 1,1,1-Trichloroethane	5.373	97	164023	61.280	ug/l	98
36) 1,1-Dichloropropene	5.678	75	119269	58.983	ug/l	99
37) Ethyl Acetate	4.709	43	147393	64.767	ug/l	98
38) Carbon Tetrachloride	5.666	117	134725	62.932	ug/l	97
39) Methylcyclohexane	7.373	83	158586	62.647	ug/l	95
40) Benzene	6.025	78	360978	56.780	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
 Data File : VX043928.D
 Acq On : 21 Nov 2024 11:17
 Operator : JC/MD
 Sample : VSTDICCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VSTDICCC050

Quant Time: Nov 21 12:14:30 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 21 11:25:29 2024
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By : John Carlone 11/22/2024
 Supervised By : Mahesh Dadoda 11/22/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	4.916	41	79507	67.041	ug/l	96
42) 1,2-Dichloroethane	6.074	62	145681	63.109	ug/l	97
43) Isopropyl Acetate	6.336	43	235856	65.697	ug/l	94
44) Trichloroethene	7.117	130	90015	51.360	ug/l	91
45) 1,2-Dichloropropane	7.422	63	89529	57.459	ug/l	98
46) Dibromomethane	7.574	93	70679	60.196	ug/l	96
47) Bromodichloromethane	7.818	83	131365	63.678	ug/l	97
48) Methyl methacrylate	7.690	41	112803	63.393	ug/l #	88
49) 1,4-Dioxane	7.659	88	33402	881.301	ug/l #	73
51) 4-Methyl-2-Pentanone	8.574	43	732582	327.265	ug/l	95
52) Toluene	8.714	92	222500	60.664	ug/l	97
53) t-1,3-Dichloropropene	8.976	75	137451	65.667	ug/l	98
54) cis-1,3-Dichloropropene	8.360	75	147638	62.243	ug/l	92
55) 1,1,2-Trichloroethane	9.147	97	89441	62.501	ug/l	97
56) Ethyl methacrylate	9.116	69	148281	65.443	ug/l #	88
57) 1,3-Dichloropropane	9.305	76	151124	63.034	ug/l	100
58) 2-Chloroethyl Vinyl ether	8.238	63	371281	312.467	ug/l	98
59) 2-Hexanone	9.427	43	568460	359.925	ug/l	93
60) Dibromochloromethane	9.519	129	95641	68.588	ug/l	99
61) 1,2-Dibromoethane	9.604	107	92940	62.263	ug/l	99
64) Tetrachloroethene	9.269	164	74157	54.472	ug/l	99
65) Chlorobenzene	10.080	112	243080	54.828	ug/l	98
66) 1,1,1,2-Tetrachloroethane	10.159	131	83934	56.885	ug/l	98
67) Ethyl Benzene	10.189	91	429559	57.573	ug/l	97
68) m/p-Xylenes	10.299	106	323661	116.466	ug/l	96
69) o-Xylene	10.640	106	160643	59.245	ug/l	99
70) Styrene	10.653	104	268004	59.974	ug/l	98
71) Bromoform	10.799	173	60267	62.587	ug/l #	98
73) Isopropylbenzene	10.957	105	411000	57.397	ug/l	99
74) N-amyl acetate	10.842	43	200195	62.704	ug/l	94
75) 1,1,2,2-Tetrachloroethane	11.214	83	139756	57.726	ug/l	100
76) 1,2,3-Trichloropropane	11.238	75	118450m	57.858	ug/l	
77) Bromobenzene	11.195	156	97761	55.706	ug/l	97
78) n-propylbenzene	11.299	91	474802	60.094	ug/l	100
79) 2-Chlorotoluene	11.360	91	286649	57.018	ug/l	100
80) 1,3,5-Trimethylbenzene	11.451	105	345531	58.215	ug/l	98
81) trans-1,4-Dichloro-2-b...	11.018	75	44450	61.129	ug/l	96
82) 4-Chlorotoluene	11.451	91	333946	57.679	ug/l	100
83) tert-Butylbenzene	11.713	119	345112	56.841	ug/l	97
84) 1,2,4-Trimethylbenzene	11.750	105	345112	57.254	ug/l	99
85) sec-Butylbenzene	11.890	105	426284	58.794	ug/l	99
86) p-Isopropyltoluene	12.006	119	353256	58.026	ug/l	99
87) 1,3-Dichlorobenzene	11.969	146	176936	54.401	ug/l	99
88) 1,4-Dichlorobenzene	12.037	146	178728	53.598	ug/l	98
89) n-Butylbenzene	12.329	91	319448	61.581	ug/l	99
90) Hexachloroethane	12.536	117	59010	57.586	ug/l	96
91) 1,2-Dichlorobenzene	12.335	146	177334	52.077	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	12.939	75	28467	56.961	ug/l	94
93) 1,2,4-Trichlorobenzene	13.585	180	108749	54.645	ug/l	98
94) Hexachlorobutadiene	13.725	225	41267	50.599	ug/l	95
95) Naphthalene	13.774	128	401752	54.142	ug/l	100
96) 1,2,3-Trichlorobenzene	13.963	180	112162	54.094	ug/l	96

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
Data File : VX043928.D
Acq On : 21 Nov 2024 11:17
Operator : JC/MD
Sample : VSTDICCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VSTDICCC050

Manual Integrations
APPROVED

Reviewed By :John Carlone 11/22/2024
Supervised By :Mahesh Dadoda 11/22/2024

Quant Time: Nov 21 12:14:30 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112024W.M
Quant Title : SW846 8260
QLast Update : Thu Nov 21 11:25:29 2024
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
Data File : VX043928.D
Acq On : 21 Nov 2024 11:17
Operator : JC/MD
Sample : VSTDICCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VSTDICCC050

Quant Time: Nov 21 12:14:30 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112024W.M
Quant Title : SW846 8260
QLast Update : Thu Nov 21 11:25:29 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :John Carlone 11/22/2024
Supervised By :Mahesh Dadoda 11/22/2024

