

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
 Data File : VX043926.D
 Acq On : 21 Nov 2024 10:14
 Operator : JC/MD
 Sample : VSTDICC005
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VSTDICC005

Quant Time: Nov 22 03:28:43 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112124W.M
 Quant Title : SW846 8260
 QLast Update : Fri Nov 22 03:25:42 2024
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By :John Carlone 11/22/2024
 Supervised By :Mahesh Dadoda 11/22/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.543	168	150793	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.757	114	264969	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	223514	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.024	152	96662	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.952	65	13961	5.398	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery =	10.800%#		
35) Dibromofluoromethane	5.379	113	9842	5.198	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery =	10.400%#		
50) Toluene-d8	8.646	98	35173	5.389	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery =	10.780%#		
62) 4-Bromofluorobenzene	11.079	95	10618	4.780	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery =	9.560%#		
Target Compounds						
					Qvalue	
2) Dichlorodifluoromethane	1.166	85	9545	4.997	ug/l	87
3) Chloromethane	1.294	50	9980	4.965	ug/l	98
4) Vinyl Chloride	1.373	62	10682	4.996	ug/l	100
5) Bromomethane	1.593	94	6415	4.877	ug/l	90
6) Chloroethane	1.666	64	6474	4.969	ug/l	99
7) Trichlorofluoromethane	1.867	101	19099	4.996	ug/l	91
8) Diethyl Ether	2.129	74	6480	4.651	ug/l	88
9) 1,1,2-Trichlorotrifluo...	2.318	101	8824	4.839	ug/l	98
10) Methyl Iodide	2.440	142	9897	4.346	ug/l	98
11) Tert butyl alcohol	2.995	59	9278m	22.349	ug/l	
12) 1,1-Dichloroethene	2.306	96	7987	4.597	ug/l	87
13) Acrolein	2.239	56	11940	27.287	ug/l	97
14) Allyl chloride	2.654	41	12874	4.534	ug/l	96
15) Acrylonitrile	3.062	53	24290	24.010	ug/l	99
16) Acetone	2.385	43	29886	25.159	ug/l	95
17) Carbon Disulfide	2.495	76	14415	4.022	ug/l #	94
18) Methyl Acetate	2.702	43	13127	4.745	ug/l	97
19) Methyl tert-butyl Ether	3.117	73	30022	4.759	ug/l #	88
20) Methylene Chloride	2.782	84	9895	4.909	ug/l	95
21) trans-1,2-Dichloroethene	3.080	96	8486	4.730	ug/l #	80
22) Diisopropyl ether	3.757	45	29102	4.794	ug/l #	65
23) Vinyl Acetate	3.721	43	116242	22.382	ug/l	100
24) 1,1-Dichloroethane	3.599	63	16857	4.813	ug/l	98
25) 2-Butanone	4.568	43	36680	23.931	ug/l	96
26) 2,2-Dichloropropane	4.458	77	15040	4.755	ug/l #	76
27) cis-1,2-Dichloroethene	4.477	96	10153	4.579	ug/l	96
28) Bromochloromethane	4.891	49	9210	5.974	ug/l	100
29) Tetrahydrofuran	5.007	42	23518	25.028	ug/l	96
30) Chloroform	5.086	83	18661	4.954	ug/l	97
31) Cyclohexane	5.458	56	13740	4.767	ug/l #	85
32) 1,1,1-Trichloroethane	5.379	97	15162	4.667	ug/l	96
36) 1,1-Dichloropropene	5.690	75	11406	4.834	ug/l	97
37) Ethyl Acetate	4.720	43	14551m	4.968	ug/l	
38) Carbon Tetrachloride	5.665	117	12348	4.658	ug/l	97
39) Methylcyclohexane	7.372	83	14721	4.803	ug/l	95
40) Benzene	6.031	78	36283	4.937	ug/l	94

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
 Data File : VX043926.D
 Acq On : 21 Nov 2024 10:14
 Operator : JC/MD
 Sample : VSTDICC005
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VSTDICC005

Manual Integrations
 APPROVED

Reviewed By : John Carlone 11/22/2024
 Supervised By : Mahesh Dadoda 11/22/2024

Quant Time: Nov 22 03:28:43 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112124W.M
 Quant Title : SW846 8260
 QLast Update : Fri Nov 22 03:25:42 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	4.928	41	7355	4.907	ug/l #	95
42) 1,2-Dichloroethane	6.080	62	14467	4.901	ug/l	99
43) Isopropyl Acetate	6.348	43	22267	4.777	ug/l	99
44) Trichloroethene	7.128	130	9852	4.736	ug/l	92
45) 1,2-Dichloropropane	7.427	63	8525	4.736	ug/l	91
46) Dibromomethane	7.586	93	6372	4.475	ug/l	93
47) Bromodichloromethane	7.823	83	11249	4.405	ug/l	96
48) Methyl methacrylate	7.695	41	10190	4.556	ug/l	95
49) 1,4-Dioxane	7.677	88	4090m	106.070	ug/l	
51) 4-Methyl-2-Pentanone	8.573	43	69843	24.556	ug/l	97
52) Toluene	8.714	92	22218	5.051	ug/l	96
53) t-1,3-Dichloropropene	8.982	75	10937	4.200	ug/l	94
54) cis-1,3-Dichloropropene	8.366	75	12253	4.292	ug/l	94
55) 1,1,2-Trichloroethane	9.152	97	9000	4.957	ug/l	94
56) Ethyl methacrylate	9.116	69	12381	4.378	ug/l	96
57) 1,3-Dichloropropane	9.311	76	15211	4.973	ug/l	98
58) 2-Chloroethyl Vinyl ether	8.238	63	43351	27.673	ug/l	100
59) 2-Hexanone	9.433	43	52072	24.357	ug/l	100
60) Dibromochloromethane	9.518	129	7738	4.247	ug/l	99
61) 1,2-Dibromoethane	9.610	107	8985	4.894	ug/l	98
64) Tetrachloroethene	9.274	164	7642	5.185	ug/l	93
65) Chlorobenzene	10.079	112	24792	5.050	ug/l	98
66) 1,1,1,2-Tetrachloroethane	10.158	131	7421	4.661	ug/l	96
67) Ethyl Benzene	10.195	91	40927	4.920	ug/l	95
68) m/p-Xylenes	10.305	106	29635	9.553	ug/l	99
69) o-Xylene	10.640	106	14856	4.905	ug/l	98
70) Styrene	10.658	104	22907	4.573	ug/l	97
71) Bromoform	10.799	173	4476	5.004	ug/l #	99
73) Isopropylbenzene	10.957	105	37958	5.109	ug/l	99
74) N-amyl acetate	10.841	43	15928	4.627	ug/l	97
75) 1,1,2,2-Tetrachloroethane	11.213	83	13107	5.152	ug/l	100
76) 1,2,3-Trichloropropane	11.237	75	12040m	5.776	ug/l	
77) Bromobenzene	11.195	156	9259	5.224	ug/l	97
78) n-propylbenzene	11.305	91	39774	4.793	ug/l	98
79) 2-Chlorotoluene	11.366	91	26740	5.096	ug/l	99
80) 1,3,5-Trimethylbenzene	11.451	105	30114	4.926	ug/l	97
81) trans-1,4-Dichloro-2-b...	11.018	75	2880	3.707	ug/l #	77
82) 4-Chlorotoluene	11.451	91	29049	4.903	ug/l	96
83) tert-Butylbenzene	11.713	119	29934	4.940	ug/l	97
84) 1,2,4-Trimethylbenzene	11.750	105	30674	5.040	ug/l	97
85) sec-Butylbenzene	11.890	105	37899	5.105	ug/l	96
86) p-Isopropyltoluene	12.006	119	29412	4.878	ug/l	98
87) 1,3-Dichlorobenzene	11.969	146	16008	4.959	ug/l	99
88) 1,4-Dichlorobenzene	12.036	146	15837	4.831	ug/l	89
89) n-Butylbenzene	12.335	91	24938	4.691	ug/l	99
90) Hexachloroethane	12.536	117	4279	4.173	ug/l	99
91) 1,2-Dichlorobenzene	12.335	146	16747	5.140	ug/l	98
92) 1,2-Dibromo-3-Chloropr...	12.945	75	2454	4.814	ug/l	85
93) 1,2,4-Trichlorobenzene	13.591	180	8746	4.553	ug/l	98
94) Hexachlorobutadiene	13.725	225	3713	4.891	ug/l	97
95) Naphthalene	13.774	128	32485	4.698	ug/l	99
96) 1,2,3-Trichlorobenzene	13.963	180	9280	4.773	ug/l	96

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
Data File : VX043926.D
Acq On : 21 Nov 2024 10:14
Operator : JC/MD
Sample : VSTDICC005
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VSTDICC005

Manual Integrations
APPROVED

Reviewed By :John Carlone 11/22/2024
Supervised By :Mahesh Dadoda 11/22/2024

Quant Time: Nov 22 03:28:43 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112124W.M
Quant Title : SW846 8260
QLast Update : Fri Nov 22 03:25:42 2024
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
Data File : VX043926.D
Acq On : 21 Nov 2024 10:14
Operator : JC/MD
Sample : VSTDIC005
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VSTDIC005

Manual Integrations
APPROVED

Reviewed By :John Carlone 11/22/2024
Supervised By :Mahesh Dadoda 11/22/2024

Quant Time: Nov 22 03:28:43 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112124W.M
Quant Title : SW846 8260
QLast Update : Fri Nov 22 03:25:42 2024
Response via : Initial Calibration

