

## **DATA PACKAGE**

VOLATILE ORGANICS  
GENERAL CHEMISTRY  
METALS

**PROJECT NAME : TRANSFER STATION-SPDES**

**TULLY ENVIRONMENTAL, INC**

**127-50 Northern Blvd.**

**Flushing, NY - 11368**

**Phone No: 718-446-7000**

**ORDER ID : P4967**

**ATTENTION : Dean Devoe**



**Laboratory Certification ID # 20012**



<b>1) Signature Page</b>	<b>3</b>
<b>2) Case Narrative</b>	<b>4</b>
<b>2.1) VOC-BTEX- Case Narrative</b>	<b>4</b>
<b>2.2) Metals-AES- Case Narrative</b>	<b>6</b>
<b>2.3) Genchem- Case Narrative</b>	<b>7</b>
<b>3) Qualifier Page</b>	<b>8</b>
<b>4) QA Checklist</b>	<b>10</b>
<b>5) VOC-BTEX Data</b>	<b>11</b>
<b>6) Metals-AES Data</b>	<b>16</b>
<b>7) Genchem Data</b>	<b>21</b>
<b>8) Shipping Document</b>	<b>25</b>
<b>8.1) CHAIN OF CUSTODY</b>	<b>26</b>
<b>8.2) ROC</b>	<b>27</b>
<b>8.3) Lab Certificate</b>	<b>29</b>
<b>8.4) Internal COC</b>	<b>30</b>

1  
2  
3  
4  
5  
6  
7  
8

## Cover Page

**Order ID :** P4967

**Project ID :** Transfer Station-SPDES

**Client :** Tully Environmental, Inc

**Lab Sample Number**

P4967-01  
P4967-02

**Client Sample Number**

001-WILLETS-PT-BLVD  
002-35TH-AVE

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : N. N. Pandya

NYDOH CERTIFICATION NO - 11376

**APPROVED**

Date: 11/29/2024  
By Nimisha Pandya, QA/QC Supervisor at 2:49 pm, Dec 03, 2024

NJDEP CERTIFICATION NO - 20012

## **CASE NARRATIVE**

**Tully Environmental, Inc**

**Project Name: Transfer Station-SPDES**

**Project # N/A**

**Chemtech Project # P4967**

**Test Name: VOC-BTEX**

### **A. Number of Samples and Date of Receipt:**

2 Water samples were received on 11/22/2024.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: Metals Group 10, TSS and VOC-BTEX. This data package contains results for VOC-BTEX.

### **C. Analytical Techniques:**

The analysis performed on instrument MSVOA\_N were done using GC column RXI-624SIL MS 30m 0.25mm 1.4 um. Cat#13868. The analysis of VOC-BTEX was based on method 624.1.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank Spike Duplicate met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

The Tuning criteria met requirements.

### **E. Additional Comments:**

As per method, MS/MSD is required to be performed with the sample analysis. However, Lab did not receive sufficient volume to perform the MS/MSD therefore MS/MSD were not performed for this project. However, Lab has performed LCS/LCSD instead.

Trip Blank was not provided with this set of samples.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <35% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount

for all compounds using Linear Regression when the %RSD value for a compound is > 35% for the Initial Calibration curve for SW-846 analysis.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

N. N. Pandya

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 2:49 pm, Dec 03, 2024*



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## CASE NARRATIVE

**Tully Environmental, Inc**

**Project Name: Transfer Station-SPDES**

**Project # N/A**

**Chemtech Project # P4967**

**Test Name: Metals Group 10**

### **A. Number of Samples and Date of Receipt:**

2 Water samples were received on 11/22/2024.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Metals Group 10, TSS and VOC-BTEX. This data package contains results for Metals Group 10.

### **C. Analytical Techniques:**

The analysis and digestion of Metals Group 10 was based on method 200.7.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

### **E. Additional Comments:**

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature N. N. Pandya

**APPROVED**

By Nimisha Pandya, QA/QC Supervisor at 2:50 pm, Dec 03, 2024



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**Tully Environmental, Inc**

**Project Name: Transfer Station-SPDES**

**Project # N/A**

**Chemtech Project # P4967**

**Test Name: TSS**

### **A. Number of Samples and Date of Receipt:**

2 Water samples were received on 11/22/2024.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Metals Group 10, TSS and VOC-BTEX. This data package contains results for TSS.

### **C. Analytical Techniques:**

The analysis of TSS was based on method SM2540 D.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

### **E. Additional Comments:**

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature N. N. Pandya

**APPROVED**

By Nimisha Pandya, QA/QC Supervisor at 2:50 pm, Dec 03, 2024

## DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

<b>J</b>	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
<b>U</b>	Indicates the analyte was analyzed for, but not detected.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>E</b>	Indicates the reported value is estimated because of the presence of interference
<b>M</b>	Indicates Duplicate injection precision not met.
<b>N</b>	Indicates the spiked sample recovery is not within control limits.
<b>S</b>	Indicates the reported value was determined by the Method of Standard Addition (MSA).
<b>*</b>	Indicates that the duplicate analysis is not within control limits.
<b>+</b>	Indicates the correlation coefficient for the MSA is less than 0.995.
<b>D</b>	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
<b>M</b>	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
<b>OR</b>	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements
<b>H</b>	Sample Analysis Out Of Hold Time



## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
<b>U</b>	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>J</b>	Indicates an estimated value. This flag is used: <ul style="list-style-type: none"> <li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li> <li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.</li> </ul>
<b>B</b>	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
<b>E</b>	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>D</b>	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
<b>P</b>	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
<b>N</b>	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
<b>A</b>	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: P4967

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 11/29/2024

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** P4967  
**Client:** Tully Environmental, Inc

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
<b>Client ID:</b> P4967-01	<b>001-WILLETS-PT-BLVD</b> 001-WILLETS-PT-BLVD	Water	Toluene	18.6		0.72	5.00	ug/L
			<b>Total Voc :</b>	18.6				
			<b>Total Concentration:</b>	18.6				
<b>Client ID:</b> P4967-02	<b>002-35TH-AVE</b> 002-35TH-AVE		Toluene	32.7		0.72	5.00	ug/L
			<b>Total Voc :</b>	32.7				
			<b>Total Concentration:</b>	32.7				



# SAMPLE DATA

## Report of Analysis

Client:	Tully Environmental, Inc		Date Collected:	11/21/24	
Project:	Transfer Station-SPDES		Date Received:	11/22/24	
Client Sample ID:	001-WILLETS-PT-BLVD		SDG No.:	P4967	
Lab Sample ID:	P4967-01		Matrix:	Water	
Analytical Method:	E624.1		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-BTEX	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085026.D	1		11/25/24 13:14	VN112524

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
71-43-2	Benzene	0.69	U	0.69	5.00	ug/L
108-88-3	Toluene	18.6		0.72	5.00	ug/L
100-41-4	Ethyl Benzene	0.73	U	0.73	5.00	ug/L
179601-23-1	m/p-Xylenes	1.70	U	1.70	10.0	ug/L
95-47-6	o-Xylene	0.82	U	0.82	5.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	28.3		91 - 110	94%	SPK: 30
2037-26-5	Toluene-d8	28.4		91 - 112	95%	SPK: 30
460-00-4	4-Bromofluorobenzene	25.7		63 - 112	86%	SPK: 30
<b>INTERNAL STANDARDS</b>						
74-97-5	Bromochloromethane	32600	7.806			
540-36-3	1,4-Difluorobenzene	165000	9.094			
3114-55-4	Chlorobenzene-d5	145000	11.865			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

Client:	Tully Environmental, Inc		Date Collected:	11/21/24	
Project:	Transfer Station-SPDES		Date Received:	11/22/24	
Client Sample ID:	002-35TH-AVE		SDG No.:	P4967	
Lab Sample ID:	P4967-02		Matrix:	Water	
Analytical Method:	E624.1		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-BTEX	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085027.D	1		11/25/24 13:38	VN112524

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
71-43-2	Benzene	0.69	U	0.69	5.00	ug/L
108-88-3	Toluene	32.7		0.72	5.00	ug/L
100-41-4	Ethyl Benzene	0.73	U	0.73	5.00	ug/L
179601-23-1	m/p-Xylenes	1.70	U	1.70	10.0	ug/L
95-47-6	o-Xylene	0.82	U	0.82	5.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	31.4		91 - 110	105%	SPK: 30
2037-26-5	Toluene-d8	27.7		91 - 112	92%	SPK: 30
460-00-4	4-Bromofluorobenzene	25.0		63 - 112	83%	SPK: 30
<b>INTERNAL STANDARDS</b>						
74-97-5	Bromochloromethane	23900	7.812			
540-36-3	1,4-Difluorobenzene	128000	9.1			
3114-55-4	Chlorobenzene-d5	114000	11.865			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	P4967	OrderDate:	11/22/2024 11:12:00 AM
Client:	Tully Environmental, Inc	Project:	Transfer Station-SPDES
Contact:	Dean Devoe	Location:	L51,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P4967-01	001-WILLETS-PT-BLV D	Water			11/21/24			11/22/24
			VOC-BTEX	624.1			11/25/24	
P4967-02	002-35TH-AVE	Water			11/21/24			11/22/24
			VOC-BTEX	624.1			11/25/24	

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** P4967 **Order ID:** P4967  
**Client:** Tully Environmental, Inc **Project ID:** Transfer Station-SPDES

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
<b>Client ID : 001-WILLETS-PT-BLVD</b>								
P4967-01	001-WILLETS-PT-BLVD	Water	Copper	123		1.52	10.0	ug/L
P4967-01	001-WILLETS-PT-BLVD	Water	Iron	5120		12.4	50.0	ug/L
P4967-01	001-WILLETS-PT-BLVD	Water	Lead	21.3		1.57	6.00	ug/L
<b>Client ID : 002-35TH-AVE</b>								
P4967-02	002-35TH-AVE	Water	Copper	122		1.52	10.0	ug/L
P4967-02	002-35TH-AVE	Water	Iron	4420		12.4	50.0	ug/L
P4967-02	002-35TH-AVE	Water	Lead	17.0		1.57	6.00	ug/L





# SAMPLE DATA

## Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	11/21/24
Project:	Transfer Station-SPDES	Date Received:	11/22/24
Client Sample ID:	001-WILLETS-PT-BLVD	SDG No.:	P4967
Lab Sample ID:	P4967-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	123		1	1.52	10.0	ug/L	11/22/24 14:45	11/25/24 14:18	EPA 200.7	
7439-89-6	Iron	5120		1	12.4	50.0	ug/L	11/22/24 14:45	11/25/24 14:18	EPA 200.7	
7439-92-1	Lead	21.3		1	1.57	6.00	ug/L	11/22/24 14:45	11/25/24 14:18	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group 10			

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	11/21/24
Project:	Transfer Station-SPDES	Date Received:	11/22/24
Client Sample ID:	002-35TH-AVE	SDG No.:	P4967
Lab Sample ID:	P4967-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	122		1	1.52	10.0	ug/L	11/22/24 14:45	11/25/24 14:22	EPA 200.7	
7439-89-6	Iron	4420		1	12.4	50.0	ug/L	11/22/24 14:45	11/25/24 14:22	EPA 200.7	
7439-92-1	Lead	17.0		1	1.57	6.00	ug/L	11/22/24 14:45	11/25/24 14:22	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group 10			

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P4967	OrderDate:	11/22/2024 11:12:00 AM
Client:	Tully Environmental, Inc	Project:	Transfer Station-SPDES
Contact:	Dean Devoe	Location:	L51,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P4967-01	001-WILLETS-PT-BLV D	Water			11/21/24			11/22/24
			Metals Group 10	200.7		11/22/24	11/25/24	
P4967-02	002-35TH-AVE	Water			11/21/24			11/22/24
			Metals Group 10	200.7		11/22/24	11/25/24	



# SAMPLE DATA

## Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	11/21/24 13:30
Project:	Transfer Station-SPDES	Date Received:	11/22/24
Client Sample ID:	001-WILLETS-PT-BLVD	SDG No.:	P4967
Lab Sample ID:	P4967-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TSS	38.8		1	1.00	4.00	mg/L		11/25/24 10:00	SM 2540 D-15

Comments:

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements  
H = Sample Analysis Out Of Hold Time

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits

## Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	11/21/24 13:30
Project:	Transfer Station-SPDES	Date Received:	11/22/24
Client Sample ID:	002-35TH-AVE	SDG No.:	P4967
Lab Sample ID:	P4967-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TSS	57.6		1	1.00	4.00	mg/L		11/25/24 10:00	SM 2540 D-15

Comments:

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements  
H = Sample Analysis Out Of Hold Time

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P4967	OrderDate:	11/22/2024 11:12:00 AM
Client:	Tully Environmental, Inc	Project:	Transfer Station-SPDES
Contact:	Dean Devoe	Location:	L51,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P4967-01	001-WILLETS-PT-BLV D	WATER	TSS	SM2540 D	11/21/24 13:30		11/25/24 10:00	11/22/24
P4967-02	002-35TH-AVE	WATER	TSS	SM2540 D	11/21/24 13:30		11/25/24 10:00	11/22/24





# SHIPPING DOCUMENTS

# CHEMTECH

## CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092  
(908) 789-8900 • Fax (908) 789-8922  
www.chemtech.net

CHEMTECH PROJECT NO.

QUOTE NO.

COC Number 2041752

P4967/68

8

8.1

### CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: Tully Environmental Inc

ADDRESS: 57 Seawall Blvd

CITY: Port Washington STATE: NY ZIP: 11050

ATTENTION: D Devoe

PHONE: 718 446 7000 FAX: 718 458 5999

### CLIENT PROJECT INFORMATION

PROJECT NAME: Transfer Station SPDES

PROJECT NO.: 242113 LOCATION:

PROJECT MANAGER:

e-mail:

PHONE:

FAX:

### CLIENT BILLING INFORMATION

BILL TO: Same

PO#:

ADDRESS:

CITY

STATE:

ZIP:

ATTENTION:

PHONE:

### ANALYSIS

### DATA TURNAROUND INFORMATION

FAX (RUSH) ASAP

DAYS\*

HARDCOPY (DATA PACKAGE):

DAYS\*

EDD: DAYS\*

\*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

### DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)

☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP

☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B

+ Raw Data ☐ Other

☐ EDD FORMAT

TSS Cu Pb Pb LLH 1631

### PRESERVATIVES

### COMMENTS

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	001 Willets Pt Blvd	W		X	11/24	130		X	X	X							
2.	002 35th Ave	W		X	11/24	130		X	X	X							
3.																	
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP _____ °C
1. D Devoe	11/21/24	1. [Signature]	Comments:
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
2. FedEx	11/22/24	2. [Signature]	
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
3.		3.	

Page \_\_\_\_ of \_\_\_\_

CLIENT: ☐ Hand Delivered ☐ Other  
CHEMTECH: ☐ Picked Up ☐ Field Sampling

Shipment Complete  
☐ YES ☐ NO

---

**From:** Dean Devoe <DDevoe@tullyconstruction.com>  
**Sent:** Friday, November 22, 2024 11:53 AM  
**To:** yazmeen@chemtech.net  
**Subject:** RE: SPDES November  
**Attachments:** 20241122115135706.pdf

Hi Yazmeen – I'd like to change the Hg to BTEX as indicated. Also, please send 2 jars for O&G. Thanks Dean

---

**From:** Dean Devoe  
**Sent:** Thursday, November 21, 2024 3:51 PM  
**To:** yazmeen@chemtech.net  
**Subject:** RE: SPDES November

Hi Yazmeen – On the way. I may make changes depending on results due today. Please forward when available. Thanks Dean

---

**From:** Dean Devoe  
**Sent:** Monday, November 18, 2024 10:36 AM  
**To:** [yazmeen@chemtech.net](mailto:yazmeen@chemtech.net)  
**Subject:** RE: SPDES November

Good morning Yazmeen – Please send glassware for 2 additional samples for metals, mercury and for BTEX. Thank you Dean

---

**From:** Yazmeen Gomez <[yazmeen@chemtech.net](mailto:yazmeen@chemtech.net)>  
**Sent:** Thursday, November 7, 2024 12:09 PM  
**To:** Dean Devoe <[DDevoe@tullyconstruction.com](mailto:DDevoe@tullyconstruction.com)>  
**Subject:** RE: SPDES November

\*\*\* Externally sourced E-Mail message \*\*\*

---

Dean,

All confirmed.

Best Regards,



**Yazmeen Gomez**  
Sr. Project Manager  
An Alliance Technical Group Company  
Main: 908-788-8800  
Direct: 908-728-3147  
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092  
[www.alliancetg.com](http://www.alliancetg.com)

---

**From:** Dean Devoe <[DDevoe@tullyconstruction.com](mailto:DDevoe@tullyconstruction.com)>  
**Sent:** Thursday, November 7, 2024 12:07 PM  
**To:** Yazmeen Gomez <[Yazmeen@chemtech.net](mailto:Yazmeen@chemtech.net)>  
**Subject:** FW: SPDES November

Good afternoon Yazmeen – Please confirm the samples arrived and that you can expedite including the mercury analysis. Thank you Dean

---

**From:** Dean Devoe  
**Sent:** Wednesday, November 6, 2024 4:46 PM  
**To:** Yazmeen Gomez <[Yazmeen@chemtech.net](mailto:Yazmeen@chemtech.net)>  
**Cc:** Matthew Ackerly <[MAckerly@tullyenvironmental.com](mailto:MAckerly@tullyenvironmental.com)>  
**Subject:** SPDES November

Hi Yazmeen - Samples are on the way – I did not receive glassware for the mercury analysis so please extract the sample from the TSS container. Please send monthly glassware for November – if that can be at the transfer station before noon tomorrow, that would be appreciated. Thanks Dean

Dean Devoe, PE  
Tully Environmental Inc.  
57 Seaview Blvd  
Port Washington NY 11050  
(718) 446 7000 x 298  
Cell 917 417 1524

**Laboratory Certification**

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

## LOGIN REPORT/SAMPLE TRANSFER

<b>Order ID :</b> P4967	<b>TULL01</b>	<b>Order Date :</b> 11/22/2024 11:12:00 AM	<b>Project Mgr :</b>
<b>Client Name :</b> Tully Environmental, Inc		<b>Project Name :</b> Transfer Station-SPDES	<b>Report Type :</b> Results Only
<b>Client Contact :</b> Dean Devoe		<b>Receive DateTime :</b> 11/22/2024 11:05:00 AM	<b>EDD Type :</b> EXCEL NOCLEANUP
<b>Invoice Name :</b> Tully Environmental, Inc		<b>Purchase Order :</b>	<b>Hard Copy Date :</b>
<b>Invoice Contact :</b> Dean Devoe			<b>Date Signoff :</b>

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
P4967-01	001-WILLETS-PT-BLVD	Water	11/21/2024	13:30	VOC-BTEX		624.1	<del>5</del> Bus. Days	1 Day
P4967-02	002-35TH-AVE	Water	11/21/2024	13:30	VOC-BTEX		624.1	<del>5</del> Bus. Days	1

Relinquished By :

Date / Time : 11/22/24 12:10

Received By :

Date / Time :

Storage Area : VOA Refridgerator Room