

Report of Analysis

Client:	Tully Environmental, Inc		Date Collected:	
Project:	Transfer Station-SPDES		Date Received:	
Client Sample ID:	VN1125WBS01		SDG No.:	P4967
Lab Sample ID:	VN1125WBS01		Matrix:	Water
Analytical Method:	E624.1		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-BTEX
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085023.D	1		11/25/24 11:35	VN112524

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
71-43-2	Benzene	18.4		0.69	5.00	ug/L
108-88-3	Toluene	18.2		0.72	5.00	ug/L
100-41-4	Ethyl Benzene	17.9		0.73	5.00	ug/L
179601-23-1	m/p-Xylenes	36.4		1.70	10.0	ug/L
95-47-6	o-Xylene	17.8		0.82	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	29.6		91 - 110	99%	SPK: 30
2037-26-5	Toluene-d8	29.5		91 - 112	98%	SPK: 30
460-00-4	4-Bromofluorobenzene	29.6		63 - 112	99%	SPK: 30
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	30000	7.806			
540-36-3	1,4-Difluorobenzene	160000	9.094			
3114-55-4	Chlorobenzene-d5	147000	11.865			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products