

USEPA CLP COC (LAB COPY)

CHAIN OF CUSTODY RECORD

No: 2-112224-093544-0014

Date Shipped: 11/22/2024

Lab: Alliance Technical Group LLC

Carrier Name: FedEx

Case #: 51879

Lab Contact: Mohammad Ahmed

Airbill No: 7701 5925 1073

Cooler #: 1

Lab Phone: 908-789-8900

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
P143-SB-03-Z12-18	MBHJ66	Soil		ICP-AES(35)	2034 (Wet ice < 6 C) (1)	P143-SB-03	11/18/2024 10:40	
P143-SB-03-Z18-24	MBHJ67	Soil		ICP-AES(35)	2035 (Wet ice < 6 C) (1)	P143-SB-03	11/18/2024 10:40	
P143-SB-03-Z24-30	MBHJ68	Soil		ICP-AES(35)	2036 (Wet ice < 6 C) (1)	P143-SB-03	11/18/2024 10:40	22
P143-SB-03-Z30-36	MBHJ69	Soil		ICP-AES(35)	2037 (Wet ice < 6 C) (1)	P143-SB-03	11/18/2024 10:40	
P143-SB-05-Z00-02	MBHJ91	Soil		ICP-AES(35)	2105 (Wet ice < 6 C) (1)	P143-SB-05	11/18/2024 10:50	
P143-SB-05-Z02-06	MBHJ92	Soil		ICP-AES(35)	2106 (Wet ice < 6 C) (1)	P143-SB-05	11/18/2024 10:50	
P143-SB-05-Z06-12	MBHJ93	Soil		ICP-AES(35)	2107 (Wet ice < 6 C) (1)	P143-SB-05	11/18/2024 10:50	
P143-SB-05-Z12-18	MBHJ94	Soil		ICP-AES(35)	2108 (Wet ice < 6 C) (1)	P143-SB-05	11/18/2024 10:50	
P143-SB-05-Z18-24	MBHJ95	Soil		ICP-AES(35)	2109 (Wet ice < 6 C) (1)	P143-SB-05	11/18/2024 10:50	
P143-SB-05-Z24-30	MBHJ96	Soil		ICP-AES(35)	2040 (Wet ice < 6 C) (1)	P143-SB-05	11/18/2024 10:50	

Sample(s) to be used for Lab QC: P143-SB-03-Z24-30 Tag 2036 - Special Instructions: Samples MBHJ49 and MBHJ68 are MS/MSDs. Samples MBHJ50, MBHJ91, MBHJ93, MBHJ92, MBHJ96, MBHJ94, MBHJ95, MBHJ54, MBHJ50, MBHJ51, MBHJ52, MBHJ53, MBHJ55, MBHJ63, MBHJ64, MBHJ65, MBHJ67, MBHJ68 and MBHJ69 have limited sample mass.

Shipment for Case Complete? N

Samples Transferred From Chain of Custody #

Analysis Key: ICP-AES=CLP Routine - SFAM01.1/LASD SOP C-109 Metals

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received By (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
2 Cooler		11/22/24 11/23/24	 Dem	11/23/24 10:00	2.8' IR Out #1 Top Blvd Parked Cody Sam Trunk

USEPA CLP COC (LAB COPY)

CHAIN OF CUSTODY RECORD

No: 2-112224-102051-0015

Date Shipped: 11/22/2024

Lab: Alliance Technical Group LLC

Carrier Name: FedEx

Case #: 51879

Lab Contact: Mohammed Ahmed

Airbill No: 7701 5925 0684

Cooler #: 2

Lab Phone: 908-789-8900

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
P143-SB-11-Z12-18	MBHJA1	Soil		ICP-AES(35)	2060 (Wet ice < 6 C) (1)	P143-SB-11	11/18/2024 11:20	
P143-SB-11-Z18-24	MBHJA2	Soil		ICP-AES(35)	2061 (Wet ice < 6 C) (1)	P143-SB-11	11/18/2024 11:20	
P143-SB-11-Z24-30	MBHJA3	Soil		ICP-AES(35)	2062 (Wet ice < 6 C) (1)	P143-SB-11	11/18/2024 11:20	
P143-SB-11-Z30-36	MBHJA4	Soil		ICP-AES(35)	2063 (Wet ice < 6 C) (1)	P143-SB-11	11/18/2024 11:20	
P143-SB-09-Z00-02	MBHJB7	Soil		ICP-AES(35)	2053 (Wet ice < 6 C) (1)	P143-SB-09	11/18/2024 11:30	
P143-SB-09-Z02-06	MBHJB8	Soil		ICP-AES(35)	2054 (Wet ice < 6 C) (1)	P143-SB-09	11/18/2024 11:30	
P143-SB-09-Z06-12	MBHJB9	Soil		ICP-AES(35)	2055 (Wet ice < 6 C) (1)	P143-SB-09	11/18/2024 11:30	
P143-SB-09-Z12-18	MBHJC0	Soil		ICP-AES(35)	2056 (Wet ice < 6 C) (1)	P143-SB-09	11/18/2024 11:30	
P143-SB-09-Z18-24	MBHJC1	Soil		ICP-AES(35)	2057 (Wet ice < 6 C) (1)	P143-SB-09	11/18/2024 11:30	
P143-SB-09-Z24-30	MBHJC2	Soil		ICP-AES(35)	2058 (Wet ice < 6 C) (1)	P143-SB-09	11/18/2024 11:30	

Special Instructions: Samples MBHJB7, MBHJB8, MBHJB9, MBHJC0, MBHJC1, MBHJC2, MBHJC3, MBHJ98, MBHJ99, MBHJA0, MBHJA1, MBHJA3, MBHJA4, MBHJ77, MBHJ78, MBHJ79, MBHJ80, MBHJ81, MBHJ82 and MBHJ83 have limited sample mass.

Shipment for Case Complete? N

Samples Transferred From Chain of Custody #

Analysis Key: ICP-AES=CLP Routine - SFAM01.1/LASASD SOP C-109 Metals

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
2 Cooler	 2024	11/22/24 1440	 Dem	11/23/24 10:00	2.4" TR Green #1
			 N/A	11/22/24	Temp bleed 9amm
					Custody Seal Torn