

SOP ID : M200.7-Trace Elements-22, MSFAM01.1-Trace Metals-2

SDG No : MBHHY3,MBHJ97

Start Digest Date: 11/27/2024 Time : 09:15 Temp : 96 °C

Matrix : WATER

End Digest Date: 11/27/2024 Time : 11:25 Temp : 96 °C


Pipette ID: ICP A

Digestion tube ID: M5595

Balance ID : N/A

Block thermometer ID: MET-DIG. #1

Filter paper ID : N/A

Dig Technician Signature: 

pH Strip ID : M6069

Supervisor Signature: 

Hood ID : #3

Temp : 1. 96°C 2. N/A

Block ID: 1. HOT BLOCK #1 2. N/A

Standard Name	MLS USED	STD REF. # FROM LOG
LCSW	0.50	MP83141
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
1:1 HNO3	1.00	MP83122
1:1 HCL	0.50	MP83105
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK#1 CELL #50: 96 C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
11/27/24 12:00	 Preparation Group	 Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
P4941-03	MBHHZ3	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	1
P4941-11	MBHJ48	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	2
P4983-22	MBHJH2	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	3
PB165289BL	PBW289	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	4
PB165289BS	LCS289	<2	50	50	Colorless	Colorless	Clear	Clear	MP83141	5