

Hit Summary Sheet
SW-846

SDG No.: P5001
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SPLP-C1-1							
P5001-01	SPLP-C1-1	WATER	Acetone	8.70	J	1.40	25.0	ug/L
P5001-01	SPLP-C1-1	WATER	Methyl Acetate	2.20	J	0.60	5.00	ug/L
P5001-01	SPLP-C1-1	WATER	Benzene	4.30	J	0.16	5.00	ug/L
P5001-01	SPLP-C1-1	WATER	Toluene	17.9		0.18	5.00	ug/L
P5001-01	SPLP-C1-1	WATER	Ethyl Benzene	61.2		0.16	5.00	ug/L
P5001-01	SPLP-C1-1	WATER	m/p-Xylenes	30.0		0.31	10.0	ug/L
P5001-01	SPLP-C1-1	WATER	o-Xylene	20.7		0.14	5.00	ug/L
P5001-01	SPLP-C1-1	WATER	Isopropylbenzene	3.40	J	0.13	5.00	ug/L
			Total Voc :		148			
			Total Concentration:		148			
Client ID:	SPLP-C1-1RE							
P5001-01RE	SPLP-C1-1RE	WATER	Acetone	8.80	J	1.40	25.0	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	Methyl Acetate	2.00	J	0.60	5.00	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	Benzene	4.20	J	0.16	5.00	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	Toluene	17.0		0.18	5.00	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	Ethyl Benzene	61.5		0.16	5.00	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	m/p-Xylenes	30.4		0.31	10.0	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	o-Xylene	21.4		0.14	5.00	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	Isopropylbenzene	3.30	J	0.13	5.00	ug/L
			Total Voc :		149			
			Total Concentration:		149			
Client ID:	SPLP-C1-2							
P5001-02	SPLP-C1-2	WATER	Acetone	9.80	J	1.40	25.0	ug/L
P5001-02	SPLP-C1-2	WATER	cis-1,2-Dichloroethene	2.60	J	0.25	5.00	ug/L
P5001-02	SPLP-C1-2	WATER	Benzene	23.6		0.16	5.00	ug/L
P5001-02	SPLP-C1-2	WATER	Toluene	56.6		0.18	5.00	ug/L
P5001-02	SPLP-C1-2	WATER	Ethyl Benzene	140		0.16	5.00	ug/L
P5001-02	SPLP-C1-2	WATER	m/p-Xylenes	66.3		0.31	10.0	ug/L
P5001-02	SPLP-C1-2	WATER	o-Xylene	46.3		0.14	5.00	ug/L
P5001-02	SPLP-C1-2	WATER	Isopropylbenzene	6.10		0.13	5.00	ug/L
			Total Voc :		351			
			Total Concentration:		351			
Client ID:	SPLP-C1-2RE							
P5001-02RE	SPLP-C1-2RE	WATER	Acetone	10.2	J	1.40	25.0	ug/L
P5001-02RE	SPLP-C1-2RE	WATER	cis-1,2-Dichloroethene	2.80	J	0.25	5.00	ug/L
P5001-02RE	SPLP-C1-2RE	WATER	Benzene	24.3		0.16	5.00	ug/L
P5001-02RE	SPLP-C1-2RE	WATER	Toluene	57.6		0.18	5.00	ug/L

Hit Summary Sheet SW-846

SDG No.: P5001
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5001-02RE	SPLP-C1-2RE	WATER	Ethyl Benzene	130		0.16	5.00	ug/L
P5001-02RE	SPLP-C1-2RE	WATER	m/p-Xylenes	64.5		0.31	10.0	ug/L
P5001-02RE	SPLP-C1-2RE	WATER	o-Xylene	45.4		0.14	5.00	ug/L
P5001-02RE	SPLP-C1-2RE	WATER	Isopropylbenzene	6.30		0.13	5.00	ug/L
Total Voc :				341				
Total Concentration:				341				
Client ID:	SPLP-C1-3							
P5001-03	SPLP-C1-3	WATER	Acetone	10.3	J	1.40	25.0	ug/L
P5001-03	SPLP-C1-3	WATER	cis-1,2-Dichloroethene	1.10	J	0.25	5.00	ug/L
P5001-03	SPLP-C1-3	WATER	Benzene	10.3		0.16	5.00	ug/L
P5001-03	SPLP-C1-3	WATER	Toluene	41.7		0.18	5.00	ug/L
P5001-03	SPLP-C1-3	WATER	Ethyl Benzene	130		0.16	5.00	ug/L
P5001-03	SPLP-C1-3	WATER	m/p-Xylenes	62.6		0.31	10.0	ug/L
P5001-03	SPLP-C1-3	WATER	o-Xylene	43.6		0.14	5.00	ug/L
P5001-03	SPLP-C1-3	WATER	Isopropylbenzene	6.20		0.13	5.00	ug/L
Total Voc :				306				
Total Concentration:				306				
Client ID:	SPLP-C1-3RE							
P5001-03RE	SPLP-C1-3RE	WATER	Acetone	10.6	J	1.40	25.0	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	cis-1,2-Dichloroethene	1.10	J	0.25	5.00	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	Benzene	9.80		0.16	5.00	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	Toluene	39.5		0.18	5.00	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	Ethyl Benzene	120		0.16	5.00	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	m/p-Xylenes	59.0		0.31	10.0	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	o-Xylene	41.0		0.14	5.00	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	Isopropylbenzene	5.70		0.13	5.00	ug/L
Total Voc :				287				
Total Concentration:				287				
Client ID:	SPLP-C2-1							
P5001-04	SPLP-C2-1	WATER	Acetone	28.6		1.40	25.0	ug/L
P5001-04	SPLP-C2-1	WATER	cis-1,2-Dichloroethene	54.4		0.25	5.00	ug/L
P5001-04	SPLP-C2-1	WATER	Benzene	8.10		0.16	5.00	ug/L
P5001-04	SPLP-C2-1	WATER	Trichloroethene	21.2		0.32	5.00	ug/L
P5001-04	SPLP-C2-1	WATER	Toluene	16.9		0.18	5.00	ug/L
P5001-04	SPLP-C2-1	WATER	Ethyl Benzene	44.7		0.16	5.00	ug/L
P5001-04	SPLP-C2-1	WATER	m/p-Xylenes	20.1		0.31	10.0	ug/L
P5001-04	SPLP-C2-1	WATER	o-Xylene	20.7		0.14	5.00	ug/L
P5001-04	SPLP-C2-1	WATER	Isopropylbenzene	3.00	J	0.13	5.00	ug/L

- A
- B**
- C
- D

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
			Total Voc :	218				
			Total Concentration:	218				
Client ID:	SPLP-C2-1RE							
P5001-04RE	SPLP-C2-1RE	WATER	Acetone	28.0		1.40	25.0	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	cis-1,2-Dichloroethene	52.9		0.25	5.00	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	Benzene	7.50		0.16	5.00	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	Trichloroethene	19.4		0.32	5.00	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	Toluene	15.6		0.18	5.00	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	Ethyl Benzene	43.2		0.16	5.00	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	m/p-Xylenes	19.1		0.31	10.0	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	o-Xylene	20.3		0.14	5.00	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	Isopropylbenzene	2.90	J	0.13	5.00	ug/L
			Total Voc :	209				
			Total Concentration:	209				
Client ID:	SPLP-C2-2							
P5001-05	SPLP-C2-2	WATER	Vinyl Chloride	1.00	J	0.34	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	Acetone	22.7	J	1.40	25.0	ug/L
P5001-05	SPLP-C2-2	WATER	cis-1,2-Dichloroethene	100		0.25	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	Benzene	45.4		0.16	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	Trichloroethene	12.2		0.32	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	Toluene	89.0		0.18	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	Ethyl Benzene	250	E	0.16	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	m/p-Xylenes	110		0.31	10.0	ug/L
P5001-05	SPLP-C2-2	WATER	o-Xylene	84.2		0.14	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	Isopropylbenzene	9.10		0.13	5.00	ug/L
			Total Voc :	724				
			Total Concentration:	724				
Client ID:	SPLP-C2-2DL							
P5001-05DL	SPLP-C2-2DL	WATER	cis-1,2-Dichloroethene	96.8	D	2.50	50.0	ug/L
P5001-05DL	SPLP-C2-2DL	WATER	Benzene	41.7	JD	1.60	50.0	ug/L
P5001-05DL	SPLP-C2-2DL	WATER	Trichloroethene	11.6	JD	3.20	50.0	ug/L
P5001-05DL	SPLP-C2-2DL	WATER	Toluene	78.8	D	1.80	50.0	ug/L
P5001-05DL	SPLP-C2-2DL	WATER	Ethyl Benzene	210	D	1.60	50.0	ug/L
P5001-05DL	SPLP-C2-2DL	WATER	m/p-Xylenes	90.8	JD	3.10	100	ug/L
P5001-05DL	SPLP-C2-2DL	WATER	o-Xylene	74.2	D	1.40	50.0	ug/L
			Total Voc :	604				
			Total Concentration:	604				
Client ID:	SPLP-C2-3							

Hit Summary Sheet
SW-846

SDG No.: P5001

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5001-06	SPLP-C2-3	WATER	Vinyl Chloride	6.00		0.34	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	Acetone	18.5	J	1.40	25.0	ug/L
P5001-06	SPLP-C2-3	WATER	cis-1,2-Dichloroethene	160	E	0.25	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	Benzene	100		0.16	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	Trichloroethene	16.9		0.32	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	Toluene	140		0.18	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	Ethyl Benzene	430	E	0.16	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	m/p-Xylenes	170		0.31	10.0	ug/L
P5001-06	SPLP-C2-3	WATER	o-Xylene	130		0.14	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	Isopropylbenzene	17.5		0.13	5.00	ug/L
Total Voc :				1190				
Total Concentration:				1190				
Client ID:	SPLP-C2-3DL							
P5001-06DL	SPLP-C2-3DL	WATER	cis-1,2-Dichloroethene	150	D	2.50	50.0	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	Benzene	100	D	1.60	50.0	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	Trichloroethene	17.1	JD	3.20	50.0	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	Toluene	140	D	1.80	50.0	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	Ethyl Benzene	410	D	1.60	50.0	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	m/p-Xylenes	150	D	3.10	100	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	o-Xylene	130	D	1.40	50.0	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	Isopropylbenzene	16.3	JD	1.30	50.0	ug/L
Total Voc :				1110				
Total Concentration:				1110				
Client ID:	SPLP-C3-1							
P5001-08	SPLP-C3-1	WATER	Acetone	17.4	J	1.40	25.0	ug/L
P5001-08	SPLP-C3-1	WATER	cis-1,2-Dichloroethene	7.50		0.25	5.00	ug/L
P5001-08	SPLP-C3-1	WATER	Benzene	2.70	J	0.16	5.00	ug/L
P5001-08	SPLP-C3-1	WATER	Trichloroethene	2.10	J	0.32	5.00	ug/L
P5001-08	SPLP-C3-1	WATER	Toluene	8.70		0.18	5.00	ug/L
P5001-08	SPLP-C3-1	WATER	Ethyl Benzene	33.8		0.16	5.00	ug/L
P5001-08	SPLP-C3-1	WATER	m/p-Xylenes	15.6		0.31	10.0	ug/L
P5001-08	SPLP-C3-1	WATER	o-Xylene	13.5		0.14	5.00	ug/L
P5001-08	SPLP-C3-1	WATER	Isopropylbenzene	2.20	J	0.13	5.00	ug/L
Total Voc :				104				
Total Concentration:				104				
Client ID:	SPLP-C3-1RE							
P5001-08RE	SPLP-C3-1RE	WATER	Acetone	19.0	J	1.40	25.0	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	cis-1,2-Dichloroethene	7.20		0.25	5.00	ug/L

Hit Summary Sheet SW-846

SDG No.: P5001

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5001-08RE	SPLP-C3-1RE	WATER	Benzene	2.70	J	0.16	5.00	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	Trichloroethene	2.00	J	0.32	5.00	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	Toluene	8.50		0.18	5.00	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	Ethyl Benzene	33.1		0.16	5.00	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	m/p-Xylenes	15.1		0.31	10.0	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	o-Xylene	13.3		0.14	5.00	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	Isopropylbenzene	2.20	J	0.13	5.00	ug/L
Total Voc :				103				
Total Concentration:				103				
Client ID:	SPLP-C3-2							
P5001-09	SPLP-C3-2	WATER	Acetone	46.4		1.40	25.0	ug/L
P5001-09	SPLP-C3-2	WATER	2-Butanone	7.40	J	1.30	25.0	ug/L
P5001-09	SPLP-C3-2	WATER	cis-1,2-Dichloroethene	69.3		0.25	5.00	ug/L
P5001-09	SPLP-C3-2	WATER	Benzene	92.6		0.16	5.00	ug/L
P5001-09	SPLP-C3-2	WATER	Trichloroethene	1.80	J	0.32	5.00	ug/L
P5001-09	SPLP-C3-2	WATER	Toluene	270	E	0.18	5.00	ug/L
P5001-09	SPLP-C3-2	WATER	Ethyl Benzene	460	E	0.16	5.00	ug/L
P5001-09	SPLP-C3-2	WATER	m/p-Xylenes	220		0.31	10.0	ug/L
P5001-09	SPLP-C3-2	WATER	o-Xylene	150	E	0.14	5.00	ug/L
P5001-09	SPLP-C3-2	WATER	Isopropylbenzene	17.8		0.13	5.00	ug/L
Total Voc :				1340				
Total Concentration:				1340				
Client ID:	SPLP-C3-2DL							
P5001-09DL	SPLP-C3-2DL	WATER	cis-1,2-Dichloroethene	58.3	D	2.50	50.0	ug/L
P5001-09DL	SPLP-C3-2DL	WATER	Benzene	82.4	D	1.60	50.0	ug/L
P5001-09DL	SPLP-C3-2DL	WATER	Toluene	230	D	1.80	50.0	ug/L
P5001-09DL	SPLP-C3-2DL	WATER	Ethyl Benzene	380	D	1.60	50.0	ug/L
P5001-09DL	SPLP-C3-2DL	WATER	m/p-Xylenes	180	D	3.10	100	ug/L
P5001-09DL	SPLP-C3-2DL	WATER	o-Xylene	130	D	1.40	50.0	ug/L
P5001-09DL	SPLP-C3-2DL	WATER	Isopropylbenzene	14.7	JD	1.30	50.0	ug/L
Total Voc :				1080				
Total Concentration:				1080				
Client ID:	SPLP-C3-3							
P5001-10	SPLP-C3-3	WATER	Acetone	12.1	J	1.40	25.0	ug/L
P5001-10	SPLP-C3-3	WATER	cis-1,2-Dichloroethene	8.00		0.25	5.00	ug/L
P5001-10	SPLP-C3-3	WATER	Benzene	52.0		0.16	5.00	ug/L
P5001-10	SPLP-C3-3	WATER	Toluene	74.3		0.18	5.00	ug/L
P5001-10	SPLP-C3-3	WATER	Ethyl Benzene	320	E	0.16	5.00	ug/L

Hit Summary Sheet SW-846

SDG No.: P5001
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5001-10	SPLP-C3-3	WATER	m/p-Xylenes	120		0.31	10.0	ug/L
P5001-10	SPLP-C3-3	WATER	o-Xylene	100		0.14	5.00	ug/L
P5001-10	SPLP-C3-3	WATER	Isopropylbenzene	14.1		0.13	5.00	ug/L
Total Voc :				701				
Total Concentration:				701				
Client ID:	SPLP-C3-3DL							
P5001-10DL	SPLP-C3-3DL	WATER	Benzene	44.4	JD	1.60	50.0	ug/L
P5001-10DL	SPLP-C3-3DL	WATER	Toluene	60.1	D	1.80	50.0	ug/L
P5001-10DL	SPLP-C3-3DL	WATER	Ethyl Benzene	250	D	1.60	50.0	ug/L
P5001-10DL	SPLP-C3-3DL	WATER	m/p-Xylenes	97.6	JD	3.10	100	ug/L
P5001-10DL	SPLP-C3-3DL	WATER	o-Xylene	81.9	D	1.40	50.0	ug/L
P5001-10DL	SPLP-C3-3DL	WATER	Isopropylbenzene	10.3	JD	1.30	50.0	ug/L
Total Voc :				544				
Total Concentration:				544				
Client ID:	SPLP-C4-1							
P5001-11	SPLP-C4-1	WATER	Acetone	17.8	J	1.40	25.0	ug/L
P5001-11	SPLP-C4-1	WATER	cis-1,2-Dichloroethene	4.50	J	0.25	5.00	ug/L
P5001-11	SPLP-C4-1	WATER	Ethyl Benzene	3.30	J	0.16	5.00	ug/L
P5001-11	SPLP-C4-1	WATER	o-Xylene	1.20	J	0.14	5.00	ug/L
Total Voc :				26.8				
Total Concentration:				26.8				
Client ID:	SPLP-C4-1RE							
P5001-11RE	SPLP-C4-1RE	WATER	Acetone	16.9	J	1.40	25.0	ug/L
P5001-11RE	SPLP-C4-1RE	WATER	cis-1,2-Dichloroethene	4.30	J	0.25	5.00	ug/L
P5001-11RE	SPLP-C4-1RE	WATER	Ethyl Benzene	2.30	J	0.16	5.00	ug/L
Total Voc :				23.5				
Total Concentration:				23.5				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-1		SDG No.:	P5001	
Lab Sample ID:	P5001-01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044031.D	1		11/27/24 11:36	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	8.70	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	2.20	J	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	4.30	J	0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	17.9		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-1		SDG No.:	P5001	
Lab Sample ID:	P5001-01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044031.D	1		11/27/24 11:36	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	61.2		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	30.0		0.31	10.0	ug/L
95-47-6	o-Xylene	20.7		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	3.40	J	0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.6		70 (74) - 130 (125)	103%	SPK: 50
1868-53-7	Dibromofluoromethane	34.8		70 (75) - 130 (124)	70%	SPK: 50
2037-26-5	Toluene-d8	51.6		70 (86) - 130 (113)	103%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.7		70 (77) - 130 (121)	103%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	113000	5.544			
540-36-3	1,4-Difluorobenzene	218000	6.757			
3114-55-4	Chlorobenzene-d5	202000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	89400	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-1		SDG No.:	P5001	
Lab Sample ID:	P5001-01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044031.D	1		11/27/24 11:36	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-1RE		SDG No.:	P5001	
Lab Sample ID:	P5001-01RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044069.D	1		12/02/24 16:24	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	8.80	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	2.00	J	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	4.20	J	0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	17.0		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-1RE		SDG No.:	P5001	
Lab Sample ID:	P5001-01RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044069.D	1		12/02/24 16:24	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	61.5		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	30.4		0.31	10.0	ug/L
95-47-6	o-Xylene	21.4		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	3.30	J	0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.7		70 (74) - 130 (125)	103%	SPK: 50
1868-53-7	Dibromofluoromethane	33.1	*	70 (75) - 130 (124)	66%	SPK: 50
2037-26-5	Toluene-d8	48.9		70 (86) - 130 (113)	98%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.8		70 (77) - 130 (121)	106%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	118000	5.55			
540-36-3	1,4-Difluorobenzene	232000	6.757			
3114-55-4	Chlorobenzene-d5	204000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	98500	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-2		SDG No.:	P5001	
Lab Sample ID:	P5001-02		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044032.D	1		11/27/24 11:59	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	9.80	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	2.60	J	0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	23.6		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	56.6		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-2		SDG No.:	P5001	
Lab Sample ID:	P5001-02		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044032.D	1		11/27/24 11:59	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	140		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	66.3		0.31	10.0	ug/L
95-47-6	o-Xylene	46.3		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	6.10		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	50.2		70 (74) - 130 (125)	100%	SPK: 50
1868-53-7	Dibromofluoromethane	33.8	*	70 (75) - 130 (124)	68%	SPK: 50
2037-26-5	Toluene-d8	49.4		70 (86) - 130 (113)	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.3		70 (77) - 130 (121)	101%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	123000	5.543			
540-36-3	1,4-Difluorobenzene	238000	6.757			
3114-55-4	Chlorobenzene-d5	208000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	98100	12.024			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-2		SDG No.:	P5001	
Lab Sample ID:	P5001-02		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044032.D	1		11/27/24 11:59	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-2RE		SDG No.:	P5001	
Lab Sample ID:	P5001-02RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044070.D	1		12/02/24 16:47	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	10.2	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	2.80	J	0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	24.3		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	57.6		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT	Date Collected:	11/25/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/25/24
Client Sample ID:	SPLP-C1-2RE	SDG No.:	P5001
Lab Sample ID:	P5001-02RE	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044070.D	1		12/02/24 16:47	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	130		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	64.5		0.31	10.0	ug/L
95-47-6	o-Xylene	45.4		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	6.30		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.0		70 (74) - 130 (125)	104%	SPK: 50
1868-53-7	Dibromofluoromethane	33.7	*	70 (75) - 130 (124)	67%	SPK: 50
2037-26-5	Toluene-d8	50.4		70 (86) - 130 (113)	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.6		70 (77) - 130 (121)	103%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	120000	5.543			
540-36-3	1,4-Difluorobenzene	236000	6.757			
3114-55-4	Chlorobenzene-d5	212000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	96600	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-2RE		SDG No.:	P5001	
Lab Sample ID:	P5001-02RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044070.D	1		12/02/24 16:47	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-3		SDG No.:	P5001	
Lab Sample ID:	P5001-03		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044033.D	1		11/27/24 12:22	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	10.3	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	1.10	J	0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	10.3		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	41.7		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-3		SDG No.:	P5001	
Lab Sample ID:	P5001-03		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044033.D	1		11/27/24 12:22	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	130		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	62.6		0.31	10.0	ug/L
95-47-6	o-Xylene	43.6		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	6.20		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	49.4		70 (74) - 130 (125)	99%	SPK: 50
1868-53-7	Dibromofluoromethane	31.5	*	70 (75) - 130 (124)	63%	SPK: 50
2037-26-5	Toluene-d8	50.2		70 (86) - 130 (113)	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.0		70 (77) - 130 (121)	104%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	121000	5.55			
540-36-3	1,4-Difluorobenzene	227000	6.757			
3114-55-4	Chlorobenzene-d5	204000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	99000	12.024			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-3		SDG No.:	P5001	
Lab Sample ID:	P5001-03		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044033.D	1		11/27/24 12:22	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-3RE		SDG No.:	P5001	
Lab Sample ID:	P5001-03RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044071.D	1		12/02/24 17:10	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	10.6	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	1.10	J	0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	9.80		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	39.5		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-3RE		SDG No.:	P5001	
Lab Sample ID:	P5001-03RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044071.D	1		12/02/24 17:10	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	120		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	59.0		0.31	10.0	ug/L
95-47-6	o-Xylene	41.0		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	5.70		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	50.9		70 (74) - 130 (125)	102%	SPK: 50
1868-53-7	Dibromofluoromethane	31.7	*	70 (75) - 130 (124)	63%	SPK: 50
2037-26-5	Toluene-d8	50.1		70 (86) - 130 (113)	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.8		70 (77) - 130 (121)	106%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	122000	5.544			
540-36-3	1,4-Difluorobenzene	237000	6.757			
3114-55-4	Chlorobenzene-d5	212000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	101000	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C1-3RE		SDG No.:	P5001	
Lab Sample ID:	P5001-03RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044071.D	1		12/02/24 17:10	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C2-1		SDG No.:	P5001	
Lab Sample ID:	P5001-04		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044034.D	1		11/27/24 12:45	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	28.6		1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	54.4		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	8.10		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	21.2		0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	16.9		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C2-1		SDG No.:	P5001	
Lab Sample ID:	P5001-04		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044034.D	1		11/27/24 12:45	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	44.7		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	20.1		0.31	10.0	ug/L
95-47-6	o-Xylene	20.7		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	3.00	J	0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	48.7		70 (74) - 130 (125)	97%	SPK: 50
1868-53-7	Dibromofluoromethane	26.5	*	70 (75) - 130 (124)	53%	SPK: 50
2037-26-5	Toluene-d8	50.5		70 (86) - 130 (113)	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.4		70 (77) - 130 (121)	107%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	117000	5.544			
540-36-3	1,4-Difluorobenzene	223000	6.757			
3114-55-4	Chlorobenzene-d5	200000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	95800	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C2-1		SDG No.:	P5001	
Lab Sample ID:	P5001-04		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044034.D	1		11/27/24 12:45	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C2-1RE		SDG No.:	P5001	
Lab Sample ID:	P5001-04RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044072.D	1		12/02/24 17:32	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	28.0		1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	52.9		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	7.50		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	19.4		0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	15.6		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT	Date Collected:	11/25/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/25/24
Client Sample ID:	SPLP-C2-1RE	SDG No.:	P5001
Lab Sample ID:	P5001-04RE	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044072.D	1		12/02/24 17:32	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	43.2		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	19.1		0.31	10.0	ug/L
95-47-6	o-Xylene	20.3		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	2.90	J	0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	50.7		70 (74) - 130 (125)	101%	SPK: 50
1868-53-7	Dibromofluoromethane	28.9	*	70 (75) - 130 (124)	58%	SPK: 50
2037-26-5	Toluene-d8	50.4		70 (86) - 130 (113)	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.5		70 (77) - 130 (121)	105%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	119000	5.544			
540-36-3	1,4-Difluorobenzene	231000	6.757			
3114-55-4	Chlorobenzene-d5	205000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	97300	12.018			

Report of Analysis

Client:	ENTACT	Date Collected:	11/25/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/25/24
Client Sample ID:	SPLP-C2-1RE	SDG No.:	P5001
Lab Sample ID:	P5001-04RE	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044072.D	1		12/02/24 17:32	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	11/25/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/25/24
Client Sample ID:	SPLP-C2-2	SDG No.:	P5001
Lab Sample ID:	P5001-05	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044035.D	1		11/27/24 13:08	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	1.00	J	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	22.7	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	100		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	45.4		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	12.2		0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	89.0		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C2-2		SDG No.:	P5001	
Lab Sample ID:	P5001-05		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044035.D	1		11/27/24 13:08	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	250	E	0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	110		0.31	10.0	ug/L
95-47-6	o-Xylene	84.2		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	9.10		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	49.7		70 (74) - 130 (125)	99%	SPK: 50
1868-53-7	Dibromofluoromethane	29.9	*	70 (75) - 130 (124)	60%	SPK: 50
2037-26-5	Toluene-d8	49.0		70 (86) - 130 (113)	98%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.3		70 (77) - 130 (121)	101%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	117000	5.543			
540-36-3	1,4-Difluorobenzene	228000	6.757			
3114-55-4	Chlorobenzene-d5	194000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	96300	12.024			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C2-2		SDG No.:	P5001	
Lab Sample ID:	P5001-05		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044035.D	1		11/27/24 13:08	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	11/25/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/25/24
Client Sample ID:	SPLP-C2-2DL	SDG No.:	P5001
Lab Sample ID:	P5001-05DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044065.D	10		12/02/24 14:52	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	2.10	UD	2.10	50.0	ug/L
74-87-3	Chloromethane	3.50	UD	3.50	50.0	ug/L
75-01-4	Vinyl Chloride	3.40	UD	3.40	50.0	ug/L
74-83-9	Bromomethane	13.6	UD	13.6	50.0	ug/L
75-00-3	Chloroethane	5.60	UD	5.60	50.0	ug/L
75-69-4	Trichlorofluoromethane	3.40	UD	3.40	50.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2.50	UD	2.50	50.0	ug/L
75-35-4	1,1-Dichloroethene	2.60	UD	2.60	50.0	ug/L
67-64-1	Acetone	13.9	UD	13.9	250	ug/L
75-15-0	Carbon Disulfide	3.20	UD	3.20	50.0	ug/L
1634-04-4	Methyl tert-butyl Ether	1.60	UD	1.60	50.0	ug/L
79-20-9	Methyl Acetate	6.00	UD	6.00	50.0	ug/L
75-09-2	Methylene Chloride	3.20	UD	3.20	50.0	ug/L
156-60-5	trans-1,2-Dichloroethene	2.50	UD	2.50	50.0	ug/L
75-34-3	1,1-Dichloroethane	2.30	UD	2.30	50.0	ug/L
110-82-7	Cyclohexane	16.2	UD	16.2	50.0	ug/L
78-93-3	2-Butanone	13.0	UD	13.0	250	ug/L
56-23-5	Carbon Tetrachloride	2.50	UD	2.50	50.0	ug/L
156-59-2	cis-1,2-Dichloroethene	96.8	D	2.50	50.0	ug/L
74-97-5	Bromochloromethane	1.80	UD	1.80	50.0	ug/L
67-66-3	Chloroform	2.60	UD	2.60	50.0	ug/L
71-55-6	1,1,1-Trichloroethane	1.90	UD	1.90	50.0	ug/L
108-87-2	Methylcyclohexane	1.90	UD	1.90	50.0	ug/L
71-43-2	Benzene	41.7	JD	1.60	50.0	ug/L
107-06-2	1,2-Dichloroethane	2.40	UD	2.40	50.0	ug/L
79-01-6	Trichloroethene	11.6	JD	3.20	50.0	ug/L
78-87-5	1,2-Dichloropropane	1.90	UD	1.90	50.0	ug/L
75-27-4	Bromodichloromethane	2.40	UD	2.40	50.0	ug/L
108-10-1	4-Methyl-2-Pentanone	7.50	UD	7.50	250	ug/L
108-88-3	Toluene	78.8	D	1.80	50.0	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C2-2DL		SDG No.:	P5001	
Lab Sample ID:	P5001-05DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044065.D	10		12/02/24 14:52	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	2.10	UD	2.10	50.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.80	UD	1.80	50.0	ug/L
79-00-5	1,1,2-Trichloroethane	2.10	UD	2.10	50.0	ug/L
591-78-6	2-Hexanone	11.3	UD	11.3	250	ug/L
124-48-1	Dibromochloromethane	1.80	UD	1.80	50.0	ug/L
106-93-4	1,2-Dibromoethane	1.60	UD	1.60	50.0	ug/L
127-18-4	Tetrachloroethene	2.50	UD	2.50	50.0	ug/L
108-90-7	Chlorobenzene	1.30	UD	1.30	50.0	ug/L
100-41-4	Ethyl Benzene	210	D	1.60	50.0	ug/L
179601-23-1	m/p-Xylenes	90.8	JD	3.10	100	ug/L
95-47-6	o-Xylene	74.2	D	1.40	50.0	ug/L
100-42-5	Styrene	1.60	UD	1.60	50.0	ug/L
75-25-2	Bromoform	2.10	UD	2.10	50.0	ug/L
98-82-8	Isopropylbenzene	1.30	UD	1.30	50.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	2.70	UD	2.70	50.0	ug/L
541-73-1	1,3-Dichlorobenzene	2.40	UD	2.40	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	2.70	UD	2.70	50.0	ug/L
95-50-1	1,2-Dichlorobenzene	1.90	UD	1.90	50.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	4.60	UD	4.60	50.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	4.20	UD	4.20	50.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	5.10	UD	5.10	50.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.9		70 (74) - 130 (125)	104%	SPK: 50
1868-53-7	Dibromofluoromethane	45.7		70 (75) - 130 (124)	91%	SPK: 50
2037-26-5	Toluene-d8	49.3		70 (86) - 130 (113)	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.1		70 (77) - 130 (121)	102%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	123000	5.544			
540-36-3	1,4-Difluorobenzene	242000	6.757			
3114-55-4	Chlorobenzene-d5	211000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	99300	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C2-2DL		SDG No.:	P5001	
Lab Sample ID:	P5001-05DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044065.D	10		12/02/24 14:52	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	11/25/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/25/24
Client Sample ID:	SPLP-C2-3	SDG No.:	P5001
Lab Sample ID:	P5001-06	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044036.D	1		11/27/24 13:31	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	6.00		0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	18.5	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	160	E	0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	100		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	16.9		0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	140		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C2-3		SDG No.:	P5001	
Lab Sample ID:	P5001-06		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044036.D	1		11/27/24 13:31	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	430	E	0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	170		0.31	10.0	ug/L
95-47-6	o-Xylene	130		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	17.5		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	49.8		70 (74) - 130 (125)	100%	SPK: 50
1868-53-7	Dibromofluoromethane	30.8	*	70 (75) - 130 (124)	62%	SPK: 50
2037-26-5	Toluene-d8	50.5		70 (86) - 130 (113)	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.1		70 (77) - 130 (121)	104%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	118000	5.55			
540-36-3	1,4-Difluorobenzene	225000	6.757			
3114-55-4	Chlorobenzene-d5	200000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	94700	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C2-3		SDG No.:	P5001	
Lab Sample ID:	P5001-06		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044036.D	1		11/27/24 13:31	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	11/25/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/25/24
Client Sample ID:	SPLP-C2-3DL	SDG No.:	P5001
Lab Sample ID:	P5001-06DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044066.D	10		12/02/24 15:15	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	2.10	UD	2.10	50.0	ug/L
74-87-3	Chloromethane	3.50	UD	3.50	50.0	ug/L
75-01-4	Vinyl Chloride	3.40	UD	3.40	50.0	ug/L
74-83-9	Bromomethane	13.6	UD	13.6	50.0	ug/L
75-00-3	Chloroethane	5.60	UD	5.60	50.0	ug/L
75-69-4	Trichlorofluoromethane	3.40	UD	3.40	50.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2.50	UD	2.50	50.0	ug/L
75-35-4	1,1-Dichloroethene	2.60	UD	2.60	50.0	ug/L
67-64-1	Acetone	13.9	UD	13.9	250	ug/L
75-15-0	Carbon Disulfide	3.20	UD	3.20	50.0	ug/L
1634-04-4	Methyl tert-butyl Ether	1.60	UD	1.60	50.0	ug/L
79-20-9	Methyl Acetate	6.00	UD	6.00	50.0	ug/L
75-09-2	Methylene Chloride	3.20	UD	3.20	50.0	ug/L
156-60-5	trans-1,2-Dichloroethene	2.50	UD	2.50	50.0	ug/L
75-34-3	1,1-Dichloroethane	2.30	UD	2.30	50.0	ug/L
110-82-7	Cyclohexane	16.2	UD	16.2	50.0	ug/L
78-93-3	2-Butanone	13.0	UD	13.0	250	ug/L
56-23-5	Carbon Tetrachloride	2.50	UD	2.50	50.0	ug/L
156-59-2	cis-1,2-Dichloroethene	150	D	2.50	50.0	ug/L
74-97-5	Bromochloromethane	1.80	UD	1.80	50.0	ug/L
67-66-3	Chloroform	2.60	UD	2.60	50.0	ug/L
71-55-6	1,1,1-Trichloroethane	1.90	UD	1.90	50.0	ug/L
108-87-2	Methylcyclohexane	1.90	UD	1.90	50.0	ug/L
71-43-2	Benzene	100	D	1.60	50.0	ug/L
107-06-2	1,2-Dichloroethane	2.40	UD	2.40	50.0	ug/L
79-01-6	Trichloroethene	17.1	JD	3.20	50.0	ug/L
78-87-5	1,2-Dichloropropane	1.90	UD	1.90	50.0	ug/L
75-27-4	Bromodichloromethane	2.40	UD	2.40	50.0	ug/L
108-10-1	4-Methyl-2-Pentanone	7.50	UD	7.50	250	ug/L
108-88-3	Toluene	140	D	1.80	50.0	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C2-3DL		SDG No.:	P5001	
Lab Sample ID:	P5001-06DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044066.D	10		12/02/24 15:15	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	2.10	UD	2.10	50.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.80	UD	1.80	50.0	ug/L
79-00-5	1,1,2-Trichloroethane	2.10	UD	2.10	50.0	ug/L
591-78-6	2-Hexanone	11.3	UD	11.3	250	ug/L
124-48-1	Dibromochloromethane	1.80	UD	1.80	50.0	ug/L
106-93-4	1,2-Dibromoethane	1.60	UD	1.60	50.0	ug/L
127-18-4	Tetrachloroethene	2.50	UD	2.50	50.0	ug/L
108-90-7	Chlorobenzene	1.30	UD	1.30	50.0	ug/L
100-41-4	Ethyl Benzene	410	D	1.60	50.0	ug/L
179601-23-1	m/p-Xylenes	150	D	3.10	100	ug/L
95-47-6	o-Xylene	130	D	1.40	50.0	ug/L
100-42-5	Styrene	1.60	UD	1.60	50.0	ug/L
75-25-2	Bromoform	2.10	UD	2.10	50.0	ug/L
98-82-8	Isopropylbenzene	16.3	JD	1.30	50.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	2.70	UD	2.70	50.0	ug/L
541-73-1	1,3-Dichlorobenzene	2.40	UD	2.40	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	2.70	UD	2.70	50.0	ug/L
95-50-1	1,2-Dichlorobenzene	1.90	UD	1.90	50.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	4.60	UD	4.60	50.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	4.20	UD	4.20	50.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	5.10	UD	5.10	50.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.2		70 (74) - 130 (125)	102%	SPK: 50
1868-53-7	Dibromofluoromethane	45.6		70 (75) - 130 (124)	91%	SPK: 50
2037-26-5	Toluene-d8	50.4		70 (86) - 130 (113)	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.8		70 (77) - 130 (121)	106%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	120000	5.55			
540-36-3	1,4-Difluorobenzene	232000	6.757			
3114-55-4	Chlorobenzene-d5	204000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	95400	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C3-1		SDG No.:	P5001	
Lab Sample ID:	P5001-08		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044037.D	1		11/27/24 13:54	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	17.4	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	7.50		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	2.70	J	0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	2.10	J	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	8.70		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C3-1		SDG No.:	P5001	
Lab Sample ID:	P5001-08		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044037.D	1		11/27/24 13:54	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	33.8		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	15.6		0.31	10.0	ug/L
95-47-6	o-Xylene	13.5		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	2.20	J	0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	49.6		70 (74) - 130 (125)	99%	SPK: 50
1868-53-7	Dibromofluoromethane	29.9	*	70 (75) - 130 (124)	60%	SPK: 50
2037-26-5	Toluene-d8	49.4		70 (86) - 130 (113)	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.7		70 (77) - 130 (121)	105%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	118000	5.544			
540-36-3	1,4-Difluorobenzene	227000	6.757			
3114-55-4	Chlorobenzene-d5	201000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	94800	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C3-1		SDG No.:	P5001	
Lab Sample ID:	P5001-08		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044037.D	1		11/27/24 13:54	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C3-1RE		SDG No.:	P5001	
Lab Sample ID:	P5001-08RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044073.D	1		12/02/24 17:55	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	19.0	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	7.20		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	2.70	J	0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	2.00	J	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	8.50		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C3-1RE		SDG No.:	P5001	
Lab Sample ID:	P5001-08RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044073.D	1		12/02/24 17:55	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	33.1		0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	15.1		0.31	10.0	ug/L
95-47-6	o-Xylene	13.3		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	2.20	J	0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.1		70 (74) - 130 (125)	102%	SPK: 50
1868-53-7	Dibromofluoromethane	30.4	*	70 (75) - 130 (124)	61%	SPK: 50
2037-26-5	Toluene-d8	50.1		70 (86) - 130 (113)	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.7		70 (77) - 130 (121)	105%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	114000	5.55			
540-36-3	1,4-Difluorobenzene	222000	6.757			
3114-55-4	Chlorobenzene-d5	199000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	93000	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C3-1RE		SDG No.:	P5001	
Lab Sample ID:	P5001-08RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044073.D	1		12/02/24 17:55	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	11/25/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/25/24
Client Sample ID:	SPLP-C3-2	SDG No.:	P5001
Lab Sample ID:	P5001-09	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044038.D	1		11/27/24 14:16	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	46.4		1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	7.40	J	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	69.3		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	92.6		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	1.80	J	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	270	E	0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT	Date Collected:	11/25/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/25/24
Client Sample ID:	SPLP-C3-2	SDG No.:	P5001
Lab Sample ID:	P5001-09	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044038.D	1		11/27/24 14:16	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	460	E	0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	220		0.31	10.0	ug/L
95-47-6	o-Xylene	150	E	0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	17.8		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	50.2		70 (74) - 130 (125)	100%	SPK: 50
1868-53-7	Dibromofluoromethane	29.7	*	70 (75) - 130 (124)	59%	SPK: 50
2037-26-5	Toluene-d8	49.8		70 (86) - 130 (113)	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.8		70 (77) - 130 (121)	104%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	118000	5.544			
540-36-3	1,4-Difluorobenzene	228000	6.757			
3114-55-4	Chlorobenzene-d5	201000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	95300	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C3-2		SDG No.:	P5001	
Lab Sample ID:	P5001-09		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044038.D	1		11/27/24 14:16	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT	Date Collected:	11/25/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/25/24
Client Sample ID:	SPLP-C3-2DL	SDG No.:	P5001
Lab Sample ID:	P5001-09DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044067.D	10		12/02/24 15:38	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	2.10	UD	2.10	50.0	ug/L
74-87-3	Chloromethane	3.50	UD	3.50	50.0	ug/L
75-01-4	Vinyl Chloride	3.40	UD	3.40	50.0	ug/L
74-83-9	Bromomethane	13.6	UD	13.6	50.0	ug/L
75-00-3	Chloroethane	5.60	UD	5.60	50.0	ug/L
75-69-4	Trichlorofluoromethane	3.40	UD	3.40	50.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2.50	UD	2.50	50.0	ug/L
75-35-4	1,1-Dichloroethene	2.60	UD	2.60	50.0	ug/L
67-64-1	Acetone	13.9	UD	13.9	250	ug/L
75-15-0	Carbon Disulfide	3.20	UD	3.20	50.0	ug/L
1634-04-4	Methyl tert-butyl Ether	1.60	UD	1.60	50.0	ug/L
79-20-9	Methyl Acetate	6.00	UD	6.00	50.0	ug/L
75-09-2	Methylene Chloride	3.20	UD	3.20	50.0	ug/L
156-60-5	trans-1,2-Dichloroethene	2.50	UD	2.50	50.0	ug/L
75-34-3	1,1-Dichloroethane	2.30	UD	2.30	50.0	ug/L
110-82-7	Cyclohexane	16.2	UD	16.2	50.0	ug/L
78-93-3	2-Butanone	13.0	UD	13.0	250	ug/L
56-23-5	Carbon Tetrachloride	2.50	UD	2.50	50.0	ug/L
156-59-2	cis-1,2-Dichloroethene	58.3	D	2.50	50.0	ug/L
74-97-5	Bromochloromethane	1.80	UD	1.80	50.0	ug/L
67-66-3	Chloroform	2.60	UD	2.60	50.0	ug/L
71-55-6	1,1,1-Trichloroethane	1.90	UD	1.90	50.0	ug/L
108-87-2	Methylcyclohexane	1.90	UD	1.90	50.0	ug/L
71-43-2	Benzene	82.4	D	1.60	50.0	ug/L
107-06-2	1,2-Dichloroethane	2.40	UD	2.40	50.0	ug/L
79-01-6	Trichloroethene	3.20	UD	3.20	50.0	ug/L
78-87-5	1,2-Dichloropropane	1.90	UD	1.90	50.0	ug/L
75-27-4	Bromodichloromethane	2.40	UD	2.40	50.0	ug/L
108-10-1	4-Methyl-2-Pentanone	7.50	UD	7.50	250	ug/L
108-88-3	Toluene	230	D	1.80	50.0	ug/L

Report of Analysis

Client:	ENTACT	Date Collected:	11/25/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/25/24
Client Sample ID:	SPLP-C3-2DL	SDG No.:	P5001
Lab Sample ID:	P5001-09DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044067.D	10		12/02/24 15:38	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	2.10	UD	2.10	50.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.80	UD	1.80	50.0	ug/L
79-00-5	1,1,2-Trichloroethane	2.10	UD	2.10	50.0	ug/L
591-78-6	2-Hexanone	11.3	UD	11.3	250	ug/L
124-48-1	Dibromochloromethane	1.80	UD	1.80	50.0	ug/L
106-93-4	1,2-Dibromoethane	1.60	UD	1.60	50.0	ug/L
127-18-4	Tetrachloroethene	2.50	UD	2.50	50.0	ug/L
108-90-7	Chlorobenzene	1.30	UD	1.30	50.0	ug/L
100-41-4	Ethyl Benzene	380	D	1.60	50.0	ug/L
179601-23-1	m/p-Xylenes	180	D	3.10	100	ug/L
95-47-6	o-Xylene	130	D	1.40	50.0	ug/L
100-42-5	Styrene	1.60	UD	1.60	50.0	ug/L
75-25-2	Bromoform	2.10	UD	2.10	50.0	ug/L
98-82-8	Isopropylbenzene	14.7	JD	1.30	50.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	2.70	UD	2.70	50.0	ug/L
541-73-1	1,3-Dichlorobenzene	2.40	UD	2.40	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	2.70	UD	2.70	50.0	ug/L
95-50-1	1,2-Dichlorobenzene	1.90	UD	1.90	50.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	4.60	UD	4.60	50.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	4.20	UD	4.20	50.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	5.10	UD	5.10	50.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.1		70 (74) - 130 (125)	102%	SPK: 50
1868-53-7	Dibromofluoromethane	47.5		70 (75) - 130 (124)	95%	SPK: 50
2037-26-5	Toluene-d8	51.2		70 (86) - 130 (113)	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.4		70 (77) - 130 (121)	105%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	128000	5.544			
540-36-3	1,4-Difluorobenzene	243000	6.757			
3114-55-4	Chlorobenzene-d5	216000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	101000	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C3-2DL		SDG No.:	P5001	
Lab Sample ID:	P5001-09DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044067.D	10		12/02/24 15:38	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C3-3		SDG No.:	P5001	
Lab Sample ID:	P5001-10		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044039.D	1		11/27/24 14:39	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	12.1	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	8.00		0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	52.0		0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	74.3		0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT	Date Collected:	11/25/24
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/25/24
Client Sample ID:	SPLP-C3-3	SDG No.:	P5001
Lab Sample ID:	P5001-10	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044039.D	1		11/27/24 14:39	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	320	E	0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	120		0.31	10.0	ug/L
95-47-6	o-Xylene	100		0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	14.1		0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.4		70 (74) - 130 (125)	103%	SPK: 50
1868-53-7	Dibromofluoromethane	30.1	*	70 (75) - 130 (124)	60%	SPK: 50
2037-26-5	Toluene-d8	50.3		70 (86) - 130 (113)	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.8		70 (77) - 130 (121)	104%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	115000	5.549			
540-36-3	1,4-Difluorobenzene	221000	6.757			
3114-55-4	Chlorobenzene-d5	196000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	90500	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C3-3		SDG No.:	P5001	
Lab Sample ID:	P5001-10		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044039.D	1		11/27/24 14:39	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C3-3DL		SDG No.:	P5001	
Lab Sample ID:	P5001-10DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044068.D	10		12/02/24 16:01	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	2.10	UD	2.10	50.0	ug/L
74-87-3	Chloromethane	3.50	UD	3.50	50.0	ug/L
75-01-4	Vinyl Chloride	3.40	UD	3.40	50.0	ug/L
74-83-9	Bromomethane	13.6	UD	13.6	50.0	ug/L
75-00-3	Chloroethane	5.60	UD	5.60	50.0	ug/L
75-69-4	Trichlorofluoromethane	3.40	UD	3.40	50.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2.50	UD	2.50	50.0	ug/L
75-35-4	1,1-Dichloroethene	2.60	UD	2.60	50.0	ug/L
67-64-1	Acetone	13.9	UD	13.9	250	ug/L
75-15-0	Carbon Disulfide	3.20	UD	3.20	50.0	ug/L
1634-04-4	Methyl tert-butyl Ether	1.60	UD	1.60	50.0	ug/L
79-20-9	Methyl Acetate	6.00	UD	6.00	50.0	ug/L
75-09-2	Methylene Chloride	3.20	UD	3.20	50.0	ug/L
156-60-5	trans-1,2-Dichloroethene	2.50	UD	2.50	50.0	ug/L
75-34-3	1,1-Dichloroethane	2.30	UD	2.30	50.0	ug/L
110-82-7	Cyclohexane	16.2	UD	16.2	50.0	ug/L
78-93-3	2-Butanone	13.0	UD	13.0	250	ug/L
56-23-5	Carbon Tetrachloride	2.50	UD	2.50	50.0	ug/L
156-59-2	cis-1,2-Dichloroethene	2.50	UD	2.50	50.0	ug/L
74-97-5	Bromochloromethane	1.80	UD	1.80	50.0	ug/L
67-66-3	Chloroform	2.60	UD	2.60	50.0	ug/L
71-55-6	1,1,1-Trichloroethane	1.90	UD	1.90	50.0	ug/L
108-87-2	Methylcyclohexane	1.90	UD	1.90	50.0	ug/L
71-43-2	Benzene	44.4	JD	1.60	50.0	ug/L
107-06-2	1,2-Dichloroethane	2.40	UD	2.40	50.0	ug/L
79-01-6	Trichloroethene	3.20	UD	3.20	50.0	ug/L
78-87-5	1,2-Dichloropropane	1.90	UD	1.90	50.0	ug/L
75-27-4	Bromodichloromethane	2.40	UD	2.40	50.0	ug/L
108-10-1	4-Methyl-2-Pentanone	7.50	UD	7.50	250	ug/L
108-88-3	Toluene	60.1	D	1.80	50.0	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C3-3DL		SDG No.:	P5001	
Lab Sample ID:	P5001-10DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044068.D	10		12/02/24 16:01	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	2.10	UD	2.10	50.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.80	UD	1.80	50.0	ug/L
79-00-5	1,1,2-Trichloroethane	2.10	UD	2.10	50.0	ug/L
591-78-6	2-Hexanone	11.3	UD	11.3	250	ug/L
124-48-1	Dibromochloromethane	1.80	UD	1.80	50.0	ug/L
106-93-4	1,2-Dibromoethane	1.60	UD	1.60	50.0	ug/L
127-18-4	Tetrachloroethene	2.50	UD	2.50	50.0	ug/L
108-90-7	Chlorobenzene	1.30	UD	1.30	50.0	ug/L
100-41-4	Ethyl Benzene	250	D	1.60	50.0	ug/L
179601-23-1	m/p-Xylenes	97.6	JD	3.10	100	ug/L
95-47-6	o-Xylene	81.9	D	1.40	50.0	ug/L
100-42-5	Styrene	1.60	UD	1.60	50.0	ug/L
75-25-2	Bromoform	2.10	UD	2.10	50.0	ug/L
98-82-8	Isopropylbenzene	10.3	JD	1.30	50.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	2.70	UD	2.70	50.0	ug/L
541-73-1	1,3-Dichlorobenzene	2.40	UD	2.40	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	2.70	UD	2.70	50.0	ug/L
95-50-1	1,2-Dichlorobenzene	1.90	UD	1.90	50.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	4.60	UD	4.60	50.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	4.20	UD	4.20	50.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	5.10	UD	5.10	50.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.2		70 (74) - 130 (125)	102%	SPK: 50
1868-53-7	Dibromofluoromethane	45.2		70 (75) - 130 (124)	90%	SPK: 50
2037-26-5	Toluene-d8	49.9		70 (86) - 130 (113)	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.9		70 (77) - 130 (121)	102%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	126000	5.544			
540-36-3	1,4-Difluorobenzene	247000	6.757			
3114-55-4	Chlorobenzene-d5	215000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	102000	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C3-3DL		SDG No.:	P5001	
Lab Sample ID:	P5001-10DL		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044068.D	10		12/02/24 16:01	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C4-1		SDG No.:	P5001	
Lab Sample ID:	P5001-11		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044040.D	1		11/27/24 15:02	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	17.8	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	4.50	J	0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	0.16	U	0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	0.18	U	0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C4-1		SDG No.:	P5001	
Lab Sample ID:	P5001-11		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044040.D	1		11/27/24 15:02	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	3.30	J	0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	0.31	U	0.31	10.0	ug/L
95-47-6	o-Xylene	1.20	J	0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	0.13	U	0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.1		70 (74) - 130 (125)	104%	SPK: 50
1868-53-7	Dibromofluoromethane	33.2	*	70 (75) - 130 (124)	66%	SPK: 50
2037-26-5	Toluene-d8	50.5		70 (86) - 130 (113)	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.3		70 (77) - 130 (121)	107%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	114000	5.544			
540-36-3	1,4-Difluorobenzene	223000	6.757			
3114-55-4	Chlorobenzene-d5	203000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	88700	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C4-1		SDG No.:	P5001	
Lab Sample ID:	P5001-11		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044040.D	1		11/27/24 15:02	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C4-1RE		SDG No.:	P5001	
Lab Sample ID:	P5001-11RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044074.D	1		12/02/24 18:18	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	5.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	5.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	5.00	ug/L
67-64-1	Acetone	16.9	J	1.40	25.0	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	5.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	4.30	J	0.25	5.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	5.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	5.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	5.00	ug/L
71-43-2	Benzene	0.16	U	0.16	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	5.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	5.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	25.0	ug/L
108-88-3	Toluene	0.18	U	0.18	5.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:	11/25/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/25/24	
Client Sample ID:	SPLP-C4-1RE		SDG No.:	P5001	
Lab Sample ID:	P5001-11RE		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044074.D	1		12/02/24 18:18	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	5.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	5.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	5.00	ug/L
100-41-4	Ethyl Benzene	2.30	J	0.16	5.00	ug/L
179601-23-1	m/p-Xylenes	0.31	U	0.31	10.0	ug/L
95-47-6	o-Xylene	0.14	U	0.14	5.00	ug/L
100-42-5	Styrene	0.16	U	0.16	5.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	5.00	ug/L
98-82-8	Isopropylbenzene	0.13	U	0.13	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.3		70 (74) - 130 (125)	105%	SPK: 50
1868-53-7	Dibromofluoromethane	34.5	*	70 (75) - 130 (124)	69%	SPK: 50
2037-26-5	Toluene-d8	49.4		70 (86) - 130 (113)	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.1		70 (77) - 130 (121)	102%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	119000	5.55			
540-36-3	1,4-Difluorobenzene	232000	6.757			
3114-55-4	Chlorobenzene-d5	201000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	88000	12.018			

LAB CHRONICLE

OrderID:	P5001	OrderDate:	11/25/2024 3:29:57 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L51

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5001-01	SPLP-C1-1	Water			11/25/24			11/25/24
			SPLP VOA	8260D			11/27/24	
P5001-01RE	SPLP-C1-1RE	Water			11/25/24			11/25/24
			SPLP VOA	8260D			12/02/24	
P5001-02	SPLP-C1-2	Water			11/25/24			11/25/24
			SPLP VOA	8260D			11/27/24	
P5001-02RE	SPLP-C1-2RE	Water			11/25/24			11/25/24
			SPLP VOA	8260D			12/02/24	
P5001-03	SPLP-C1-3	Water			11/25/24			11/25/24
			SPLP VOA	8260D			11/27/24	
P5001-03RE	SPLP-C1-3RE	Water			11/25/24			11/25/24
			SPLP VOA	8260D			12/02/24	
P5001-04	SPLP-C2-1	Water			11/25/24			11/25/24
			SPLP VOA	8260D			11/27/24	
P5001-04RE	SPLP-C2-1RE	Water			11/25/24			11/25/24
			SPLP VOA	8260D			12/02/24	
P5001-05	SPLP-C2-2	Water			11/25/24			11/25/24
			SPLP VOA	8260D			11/27/24	
P5001-05DL	SPLP-C2-2DL	Water			11/25/24			11/25/24
			SPLP VOA	8260D			12/02/24	
P5001-06	SPLP-C2-3	Water			11/25/24			11/25/24
			SPLP VOA	8260D			11/27/24	
P5001-06DL	SPLP-C2-3DL	Water			11/25/24			11/25/24

LAB CHRONICLE

			SPLP VOA	8260D	12/02/24	
P5001-08	SPLP-C3-1	Water			11/25/24	11/25/24
			SPLP VOA	8260D	11/27/24	
P5001-08RE	SPLP-C3-1RE	Water			11/25/24	11/25/24
			SPLP VOA	8260D	12/02/24	
P5001-09	SPLP-C3-2	Water			11/25/24	11/25/24
			SPLP VOA	8260D	11/27/24	
P5001-09DL	SPLP-C3-2DL	Water			11/25/24	11/25/24
			SPLP VOA	8260D	12/02/24	
P5001-10	SPLP-C3-3	Water			11/25/24	11/25/24
			SPLP VOA	8260D	11/27/24	
P5001-10DL	SPLP-C3-3DL	Water			11/25/24	11/25/24
			SPLP VOA	8260D	12/02/24	
P5001-11	SPLP-C4-1	Water			11/25/24	11/25/24
			SPLP VOA	8260D	11/27/24	
P5001-11RE	SPLP-C4-1RE	Water			11/25/24	11/25/24
			SPLP VOA	8260D	12/02/24	