

Report of Analysis

Client:	ENTACT		Date Collected:		
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:		
Client Sample ID:	VX1127WBSD01		SDG No.:	P5001	
Lab Sample ID:	VX1127WBSD01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044041.D	1		11/27/24 15:25	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	16.1		0.21	1.00	ug/L
74-87-3	Chloromethane	15.3		0.35	1.00	ug/L
75-01-4	Vinyl Chloride	16.2		0.34	1.00	ug/L
74-83-9	Bromomethane	18.6		1.40	5.00	ug/L
75-00-3	Chloroethane	19.4		0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	16.7		0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	17.6		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	17.1		0.26	1.00	ug/L
67-64-1	Acetone	72.1		1.40	5.00	ug/L
75-15-0	Carbon Disulfide	13.1		0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	19.8		0.16	1.00	ug/L
79-20-9	Methyl Acetate	19.9		0.60	1.00	ug/L
75-09-2	Methylene Chloride	17.8		0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	17.5		0.25	1.00	ug/L
75-34-3	1,1-Dichloroethane	18.6		0.23	1.00	ug/L
110-82-7	Cyclohexane	17.3		1.60	5.00	ug/L
78-93-3	2-Butanone	87.3		1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	16.4		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	18.4		0.25	1.00	ug/L
74-97-5	Bromochloromethane	17.4		0.18	1.00	ug/L
67-66-3	Chloroform	18.9		0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	19.0		0.19	1.00	ug/L
108-87-2	Methylcyclohexane	15.8		0.19	1.00	ug/L
71-43-2	Benzene	17.4		0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	18.7		0.24	1.00	ug/L
79-01-6	Trichloroethene	14.9		0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	18.2		0.19	1.00	ug/L
75-27-4	Bromodichloromethane	17.5		0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	91.3		0.75	5.00	ug/L
108-88-3	Toluene	18.4		0.18	1.00	ug/L

Report of Analysis

Client:	ENTACT		Date Collected:		
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:		
Client Sample ID:	VX1127WBSD01		SDG No.:	P5001	
Lab Sample ID:	VX1127WBSD01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044041.D	1		11/27/24 15:25	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	17.2		0.21	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	17.2		0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	17.7		0.21	1.00	ug/L
591-78-6	2-Hexanone	88.6		1.10	5.00	ug/L
124-48-1	Dibromochloromethane	15.9		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	17.9		0.16	1.00	ug/L
127-18-4	Tetrachloroethene	18.8		0.25	1.00	ug/L
108-90-7	Chlorobenzene	17.4		0.13	1.00	ug/L
100-41-4	Ethyl Benzene	18.5		0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	36.1		0.31	2.00	ug/L
95-47-6	o-Xylene	18.8		0.14	1.00	ug/L
100-42-5	Styrene	18.0		0.16	1.00	ug/L
75-25-2	Bromoform	14.7		0.21	1.00	ug/L
98-82-8	Isopropylbenzene	18.8		0.13	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	18.2		0.27	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	17.8		0.24	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	17.7		0.27	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	18.3		0.19	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	16.9		0.46	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	16.8		0.42	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	16.9		0.51	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.5		70 (74) - 130 (125)	103%	SPK: 50
1868-53-7	Dibromofluoromethane	46.2		70 (75) - 130 (124)	92%	SPK: 50
2037-26-5	Toluene-d8	47.1		70 (86) - 130 (113)	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	48.5		70 (77) - 130 (121)	97%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	127000	5.544			
540-36-3	1,4-Difluorobenzene	240000	6.757			
3114-55-4	Chlorobenzene-d5	206000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	92100	12.018			

Report of Analysis

Client:	ENTACT		Date Collected:		
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:		
Client Sample ID:	VX1127WBSD01		SDG No.:	P5001	
Lab Sample ID:	VX1127WBSD01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044041.D	1		11/27/24 15:25	VX112724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products