

Hit Summary Sheet
SW-846

SDG No.: P5001

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SPLP-C1-1							
P5001-01	SPLP-C1-1	WATER	Acetone	8.70	J	1.40	25.0	ug/L
P5001-01	SPLP-C1-1	WATER	Methyl Acetate	2.20	J	0.60	5.00	ug/L
P5001-01	SPLP-C1-1	WATER	Benzene	4.30	J	0.16	5.00	ug/L
P5001-01	SPLP-C1-1	WATER	Toluene	17.9		0.18	5.00	ug/L
P5001-01	SPLP-C1-1	WATER	Ethyl Benzene	61.2		0.16	5.00	ug/L
P5001-01	SPLP-C1-1	WATER	m/p-Xylenes	30.0		0.31	10.0	ug/L
P5001-01	SPLP-C1-1	WATER	o-Xylene	20.7		0.14	5.00	ug/L
P5001-01	SPLP-C1-1	WATER	Isopropylbenzene	3.40	J	0.13	5.00	ug/L
Total Voc :				148				
Total Concentration:				148				
Client ID:	SPLP-C1-1RE							
P5001-01RE	SPLP-C1-1RE	WATER	Acetone	8.80	J	1.40	25.0	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	Methyl Acetate	2.00	J	0.60	5.00	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	Benzene	4.20	J	0.16	5.00	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	Toluene	17.0		0.18	5.00	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	Ethyl Benzene	61.5		0.16	5.00	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	m/p-Xylenes	30.4		0.31	10.0	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	o-Xylene	21.4		0.14	5.00	ug/L
P5001-01RE	SPLP-C1-1RE	WATER	Isopropylbenzene	3.30	J	0.13	5.00	ug/L
Total Voc :				149				
Total Concentration:				149				
Client ID:	SPLP-C1-2							
P5001-02	SPLP-C1-2	WATER	Acetone	9.80	J	1.40	25.0	ug/L
P5001-02	SPLP-C1-2	WATER	cis-1,2-Dichloroethene	2.60	J	0.25	5.00	ug/L
P5001-02	SPLP-C1-2	WATER	Benzene	23.6		0.16	5.00	ug/L
P5001-02	SPLP-C1-2	WATER	Toluene	56.6		0.18	5.00	ug/L
P5001-02	SPLP-C1-2	WATER	Ethyl Benzene	140		0.16	5.00	ug/L
P5001-02	SPLP-C1-2	WATER	m/p-Xylenes	66.3		0.31	10.0	ug/L
P5001-02	SPLP-C1-2	WATER	o-Xylene	46.3		0.14	5.00	ug/L
P5001-02	SPLP-C1-2	WATER	Isopropylbenzene	6.10		0.13	5.00	ug/L
Total Voc :				351				
Total Concentration:				351				
Client ID:	SPLP-C1-2RE							
P5001-02RE	SPLP-C1-2RE	WATER	Acetone	10.2	J	1.40	25.0	ug/L
P5001-02RE	SPLP-C1-2RE	WATER	cis-1,2-Dichloroethene	2.80	J	0.25	5.00	ug/L
P5001-02RE	SPLP-C1-2RE	WATER	Benzene	24.3		0.16	5.00	ug/L
P5001-02RE	SPLP-C1-2RE	WATER	Toluene	57.6		0.18	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5001

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5001-02RE	SPLP-C1-2RE	WATER	Ethyl Benzene	130		0.16	5.00	ug/L
P5001-02RE	SPLP-C1-2RE	WATER	m/p-Xylenes	64.5		0.31	10.0	ug/L
P5001-02RE	SPLP-C1-2RE	WATER	o-Xylene	45.4		0.14	5.00	ug/L
P5001-02RE	SPLP-C1-2RE	WATER	Isopropylbenzene	6.30		0.13	5.00	ug/L
Total Voc :				341				
Total Concentration:				341				
Client ID:	SPLP-C1-3							
P5001-03	SPLP-C1-3	WATER	Acetone	10.3	J	1.40	25.0	ug/L
P5001-03	SPLP-C1-3	WATER	cis-1,2-Dichloroethene	1.10	J	0.25	5.00	ug/L
P5001-03	SPLP-C1-3	WATER	Benzene	10.3		0.16	5.00	ug/L
P5001-03	SPLP-C1-3	WATER	Toluene	41.7		0.18	5.00	ug/L
P5001-03	SPLP-C1-3	WATER	Ethyl Benzene	130		0.16	5.00	ug/L
P5001-03	SPLP-C1-3	WATER	m/p-Xylenes	62.6		0.31	10.0	ug/L
P5001-03	SPLP-C1-3	WATER	o-Xylene	43.6		0.14	5.00	ug/L
P5001-03	SPLP-C1-3	WATER	Isopropylbenzene	6.20		0.13	5.00	ug/L
Total Voc :				306				
Total Concentration:				306				
Client ID:	SPLP-C1-3RE							
P5001-03RE	SPLP-C1-3RE	WATER	Acetone	10.6	J	1.40	25.0	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	cis-1,2-Dichloroethene	1.10	J	0.25	5.00	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	Benzene	9.80		0.16	5.00	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	Toluene	39.5		0.18	5.00	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	Ethyl Benzene	120		0.16	5.00	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	m/p-Xylenes	59.0		0.31	10.0	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	o-Xylene	41.0		0.14	5.00	ug/L
P5001-03RE	SPLP-C1-3RE	WATER	Isopropylbenzene	5.70		0.13	5.00	ug/L
Total Voc :				287				
Total Concentration:				287				
Client ID:	SPLP-C2-1							
P5001-04	SPLP-C2-1	WATER	Acetone	28.6		1.40	25.0	ug/L
P5001-04	SPLP-C2-1	WATER	cis-1,2-Dichloroethene	54.4		0.25	5.00	ug/L
P5001-04	SPLP-C2-1	WATER	Benzene	8.10		0.16	5.00	ug/L
P5001-04	SPLP-C2-1	WATER	Trichloroethene	21.2		0.32	5.00	ug/L
P5001-04	SPLP-C2-1	WATER	Toluene	16.9		0.18	5.00	ug/L
P5001-04	SPLP-C2-1	WATER	Ethyl Benzene	44.7		0.16	5.00	ug/L
P5001-04	SPLP-C2-1	WATER	m/p-Xylenes	20.1		0.31	10.0	ug/L
P5001-04	SPLP-C2-1	WATER	o-Xylene	20.7		0.14	5.00	ug/L
P5001-04	SPLP-C2-1	WATER	Isopropylbenzene	3.00	J	0.13	5.00	ug/L



SDG No.:	P5001
Client:	ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
			Total Voc :	218				
			Total Concentration:	218				
Client ID:	SPLP-C2-1RE							
P5001-04RE	SPLP-C2-1RE	WATER	Acetone	28.0		1.40	25.0	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	cis-1,2-Dichloroethene	52.9		0.25	5.00	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	Benzene	7.50		0.16	5.00	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	Trichloroethene	19.4		0.32	5.00	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	Toluene	15.6		0.18	5.00	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	Ethyl Benzene	43.2		0.16	5.00	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	m/p-Xylenes	19.1		0.31	10.0	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	o-Xylene	20.3		0.14	5.00	ug/L
P5001-04RE	SPLP-C2-1RE	WATER	Isopropylbenzene	2.90	J	0.13	5.00	ug/L
			Total Voc :	209				
			Total Concentration:	209				
Client ID:	SPLP-C2-2							
P5001-05	SPLP-C2-2	WATER	Vinyl Chloride	1.00	J	0.34	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	Acetone	22.7	J	1.40	25.0	ug/L
P5001-05	SPLP-C2-2	WATER	cis-1,2-Dichloroethene	100		0.25	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	Benzene	45.4		0.16	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	Trichloroethene	12.2		0.32	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	Toluene	89.0		0.18	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	Ethyl Benzene	250	E	0.16	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	m/p-Xylenes	110		0.31	10.0	ug/L
P5001-05	SPLP-C2-2	WATER	o-Xylene	84.2		0.14	5.00	ug/L
P5001-05	SPLP-C2-2	WATER	Isopropylbenzene	9.10		0.13	5.00	ug/L
			Total Voc :	724				
			Total Concentration:	724				
Client ID:	SPLP-C2-2DL							
P5001-05DL	SPLP-C2-2DL	WATER	cis-1,2-Dichloroethene	96.8	D	2.50	50.0	ug/L
P5001-05DL	SPLP-C2-2DL	WATER	Benzene	41.7	JD	1.60	50.0	ug/L
P5001-05DL	SPLP-C2-2DL	WATER	Trichloroethene	11.6	JD	3.20	50.0	ug/L
P5001-05DL	SPLP-C2-2DL	WATER	Toluene	78.8	D	1.80	50.0	ug/L
P5001-05DL	SPLP-C2-2DL	WATER	Ethyl Benzene	210	D	1.60	50.0	ug/L
P5001-05DL	SPLP-C2-2DL	WATER	m/p-Xylenes	90.8	JD	3.10	100	ug/L
P5001-05DL	SPLP-C2-2DL	WATER	o-Xylene	74.2	D	1.40	50.0	ug/L
			Total Voc :	604				
			Total Concentration:	604				
Client ID:	SPLP-C2-3							

Hit Summary Sheet
SW-846

SDG No.: P5001
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5001-06	SPLP-C2-3	WATER	Vinyl Chloride	6.00		0.34	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	Acetone	18.5	J	1.40	25.0	ug/L
P5001-06	SPLP-C2-3	WATER	cis-1,2-Dichloroethene	160	E	0.25	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	Benzene	100		0.16	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	Trichloroethene	16.9		0.32	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	Toluene	140		0.18	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	Ethyl Benzene	430	E	0.16	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	m/p-Xylenes	170		0.31	10.0	ug/L
P5001-06	SPLP-C2-3	WATER	o-Xylene	130		0.14	5.00	ug/L
P5001-06	SPLP-C2-3	WATER	Isopropylbenzene	17.5		0.13	5.00	ug/L
Total Voc :				1190				
Total Concentration:				1190				
Client ID:	SPLP-C2-3DL							
P5001-06DL	SPLP-C2-3DL	WATER	cis-1,2-Dichloroethene	150	D	2.50	50.0	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	Benzene	100	D	1.60	50.0	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	Trichloroethene	17.1	JD	3.20	50.0	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	Toluene	140	D	1.80	50.0	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	Ethyl Benzene	410	D	1.60	50.0	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	m/p-Xylenes	150	D	3.10	100	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	o-Xylene	130	D	1.40	50.0	ug/L
P5001-06DL	SPLP-C2-3DL	WATER	Isopropylbenzene	16.3	JD	1.30	50.0	ug/L
Total Voc :				1110				
Total Concentration:				1110				
Client ID:	SPLP-C3-1							
P5001-08	SPLP-C3-1	WATER	Acetone	17.4	J	1.40	25.0	ug/L
P5001-08	SPLP-C3-1	WATER	cis-1,2-Dichloroethene	7.50		0.25	5.00	ug/L
P5001-08	SPLP-C3-1	WATER	Benzene	2.70	J	0.16	5.00	ug/L
P5001-08	SPLP-C3-1	WATER	Trichloroethene	2.10	J	0.32	5.00	ug/L
P5001-08	SPLP-C3-1	WATER	Toluene	8.70		0.18	5.00	ug/L
P5001-08	SPLP-C3-1	WATER	Ethyl Benzene	33.8		0.16	5.00	ug/L
P5001-08	SPLP-C3-1	WATER	m/p-Xylenes	15.6		0.31	10.0	ug/L
P5001-08	SPLP-C3-1	WATER	o-Xylene	13.5		0.14	5.00	ug/L
P5001-08	SPLP-C3-1	WATER	Isopropylbenzene	2.20	J	0.13	5.00	ug/L
Total Voc :				104				
Total Concentration:				104				
Client ID:	SPLP-C3-1RE							
P5001-08RE	SPLP-C3-1RE	WATER	Acetone	19.0	J	1.40	25.0	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	cis-1,2-Dichloroethene	7.20		0.25	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5001

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5001-08RE	SPLP-C3-1RE	WATER	Benzene	2.70	J	0.16	5.00	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	Trichloroethene	2.00	J	0.32	5.00	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	Toluene	8.50		0.18	5.00	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	Ethyl Benzene	33.1		0.16	5.00	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	m/p-Xylenes	15.1		0.31	10.0	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	o-Xylene	13.3		0.14	5.00	ug/L
P5001-08RE	SPLP-C3-1RE	WATER	Isopropylbenzene	2.20	J	0.13	5.00	ug/L
Total Voc :				103				
Total Concentration:				103				
Client ID:	SPLP-C3-2							
P5001-09	SPLP-C3-2	WATER	Acetone	46.4		1.40	25.0	ug/L
P5001-09	SPLP-C3-2	WATER	2-Butanone	7.40	J	1.30	25.0	ug/L
P5001-09	SPLP-C3-2	WATER	cis-1,2-Dichloroethene	69.3		0.25	5.00	ug/L
P5001-09	SPLP-C3-2	WATER	Benzene	92.6		0.16	5.00	ug/L
P5001-09	SPLP-C3-2	WATER	Trichloroethene	1.80	J	0.32	5.00	ug/L
P5001-09	SPLP-C3-2	WATER	Toluene	270	E	0.18	5.00	ug/L
P5001-09	SPLP-C3-2	WATER	Ethyl Benzene	460	E	0.16	5.00	ug/L
P5001-09	SPLP-C3-2	WATER	m/p-Xylenes	220		0.31	10.0	ug/L
P5001-09	SPLP-C3-2	WATER	o-Xylene	150	E	0.14	5.00	ug/L
P5001-09	SPLP-C3-2	WATER	Isopropylbenzene	17.8		0.13	5.00	ug/L
Total Voc :				1340				
Total Concentration:				1340				
Client ID:	SPLP-C3-2DL							
P5001-09DL	SPLP-C3-2DL	WATER	cis-1,2-Dichloroethene	58.3	D	2.50	50.0	ug/L
P5001-09DL	SPLP-C3-2DL	WATER	Benzene	82.4	D	1.60	50.0	ug/L
P5001-09DL	SPLP-C3-2DL	WATER	Toluene	230	D	1.80	50.0	ug/L
P5001-09DL	SPLP-C3-2DL	WATER	Ethyl Benzene	380	D	1.60	50.0	ug/L
P5001-09DL	SPLP-C3-2DL	WATER	m/p-Xylenes	180	D	3.10	100	ug/L
P5001-09DL	SPLP-C3-2DL	WATER	o-Xylene	130	D	1.40	50.0	ug/L
P5001-09DL	SPLP-C3-2DL	WATER	Isopropylbenzene	14.7	JD	1.30	50.0	ug/L
Total Voc :				1080				
Total Concentration:				1080				
Client ID:	SPLP-C3-3							
P5001-10	SPLP-C3-3	WATER	Acetone	12.1	J	1.40	25.0	ug/L
P5001-10	SPLP-C3-3	WATER	cis-1,2-Dichloroethene	8.00		0.25	5.00	ug/L
P5001-10	SPLP-C3-3	WATER	Benzene	52.0		0.16	5.00	ug/L
P5001-10	SPLP-C3-3	WATER	Toluene	74.3		0.18	5.00	ug/L
P5001-10	SPLP-C3-3	WATER	Ethyl Benzene	320	E	0.16	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5001

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5001-10	SPLP-C3-3	WATER	m/p-Xylenes	120		0.31	10.0	ug/L
P5001-10	SPLP-C3-3	WATER	o-Xylene	100		0.14	5.00	ug/L
P5001-10	SPLP-C3-3	WATER	Isopropylbenzene	14.1		0.13	5.00	ug/L
Total Voc :				701				
Total Concentration:				701				
Client ID:	SPLP-C3-3DL							
P5001-10DL	SPLP-C3-3DL	WATER	Benzene	44.4	JD	1.60	50.0	ug/L
P5001-10DL	SPLP-C3-3DL	WATER	Toluene	60.1	D	1.80	50.0	ug/L
P5001-10DL	SPLP-C3-3DL	WATER	Ethyl Benzene	250	D	1.60	50.0	ug/L
P5001-10DL	SPLP-C3-3DL	WATER	m/p-Xylenes	97.6	JD	3.10	100	ug/L
P5001-10DL	SPLP-C3-3DL	WATER	o-Xylene	81.9	D	1.40	50.0	ug/L
P5001-10DL	SPLP-C3-3DL	WATER	Isopropylbenzene	10.3	JD	1.30	50.0	ug/L
Total Voc :				544				
Total Concentration:				544				
Client ID:	SPLP-C4-1							
P5001-11	SPLP-C4-1	WATER	Acetone	17.8	J	1.40	25.0	ug/L
P5001-11	SPLP-C4-1	WATER	cis-1,2-Dichloroethene	4.50	J	0.25	5.00	ug/L
P5001-11	SPLP-C4-1	WATER	Ethyl Benzene	3.30	J	0.16	5.00	ug/L
P5001-11	SPLP-C4-1	WATER	o-Xylene	1.20	J	0.14	5.00	ug/L
Total Voc :				26.8				
Total Concentration:				26.8				
Client ID:	SPLP-C4-1RE							
P5001-11RE	SPLP-C4-1RE	WATER	Acetone	16.9	J	1.40	25.0	ug/L
P5001-11RE	SPLP-C4-1RE	WATER	cis-1,2-Dichloroethene	4.30	J	0.25	5.00	ug/L
P5001-11RE	SPLP-C4-1RE	WATER	Ethyl Benzene	2.30	J	0.16	5.00	ug/L
Total Voc :				23.5				
Total Concentration:				23.5				