

**- COVER PAGE -
ANALYSIS DATA PACKAGE**

Client: ENTACT

SDG No.: P5006 Method Type: EPA SW846 8260 SOW No.: _____

Contract: ENTA05 Lab Code: CHEM Case No.: P5006 SAS No.: P5006

Lab Sample ID	Client Sample ID	QC Description
<u>P5006-01</u>	<u>SPLP-C4-2</u>	_____
<u>P5006-01RE</u>	<u>SPLP-C4-2RE</u>	_____
<u>P5006-02</u>	<u>SPLP-C4-3</u>	_____
<u>P5006-03</u>	<u>SPLP-C5-1</u>	_____
<u>P5006-03RE</u>	<u>SPLP-C5-1RE</u>	_____
<u>P5006-04</u>	<u>SPLP-C5-2</u>	_____
<u>P5006-04RE</u>	<u>SPLP-C5-2RE</u>	_____
<u>P5006-05</u>	<u>SPLP-C5-3</u>	_____
<u>P5006-05RE</u>	<u>SPLP-C5-3RE</u>	_____
<u>P5006-06</u>	<u>SPLP-C6-1</u>	_____
<u>P5006-06RE</u>	<u>SPLP-C6-1RE</u>	_____
<u>P5006-07</u>	<u>SPLP-C6-2</u>	_____
<u>P5006-08</u>	<u>SPLP-C6-3</u>	_____
<u>P5006-08RE</u>	<u>SPLP-C6-3RE</u>	_____
<u>P5006-09</u>	<u>SPLP-C10-1</u>	_____
<u>P5006-09DL</u>	<u>SPLP-C10-1DL</u>	_____
<u>P5006-10</u>	<u>SPLP-C10-2</u>	_____
<u>P5006-10DL</u>	<u>SPLP-C10-2DL</u>	_____
<u>P5006-11</u>	<u>SPLP-C10-3</u>	_____
<u>P5006-11DL</u>	<u>SPLP-C10-3DL</u>	_____
<u>P5006-12</u>	<u>SPLP-C11-1</u>	_____
<u>P5006-12DL</u>	<u>SPLP-C11-1DL</u>	_____

Comments: _____

Signature: _____ Name: shreena

Date: _____ Title: Analyst

- COVER PAGE -
ANALYSIS DATA PACKAGE

Client: ENTACT

SDG No.: P5006 Method Type: EPA SW846 8260 SOW No.: _____

Contract: ENTA05 Lab Code: CHEM Case No.: P5006 SAS No.: P5006

Lab Sample ID	Client Sample ID	QC Description
<u>P5006-13</u>	<u>SPLP-C11-2</u>	_____
<u>P5006-13RE</u>	<u>SPLP-C11-2RE</u>	_____
<u>P5006-14</u>	<u>SPLP-C11-3</u>	_____
<u>P5006-14RE</u>	<u>SPLP-C11-3RE</u>	_____
<u>P5006-15</u>	<u>SPLP-C12-1</u>	_____
<u>P5006-15RE</u>	<u>SPLP-C12-1RE</u>	_____
<u>P5006-16</u>	<u>SPLP-C12-2</u>	_____
<u>P5006-16RE</u>	<u>SPLP-C12-2RE</u>	_____
<u>P5006-17</u>	<u>SPLP-C12-3</u>	_____
<u>P5006-17RE</u>	<u>SPLP-C12-3RE</u>	_____
<u>VX1202WBL01</u>	<u>VX1202WBL01</u>	<u>Method Blank</u>
<u>VX1202WBS01</u>	<u>VX1202WBS01</u>	<u>Laboratory Control Sample</u>
<u>VX1202WBSD01</u>	<u>VX1202WBSD01</u>	<u>Laboratory Control Sample Duplicate</u>
<u>VX1203WBL01</u>	<u>VX1203WBL01</u>	<u>Method Blank</u>
<u>VX1203WBS01</u>	<u>VX1203WBS01</u>	<u>Laboratory Control Sample</u>
<u>VX1204WBL01</u>	<u>VX1204WBL01</u>	<u>Method Blank</u>
<u>VX1204WBS01</u>	<u>VX1204WBS01</u>	<u>Laboratory Control Sample</u>

Comments: _____

Signature: _____ Name: shreena

Date: _____ Title: Analyst

Comments: _____

Signature: _____ **Name:** shreena

Date: _____ **Title:** Analyst