

Hit Summary Sheet SW-846

SDG No.: P5006

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SPLP-C4-2							
P5006-01	SPLP-C4-2	WATER	Acetone	31.5		1.40	25.0	ug/L
P5006-01	SPLP-C4-2	WATER	cis-1,2-Dichloroethene	8.00		0.25	5.00	ug/L
P5006-01	SPLP-C4-2	WATER	Benzene	2.00	J	0.16	5.00	ug/L
P5006-01	SPLP-C4-2	WATER	Ethyl Benzene	6.70		0.16	5.00	ug/L
P5006-01	SPLP-C4-2	WATER	o-Xylene	1.90	J	0.14	5.00	ug/L
			Total Voc :	50.1				
			Total Concentration:	50.1				
Client ID:	SPLP-C4-2RE							
P5006-01RE	SPLP-C4-2RE	WATER	Acetone	29.4		1.40	25.0	ug/L
P5006-01RE	SPLP-C4-2RE	WATER	Methyl Acetate	1.00	J	0.60	5.00	ug/L
P5006-01RE	SPLP-C4-2RE	WATER	cis-1,2-Dichloroethene	7.80		0.25	5.00	ug/L
P5006-01RE	SPLP-C4-2RE	WATER	Benzene	2.10	J	0.16	5.00	ug/L
P5006-01RE	SPLP-C4-2RE	WATER	Ethyl Benzene	6.90		0.16	5.00	ug/L
P5006-01RE	SPLP-C4-2RE	WATER	o-Xylene	1.90	J	0.14	5.00	ug/L
			Total Voc :	49.1				
			Total Concentration:	49.1				
Client ID:	SPLP-C4-3							
P5006-02	SPLP-C4-3	WATER	Acetone	19.5	J	1.40	25.0	ug/L
P5006-02	SPLP-C4-3	WATER	cis-1,2-Dichloroethene	1.60	J	0.25	5.00	ug/L
P5006-02	SPLP-C4-3	WATER	Ethyl Benzene	3.10	J	0.16	5.00	ug/L
			Total Voc :	24.2				
			Total Concentration:	24.2				
Client ID:	SPLP-C5-1							
P5006-03	SPLP-C5-1	WATER	Acetone	42.4		1.40	25.0	ug/L
P5006-03	SPLP-C5-1	WATER	2-Butanone	6.40	J	1.30	25.0	ug/L
P5006-03	SPLP-C5-1	WATER	cis-1,2-Dichloroethene	9.70		0.25	5.00	ug/L
P5006-03	SPLP-C5-1	WATER	Benzene	3.10	J	0.16	5.00	ug/L
P5006-03	SPLP-C5-1	WATER	Toluene	1.40	J	0.18	5.00	ug/L
P5006-03	SPLP-C5-1	WATER	Ethyl Benzene	10.3		0.16	5.00	ug/L
P5006-03	SPLP-C5-1	WATER	m/p-Xylenes	3.30	J	0.31	10.0	ug/L
P5006-03	SPLP-C5-1	WATER	o-Xylene	4.20	J	0.14	5.00	ug/L
P5006-03	SPLP-C5-1	WATER	Isopropylbenzene	1.20	J	0.13	5.00	ug/L
			Total Voc :	82.0				
			Total Concentration:	82.0				
Client ID:	SPLP-C5-1RE							
P5006-03RE	SPLP-C5-1RE	WATER	Acetone	51.5		1.40	25.0	ug/L
P5006-03RE	SPLP-C5-1RE	WATER	2-Butanone	7.80	J	1.30	25.0	ug/L

Hit Summary Sheet SW-846

SDG No.: P5006
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5006-03RE	SPLP-C5-1RE	WATER	cis-1,2-Dichloroethene	11.0		0.25	5.00	ug/L
P5006-03RE	SPLP-C5-1RE	WATER	Benzene	3.30	J	0.16	5.00	ug/L
P5006-03RE	SPLP-C5-1RE	WATER	Toluene	1.50	J	0.18	5.00	ug/L
P5006-03RE	SPLP-C5-1RE	WATER	Ethyl Benzene	11.5		0.16	5.00	ug/L
P5006-03RE	SPLP-C5-1RE	WATER	m/p-Xylenes	3.60	J	0.31	10.0	ug/L
P5006-03RE	SPLP-C5-1RE	WATER	o-Xylene	4.40	J	0.14	5.00	ug/L
P5006-03RE	SPLP-C5-1RE	WATER	Isopropylbenzene	1.30	J	0.13	5.00	ug/L
Total Voc :				95.9				
Total Concentration:				95.9				
Client ID:	SPLP-C5-2							
P5006-04	SPLP-C5-2	WATER	Acetone	27.7		1.40	25.0	ug/L
P5006-04	SPLP-C5-2	WATER	Methyl Acetate	1.10	J	0.60	5.00	ug/L
P5006-04	SPLP-C5-2	WATER	cis-1,2-Dichloroethene	4.70	J	0.25	5.00	ug/L
P5006-04	SPLP-C5-2	WATER	Benzene	2.60	J	0.16	5.00	ug/L
P5006-04	SPLP-C5-2	WATER	Toluene	1.10	J	0.18	5.00	ug/L
P5006-04	SPLP-C5-2	WATER	Ethyl Benzene	12.7		0.16	5.00	ug/L
P5006-04	SPLP-C5-2	WATER	m/p-Xylenes	4.50	J	0.31	10.0	ug/L
P5006-04	SPLP-C5-2	WATER	o-Xylene	3.50	J	0.14	5.00	ug/L
P5006-04	SPLP-C5-2	WATER	Isopropylbenzene	1.50	J	0.13	5.00	ug/L
Total Voc :				59.4				
Total Concentration:				59.4				
Client ID:	SPLP-C5-2RE							
P5006-04RE	SPLP-C5-2RE	WATER	Acetone	31.0		1.40	25.0	ug/L
P5006-04RE	SPLP-C5-2RE	WATER	cis-1,2-Dichloroethene	4.90	J	0.25	5.00	ug/L
P5006-04RE	SPLP-C5-2RE	WATER	Benzene	2.60	J	0.16	5.00	ug/L
P5006-04RE	SPLP-C5-2RE	WATER	Toluene	1.20	J	0.18	5.00	ug/L
P5006-04RE	SPLP-C5-2RE	WATER	Ethyl Benzene	13.7		0.16	5.00	ug/L
P5006-04RE	SPLP-C5-2RE	WATER	m/p-Xylenes	4.80	J	0.31	10.0	ug/L
P5006-04RE	SPLP-C5-2RE	WATER	o-Xylene	3.70	J	0.14	5.00	ug/L
P5006-04RE	SPLP-C5-2RE	WATER	Isopropylbenzene	1.70	J	0.13	5.00	ug/L
Total Voc :				63.6				
Total Concentration:				63.6				
Client ID:	SPLP-C5-3							
P5006-05	SPLP-C5-3	WATER	Acetone	16.6	J	1.40	25.0	ug/L
P5006-05	SPLP-C5-3	WATER	cis-1,2-Dichloroethene	1.30	J	0.25	5.00	ug/L
P5006-05	SPLP-C5-3	WATER	Benzene	1.60	J	0.16	5.00	ug/L
P5006-05	SPLP-C5-3	WATER	Ethyl Benzene	43.5		0.16	5.00	ug/L
P5006-05	SPLP-C5-3	WATER	m/p-Xylenes	12.5		0.31	10.0	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5006
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5006-05	SPLP-C5-3	WATER	o-Xylene	7.60		0.14	5.00	ug/L
P5006-05	SPLP-C5-3	WATER	Isopropylbenzene	5.20		0.13	5.00	ug/L
			Total Voc :	88.3				
			Total Concentration:	88.3				
Client ID:	SPLP-C5-3RE							
P5006-05RE	SPLP-C5-3RE	WATER	Acetone	17.6	J	1.40	25.0	ug/L
P5006-05RE	SPLP-C5-3RE	WATER	cis-1,2-Dichloroethene	1.10	J	0.25	5.00	ug/L
P5006-05RE	SPLP-C5-3RE	WATER	Benzene	1.60	J	0.16	5.00	ug/L
P5006-05RE	SPLP-C5-3RE	WATER	Ethyl Benzene	43.5		0.16	5.00	ug/L
P5006-05RE	SPLP-C5-3RE	WATER	m/p-Xylenes	12.1		0.31	10.0	ug/L
P5006-05RE	SPLP-C5-3RE	WATER	o-Xylene	7.60		0.14	5.00	ug/L
P5006-05RE	SPLP-C5-3RE	WATER	Isopropylbenzene	5.60		0.13	5.00	ug/L
			Total Voc :	89.1				
			Total Concentration:	89.1				
Client ID:	SPLP-C6-1							
P5006-06	SPLP-C6-1	WATER	Acetone	22.7	J	1.40	25.0	ug/L
P5006-06	SPLP-C6-1	WATER	cis-1,2-Dichloroethene	3.80	J	0.25	5.00	ug/L
P5006-06	SPLP-C6-1	WATER	Ethyl Benzene	2.10	J	0.16	5.00	ug/L
			Total Voc :	28.6				
			Total Concentration:	28.6				
Client ID:	SPLP-C6-1RE							
P5006-06RE	SPLP-C6-1RE	WATER	Acetone	26.7		1.40	25.0	ug/L
P5006-06RE	SPLP-C6-1RE	WATER	cis-1,2-Dichloroethene	3.80	J	0.25	5.00	ug/L
P5006-06RE	SPLP-C6-1RE	WATER	Ethyl Benzene	2.20	J	0.16	5.00	ug/L
			Total Voc :	32.7				
			Total Concentration:	32.7				
Client ID:	SPLP-C6-2							
P5006-07	SPLP-C6-2	WATER	Acetone	17.8	J	1.40	25.0	ug/L
P5006-07	SPLP-C6-2	WATER	Ethyl Benzene	3.50	J	0.16	5.00	ug/L
P5006-07	SPLP-C6-2	WATER	o-Xylene	1.10	J	0.14	5.00	ug/L
			Total Voc :	22.4				
			Total Concentration:	22.4				
Client ID:	SPLP-C6-3							
P5006-08	SPLP-C6-3	WATER	Acetone	17.5	J	1.40	25.0	ug/L
P5006-08	SPLP-C6-3	WATER	cis-1,2-Dichloroethene	1.00	J	0.25	5.00	ug/L
P5006-08	SPLP-C6-3	WATER	Ethyl Benzene	8.50		0.16	5.00	ug/L
P5006-08	SPLP-C6-3	WATER	o-Xylene	1.90	J	0.14	5.00	ug/L
P5006-08	SPLP-C6-3	WATER	Isopropylbenzene	1.20	J	0.13	5.00	ug/L
			Total Voc :	30.1				

Hit Summary Sheet
SW-846

SDG No.: P5006
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Concentration:				30.1				
Client ID:	SPLP-C6-3RE							
P5006-08RE	SPLP-C6-3RE	WATER	Acetone	20.5	J	1.40	25.0	ug/L
P5006-08RE	SPLP-C6-3RE	WATER	cis-1,2-Dichloroethene	1.00	J	0.25	5.00	ug/L
P5006-08RE	SPLP-C6-3RE	WATER	Ethyl Benzene	9.00		0.16	5.00	ug/L
P5006-08RE	SPLP-C6-3RE	WATER	m/p-Xylenes	2.20	J	0.31	10.0	ug/L
P5006-08RE	SPLP-C6-3RE	WATER	o-Xylene	2.20	J	0.14	5.00	ug/L
P5006-08RE	SPLP-C6-3RE	WATER	Isopropylbenzene	1.20	J	0.13	5.00	ug/L
Total Voc :				36.1				
Total Concentration:				36.1				
Client ID:	SPLP-C10-1							
P5006-09	SPLP-C10-1	WATER	Acetone	21.6	J	1.40	25.0	ug/L
P5006-09	SPLP-C10-1	WATER	cis-1,2-Dichloroethene	6.20		0.25	5.00	ug/L
P5006-09	SPLP-C10-1	WATER	Benzene	23.8		0.16	5.00	ug/L
P5006-09	SPLP-C10-1	WATER	Trichloroethene	1.30	J	0.32	5.00	ug/L
P5006-09	SPLP-C10-1	WATER	Toluene	80.3		0.18	5.00	ug/L
P5006-09	SPLP-C10-1	WATER	Ethyl Benzene	210	E	0.16	5.00	ug/L
P5006-09	SPLP-C10-1	WATER	m/p-Xylenes	80.4		0.31	10.0	ug/L
P5006-09	SPLP-C10-1	WATER	o-Xylene	62.8		0.14	5.00	ug/L
P5006-09	SPLP-C10-1	WATER	Isopropylbenzene	9.70		0.13	5.00	ug/L
Total Voc :				496				
Total Concentration:				496				
Client ID:	SPLP-C10-1DL							
P5006-09DL	SPLP-C10-1DL	WATER	Acetone	27.5	JD	7.00	130	ug/L
P5006-09DL	SPLP-C10-1DL	WATER	cis-1,2-Dichloroethene	6.10	JD	1.30	25.0	ug/L
P5006-09DL	SPLP-C10-1DL	WATER	Benzene	24.0	JD	0.80	25.0	ug/L
P5006-09DL	SPLP-C10-1DL	WATER	Toluene	81.2	D	0.90	25.0	ug/L
P5006-09DL	SPLP-C10-1DL	WATER	Ethyl Benzene	210	D	0.80	25.0	ug/L
P5006-09DL	SPLP-C10-1DL	WATER	m/p-Xylenes	83.1	D	1.60	50.0	ug/L
P5006-09DL	SPLP-C10-1DL	WATER	o-Xylene	62.9	D	0.70	25.0	ug/L
P5006-09DL	SPLP-C10-1DL	WATER	Isopropylbenzene	10.6	JD	0.65	25.0	ug/L
Total Voc :				505				
Total Concentration:				505				
Client ID:	SPLP-C10-2							
P5006-10	SPLP-C10-2	WATER	Vinyl Chloride	1.50	J	0.34	5.00	ug/L
P5006-10	SPLP-C10-2	WATER	Acetone	23.1	J	1.40	25.0	ug/L
P5006-10	SPLP-C10-2	WATER	cis-1,2-Dichloroethene	24.6		0.25	5.00	ug/L
P5006-10	SPLP-C10-2	WATER	Benzene	160	E	0.16	5.00	ug/L

SDG No.:	P5006
Client:	ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5006-10	SPLP-C10-2	WATER	Toluene	320	E	0.18	5.00	ug/L
P5006-10	SPLP-C10-2	WATER	Ethyl Benzene	590	E	0.16	5.00	ug/L
P5006-10	SPLP-C10-2	WATER	m/p-Xylenes	230		0.31	10.0	ug/L
P5006-10	SPLP-C10-2	WATER	o-Xylene	160	E	0.14	5.00	ug/L
P5006-10	SPLP-C10-2	WATER	Isopropylbenzene	23.4		0.13	5.00	ug/L
			Total Voc :	1530				
			Total Concentration:	1530				
Client ID:	SPLP-C10-2DL							
P5006-10DL	SPLP-C10-2DL	WATER	cis-1,2-Dichloroethene	22.2	JD	5.00	100	ug/L
P5006-10DL	SPLP-C10-2DL	WATER	Benzene	160	D	3.20	100	ug/L
P5006-10DL	SPLP-C10-2DL	WATER	Toluene	310	D	3.60	100	ug/L
P5006-10DL	SPLP-C10-2DL	WATER	Ethyl Benzene	570	D	3.20	100	ug/L
P5006-10DL	SPLP-C10-2DL	WATER	m/p-Xylenes	220	D	6.20	200	ug/L
P5006-10DL	SPLP-C10-2DL	WATER	o-Xylene	160	D	2.80	100	ug/L
P5006-10DL	SPLP-C10-2DL	WATER	Isopropylbenzene	24.3	JD	2.60	100	ug/L
			Total Voc :	1470				
			Total Concentration:	1470				
Client ID:	SPLP-C10-3							
P5006-11	SPLP-C10-3	WATER	Acetone	15.1	J	1.40	25.0	ug/L
P5006-11	SPLP-C10-3	WATER	cis-1,2-Dichloroethene	7.60		0.25	5.00	ug/L
P5006-11	SPLP-C10-3	WATER	Benzene	77.6		0.16	5.00	ug/L
P5006-11	SPLP-C10-3	WATER	Toluene	170	E	0.18	5.00	ug/L
P5006-11	SPLP-C10-3	WATER	Ethyl Benzene	540	E	0.16	5.00	ug/L
P5006-11	SPLP-C10-3	WATER	m/p-Xylenes	180		0.31	10.0	ug/L
P5006-11	SPLP-C10-3	WATER	o-Xylene	130		0.14	5.00	ug/L
P5006-11	SPLP-C10-3	WATER	Isopropylbenzene	24.3		0.13	5.00	ug/L
			Total Voc :	1140				
			Total Concentration:	1140				
Client ID:	SPLP-C10-3DL							
P5006-11DL	SPLP-C10-3DL	WATER	Benzene	72.8	JD	3.20	100	ug/L
P5006-11DL	SPLP-C10-3DL	WATER	Toluene	150	D	3.60	100	ug/L
P5006-11DL	SPLP-C10-3DL	WATER	Ethyl Benzene	480	D	3.20	100	ug/L
P5006-11DL	SPLP-C10-3DL	WATER	m/p-Xylenes	160	JD	6.20	200	ug/L
P5006-11DL	SPLP-C10-3DL	WATER	o-Xylene	120	D	2.80	100	ug/L
P5006-11DL	SPLP-C10-3DL	WATER	Isopropylbenzene	23.2	JD	2.60	100	ug/L
			Total Voc :	1010				
			Total Concentration:	1010				
Client ID:	SPLP-C11-1							

Hit Summary Sheet
SW-846

SDG No.: P5006
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5006-12	SPLP-C11-1	WATER	Acetone	16.1	J	1.40	25.0	ug/L
P5006-12	SPLP-C11-1	WATER	cis-1,2-Dichloroethene	1.40	J	0.25	5.00	ug/L
P5006-12	SPLP-C11-1	WATER	Benzene	19.9		0.16	5.00	ug/L
P5006-12	SPLP-C11-1	WATER	Toluene	16.9		0.18	5.00	ug/L
P5006-12	SPLP-C11-1	WATER	Ethyl Benzene	180	E	0.16	5.00	ug/L
P5006-12	SPLP-C11-1	WATER	m/p-Xylenes	37.6		0.31	10.0	ug/L
P5006-12	SPLP-C11-1	WATER	o-Xylene	43.2		0.14	5.00	ug/L
P5006-12	SPLP-C11-1	WATER	Isopropylbenzene	13.5		0.13	5.00	ug/L
Total Voc :				329				
Total Concentration:				329				
Client ID:	SPLP-C11-1DL							
P5006-12DL	SPLP-C11-1DL	WATER	Acetone	22.2	JD	7.00	130	ug/L
P5006-12DL	SPLP-C11-1DL	WATER	Benzene	20.3	JD	0.80	25.0	ug/L
P5006-12DL	SPLP-C11-1DL	WATER	Toluene	17.3	JD	0.90	25.0	ug/L
P5006-12DL	SPLP-C11-1DL	WATER	Ethyl Benzene	180	D	0.80	25.0	ug/L
P5006-12DL	SPLP-C11-1DL	WATER	m/p-Xylenes	37.1	JD	1.60	50.0	ug/L
P5006-12DL	SPLP-C11-1DL	WATER	o-Xylene	44.9	D	0.70	25.0	ug/L
P5006-12DL	SPLP-C11-1DL	WATER	Isopropylbenzene	15.9	JD	0.65	25.0	ug/L
Total Voc :				338				
Total Concentration:				338				
Client ID:	SPLP-C11-2							
P5006-13	SPLP-C11-2	WATER	Acetone	19.2	J	1.40	25.0	ug/L
P5006-13	SPLP-C11-2	WATER	cis-1,2-Dichloroethene	1.10	J	0.25	5.00	ug/L
P5006-13	SPLP-C11-2	WATER	Benzene	15.6		0.16	5.00	ug/L
P5006-13	SPLP-C11-2	WATER	Toluene	12.0		0.18	5.00	ug/L
P5006-13	SPLP-C11-2	WATER	Ethyl Benzene	140		0.16	5.00	ug/L
P5006-13	SPLP-C11-2	WATER	m/p-Xylenes	28.7		0.31	10.0	ug/L
P5006-13	SPLP-C11-2	WATER	o-Xylene	32.5		0.14	5.00	ug/L
P5006-13	SPLP-C11-2	WATER	Isopropylbenzene	11.4		0.13	5.00	ug/L
Total Voc :				261				
Total Concentration:				261				
Client ID:	SPLP-C11-2RE							
P5006-13RE	SPLP-C11-2RE	WATER	Acetone	20.2	J	1.40	25.0	ug/L
P5006-13RE	SPLP-C11-2RE	WATER	cis-1,2-Dichloroethene	1.20	J	0.25	5.00	ug/L
P5006-13RE	SPLP-C11-2RE	WATER	Benzene	16.6		0.16	5.00	ug/L
P5006-13RE	SPLP-C11-2RE	WATER	Toluene	12.3		0.18	5.00	ug/L
P5006-13RE	SPLP-C11-2RE	WATER	Ethyl Benzene	150		0.16	5.00	ug/L
P5006-13RE	SPLP-C11-2RE	WATER	m/p-Xylenes	30.4		0.31	10.0	ug/L

Hit Summary Sheet SW-846

SDG No.: P5006
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5006-13RE	SPLP-C11-2RE	WATER	o-Xylene	33.8		0.14	5.00	ug/L
P5006-13RE	SPLP-C11-2RE	WATER	Isopropylbenzene	12.0		0.13	5.00	ug/L
Total Voc :				277				
Total Concentration:				277				
Client ID:	SPLP-C11-3							
P5006-14	SPLP-C11-3	WATER	Acetone	17.8	J	1.40	25.0	ug/L
P5006-14	SPLP-C11-3	WATER	Benzene	2.50	J	0.16	5.00	ug/L
P5006-14	SPLP-C11-3	WATER	Toluene	2.60	J	0.18	5.00	ug/L
P5006-14	SPLP-C11-3	WATER	Ethyl Benzene	45.9		0.16	5.00	ug/L
P5006-14	SPLP-C11-3	WATER	m/p-Xylenes	9.70	J	0.31	10.0	ug/L
P5006-14	SPLP-C11-3	WATER	o-Xylene	10.8		0.14	5.00	ug/L
P5006-14	SPLP-C11-3	WATER	Isopropylbenzene	4.40	J	0.13	5.00	ug/L
Total Voc :				93.7				
Total Concentration:				93.7				
Client ID:	SPLP-C11-3RE							
P5006-14RE	SPLP-C11-3RE	WATER	Acetone	17.5	J	1.40	25.0	ug/L
P5006-14RE	SPLP-C11-3RE	WATER	Benzene	2.50	J	0.16	5.00	ug/L
P5006-14RE	SPLP-C11-3RE	WATER	Toluene	2.40	J	0.18	5.00	ug/L
P5006-14RE	SPLP-C11-3RE	WATER	Ethyl Benzene	44.8		0.16	5.00	ug/L
P5006-14RE	SPLP-C11-3RE	WATER	m/p-Xylenes	8.90	J	0.31	10.0	ug/L
P5006-14RE	SPLP-C11-3RE	WATER	o-Xylene	10.5		0.14	5.00	ug/L
P5006-14RE	SPLP-C11-3RE	WATER	Isopropylbenzene	4.30	J	0.13	5.00	ug/L
Total Voc :				90.9				
Total Concentration:				90.9				
Client ID:	SPLP-C12-1							
P5006-15	SPLP-C12-1	WATER	Acetone	31.7		1.40	25.0	ug/L
P5006-15	SPLP-C12-1	WATER	cis-1,2-Dichloroethene	2.60	J	0.25	5.00	ug/L
P5006-15	SPLP-C12-1	WATER	Benzene	2.20	J	0.16	5.00	ug/L
P5006-15	SPLP-C12-1	WATER	Toluene	2.50	J	0.18	5.00	ug/L
P5006-15	SPLP-C12-1	WATER	Ethyl Benzene	21.4		0.16	5.00	ug/L
P5006-15	SPLP-C12-1	WATER	m/p-Xylenes	6.50	J	0.31	10.0	ug/L
P5006-15	SPLP-C12-1	WATER	o-Xylene	7.90		0.14	5.00	ug/L
P5006-15	SPLP-C12-1	WATER	Isopropylbenzene	2.00	J	0.13	5.00	ug/L
Total Voc :				76.8				
Total Concentration:				76.8				
Client ID:	SPLP-C12-1RE							
P5006-15RE	SPLP-C12-1RE	WATER	Acetone	33.1		1.40	25.0	ug/L
P5006-15RE	SPLP-C12-1RE	WATER	cis-1,2-Dichloroethene	2.70	J	0.25	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5006
Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5006-15RE	SPLP-C12-1RE	WATER	Benzene	2.20	J	0.16	5.00	ug/L
P5006-15RE	SPLP-C12-1RE	WATER	Toluene	2.50	J	0.18	5.00	ug/L
P5006-15RE	SPLP-C12-1RE	WATER	Ethyl Benzene	21.4		0.16	5.00	ug/L
P5006-15RE	SPLP-C12-1RE	WATER	m/p-Xylenes	6.20	J	0.31	10.0	ug/L
P5006-15RE	SPLP-C12-1RE	WATER	o-Xylene	7.40		0.14	5.00	ug/L
P5006-15RE	SPLP-C12-1RE	WATER	Isopropylbenzene	2.20	J	0.13	5.00	ug/L
			Total Voc :	77.7				
			Total Concentration:	77.7				
Client ID:	SPLP-C12-2							
P5006-16	SPLP-C12-2	WATER	Acetone	19.9	J	1.40	25.0	ug/L
P5006-16	SPLP-C12-2	WATER	cis-1,2-Dichloroethene	1.50	J	0.25	5.00	ug/L
P5006-16	SPLP-C12-2	WATER	Benzene	4.40	J	0.16	5.00	ug/L
P5006-16	SPLP-C12-2	WATER	Toluene	11.1		0.18	5.00	ug/L
P5006-16	SPLP-C12-2	WATER	Ethyl Benzene	88.4		0.16	5.00	ug/L
P5006-16	SPLP-C12-2	WATER	m/p-Xylenes	26.1		0.31	10.0	ug/L
P5006-16	SPLP-C12-2	WATER	o-Xylene	26.0		0.14	5.00	ug/L
P5006-16	SPLP-C12-2	WATER	Isopropylbenzene	7.00		0.13	5.00	ug/L
			Total Voc :	184				
			Total Concentration:	184				
Client ID:	SPLP-C12-2RE							
P5006-16RE	SPLP-C12-2RE	WATER	Acetone	22.0	J	1.40	25.0	ug/L
P5006-16RE	SPLP-C12-2RE	WATER	cis-1,2-Dichloroethene	1.50	J	0.25	5.00	ug/L
P5006-16RE	SPLP-C12-2RE	WATER	Benzene	4.50	J	0.16	5.00	ug/L
P5006-16RE	SPLP-C12-2RE	WATER	Toluene	11.9		0.18	5.00	ug/L
P5006-16RE	SPLP-C12-2RE	WATER	Ethyl Benzene	92.5		0.16	5.00	ug/L
P5006-16RE	SPLP-C12-2RE	WATER	m/p-Xylenes	26.9		0.31	10.0	ug/L
P5006-16RE	SPLP-C12-2RE	WATER	o-Xylene	27.1		0.14	5.00	ug/L
P5006-16RE	SPLP-C12-2RE	WATER	Isopropylbenzene	7.50		0.13	5.00	ug/L
			Total Voc :	194				
			Total Concentration:	194				
Client ID:	SPLP-C12-3							
P5006-17	SPLP-C12-3	WATER	Acetone	11.4	J	1.40	25.0	ug/L
P5006-17	SPLP-C12-3	WATER	Benzene	3.20	J	0.16	5.00	ug/L
P5006-17	SPLP-C12-3	WATER	Toluene	8.10		0.18	5.00	ug/L
P5006-17	SPLP-C12-3	WATER	Ethyl Benzene	65.0		0.16	5.00	ug/L
P5006-17	SPLP-C12-3	WATER	m/p-Xylenes	19.1		0.31	10.0	ug/L
P5006-17	SPLP-C12-3	WATER	o-Xylene	18.3		0.14	5.00	ug/L
P5006-17	SPLP-C12-3	WATER	Isopropylbenzene	5.10		0.13	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: P5006

Client: ENTACT

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Voc :				130				
Total Concentration:				130				
Client ID:	SPLP-C12-3RE							
P5006-17RE	SPLP-C12-3RE	WATER	Acetone	14.1	J	1.40	25.0	ug/L
P5006-17RE	SPLP-C12-3RE	WATER	Benzene	3.50	J	0.16	5.00	ug/L
P5006-17RE	SPLP-C12-3RE	WATER	Toluene	9.10		0.18	5.00	ug/L
P5006-17RE	SPLP-C12-3RE	WATER	Ethyl Benzene	75.9		0.16	5.00	ug/L
P5006-17RE	SPLP-C12-3RE	WATER	m/p-Xylenes	21.2		0.31	10.0	ug/L
P5006-17RE	SPLP-C12-3RE	WATER	o-Xylene	20.8		0.14	5.00	ug/L
P5006-17RE	SPLP-C12-3RE	WATER	Isopropylbenzene	6.30		0.13	5.00	ug/L
Total Voc :				151				
Total Concentration:				151				