

Report of Analysis

Client:	LiRo Engineers, Inc.	Date Collected:	
Project:	RFK Bridge	Date Received:	
Client Sample ID:	VX1202WBL01	SDG No.:	P5021
Lab Sample ID:	VX1202WBL01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044054.D	1		12/02/24 10:37	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
1634-04-4	Methyl tert-butyl Ether	1.00	U	0.16	1.00	ug/L
71-43-2	Benzene	1.00	U	0.16	1.00	ug/L
108-88-3	Toluene	1.00	U	0.18	1.00	ug/L
100-41-4	Ethyl Benzene	1.00	U	0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	2.00	U	0.31	2.00	ug/L
95-47-6	o-Xylene	1.00	U	0.14	1.00	ug/L
98-82-8	Isopropylbenzene	1.00	U	0.13	1.00	ug/L
103-65-1	n-propylbenzene	1.00	U	0.14	1.00	ug/L
108-67-8	1,3,5-Trimethylbenzene	1.00	U	0.18	1.00	ug/L
98-06-6	tert-Butylbenzene	1.00	U	0.17	1.00	ug/L
95-63-6	1,2,4-Trimethylbenzene	1.00	U	0.18	1.00	ug/L
135-98-8	sec-Butylbenzene	1.00	U	0.17	1.00	ug/L
99-87-6	p-Isopropyltoluene	1.00	U	0.15	1.00	ug/L
104-51-8	n-Butylbenzene	1.00	U	0.22	1.00	ug/L
91-20-3	Naphthalene	1.00	U	0.59	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	49.6		74 - 125	99%	SPK: 50
1868-53-7	Dibromofluoromethane	47.3		75 - 124	95%	SPK: 50
2037-26-5	Toluene-d8	48.6		86 - 113	97%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.5		77 - 121	93%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	138000	5.544			
540-36-3	1,4-Difluorobenzene	263000	6.757			
3114-55-4	Chlorobenzene-d5	221000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	93300	12.018			



Client:	LiRo Engineers, Inc.	Date Collected:	
Project:	RFK Bridge	Date Received:	
Client Sample ID:	VX1202WBL01	SDG No.:	P5021
Lab Sample ID:	VX1202WBL01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044054.D	1		12/02/24 10:37	VX120224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

A = Aldol-Condensation Reaction Products