

Prep Standard - Chemical Standard Summary

Order ID : P5026

Test : Corrosivity,Ignitability,Percent Solids,Reactive Cyanide,Reactive Sulfide

Prepbatch ID : PB165317,PB165323,

Sequence ID/Qc Batch ID: LB133666,LB133685,LB133694,LB133704,

Standard ID :

WP108640,WP108780,WP109068,WP109549,WP110103,WP110903,WP110904,WP110905,WP110906,WP110907,WP110908,WP110909,WP110910,WP110911,WP110912,

Chemical ID :

E3657,M5929,W2668,W2725,W2882,W2926,W3005,W3019,W3071,W3072,W3093,W3094,W3105,W3107,W3112,W31 14,W3138,W3139,W3149,W3154,



| Recipe ID 11 FROM | NAME Sodium hydroxide absorbing solution 0.25 N 21.00000L of W3112 + 210.00000gra | | Prep Date 07/05/2024 | | Prepared By Rubina Mughal | ScaleID WETCHEM_S CALE_4 (WC SC-4) | PipettelD None | Supervised By Iwona Zarych 07/08/2024 |
|-----------------------------------|--|------------------------|--------------------------------|----------------------------------|---|---|-------------------|---|
| <u>Recipe</u> <u>ID</u> 160 | NAME 0.5M ZINC ACETATE | <u>NO.</u> WP108780 | <u>Prep Date</u> 07/22/2024 | Expiration Date 12/08/2024 | <u>Prepared</u> <u>By</u> Rubina Mughal | CALE_5 (WC | IPETTE_3 | Supervised By Iwona Zarych 07/23/2024 |
| FROM | 0.88900L of W3112 + 1.00000ml of N | 15929 + 110 | .00000gram c | of W2926 = Fir | nal Quantity: 100 | SC-5) 00.000 ml | (WC) | |



Т

Wet Chemistry STANDARD PREPARATION LOG

| <u>Recipe</u> <u>ID</u> 607 | NAME PYRIDINE-BARBITURIC ACID | <u>NO.</u> WP109068 | <u>Prep Date</u> 08/06/2024 | | <u>Prepared</u> <u>By</u> Niha Farheen Shaik | ScaleID WETCHEM_S CALE_5 (WC | <u>PipetteID</u> None | Supervised By Iwona Zarych 08/07/2024 |
|-----------------------------------|--|------------------------|--------------------------------|----------------|---|------------------------------------|--------------------------|---|
| FROM | 145.00000ml of W3112 + 15.00000g ml | ram of W288 | 32 + 15.00000 |)ml of M5929 + | 75.0000ml of | SC-5) W3019 = Final | Quantity: 250. | 000 |

| Recipe | | | | Expiration | Prepared | | | Supervised By |
|---------------|-------------------------------------|-----------------|---------------|-----------------|-----------------------|----------------|-----------------------|---------------|
| <u>ID</u> | NAME | <u>NO.</u> | Prep Date | <u>Date</u> | <u>By</u> | <u>ScaleID</u> | PipettelD | Iwona Zarych |
| 3371 | Cyanide LCS Spike Solution, 5PPM | <u>WP109549</u> | 09/06/2024 | 01/05/2025 | Niha Farheen Shaik | None | WETCHEM_P IPETTE_3 | 09/06/2024 |
| FROM | 1.00000ml of W3138 + 199.00000ml | of WP1086 | 40 = Final Qu | antity: 200.000 |) ml | | (WC) | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Т

Т

Т

Т

Т

Т

Т



| <u>Recipe</u> <u>ID</u> 539 | NAME CN BUFFER | <u>NO.</u> WP110103 | Prep Date 10/08/2024 | Expiration Date 04/08/2025 | <u>Prepared</u> <u>By</u> Rubina Mughal | CALE_5 (WC | <u>PipetteID</u> None | Supervised By Iwona Zarych 10/08/2024 |
|-----------------------------------|----------------------------------|------------------------|-------------------------|----------------------------------|---|------------------|--------------------------|---|
| <u>FROM</u> | 138.00000gram of W2668 + 862.000 | 00ml of W3 | 112 = Final Q | uantity: 1000.0 | 00 ml | SC-5) | | |
| | | | | | | | | |
| | | | | | | | | |
| <u>Recipe</u> <u>ID</u> | NAME | <u>NO.</u> | <u>Prep Date</u> | Expiration Date | <u>Prepared</u> <u>By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> Iwona Zarych |

| 3456 | Cyanide Intermediate Working Std, 5PPM | WP110903 | 12/02/2024 | 12/03/2024 | Niha Farheen Shaik | None | WETCHEM_P IPETTE_3 | 12/02/2024 |
|------|---|------------|---------------|------------------|-----------------------|------|-----------------------|------------|
| FROM | 0.25000ml of W3154 + 49.75000ml of | of WP10864 | 0 = Final Qua | antity: 50.000 r | nl | | (WC) | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



| Recipe ID 2168 | NAME RCN ICV STD, 100 PPB | <u>NO.</u> WP110904 | Prep Date 12/02/2024 | Expiration Date 12/03/2024 | <u>Prepared</u> <u>By</u> Niha Farheen Shaik | <u>ScaleID</u> None | PipettelD WETCHEM_P IPETTE_3 | Supervised By Iwona Zarych 12/02/2024 |
|----------------------|----------------------------------|------------------------|-------------------------|----------------------------------|---|------------------------|------------------------------------|---|
| FROM | 1.00000ml of WP109549 + 49.00000 | ml of WP10 | 8640 = Final | Quantity: 50.00 | 0 ml | | (WC) ' | |
| | | | | | | | | |

| <u>Recipe</u> <u>ID</u> | NAME | <u>NO.</u> | <u>Prep Date</u> | Expiration Date | <u>Prepared</u> <u>By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> Iwona Zarych |
|----------------------------|----------------------------------|-----------------|------------------|--------------------|------------------------------|------------------|------------------|--------------------------------------|
| 1582 | Chloramine T solution, 0.014M | <u>WP110905</u> | 12/02/2024 | 12/03/2024 | Niha Farheen Shaik | CALE_5 (WC | None | 12/02/2024 |
| FROM | 0.08000gram of W3139 + 20.00000n | nl of W3112 | = Final Quan | tity: 20.000 ml | | SC-5) | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



| Recipe ID 4 | NAME Calibation standard 500 ppb | <u>NO.</u> WP110906 | Prep Date 12/02/2024 | | <u>Prepared</u> <u>By</u> Niha Farheen Shaik | <u>ScaleID</u> None | <u>PipetteID</u> None | Supervised By Iwona Zarych 12/02/2024 |
|-------------------|-------------------------------------|------------------------|-------------------------|-----------------|---|------------------------|--------------------------|---|
| <u>FROM</u> | 45.00000ml of WP108640 + 5.00000 | ml of WP11 | 0903 = Final | Quantity: 50.00 | 00 ml | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| Recipe | | | | Expiration | Prepared | | | Supervised By |
|---------------|----------------------------------|-----------------|--------------|-------------------|--------------|----------------|-----------|---------------|
| <u>ID</u> | NAME | <u>NO.</u> | Prep Date | <u>Date</u> | <u>By</u> | <u>ScaleID</u> | PipettelD | Iwona Zarych |
| 3761 | | <u>WP110907</u> | 12/02/2024 | 12/03/2024 | Niha Farheen | None | WETCHEM_P | |
| | ррb | | | | Shaik | | IPETTE_3 | 12/02/2024 |
| FROM | 2.50000ml of WP110903 + 47.50000 | ml of WP10 | 8640 = Final | Quantity: 50.00 |)0 ml | | (000) | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



| Recipe ID 6 | NAME Calibration Standard 100 ppb | <u>NO.</u> WP110908 | Prep Date 12/02/2024 | Expiration Date 12/03/2024 | <u>Prepared</u> <u>By</u> Niha Farheen Shaik | <u>ScaleID</u> None | PipetteID WETCHEM_P IPETTE_3 | Supervised By Iwona Zarych 12/02/2024 |
|-------------------|--------------------------------------|------------------------|-------------------------|----------------------------------|---|------------------------|------------------------------------|---|
| FROM | 1.00000ml of WP110903 + 49.00000 | ml of WP10 | 8640 = Final | Quantity: 50.00 | 00 ml | | (WC) ' | |

| Recipe | | | | Expiration | Prepared | | | Supervised By |
|-----------|----------------------------------|-----------------|--------------|-----------------|-----------------------|----------------|-----------------------|---------------|
| <u>ID</u> | NAME | <u>NO.</u> | Prep Date | <u>Date</u> | <u>By</u> | <u>ScaleID</u> | PipettelD | Iwona Zarych |
| 7 | Calibration Standard 50 ppb | <u>WP110909</u> | 12/02/2024 | 12/03/2024 | Niha Farheen Shaik | None | WETCHEM_P IPETTE_3 | 12/02/2024 |
| FROM | 0.50000ml of WP110903 + 49.50000 | ml of WP10 | 8640 = Final | Quantity: 50.00 | 00 ml | | (WC) | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



| Recipe ID 8 | NAME Calibration Standard 10 ppb | <u>NO.</u> WP110910 | Prep Date 12/02/2024 | Expiration Date 12/03/2024 | <u>Prepared</u> <u>By</u> Niha Farheen Shaik | <u>ScaleID</u> None | PipetteID WETCHEM_P IPETTE_3 | Supervised By Iwona Zarych 12/02/2024 |
|-------------------|-------------------------------------|------------------------|-------------------------|----------------------------------|---|------------------------|------------------------------------|---|
| FROM | 1.00000ml of WP110906 + 49.00000 | ml of WP10 | 8640 = Final | Quantity: 50.00 | 00 ml | | (WC) ' | |

| Recipe ID 9 | NAME Calibration Standard 5 ppb | <u>NO.</u> WP110911 | <u>Prep Date</u> 12/02/2024 | Expiration Date 12/03/2024 | <u>Prepared</u> <u>By</u> Niha Farheen Shaik | <u>ScaleID</u> None | PipetteID WETCHEM_P IPETTE_3 | Supervised By Iwona Zarych 12/02/2024 |
|-------------------|------------------------------------|------------------------|--------------------------------|----------------------------------|---|------------------------|------------------------------------|---|
| FROM | 0.50000ml of WP110906 + 49.50000 | l ml of WP10 | l 8640 = Final | Quantity: 50.00 | | | (WC) | 12/02/2024 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



| Recipe ID 167 | NAME 0 ppb CN calibration std | <u>NO.</u> WP110912 | Prep Date 12/02/2024 | <u>Prepared</u> <u>By</u> Niha Farheen Shaik | <u>ScaleID</u> None | <u>PipetteID</u> None | Supervised By Iwona Zarych 12/02/2024 |
|---------------------|----------------------------------|------------------------|-------------------------|---|------------------------|--------------------------|---|
| FROM | 50.00000ml of WP108640 = Final Q | uantity: 50.0 | 100 ml | | | | |



| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------------|---|--------------|--------------------|----------------------------|--------------------------------|-------------------|
| PCI Scientific Supply, Inc. | PC19510-5 / Sodium Hydroxide Pellets 2.5 Kg, Pk of 4 | 23B1556310 | 12/31/2025 | 12/04/2023 / Rajesh | 12/01/2023 / Rajesh | E3657 |
| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
| Seidler Chemical | BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L) | 22G2862015 | 12/08/2024 | 06/24/2024 / Al-Terek | 06/07/2024 / Al-Terek | M5929 |
| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
| PCI Scientific Supply, Inc. | J3818-5 / SODIUM PHOSPHATE, MONOBAS/HYD, CRYS, ACS, 2.5 KG | 0000225799 | 12/03/2025 | 04/05/2021 / Alexander | 02/10/2020 / apatel | W2668 |
| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
| PCI Scientific Supply, Inc. | EMD-FX0410-5 / FORMALDEHYDE SOLUTION 450ML | 60045 | 06/22/2025 | 08/19/2024 / Iwona | 06/22/2020 / apatel | W2725 |
| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
| PCI Scientific Supply, Inc. | EM-BX0035-3 / Barbituric Acid, 100 gms | 1.00132.0100 | 04/30/2025 | 12/07/2021 / | 11/30/2021 / apatel | W2882 |
| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
| Supplier | | | | | | |



| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------------|---|----------|--------------------|----------------------------|--------------------------------|-------------------|
| PCI Scientific Supply, Inc. | AL13850-1 / Buffer Solution, PH2 (500ml) | 4212E45 | 12/31/2024 | 01/31/2023 / Iwona | 01/31/2023 / Iwona | W3005 |
| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
| SIGMA ALDRICH | 270970-1L / Pyridine 1L | SHBQ2113 | 04/03/2028 | 04/03/2023 / Iwona | 04/03/2023 / Iwona | W3019 |
| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
| PCI Scientific Supply, Inc. | AL14455-3 / buffer solution pH 7 yellow | 4308H30 | 07/31/2025 | 01/02/2024 / JIGNESH | 12/06/2023 / Iwona | W3071 |
| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
| PCI Scientific Supply, Inc. | AL14940-1 / Buffer Solution, PH12 (500ml) | 2310P21 | 04/30/2025 | 01/02/2024 / JIGNESH | 12/07/2023 / Iwona | W3072 |
| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
| PCI Scientific Supply, Inc. | 566002 / BUFFER PH 7.00 GREEN 1PINT PK6 | 44001f99 | 12/31/2025 | 04/03/2024 / jignesh | 04/02/2024 / jignesh | W3093 |
| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
| PCI Scientific Supply, Inc. | 1601-1 / PH 10.01 BUFFER,COLOR CD 475ML | 4310g83 | 03/31/2025 | 04/03/2024 / jignesh | 04/02/2024 / jignesh | W3094 |



| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------------|---|---------------------|--------------------|----------------------------|--------------------------------|-------------------|
| PCI Scientific Supply, Inc. | AL69870-8 / SODIUM THIOSULFATE,0.025N,4LIT RE | 4403S13 | 09/30/2025 | 04/22/2024 / Iwona | 04/22/2024 / Iwona | W3105 |
| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
| PCI Scientific Supply, Inc. | AL14055-3 / PH 4 BUFFER SOLUTION | AL14055-3 | 02/27/2026 | 09/05/2024 / jignesh | 05/13/2024 / jignesh | W3107 |
| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
| Seidler Chemical | DIW / DI Water | Daily Lab-Certified | 07/03/2029 | 07/03/2024 / Iwona | 07/03/2024 / Iwona | W3112 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------------|---|---------|--------------------|----------------------------|--------------------------------|-------------------|
| PCI Scientific Supply, Inc. | AL35830-4 / IODINE SOLUTION .025N 1L | 2405D89 | 05/31/2025 | 07/10/2024 / Iwona | 07/10/2024 / Iwona | W3114 |
| | | | | | | |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------------|--|----------|--------------------|----------------------------|--------------------------------|-------------------|
| PCI Scientific Supply, Inc. | LC135457 / Cyanide Standard, 1000 PPM, Second Source | 44080060 | 01/30/2025 | 09/06/2024 / Iwona | 08/28/2024 / Iwona | W3138 |

| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------------|---|----------|--------------------|----------------------------|--------------------------------|-------------------|
| PCI Scientific Supply, Inc. | JTE494-6 / CHLORAMINE-T BAKER 250GM | 10239484 | 09/09/2029 | 09/09/2024 / Iwona | 09/09/2024 / Iwona | W3139 |



| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------------|------------------------------------|---------|--------------------|----------------------------|--------------------------------|-------------------|
| PCI Scientific Supply, Inc. | AL70850-8 / Starch Solution, 4L | 4408P62 | 08/31/2026 | 10/16/2024 / Iwona | 10/16/2024 / Iwona | W3149 |
| | | | | | | |
| Supplier | ItemCode / ItemName | Lot # | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |

RICCA CHEMICAL COMPANY®

W³07/ Mc 12/6/23 Certificate of Analysis 12

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Lot Number: 4308H30

Product Number: 1551

Manufacture Date: AUG 09, 2023 Expiration Date: JUL 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist. The NIST traceable pH value is certified to ± 0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05 .

| °C pH | 0 7.12 | 5 7.09 | $\begin{array}{c} 10 \\ 7.06 \end{array}$ | 15 7.04 | 20 7.02 | $\begin{array}{c} 25 \\ 7.00 \end{array}$ | 30 6.99 | 35 6.98 | $\begin{array}{c} 40 \\ 6.98 \end{array}$ | 45 6.97 | 50 6.97 | |
|----------|-----------|-----------|---|------------|------------|---|------------|------------|---|------------|------------|--|
| | | | | | | | | | | | | |

| Name | CAS# | Grade | | |
|---------------------------------------|-----------------|----------------|-------------------------|--|
| Water | 7732-18-5 | ACS/ASTM/USP/I | RP | |
| Sodium Phosphate Dibasic | 7558-79-4 | ACS | | |
| Potassium Dihydrogen Phosphate | 7778-77-0 | ACS | | |
| Preservative | Proprietary | | | |
| Yellow Dye | Proprietary | 1111 B. Luce | | |
| Sodium Hydroxide | 1310-73-2 | Reagent | | |
| Test | Specification | Result | | |
| Appearance | Yellow liquid | Passed | *Not a certified value | |
| Test | Certified Value | Uncertainty | NIST SRM# | |
| pH at 25°C (Method: SQCP027, SQCP033) | 7.002 | 0.02 | 186-I-g, 186-II-g, 191d | |
| Specification | Re | ference | | |
| Commercial Buffer Solutions | AS | TM (D 1293 B) | | |
| Buffer A | | TM (D 5464) | | |
| Buffer A | | ГМ (D 5128) | | |

per industributions were periorined in our Batesvine, in laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 1551-2.5 | 10 L Cubitainer® | 24 months |
| 1551-5 | 20 L Cubitainer® | 24 months |

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Foul Brandon

Paul Brandon (08/09/2023) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

Sigma-Aldrich

W3019 Rec 4/3/23

3050 Spruce Street, Saint Louis, MO 63103, USA Website: www.sigmaaldrich.com Email USA: techserv@sial.com Outside USA: eurtechserv@sial.com

Product Name: Pyridine - anhydrous, 99.8%

| Product Number: | 270970 |
|-----------------------|--------------|
| Batch Number: | SHBQ2113 |
| Brand: | SIAL |
| CAS Number: | 110-86-1 |
| MDL Number: | MFCD00011732 |
| Formula: | C5H5N |
| Formula Weight: | 79.10 g/mol |
| Quality Release Date: | 15 DEC 2022 |

Certificate of Analysis

| Test | Specification | Result | |
|-------------------------|-----------------------|------------|--|
| Appearance (Color) | Colorless | Colorless | |
| Appearance (Form) | Liquid | Liquid | |
| Infrared Spectrum | Conforms to Structure | Conforms | |
| Purity (GC) | > 99.75 % | 99.99 % | |
| Water (by Karl Fischer) | _ < 0.003 % | 0.002 % | |
| Residue on Evaporation | _ | < 0.0001 % | |

Larry Coers, Director Quality Control Sheboygan Falls, WI US

Z

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



RICCA CHEMICAL COMPANY[®] W^{3,072} M^c. (2/01/23) Certificate of Analysis

1841 Broad Street Pocomoke City, MD 21851 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Buffer, Reference Standard, pH 12.00 ± 0.01 at $25^{\circ}C$

| Lot Number: 2310P21 | Product Number: 1615 | Manufacture Date: OCT 24, 2023 |
|----------------------|----------------------|----------------------------------|
| Lot Humper: 20101 21 | 110ddet Number, 1015 | Expiration Date: APR 2025 |

The certified value for this product is confirmed in independent testing by a second qualified chemist.

| °C | 15 | 20 | 25 | 30 | 35 | 40 |
|----|-------|-------|-----------|-------|-------|-------|
| pН | 12.35 | 12.17 | 11.99 | 11.78 | 11.62 | 11.46 |

| Name | CAS# | Grade | |
|--------------------|------------------|----------------------------|------|
| Water | 7732-18-5 | ACS/ASTM/USP/EP | |
| Potassium Chloride | 7447-40-7 | ACS | 6.00 |
| Sodium Hydroxide | 1310-73-2 | Reagent | |
| Test | Specification | Result | |
| Appearance | Colorless liquid | Passed *Not a certified va | alue |

| | | • • • • • • • • • • • • • • • • • • • | |
|---------------------------------------|-----------------|---------------------------------------|-------------------------|
| Test | Certified Value | Uncertainty | NIST SRM# |
| pH at 25°C (Method: SQCP027, SQCP033) | | 0.02 | 186-I-g, 186-II-g, 191d |

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 1615-1 | 4 L natural poly | 18 months |
| 1615-16 | 500 mL clear PET-G | 18 months |
| 1615-32 | 1 L natural poly | 18 months |
| 1615-5 | 20 L Cubitainer® | 18 months |

Recommended Storage: 15°C - 30°C (59°F - 86°F)

nron Jrauers

Sharon Travers (10/24/2023) Operations Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

Certificate of Analysis



| Date of Release: | 2/26/2020 |
|--------------------|---|
| Name: | Formaldehyde Solution GR ACS Meets ACS Specifications |
| Item No: | FX0410 all size codes |
| Lot / Batch No: | 60045 |
| Country of Origin: | USA |

| Characteristic | Re | quirement | Results | Units |
|------------------------|------|-----------|-------------|-------|
| | Min. | Max. | | |
| Assay | 36.5 | 38.0 | 36.71 | % |
| Chloride (Cl) | | 5 | <5 | ppm |
| Color (APHA) | | 10 | <10 | |
| Form | | | Passes test | |
| Heavy metals (as Pb) | | 5 | <5 | ppm |
| Iron (Fe) | | 5 | 0.6 | ppm |
| Residue after ignition | | 0.005 | <0.0050 | % |
| Sulfate (SO4) | | 0.002 | <0.0020 | % |
| Titrable acid | | 0.006 | <0.0060 | meq/g |

Heather Sinn,

Quality Control Manager

This document has been produced electronically and is valid without a signature.

EMD Millipore Corporation, an affiliate of Merck KGaA, Darmstadt, Germany 290 Concord Road Billerica, MA 01821 U.S.A The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.



Certificate of Analysis

Sodium Hydroxide (Pellets)

Material: Grade: Batch Number: 0583 ACS GRADE 23B1556310

 Manufacture Date:
 12/14/2022

 Expiration Date:
 12/31/2025

Storage: Room Temperature

Pellets

| TEST | SPECIFICATION | ANALYSIS | DISPOSITION |
|--------------------|---------------|----------|-------------|
| Calcium | <= 0.005 % | <0.005 % | PASS |
| Chloride | <= 0.005 % | 0.002 % | PASS |
| Heavy Metals | <= 0.002 % | <0.002 % | PASS |
| Iron | <= 0.001 % | <0.001 % | PASS |
| Magnesium | <= 0.002 % | <0.002 % | PASS |
| Mercury | <= 0.1 ppm | <0.1 ppm | PASS |
| Nickel | <= 0.001 % | <0.001 % | PASS |
| Nitrogen Compounds | <= 0.001 % | <0.001 % | PASS |
| Phosphate | <= 0.001 % | <0.001 % | PASS |
| Potassium | <= 0.02 % | <0.02 % | PASS |
| Purity | >= 97.0 % | 99.2 % | PASS |
| Sodium Carbonate | <= 1.0 % | 0.5 % | PASS |
| Sulfate | <= 0.003 % | <0.003 % | PASS |

Internal ID #: 710

Signature

Additional Information

Analysis may have been rounded to significant digits in specification limits.

This document has been electronically produced and is valid without a signature.

We certify that this batch conforms to the specifications listed.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA Product meets analytical specifications of the grades listed.

VWR International LLC, Radnor Corporate Center, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA

Date Printed:



Certificate of Analysis

1.00132.0000 Barbituric acid for analysis EMSURE® N020065932

| | Spec. Values | 3 | Batch Values | |
|--|--------------|------------|--------------|-----|
| | | A / | | 24 |
| Assay (acidimetric) | ≥ 99 | % | 99.6 | % |
| Identity (IR-spectrum) | passes test | | passes test | |
| Chloride (Cl) | ≤ 40 | ppm | ≤ 40 | ppm |
| Heavy metals (as Pb) | ≤ 50 | ppm | ≤ 50 | ppm |
| Fe (Iron) | ≤ 10 | ppm | ≤ 10 | ppm |
| Sulfated ash | ≤ 0.1 | % | ≤ 0.1 | % |
| Loss on Drying (105 °C) | ≤ 0.1 | % | ≤ 0.1 | % |
| Suitability as reagent (for cyanide determination) | passes test | | passes test | |

Date of release (DD.MM.YYYY) 17.04.2020 Minimum shelf life (DD.MM.YYYY) 30.04.2025

Ioannis Chartomatsidis

Responsible laboratory manager quality control

This document has been produced electronically and is valid without a signature.

Sodium Phosphate, Monobasic, Monohydrate, Crystal BAKER ANALYZED® A.C.S. Reagent

(sodium dihydrogen phosphate, monohydrate)





Material No.: 3818-05 Batch No.: 0000225799 Manufactured Date: 2018/12/05 Retest Date: 2025/12/03 Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

| Test | Specification | Result |
|------------------------------|----------------|---------|
| Assay (NaH2PO4 · H2O) | 98.0 - 102.0 % | 99.5 |
| oH of 5% Solution at 25℃ | 4.1 - 4.5 | 4.3 |
| nsoluble Matter | <= 0.01 % | < 0.01 |
| Chloride (Cl) | <= 5 ppm | < 5 |
| ACS – Sulfate (SO4) | <= 0.003 % | < 0.003 |
| Calcium (Ca) | <= 0.005 % | <0.005 |
| Potassium (K) | <= 0.01 % | < 0.01 |
| leavy Metals (as Pb) | <= 0.001 % | < 0.001 |
| Frace Impurities – Iron (Fe) | <= 0.001 % | < 0.001 |

For Laboratory, Research or Manufacturing Use Meets Reagent Specifications for testing USP/NF monographs

| Country of Origin: | IN | | |
|--------------------|--------------------|--|--|
| Packaging Site: | Paris Mfg Ctr & DC | | |

James Techie

Jamie Ethier Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700 Avantor Performance Materials, LLC 100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700 Sigma-Aldrich

3050 Spruce Street, Saint Louis, MO 63103, USA Website: www.sigmaaldrich.com Email USA: techserv@sial.com Outside USA: eurtechserv@sial.com

Certificate of Analysis


Product Name: CCTC Zinc acetate dihydrate - ACS reagent, ≥98%

| Product Number: | | | | | | | |
|-----------------------|--|--|--|--|--|--|--|
| Batch Number: | | | | | | | |
| Brand: | | | | | | | |
| CAS Number: | | | | | | | |
| MDL Number: | | | | | | | |
| Formula: | | | | | | | |
| Formula Weight: | | | | | | | |
| Quality Release Date: | | | | | | | |

MKCQ9159 SIGALD 5970-45-6 MFCD00066961 C4H6O4Zn · 2H2O 219.51 g/mol 06 JAN 2022

383058

Hyc 0 2n2+ + 2H2O



| Test | Specification | Result |
|------------------------|-------------------------------|--------------------|
| Appearance (Color) | White | White |
| Appearance (Form) | Powder or Crystal or Chunk(s) | Powder |
| Infrared Spectrum | Conforms to Structure | Conforms |
| Insoluble Matter | < 0.005 % | 0.003 % |
| Calcium (Ca) | < 0.005 % | 0.003 % |
| Chloride (Cl) | _ < 5 ppm | < 5 ppm |
| Iron (Fe) | < 5 ppm | < 5 ppm |
| Potassium (K) | < 0.01 % | 0.00 % |
| Magnesium (Mg) | < 0.005 % | 0.003 % |
| Sodium (Na) | < 0.05 % | 0.03 % |
| Lead (Pb) | < 0.002 % | < 0.001 % |
| pH | 6.0 - 7.0 | 6.1 |
| Sulfate (SO4) | < 0.005 % | < 0.005 % |
| Complexometric EDTA | 98.0 - 101.0 % | 100.3 % |
| Meets ACS Requirements | Meets Requirements | Meets Requirements |

Larry Coers, Director Quality Control Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

| | RI | | | W3 | 005 | | ec. | 1/31/ 12 | 23 | | | Batesy //www.ricca 1-88 | Lammers Pik ville, IN 4700 achemical.com 88-GO-RICCA achemical.com |
|--|--|---|---|---|--|---|---|---|--|--|--|---|--|
| | . D. C | | | | | | | | .S | | | | |
| Buffer Lot Nu | mber: | 4212E | E45 | P | roduct | Numb | er: 149 | 3 | | | | |)EC 20, 2022 æ: DEC 2024 |
| THE IND | L Haceap | e for this le pH val | product is ue is certi | s confirme fied to ±0 | ed in indej .01 at 25 ° | pendent t °C only. A | esting by a 11 other pl | a second q H values a | ualified of the state of the st | chemist. orresponding temper | | | |
| °C pH | 10 1.93 | 15 1.98 | 20 1.98 | $\begin{array}{c} 25\\ 2.00\end{array}$ | 30 2.01 | $\begin{array}{c} 35\\ 2.03\end{array}$ | $\begin{array}{c} 40\\ 2.03\end{array}$ | $\begin{array}{c} 45\\ 2.04\end{array}$ | $50 \\ 2.04$ | | | | |
| Name | ni lok | | | 35.5 | | CA | AS# | Tr'in T | 10 | Grade | | 100 | and the second |
| Water | | | | | | 77 | 32-18-5 | 100001 | | ACS/ASTM/US | SP/EP | | |
| Potassi Hydroc | ******* | | | u tu bee | | | 47-40-7 | SIN ILLA | | ACS | | | |
| ********* | | | | | | /0 | 47-01-0 | | | ACS | 111210 | | |
| Test | | 11-21 | | 2131 <u>5</u> | | | and the second second | cificatio | | Result | | | |
| Appeara | ance | | | | | | Colo | orless li | quid | Passed | | *Not a c | ertified value. |
| Test | | | 2012 | | | | Cert | ified Va | lue | Uncertain | ty i | NIST SRM# | 0-1-4-1-5 |
| comparisor Standard F a normal d before first weights cer regularly w | ements v o Nationa as. The un deference istributio use and tified tra ith a the | were perfo al Institut ncertainty Material, on. Volume recalibrat ceable to rmometer | ormed in o te of Stand y is calcula , and the etric glass ted regula the NIST | our Batesy dards and ated from uncertain sware com rly in acco national | ville, IN la Technolo the uncer ty of the r plies with ordance w mass stan | tainty of neasurem Class A ith ASTM dard. The | the measu ent proces tolerance I E 542 an ermometer | D/IEC 1700 I Reference urement v ss. The un requirem Id NIST P rs and ten | ce Materi ariation : acertainty ents of A rocedure aperature | 0.02 ditation (ANAB Cert ial as indicated above from sample to samp y is multiplied by k= STM E 288 and NIS NBSIR 74-461. Bala e probes are calibrat to master document on and testing histor | ificate l e via ar ole, the 2, corre T Circu ances a ed befo | unbroken cha uncertainty in esponding to 95 llar 434; it is ca re calibrated re re first use and | are certified in of the NIST % coverage in librated gularly with recalibrated |
| Part Nu | | | | | and the second s | The second second | age Typ | | | | _ | opened Cont | |
| 1493-1 1493-16 1493-32 1493-5 ecommer | ••••••••• | | | | 500 1 L | natural mL nat natural Cubita | ural pol poly | У. | | 24 month 24 month 24 month 24 month 24 month | ns ns | | |

Foul Brandon

Paul Brandon (12/20/2022) Production Manager This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

RICCA CHEMICAL COMPANY[®] 3^{003} 0^{001} Certificate of Analysis 0^{010}

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Manufacture Date: JAN 08, 2024

Expiration Date: DEC 2025

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Product Number: 1551

| °C pH | 0 7.12 | 5 7.09 | 10 7.06 | 15 7.04 | 20 7.02 | 25 7.00 | 30 6.99 | 35 6.98 | 40 6.98 | 45 6.97 | 50 6.97 | |
|--------------------------------------|-----------|-----------|------------|------------|-------------------|---|----------------------|------------|------------|------------|------------|-------------------------|
| Name | | | | | | CA | S# | | 1.15 | Grade | | |
| Water | | | | | | 77 | 32-18-5 | | | ACS/AS | STM/USP/I | ξP |
| Sodiun | n Phosp | hate Di | basic | | | 758 | 58-79-4 | - | | ACS | | |
| Potass | ium Dił | nydrogen | n Phospi | hate | | 77 | 78-77-0 | | | ACS | | |
| Preserv | vative | | | | | Pro | prietar | У | | | | |
| Yellow | Dye | | | | • | | prietar | | | | | |
| Sodium | n Hydro | xide | | | | | .0-73-2 | · . | | | | |
| Test | | | | | | 1.1 | Specification Result | | | | | |
| Appear | arance | | | | LEC. | Yellow liquid | | | | Pas | ssed | *Not a certified value |
| <u>Fest</u> | Sec. | | | | 54- | | Cert | ified Va | lue | Un | certainty | NIST SRM# |
| H at 25°C (Method: SQCP027, SQCP033) | | | | | SQCP027, SQCP033) | | | 4 | | 0.0 | 2 | 186-I-g, 186-II-g, 191d |
| Specific | ation | ion | | | | | - 21 | - 11 | Refe | rence | | |
| Comme | rcial Bu | ffer Sol | utions | | | | | | ASTN | A (D 1293 | B) | |
| Buffer A | | | | | | ASTM (D 5464) | | | | | | |
| Buffer A | 1 | | | | | ASTM (D 5128) N laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified | | | | | | |

a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------------------|---------------------|---------------------------------|
| 1551-1 | 4 L natural poly | 24 months |
| 1551-1CT | 4 L Cubitainer® | 24 months |
| 1551-2.5 | 10 L Cubitainer® | 24 months |
| 1551-5 | 20 L Cubitainer® | 24 months |
| Decommonded Steven 1500 | 0000 (F007) | |

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Lot Number: 4401F99

Paul Drondon

Paul Brandon (01/08/2024) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

RICCA CHEMICAL COMPANY°

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Certificate of Analysis

Buffer, Reference Standard, pH 10.00 ± 0.01 at 25°C (Color Coded Blue)

| The cer | tified valu | mber: 4310G83 Product 2 Tred value for this product is confirmed in indep traceable pH value is certified to ±0.01 at 25 % | | | | Number: 1601 | | | |] | facture Date: OCT 09, 2023 Expiration Date: MAR 2025 |
|----------------------------------|--|--|--|--------------------------------------|-------------------------------|-------------------------------------|-----------------------|--|----------------------------------|--|---|
| °C pH | 0 10.31 | 5 10.23 | 10 10.17 | 15 10.11 | 20 10.05 | 25 10.00 | 30 9.95 | 35 9.91 | 40 9.87 | 50 9.81 | res are accurate to ± 0.05 . |
| Name | | | | | | CA | S# | | | Grade | |
| Water | | | | | | 773 | 32-18-5 | | | ACS/ASTM/USP/ | EP |
| Sodiur | n Carbo | nate | | | | 497 | -19-8 | | | ACS | T |
| Sodiur | n Bicarl | oonate | | | | 144 | -55-8 | | | ACS | |
| Sodiur | n Hydro | xide | | | | 131 | 0-73-2 | | | Reagent | |
| Preser | vative | | | | | | prietary | v | | Intragent | |
| Blue D | ye | | | | | | prietary | · · | | | · · · · |
| Test | | | | | | | Spec | ification | | Result | |
| Appear | ance | | | | | | Blue | e liquid | | Passed | *Not a certified value. |
| Test | t | | | | | 120 | Cert | ified Val | ue | Uncertainty | NIST SRM# |
| pH at 2 | at 25°C (Method: SQCP027, SQCP033) | | | | | | 10.00 | 03 | | 0.02 | 186-I-g, 186-II-g, 191d |
| Specific | ation | | | 1.2 | | | | | Refe | rence | |
| Comme | rcial Bu | ffer Sol | utions | | | | | | | M (D 1293 B) | |
| Buffer (| | | | | | ASTM (D 5464) | | | | | |
| Buffer (| 7 | | | | | ASTM (D 5128) | | | | | |
| comparis Standard a normal | ons. The u l Referenc distributi | incertaint e Materia on. Volum | y is calcul l, and the netric glas | lated from uncertain sware con | the unce ty of the provide | rtainty of measurem h Class A | the meas ent proce | d Reference urement v ss. The ur | ce Mater ariation certaint | from sample to sample, y is multiplied by k=2, or STM F 288 and NICT (| cate L2387.02) and are certified ia an unbroken chain of the uncertainty in the NIST corresponding to 95% coverage in Circular 434; it is calibrated ses are calibrated regularly with |

before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured. Part Number

| I di ti tullibel | Size / Package Type | Shelf Life (Unopened Container) |
|---------------------------|---------------------|---------------------------------|
| 1601-16 | 500 mL natural poly | 18 months |
| 1601-5 | 20 L Cubitainer® | 18 months |
| Person and ad Steven 1500 | | |

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Fand Brandon 1

F

Paul Brandon (10/09/2023) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory



W3105 Received on 4/22/24 by IZ

Certificate of Analysis

Sodium Thiosulfate, 0.0250 Normal (N/40)

Lot Number: 4403S13

Product Number: 7900

Manufacture Date: MAR 29, 2024 Expiration Date: SEP 2025

This product is specially formulated to increase its stability. A preservative is added to prevent bacterial contamination. However, all Sodium Thiosulfate solutions are subject to slow chemical deterioration and should be restandardized periodically.

| Name | CAS# | Grade |
|---------------------------------|-------------|-----------------|
| Water | 7732-18-5 | ACS/ASTM/USP/EP |
| Sodium Thiosulfate Pentahydrate | 10102-17-7 | ACS |
| Organic Preservative | Proprietary | |
| Sodium Carbonate | 497-19-8 | ACS |

| Test | Specification | \mathbf{Result} | NIST SRM# |
|-------------------------------------|------------------------------|-------------------|-----------|
| Appearance | Colorless liquid | Passed | |
| Assay (vs. Potassium Iodate/Starch) | 0.02499- 0.02501 N at 20°C | 0.02501 N at 20°C | 136 |

| Specification | Reference |
|--|---------------------|
| Standard Sodium Thiosulfate Solution, 0.0250 N | APHA (4500-S2- F) |
| Standard Sodium Thiosulfate Titrant | APHA (4500-O D) |
| Standard Sodium Thiosulfate Titrant | АРНА (4500-О Е) |
| Standard Sodium Thiosulfate Titrant | APHA (4500-O F) |
| Standard Sodium Thiosulfate Titrant, 0.025 N | APHA (4500-Cl B) |
| Standard Sodium Thiosulfate Titrant | АРНА (4500-О С) |
| Standard Sodium Thiosulfate Titrant, 0.025 M | АРНА (5530 С) |
| Standard Sodium Thiosulfate Solution (0.025 N) | EPA (SW-846) (9031) |
| Standard Sodium Thiosulfate solution (0.025 N) | EPA (SW-846) (9034) |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 7900-1 | 4 L natural poly | 18 months |
| 7900-16 | 500 mL natural poly | 18 months |
| 7900-1CT | 4 L Cubitainer® | 18 months |
| 7900-32 | 1 L natural poly | 18 months |
| D 110/ 1500 | | |

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Fand Brandon

Paul Brandon (03/29/2024) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

RICCA CHEMICAL COMPANY

Certificate of Analysis

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Buffer, Reference Standard, pH 4.00 ± 0.01 at 25°C (Color Coded Red)

Product Number: 1501

Manufacture Date: MAR 09, 2024 Expiration Date: FEB 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist. The NIST Traceable pH value is certified to ± 0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05 .

| | | | | | | | - | | | ^ | 0 1 | |
|-------------|------|------|------|------|------|-----------|------|------|------|----------|------|--|
| °C | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | |
| $_{\rm pH}$ | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 4.01 | 4.02 | 4.03 | 4.04 | 4.06 | |

| Name | CAS# | Grade | | | |
|---------------------------------------|-----------------|----------------|-------------------------|--|--|
| Water | 7732-18-5 | ACS/ASTM/USP/H | ΞP | | |
| Potassium Acid Phthalate | 877-24-7 | Buffer | | | |
| Preservative | Proprietary | Commercial | •• | | |
| Red Dye | Proprietary | Purified | | | |
| Test | Specification | Result | | | |
| Appearance | Red liquid | Passed | *Not a certified value | | |
| Test | Certified Value | Uncertainty | NIST SRM# | | |
| pH at 25°C (Method: SQCP027, SQCP033) | 4.000 | 0.02 | 185i, 186-I-g, 186-II-g | | |
| Specification | Reference | | | | |
| Commercial Buffer Solutions | AS | | | | |
| Buffer B | ASTM (D 5464) | | | | |

Buffer B

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

ASTM (D 5128)

| Part Number | Size / Package Type | Shelf Life (Unopened Container) | | | |
|-------------|---------------------|---------------------------------|--|--|--|
| 1501-2.5 | 10 L Cubitainer® | 24 months | | | |
| 1501-32 | 1 L natural poly | 24 months | | | |
| 1501-5 | 20 L Cubitainer® | 24 months | | | |

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Foul Brandon

Paul Brandon (03/09/2024) Production Manager This document is designed to comply with ISO Guide 31 "Reference Materials --Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

RICCA CHEMICAL COMPANY[®]

Manufacture Date: MAY 10, 2024

Certificate of Analysis

Iodine (Iodine-Iodide), 0.0250 Normal (N/40), 1 mL = 0.4008 mg S^2

Product Number: 3975

| Lot Number: 2405D89 Product | 5 Number: 3975 | | Expiration Da | ate: MAY 2025 |
|---------------------------------------|-------------------|---------|-------------------|---------------|
| Name | CAS# | Grade | | |
| Water | 7732-18-5 | ACS/A | STM/USP/EP | |
| Potassium Iodide | 7681-11-0 | ACS | | |
| Iodine | 7553-56-2 | ACS | | |
| Test | Specification | | Result | NIST SRM# |
| Appearance | Dark brown liquid | | Passed | |
| Assay (vs. Sodium Thiosulfate/Starch) | 0.02498-0.02502 N | at 20°C | 0.02502 N at 20°C | 136 |

| Specification | Reference |
|---|---------------------|
| Standard Iodine Solution, 0.0250 N | APHA (4500-S2- F) |
| Iodine Solution (approximately 0.025 N) | EPA (SW-846) (9031) |
| Standard Iodine Solution, 0.0250 N | EPA (376.1) |
| Iodine Solution (approximately 0.025 N) | EPA (SW-846) (9034) |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 3975-1 | 4 L amber glass | 12 months |
| 3975-16 | 500 mL amber glass | 12 months |
| 3975-32 | 1 L amber glass | 12 months |
| | , | |

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Jose Pena (05/10/2024) **Operations Manager**

Lot Number: 2405D89



Part of TCP Analytical Group

Jackson's Pointe Commerce Park- Building 1000 1010 Jackson's Pointe Court, Zelienople, PA 16063

Certificate of Analysis

Cyanide Standard 1000 ppm (1ml = 1mg CN)

| Product Code: | LC13545 | | Manufacture Date: August 01, 2024 | |
|--------------------|----------|--------------------|-----------------------------------|--|
| Lot Number: | 44080060 | | Expiration Date: January 30, 2025 | |
| Test | | Specification | Result | |
| Appearance (cla | arity) | clear solution | clear solution | |
| Appearance (co | blor) | colorless | colorless | |
| Concentration (CN) | | 0.990 - 1.010mg/mL | 1.008mg/mL | |
| Concentration (CN) | | 990 - 1,010ppm | 1,008ppm | |
| Traceable to NI | ST SRM | Report | 999b | |

Intended Use - Product is intended for use in manufacturing procedures and laboratory procedures and protocols.

Storage Information - Unless noted on the product label, store the product under normal lab conditions in its tightly closed, original container. Do not pipet directly from the container or return unused portions to the container.

Instructions for Handling and Use - Please refer to the associated product label and Safety Data Sheet (SDS) for information regarding safety and handling of this product.

Preparation - All products are manufactured and tested according to established, documented procedures and methodology. Production documentation records manufacturing data, raw material traceability and testing history on a per lot basis. Balances, thermometers, and glassware are calibrated before first use and on a regular schedule with references traceable to NIST standards.

The suffix of the product code may differ from what is on your product label. The suffix will designate the size and be associated with a numeric digit(s). Visit LabChem.com for more information

| Suffix | 1 | 2 | 3/35/36/365 | 4/4C | 5 | 6 | 7 | 8 | 9 | 20 | 44 | 200 | 246 | 486 |
|--------|------------|-----------|---------------------------------------|------|-----|-----|-------|-----|------|---------|------|------|--------|--------|
| Size | 500mL or g | 1L or 1kg | 2.5L/2.5L Coated/6x2.5L/6x2.5L Coated | 4L | 20L | 10L | 125mL | 25g | 100g | 20x20mL | 4x4L | 200L | 24x6mL | 48x6mL |

Michael Montelsons

Michael Monteleone Chemistry Supervisor - Quality Control



W3139 Received on 9/9/24 by IZ

Product No.:

A12044

Product: Chloramine-T trihydrate, 98%

Lot No.: 10239484

Appearance: Melting Point: Assay (lodometric titration): Identification (FTIR): White powder 166°C(dec) 100.5% Conforms

Order our products online thermofisher.com/chemicals

This document has been electronically generated and does not require a signature.

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

W3149 Received on 10/16/24 by IZ

Certificate of Analysis

Starch Indicator, 0.5% (w/v), Mercury Free, for Iodometric Titrations

Lot Number: 4408P62

Product Number: 8000

Manufacture Date: AUG 28, 2024 Expiration Date: AUG 2026

This product is Mercury-free.

| Name | CAS# | Grade | |
|-----------------|---------------|-----------------|--|
| Water | 7732-18-5 | ACS/ASTM/USP/EP | |
| Starch, soluble | 9005-84-9 | ACS | |
| Salicylic Acid | 69-72-7 | ACS | |
| Test | Specification | Result. | |

| Test | Specification | Result |
|---------------------|----------------------------------|--------|
| Appearance | White translucent liquid | Passed |
| Suitability for Use | Colorless (Iodine absent) - Blue | Passed |
| | (Iodine present) | |

| Specification | Reference |
|---------------------------|---------------------|
| Starch Solution | APHA (4500-S2- F) |
| Starch Indicator Solution | APHA (4500-Cl B) |
| Starch Indicator | APHA (4500-SO32- B) |
| Starch indicator solution | APHA (2350 B) |
| Starch indicator solution | APHA (2350 E) |
| Starch Solution | APHA (510 B) |
| Starch Solution | APHA (5530 C) |
| Starch Indicator | APHA (4500-Cl C) |
| Starch Indicator | EPA (345.1) |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 8000-1 | 4 L natural poly | 24 months |
| 8000-16 | 500 mL natural poly | 24 months |
| 8000-32 | 1 L natural poly | 24 months |
| | | |

Recommended Storage: 15°C - 30°C (59°F - 86°F)

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA customerservice@riccachemical.com

Paul Brandon

Paul Brandon (08/28/2024) Production Manager