

SOP ID : M200.7-Trace Elements-22, MSFAM01.1-Trace Metals-2

SDG No : MBHK12,MBHK93,MBHL70

Matrix : WATER

Pipette ID: ICP A

Balance ID : N/A

Filter paper ID : N/A

pH Strip ID : M6069

Hood ID : #3

Block ID: 1. HOT BLOCK #1 2. N/A

Start Digest Date: 12/16/2024 Time : 13:15 Temp : 96 °C

End Digest Date: 12/16/2024 Time : 14:05 Temp : 96 °C

Digestion tube ID: M5595

Block thermometer ID: MET-DIG. #1

Dig Technician Signature: SKG

Supervisor Signature:

Temp : 1. 96°C 2. N/A

Standardized Name	MLS USED	STD REF. # FROM LOG
LCSW	1.00	MP83506
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
1:1 HNO3	1.00	MP83498
1:1 HCL	0.50	MP83499
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK #1 CELL #55 :96

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
12/16/24 13:09	SKG met digestion	SKG met digestion
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
P5015-02	MBHK13	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	1
P5033-21	MBHKQ4	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	2
P5059-20	MBHLD7	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	3
P5059-21	MBHLD8	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	4
P5092-20	MBHM40	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	5
P5132-21	MBHMN5	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	6
P5200-15	MBHNJ3	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	7
P5212-09	MBHNJ4	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	8
PB165669BL	PBW669	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	9
PB165669BS	LCS669	<2	50	50	Colorless	Colorless	Clear	Clear	MP83506	10