

FORM 4 - IN
ICP INTERFERENCE CHECK SAMPLE

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51879 MA No. : SDG No.: MBHKM2
 Analytical Method: ICP-AES ICSA Source: EPA-1211
 Instrument ID: P5 ICSB Source: EPA-0710
 Run Batch: LB133883
 Concentration Units: ug/L

Analyte	True		Found			
	ICSA	ICSAB	ICSA	%R	ICSAB	%R
Aluminum	255000	247000	240000	95	250000	101
Antimony	0	618	-6.8		560	90
Arsenic	0	104	-9.3		89	86
Barium	6	537	7.3	122	550	102
Beryllium	0	495	1.4		550	110
Cadmium	1	972	0.85	85	1000	104
Calcium	245000	235000	250000	102	260000	109
Chromium	52	542	52	100	620	115
Cobalt	0	476	32		540	114
Copper	2	511	-7.0	-350	490	95
Iron	101000	99300	100000	102	110000	106
Lead	0	49	-9.9		42	87
Magnesium	255000	248000	260000	100	260000	106
Manganese	7	507	10	146	550	108
Nickel	2	954	5.1	256	1100	113
Potassium	0	0	-290		-600	
Selenium	0	46	-16		27	58
Silver	0	201	-7.6		190	94
Sodium	0	0	-51		-94	
Thallium	0	108	7.7		110	101
Vanadium	0	491	0.48		530	108
Zinc	0	952	-36		1100	110