

DATA PACKAGE

VOLATILE ORGANICS
GC SEMI-VOLATILES
SEMI-VOLATILE ORGANICS

PROJECT NAME : WEEKLY STORAGE BLANKS

CHEMTECH CONSULTING GROUP

284 Sheffield St,

Mountainside, NJ - 07092

Phone No: 908-789-8900

ORDER ID : P5050

ATTENTION : QA Officer



Laboratory Certification ID # 20012



1) Signature Page	3
2) Qualifier Page	4
3) QA Checklist	5
4) VOC- Chemtech Full Data	6
5) SVOC-Chemtech Full -25 Data	25
6) Pesticide-TCL Data	32
7) PCB Data	39
8) Shipping Document	44
8.1) CHAIN OF CUSTODY	45
8.2) Lab Certificate	47

1
2
3
4
5
6
7
8

Cover Page

Order ID : P5050

Project ID : Weekly Storage Blanks

Client : Chemtech Consulting Group

Lab Sample Number

P5050-01
P5050-02
P5050-03
P5050-04
P5050-10
P5050-11
P5050-12
P5050-13
P5050-14

Client Sample Number

Storage-Blank-SOIL-REF-6
Storage-Blank-WATER-REF-5
Storage-Blank-WATER-REF-4
Storage-Blank-SAMPLE-MANAGEMENT
SVOC-GPC2-BLANK
PEST-GPC2-BLANK
PEST-GPC2-BLANK-SPIKE
PCB-GPC2-BLANK
PCB-GPC2-BLANK-SPIKE

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 12/11/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: P5050

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 12/11/2024

Hit Summary Sheet
SW-846

SDG No.: P5050
Client: Chemtech Consulting Group

A

B

C

D

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID:

0

Total Voc :

Total Concentration:



SAMPLE DATA

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-SOIL-REF-6	SDG No.:	P5050
Lab Sample ID:	P5050-01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085081.D	1		12/03/24 16:42	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	1.00	ug/L
141-78-6	Ethyl Acetate	0.38	U	0.38	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-65-0	Tert butyl alcohol	5.60	U	5.60	25.0	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	1.00	ug/L
107-02-8	Acrolein	6.70	U	6.70	25.0	ug/L
107-13-1	Acrylonitrile	0.90	U	0.90	5.00	ug/L
67-64-1	Acetone	1.40	U	1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	1.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
108-05-4	Vinyl Acetate	0.71	U	0.71	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
594-20-7	2,2-Dichloropropane	0.31	U	0.31	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	1.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	1.00	ug/L
563-58-6	1,1-Dichloropropene	0.18	U	0.18	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-SOIL-REF-6	SDG No.:	P5050
Lab Sample ID:	P5050-01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085081.D	1		12/03/24 16:42	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
71-43-2	Benzene	0.16	U	0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	1.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	1.00	ug/L
74-95-3	Dibromomethane	0.23	U	0.23	1.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	5.00	ug/L
108-88-3	Toluene	0.18	U	0.18	1.00	ug/L
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
142-28-9	1,3-Dichloropropane	0.17	U	0.17	1.00	ug/L
110-75-8	2-Chloroethyl Vinyl ether	1.80	U	1.80	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	1.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	1.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	1.00	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.21	U	0.21	1.00	ug/L
67-72-1	Hexachloroethane	0	U	0	0	ug/L
100-41-4	Ethyl Benzene	0.16	U	0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	0.31	U	0.31	2.00	ug/L
95-47-6	o-Xylene	0.14	U	0.14	1.00	ug/L
100-42-5	Styrene	0.16	U	0.16	1.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	1.00	ug/L
98-82-8	Isopropylbenzene	0.13	U	0.13	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	1.00	ug/L
96-18-4	1,2,3-Trichloropropane	0.39	U	0.39	1.00	ug/L
108-86-1	Bromobenzene	0.26	U	0.26	1.00	ug/L
103-65-1	n-propylbenzene	0.14	U	0.14	1.00	ug/L
95-49-8	2-Chlorotoluene	0.16	U	0.16	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-SOIL-REF-6	SDG No.:	P5050
Lab Sample ID:	P5050-01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085081.D	1		12/03/24 16:42	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
108-67-8	1,3,5-Trimethylbenzene	0.18	U	0.18	1.00	ug/L
106-43-4	4-Chlorotoluene	0.18	U	0.18	1.00	ug/L
98-06-6	tert-Butylbenzene	0.17	U	0.17	1.00	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.18	U	0.18	1.00	ug/L
135-98-8	sec-Butylbenzene	0.17	U	0.17	1.00	ug/L
99-87-6	p-Isopropyltoluene	0.15	U	0.15	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	1.00	ug/L
104-51-8	n-Butylbenzene	0.22	U	0.22	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	1.00	ug/L
87-68-3	Hexachlorobutadiene	0.31	U	0.31	1.00	ug/L
91-20-3	Naphthalene	0.59	U	0.59	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	50.8		74 - 125	102%	SPK: 50
1868-53-7	Dibromofluoromethane	50.7		75 - 124	101%	SPK: 50
2037-26-5	Toluene-d8	46.8		86 - 113	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.6		77 - 121	93%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	163000	8.218			
540-36-3	1,4-Difluorobenzene	283000	9.1			
3114-55-4	Chlorobenzene-d5	248000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	106000	13.788			

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-SOIL-REF-6	SDG No.:	P5050
Lab Sample ID:	P5050-01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085081.D	1		12/03/24 16:42	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-WATER-REF-5	SDG No.:	P5050
Lab Sample ID:	P5050-02	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085078.D	1		12/03/24 15:30	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	1.00	ug/L
141-78-6	Ethyl Acetate	0.38	U	0.38	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-65-0	Tert butyl alcohol	5.60	U	5.60	25.0	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	1.00	ug/L
107-02-8	Acrolein	6.70	U	6.70	25.0	ug/L
107-13-1	Acrylonitrile	0.90	U	0.90	5.00	ug/L
67-64-1	Acetone	1.40	U	1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	1.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
108-05-4	Vinyl Acetate	0.71	U	0.71	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
594-20-7	2,2-Dichloropropane	0.31	U	0.31	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	1.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	1.00	ug/L
563-58-6	1,1-Dichloropropene	0.18	U	0.18	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-WATER-REF-5	SDG No.:	P5050
Lab Sample ID:	P5050-02	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085078.D	1		12/03/24 15:30	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
71-43-2	Benzene	0.16	U	0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	1.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	1.00	ug/L
74-95-3	Dibromomethane	0.23	U	0.23	1.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	5.00	ug/L
108-88-3	Toluene	0.18	U	0.18	1.00	ug/L
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
142-28-9	1,3-Dichloropropane	0.17	U	0.17	1.00	ug/L
110-75-8	2-Chloroethyl Vinyl ether	1.80	U	1.80	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	1.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	1.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	1.00	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.21	U	0.21	1.00	ug/L
67-72-1	Hexachloroethane	0	U	0	0	ug/L
100-41-4	Ethyl Benzene	0.16	U	0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	0.31	U	0.31	2.00	ug/L
95-47-6	o-Xylene	0.14	U	0.14	1.00	ug/L
100-42-5	Styrene	0.16	U	0.16	1.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	1.00	ug/L
98-82-8	Isopropylbenzene	0.13	U	0.13	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	1.00	ug/L
96-18-4	1,2,3-Trichloropropane	0.39	U	0.39	1.00	ug/L
108-86-1	Bromobenzene	0.26	U	0.26	1.00	ug/L
103-65-1	n-propylbenzene	0.14	U	0.14	1.00	ug/L
95-49-8	2-Chlorotoluene	0.16	U	0.16	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-WATER-REF-5	SDG No.:	P5050
Lab Sample ID:	P5050-02	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085078.D	1		12/03/24 15:30	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
108-67-8	1,3,5-Trimethylbenzene	0.18	U	0.18	1.00	ug/L
106-43-4	4-Chlorotoluene	0.18	U	0.18	1.00	ug/L
98-06-6	tert-Butylbenzene	0.17	U	0.17	1.00	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.18	U	0.18	1.00	ug/L
135-98-8	sec-Butylbenzene	0.17	U	0.17	1.00	ug/L
99-87-6	p-Isopropyltoluene	0.15	U	0.15	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	1.00	ug/L
104-51-8	n-Butylbenzene	0.22	U	0.22	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	1.00	ug/L
87-68-3	Hexachlorobutadiene	0.31	U	0.31	1.00	ug/L
91-20-3	Naphthalene	0.59	U	0.59	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	50.0		74 - 125	100%	SPK: 50
1868-53-7	Dibromofluoromethane	50.1		75 - 124	100%	SPK: 50
2037-26-5	Toluene-d8	47.0		86 - 113	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.7		77 - 121	93%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	174000	8.218			
540-36-3	1,4-Difluorobenzene	299000	9.094			
3114-55-4	Chlorobenzene-d5	257000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	112000	13.788			

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-WATER-REF-5	SDG No.:	P5050
Lab Sample ID:	P5050-02	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085078.D	1		12/03/24 15:30	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-WATER-REF-4	SDG No.:	P5050
Lab Sample ID:	P5050-03	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085079.D	1		12/03/24 15:54	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	1.00	ug/L
141-78-6	Ethyl Acetate	0.38	U	0.38	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-65-0	Tert butyl alcohol	5.60	U	5.60	25.0	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	1.00	ug/L
107-02-8	Acrolein	6.70	U	6.70	25.0	ug/L
107-13-1	Acrylonitrile	0.90	U	0.90	5.00	ug/L
67-64-1	Acetone	1.40	U	1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	1.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
108-05-4	Vinyl Acetate	0.71	U	0.71	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
594-20-7	2,2-Dichloropropane	0.31	U	0.31	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	1.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	1.00	ug/L
563-58-6	1,1-Dichloropropene	0.18	U	0.18	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-WATER-REF-4	SDG No.:	P5050
Lab Sample ID:	P5050-03	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085079.D	1		12/03/24 15:54	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
71-43-2	Benzene	0.16	U	0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	1.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	1.00	ug/L
74-95-3	Dibromomethane	0.23	U	0.23	1.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	5.00	ug/L
108-88-3	Toluene	0.18	U	0.18	1.00	ug/L
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
142-28-9	1,3-Dichloropropane	0.17	U	0.17	1.00	ug/L
110-75-8	2-Chloroethyl Vinyl ether	1.80	U	1.80	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	1.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	1.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	1.00	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.21	U	0.21	1.00	ug/L
67-72-1	Hexachloroethane	0	U	0	0	ug/L
100-41-4	Ethyl Benzene	0.16	U	0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	0.31	U	0.31	2.00	ug/L
95-47-6	o-Xylene	0.14	U	0.14	1.00	ug/L
100-42-5	Styrene	0.16	U	0.16	1.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	1.00	ug/L
98-82-8	Isopropylbenzene	0.13	U	0.13	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	1.00	ug/L
96-18-4	1,2,3-Trichloropropane	0.39	U	0.39	1.00	ug/L
108-86-1	Bromobenzene	0.26	U	0.26	1.00	ug/L
103-65-1	n-propylbenzene	0.14	U	0.14	1.00	ug/L
95-49-8	2-Chlorotoluene	0.16	U	0.16	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-WATER-REF-4	SDG No.:	P5050
Lab Sample ID:	P5050-03	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085079.D	1		12/03/24 15:54	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
108-67-8	1,3,5-Trimethylbenzene	0.18	U	0.18	1.00	ug/L
106-43-4	4-Chlorotoluene	0.18	U	0.18	1.00	ug/L
98-06-6	tert-Butylbenzene	0.17	U	0.17	1.00	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.18	U	0.18	1.00	ug/L
135-98-8	sec-Butylbenzene	0.17	U	0.17	1.00	ug/L
99-87-6	p-Isopropyltoluene	0.15	U	0.15	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	1.00	ug/L
104-51-8	n-Butylbenzene	0.22	U	0.22	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	1.00	ug/L
87-68-3	Hexachlorobutadiene	0.31	U	0.31	1.00	ug/L
91-20-3	Naphthalene	0.59	U	0.59	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.3		74 - 125	103%	SPK: 50
1868-53-7	Dibromofluoromethane	50.7		75 - 124	101%	SPK: 50
2037-26-5	Toluene-d8	47.1		86 - 113	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	47.2		77 - 121	94%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	171000	8.218			
540-36-3	1,4-Difluorobenzene	302000	9.094			
3114-55-4	Chlorobenzene-d5	262000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	117000	13.788			

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-WATER-REF-4	SDG No.:	P5050
Lab Sample ID:	P5050-03	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085079.D	1		12/03/24 15:54	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-SAMPLE-MANAGEMENT	SDG No.:	P5050
Lab Sample ID:	P5050-04	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085080.D	1		12/03/24 16:18	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	1.00	ug/L
141-78-6	Ethyl Acetate	0.38	U	0.38	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-65-0	Tert butyl alcohol	5.60	U	5.60	25.0	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	1.00	ug/L
107-02-8	Acrolein	6.70	U	6.70	25.0	ug/L
107-13-1	Acrylonitrile	0.90	U	0.90	5.00	ug/L
67-64-1	Acetone	1.40	U	1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	1.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
108-05-4	Vinyl Acetate	0.71	U	0.71	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
594-20-7	2,2-Dichloropropane	0.31	U	0.31	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	1.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	1.00	ug/L
563-58-6	1,1-Dichloropropene	0.18	U	0.18	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-SAMPLE-MANAGEMENT	SDG No.:	P5050
Lab Sample ID:	P5050-04	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085080.D	1		12/03/24 16:18	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
71-43-2	Benzene	0.16	U	0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	1.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	1.00	ug/L
74-95-3	Dibromomethane	0.23	U	0.23	1.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	5.00	ug/L
108-88-3	Toluene	0.18	U	0.18	1.00	ug/L
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
142-28-9	1,3-Dichloropropane	0.17	U	0.17	1.00	ug/L
110-75-8	2-Chloroethyl Vinyl ether	1.80	U	1.80	5.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	1.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	1.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	1.00	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.21	U	0.21	1.00	ug/L
67-72-1	Hexachloroethane	0	U	0	0	ug/L
100-41-4	Ethyl Benzene	0.16	U	0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	0.31	U	0.31	2.00	ug/L
95-47-6	o-Xylene	0.14	U	0.14	1.00	ug/L
100-42-5	Styrene	0.16	U	0.16	1.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	1.00	ug/L
98-82-8	Isopropylbenzene	0.13	U	0.13	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	1.00	ug/L
96-18-4	1,2,3-Trichloropropane	0.39	U	0.39	1.00	ug/L
108-86-1	Bromobenzene	0.26	U	0.26	1.00	ug/L
103-65-1	n-propylbenzene	0.14	U	0.14	1.00	ug/L
95-49-8	2-Chlorotoluene	0.16	U	0.16	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-SAMPLE-MANAGEMENT	SDG No.:	P5050
Lab Sample ID:	P5050-04	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085080.D	1		12/03/24 16:18	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
108-67-8	1,3,5-Trimethylbenzene	0.18	U	0.18	1.00	ug/L
106-43-4	4-Chlorotoluene	0.18	U	0.18	1.00	ug/L
98-06-6	tert-Butylbenzene	0.17	U	0.17	1.00	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.18	U	0.18	1.00	ug/L
135-98-8	sec-Butylbenzene	0.17	U	0.17	1.00	ug/L
99-87-6	p-Isopropyltoluene	0.15	U	0.15	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	1.00	ug/L
104-51-8	n-Butylbenzene	0.22	U	0.22	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	1.00	ug/L
87-68-3	Hexachlorobutadiene	0.31	U	0.31	1.00	ug/L
91-20-3	Naphthalene	0.59	U	0.59	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.1		74 - 125	102%	SPK: 50
1868-53-7	Dibromofluoromethane	50.5		75 - 124	101%	SPK: 50
2037-26-5	Toluene-d8	46.1		86 - 113	92%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.4		77 - 121	93%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	166000	8.218			
540-36-3	1,4-Difluorobenzene	292000	9.1			
3114-55-4	Chlorobenzene-d5	252000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	108000	13.788			

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	Storage-Blank-SAMPLE-MANAGEMENT	SDG No.:	P5050
Lab Sample ID:	P5050-04	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN085080.D	1		12/03/24 16:18	VN120324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	P5050	OrderDate:	12/2/2024 9:46:00 AM
Client:	Chemtech Consulting Group	Project:	Weekly Storage Blanks
Contact:	QA Officer	Location:	M11,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5050-01	Storage-Blank-SOIL-R EF-6	Water			12/02/24			12/02/24
			VOC- Chemtech Full	8260-Low			12/03/24	
P5050-02	Storage-Blank-WATER -REF-5	Water			12/02/24			12/02/24
			VOC- Chemtech Full	8260-Low			12/03/24	
P5050-03	Storage-Blank-WATER -REF-4	Water			12/02/24			12/02/24
			VOC- Chemtech Full	8260-Low			12/03/24	
P5050-04	Storage-Blank-SAMPL E-MANAGEMENT	Water			12/02/24			12/02/24
			VOC- Chemtech Full	8260-Low			12/03/24	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet SW-846

SDG No.: P5050
Client: Chemtech Consulting Group

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :				0.000				
Total Svoc :					0.00			
Total Concentration:					0.00			



SAMPLE DATA

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	SVOC-GPC2-BLANK	SDG No.:	P5050
Lab Sample ID:	P5050-10	Matrix:	SOIL
Analytical Method:	SFAM_SVOC	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOC-Chemtech Full -25
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 2.0	GPC Cleanup :	Y PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN035402.D	1	12/02/24 11:08	12/03/24 10:49	PB165330

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
123-91-1	1,4-Dioxane	36.0	U	36.0	200	ug/Kg
100-52-7	Benzaldehyde	140	U	140	990	ug/Kg
108-95-2	Phenol	140	U	140	990	ug/Kg
111-44-4	Bis(2-Chloroethyl)ether	110	U	110	990	ug/Kg
95-57-8	2-Chlorophenol	66.0	U	66.0	510	ug/Kg
95-48-7	2-Methylphenol	120	U	120	990	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	87.0	U	87.0	990	ug/Kg
98-86-2	Acetophenone	180	U	180	990	ug/Kg
106-44-5	4-Methylphenol	120	U	120	990	ug/Kg
621-64-7	N-Nitroso-di-n-propylamine	110	U	110	510	ug/Kg
67-72-1	Hexachloroethane	48.0	U	48.0	510	ug/Kg
98-95-3	Nitrobenzene	81.0	U	81.0	510	ug/Kg
78-59-1	Isophorone	110	U	110	510	ug/Kg
88-75-5	2-Nitrophenol	90.0	U	90.0	510	ug/Kg
105-67-9	2,4-Dimethylphenol	26.0	U	26.0	510	ug/Kg
111-91-1	Bis(2-Chloroethoxy)methane	93.0	U	93.0	510	ug/Kg
120-83-2	2,4-Dichlorophenol	100	U	100	510	ug/Kg
91-20-3	Naphthalene	99.0	U	99.0	510	ug/Kg
106-47-8	4-Chloroaniline	130	U	130	990	ug/Kg
87-68-3	Hexachlorobutadiene	78.0	U	78.0	510	ug/Kg
105-60-2	Caprolactam	120	U	120	990	ug/Kg
59-50-7	4-Chloro-3-methylphenol	110	U	110	510	ug/Kg
91-57-6	2-Methylnaphthalene	110	U	110	510	ug/Kg
77-47-4	Hexachlorocyclopentadiene	57.0	U	57.0	990	ug/Kg
88-06-2	2,4,6-Trichlorophenol	150	U	150	510	ug/Kg
95-95-4	2,4,5-Trichlorophenol	150	U	150	510	ug/Kg
92-52-4	1,1-Biphenyl	140	U	140	510	ug/Kg
91-58-7	2-Chloronaphthalene	130	U	130	510	ug/Kg
88-74-4	2-Nitroaniline	66.0	U	66.0	510	ug/Kg

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	SVOC-GPC2-BLANK	SDG No.:	P5050
Lab Sample ID:	P5050-10	Matrix:	SOIL
Analytical Method:	SFAM_SVOC	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOC-Chemtech Full -25
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 2.0	GPC Cleanup :	Y PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN035402.D	1	12/02/24 11:08	12/03/24 10:49	PB165330

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
131-11-3	Dimethylphthalate	110	U	110	510	ug/Kg
606-20-2	2,6-Dinitrotoluene	78.0	U	78.0	510	ug/Kg
208-96-8	Acenaphthylene	140	U	140	510	ug/Kg
99-09-2	3-Nitroaniline	42.0	U	42.0	990	ug/Kg
83-32-9	Acenaphthene	150	U	150	510	ug/Kg
51-28-5	2,4-Dinitrophenol	96.0	U	96.0	990	ug/Kg
100-02-7	4-Nitrophenol	33.0	U	33.0	990	ug/Kg
132-64-9	Dibenzofuran	120	U	120	510	ug/Kg
121-14-2	2,4-Dinitrotoluene	39.0	U	39.0	510	ug/Kg
84-66-2	Diethylphthalate	120	U	120	510	ug/Kg
86-73-7	Fluorene	170	U	170	510	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	140	U	140	510	ug/Kg
100-01-6	4-Nitroaniline	48.0	U	48.0	990	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	120	U	120	990	ug/Kg
86-30-6	N-Nitrosodiphenylamine	140	U	140	510	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	140	U	140	510	ug/Kg
101-55-3	4-Bromophenyl-phenylether	300	U	300	510	ug/Kg
118-74-1	Hexachlorobenzene	150	U	150	510	ug/Kg
1912-24-9	Atrazine	33.0	U	33.0	990	ug/Kg
87-86-5	Pentachlorophenol	110	U	110	990	ug/Kg
85-01-8	Phenanthrene	160	U	160	510	ug/Kg
120-12-7	Anthracene	140	U	140	510	ug/Kg
86-74-8	Carbazole	180	U	180	990	ug/Kg
84-74-2	Di-n-butylphthalate	170	U	170	510	ug/Kg
206-44-0	Fluoranthene	140	U	140	510	ug/Kg
129-00-0	Pyrene	140	U	140	510	ug/Kg
85-68-7	Butylbenzylphthalate	130	U	130	510	ug/Kg
91-94-1	3,3-Dichlorobenzidine	75.0	U	75.0	990	ug/Kg
56-55-3	Benzo(a)anthracene	120	U	120	510	ug/Kg
218-01-9	Chrysene	140	U	140	510	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	130	U	130	510	ug/Kg

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	SVOC-GPC2-BLANK	SDG No.:	P5050
Lab Sample ID:	P5050-10	Matrix:	SOIL
Analytical Method:	SFAM_SVOC	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOC-Chemtech Full -25
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 2.0	GPC Cleanup :	Y PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN035402.D	1	12/02/24 11:08	12/03/24 10:49	PB165330

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
117-84-0	Di-n-octyl phthalate	130	U	130	990	ug/Kg
205-99-2	Benzo(b)fluoranthene	140	U	140	510	ug/Kg
207-08-9	Benzo(k)fluoranthene	170	U	170	510	ug/Kg
50-32-8	Benzo(a)pyrene	170	U	170	510	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	140	U	140	510	ug/Kg
53-70-3	Dibenzo(a,h)anthracene	160	U	160	510	ug/Kg
191-24-2	Benzo(g,h,i)perylene	140	U	140	510	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	160	U	160	510	ug/Kg
SURROGATES						
17647-74-4	1,4-Dioxane-d8	0	*	15 - 120	0%	SPK: 8
7291-22-7	Pyridine-d5	0.34	*	20 - 120	0%	SPK: 40
4165-62-2	Phenol-d5	0	*	10 - 130	0%	SPK: 40
93952-02-4	Bis-(2-Chloroethyl)ether-d8	0	*	10 - 150	0%	SPK: 40
93951-73-6	2-Chlorophenol-d4	0	*	15 - 120	0%	SPK: 40
190780-66-6	4-Methylphenol-d8	0	*	10 - 140	0%	SPK: 40
4165-60-0	Nitrobenzene-d5	0	*	10 - 135	0%	SPK: 40
93951-78-1	2-Nitrophenol-d4	0	*	10 - 120	0%	SPK: 40
93951-74-7	2,4-Dichlorophenol-d3	0	*	10 - 140	0%	SPK: 40
191656-33-4	4-Chloroaniline-d4	0	*	1 - 145	0%	SPK: 40
85448-30-2	Dimethylphthalate-d6	0	*	10 - 145	0%	SPK: 40
93951-97-4	Acenaphthylene-d8	0	*	15 - 120	0%	SPK: 40
93951-79-2	4-Nitrophenol-d4	0	*	10 - 150	0%	SPK: 40
81103-79-9	Fluorene-d10	0	*	20 - 140	0%	SPK: 40
93951-76-9	4,6-Dinitro-2-methylphenol-d2	0	*	10 - 130	0%	SPK: 40
1719-06-8	Anthracene-d10	0	*	10 - 150	0%	SPK: 40
1718-52-1	Pyrene-d10	0	*	10 - 130	0%	SPK: 40
63466-71-7	Benzo(a)pyrene-d12	0	*	10 - 140	0%	SPK: 40
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	78800	7.299			
1146-65-2	Naphthalene-d8	324000	10.046			

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	SVOC-GPC2-BLANK	SDG No.:	P5050
Lab Sample ID:	P5050-10	Matrix:	SOIL
Analytical Method:	SFAM_SVOC	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOC-Chemtech Full -25
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 2.0	GPC Cleanup :	Y PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN035402.D	1	12/02/24 11:08	12/03/24 10:49	PB165330

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
15067-26-2	Acenaphthene-d10	258000	13.957			
1517-22-2	Phenanthrene-d10	612000	16.728			
1719-03-5	Chrysene-d12	653000	20.975			
1520-96-3	Perylene-d12	752000	23.651			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	P5050	OrderDate:	12/2/2024 9:46:00 AM
Client:	Chemtech Consulting Group	Project:	Weekly Storage Blanks
Contact:	QA Officer	Location:	M11,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5050-10	SVOC-GPC2-BLANK	SOIL	SVOC-Chemtech Full -25	SFAM_SVOC	12/02/24	12/02/24	12/03/24	12/02/24

Hit Summary Sheet
SW-846

SDG No.: P5050

Order ID: P5050

Client: Chemtech Consulting Group

Project ID: Weekly Storage Blanks

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : PEST-GPC2-BLANK-SPIKE								
P5050-12	PEST-GPC2-BLANK· SOIL		gamma-BHC (Lindane)	19.0		0.42	5.10	ug/kg
P5050-12	PEST-GPC2-BLANK· SOIL		Heptachlor	18.0		0.36	5.10	ug/kg
P5050-12	PEST-GPC2-BLANK· SOIL		Aldrin	19.0		0.28	5.10	ug/kg
P5050-12	PEST-GPC2-BLANK· SOIL		Dieldrin	37.0		0.33	9.90	ug/kg
P5050-12	PEST-GPC2-BLANK· SOIL		Endrin	38.0		0.30	9.90	ug/kg
P5050-12	PEST-GPC2-BLANK· SOIL		4,4-DDT	38.0		0.36	9.90	ug/kg
Total Concentration:				169.000				



SAMPLE DATA

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	PEST-GPC2-BLANK	SDG No.:	P5050
Lab Sample ID:	P5050-11	Matrix:	SOIL
Analytical Method:	SFAM_PEST	% Solid:	100
Sample Wt/Vol:	10 Units: g	Decanted:	
Soil Aliquot Vol:	uL	Final Vol:	5000 uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	2.0	Injection Volume :	
PH :			
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL093325.D	1	12/02/24 11:09	12/03/24 11:23	PB165332

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.36	U	0.36	5.10	ug/kg
319-85-7	beta-BHC	0.90	U	0.90	5.10	ug/kg
319-86-8	delta-BHC	0.54	U	0.54	5.10	ug/kg
58-89-9	gamma-BHC (Lindane)	0.42	U	0.42	5.10	ug/kg
76-44-8	Heptachlor	0.36	U	0.36	5.10	ug/kg
309-00-2	Aldrin	0.28	U	0.28	5.10	ug/kg
1024-57-3	Heptachlor epoxide	0.60	U	0.60	5.10	ug/kg
959-98-8	Endosulfan I	0.33	U	0.33	5.10	ug/kg
60-57-1	Dieldrin	0.33	U	0.33	9.90	ug/kg
72-55-9	4,4-DDE	0.33	U	0.33	9.90	ug/kg
72-20-8	Endrin	0.30	U	0.30	9.90	ug/kg
33213-65-9	Endosulfan II	0.84	U	0.84	9.90	ug/kg
72-54-8	4,4-DDD	0.45	U	0.45	9.90	ug/kg
1031-07-8	Endosulfan Sulfate	0.27	U	0.27	9.90	ug/kg
50-29-3	4,4-DDT	0.36	U	0.36	9.90	ug/kg
72-43-5	Methoxychlor	0.48	U	0.48	51.0	ug/kg
53494-70-5	Endrin ketone	0.54	U	0.54	9.90	ug/kg
7421-93-4	Endrin Aldehyde	0.93	U	0.93	9.90	ug/kg
5103-71-9	cis-Chlordane	0.39	U	0.39	5.10	ug/kg
5103-74-2	trans-Chlordane	0.39	U	0.39	5.10	ug/kg
8001-35-2	Toxaphene	21.6	U	21.6	510	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	30 - 150	%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	30 - 150	%	SPK: 40

Report of Analysis

Client:	Chemtech Consulting Group			Date Collected:	12/02/24	
Project:	Weekly Storage Blanks			Date Received:	12/02/24	
Client Sample ID:	PEST-GPC2-BLANK			SDG No.:	P5050	
Lab Sample ID:	P5050-11			Matrix:	SOIL	
Analytical Method:	SFAM_PEST			% Solid:	100	Decanted:
Sample Wt/Vol:	10	Units:	g	Final Vol:	5000	uL
Soil Aliquot Vol:			uL	Test:	Pesticide-TCL	
Extraction Type:				Injection Volume :		
GPC Factor :	2.0		PH :			
Prep Method :						

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL093325.D	1	12/02/24 11:09	12/03/24 11:23	PB165332

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	PEST-GPC2-BLANK-SPIKE	SDG No.:	P5050
Lab Sample ID:	P5050-12	Matrix:	SOIL
Analytical Method:	SFAM_PEST	% Solid:	100
Sample Wt/Vol:	10 Units: g	Decanted:	
Soil Aliquot Vol:	uL	Final Vol:	5000 uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	2.0	Injection Volume :	
PH :			
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL093324.D	1	12/02/24 11:09	12/03/24 11:10	PB165332

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.36	U	0.36	5.10	ug/kg
319-85-7	beta-BHC	0.90	U	0.90	5.10	ug/kg
319-86-8	delta-BHC	0.54	U	0.54	5.10	ug/kg
58-89-9	gamma-BHC (Lindane)	19.0		0.42	5.10	ug/kg
76-44-8	Heptachlor	18.0		0.36	5.10	ug/kg
309-00-2	Aldrin	19.0		0.28	5.10	ug/kg
1024-57-3	Heptachlor epoxide	0.60	U	0.60	5.10	ug/kg
959-98-8	Endosulfan I	0.33	U	0.33	5.10	ug/kg
60-57-1	Dieldrin	37.0		0.33	9.90	ug/kg
72-55-9	4,4-DDE	0.33	U	0.33	9.90	ug/kg
72-20-8	Endrin	38.0		0.30	9.90	ug/kg
33213-65-9	Endosulfan II	0.84	U	0.84	9.90	ug/kg
72-54-8	4,4-DDD	0.45	U	0.45	9.90	ug/kg
1031-07-8	Endosulfan Sulfate	0.27	U	0.27	9.90	ug/kg
50-29-3	4,4-DDT	38.0		0.36	9.90	ug/kg
72-43-5	Methoxychlor	0.48	U	0.48	51.0	ug/kg
53494-70-5	Endrin ketone	0.54	U	0.54	9.90	ug/kg
7421-93-4	Endrin Aldehyde	0.93	U	0.93	9.90	ug/kg
5103-71-9	cis-Chlordane	0.39	U	0.39	5.10	ug/kg
5103-74-2	trans-Chlordane	0.39	U	0.39	5.10	ug/kg
8001-35-2	Toxaphene	21.6	U	21.6	510	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	30 - 150	%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	30 - 150	%	SPK: 40

Report of Analysis

Client:	Chemtech Consulting Group			Date Collected:	12/02/24	
Project:	Weekly Storage Blanks			Date Received:	12/02/24	
Client Sample ID:	PEST-GPC2-BLANK-SPIKE			SDG No.:	P5050	
Lab Sample ID:	P5050-12			Matrix:	SOIL	
Analytical Method:	SFAM_PEST			% Solid:	100	Decanted:
Sample Wt/Vol:	10	Units:	g	Final Vol:	5000	uL
Soil Aliquot Vol:			uL	Test:	Pesticide-TCL	
Extraction Type:				Injection Volume :		
GPC Factor :	2.0		PH :			
Prep Method :						

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL093324.D	1	12/02/24 11:09	12/03/24 11:10	PB165332

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	P5050	OrderDate:	12/2/2024 9:46:00 AM
Client:	Chemtech Consulting Group	Project:	Weekly Storage Blanks
Contact:	QA Officer	Location:	M11,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5050-11	PEST-GPC2-BLANK	SOIL	Pesticide-TCL	SFAM_PEST	12/02/24	12/02/24	12/03/24	12/02/24
P5050-12	PEST-GPC2-BLANK-SP IKE	SOIL	Pesticide-TCL	SFAM_PEST	12/02/24	12/02/24	12/03/24	12/02/24
P5050-13	PCB-GPC2-BLANK	SOIL	PCB	SFAM_PCB	12/02/24	12/02/24	12/03/24	12/02/24
P5050-14	PCB-GPC2-BLANK-SPI KE	SOIL	PCB	SFAM_PCB	12/02/24	12/02/24	12/03/24	12/02/24

Hit Summary Sheet
SW-846

SDG No.: P5050

Order ID: P5050

Client: Chemtech Consulting Group

Project ID: Weekly Storage Blanks

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : PCB-GPC2-BLANK-SPIKE								
P5050-14	PCB-GPC2-BLANK-§ SOIL	§ SOIL	Aroclor-1016	360	7.20		100	ug/kg
P5050-14	PCB-GPC2-BLANK-§ SOIL	§ SOIL	Aroclor-1260	350	9.90		100	ug/kg
Total Concentration:				710.000				

A

B

C

D



SAMPLE DATA

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	PCB-GPC2-BLANK	SDG No.:	P5050
Lab Sample ID:	P5050-13	Matrix:	SOIL
Analytical Method:	SFAM_PCB	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	PCB
Extraction Type:		Injection Volume :	
GPC Factor :	2.0	PH :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PR069358.D	1	12/02/24 11:09	12/03/24 11:21	PB165331

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	7.20	U	7.20	100	ug/kg
11104-28-2	Aroclor-1221	9.90	U	9.90	100	ug/kg
11141-16-5	Aroclor-1232	9.90	U	9.90	100	ug/kg
53469-21-9	Aroclor-1242	9.90	U	9.90	100	ug/kg
12672-29-6	Aroclor-1248	9.90	U	9.90	100	ug/kg
11097-69-1	Aroclor-1254	9.90	U	9.90	100	ug/kg
11096-82-5	Aroclor-1260	9.90	U	9.90	100	ug/kg
37324-23-5	Aroclor-1262	9.90	U	9.90	100	ug/kg
11100-14-4	Aroclor-1268	9.90	U	9.90	100	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	30 - 150	%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	30 - 150	%	SPK: 40

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	12/02/24
Project:	Weekly Storage Blanks	Date Received:	12/02/24
Client Sample ID:	PCB-GPC2-BLANK-SPIKE	SDG No.:	P5050
Lab Sample ID:	P5050-14	Matrix:	SOIL
Analytical Method:	SFAM_PCB	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	PCB
Extraction Type:		Injection Volume :	
GPC Factor :	2.0	PH :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PR069359.D	1	12/02/24 11:09	12/03/24 11:36	PB165331

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	360		7.20	100	ug/kg
11104-28-2	Aroclor-1221	9.90	U	9.90	100	ug/kg
11141-16-5	Aroclor-1232	9.90	U	9.90	100	ug/kg
53469-21-9	Aroclor-1242	9.90	U	9.90	100	ug/kg
12672-29-6	Aroclor-1248	9.90	U	9.90	100	ug/kg
11097-69-1	Aroclor-1254	9.90	U	9.90	100	ug/kg
11096-82-5	Aroclor-1260	350		9.90	100	ug/kg
37324-23-5	Aroclor-1262	9.90	U	9.90	100	ug/kg
11100-14-4	Aroclor-1268	9.90	U	9.90	100	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	30 - 150	%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	30 - 150	%	SPK: 40

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	P5050	OrderDate:	12/2/2024 9:46:00 AM
Client:	Chemtech Consulting Group	Project:	Weekly Storage Blanks
Contact:	QA Officer	Location:	M11,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5050-13	PCB-GPC2-BLANK	SOIL	PCB	SFAM_PCB	12/02/24	12/02/24	12/03/24	12/02/24
P5050-14	PCB-GPC2-BLANK-SPI KE	SOIL	PCB	SFAM_PCB	12/02/24	12/02/24	12/03/24	12/02/24



SHIPPING DOCUMENTS

#1

CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax (908) 789-8922

www.chemtech.net

Chemtech Project Number

P5050

COC Number

CLIENT INFORMATION

PROJECT INFORMATION

BILLING INFORMATION

Report to be sent to:
COMPANY: Chemtech
ADDRESS: 284 Sheffield Street
CITY: Mountainside STATE: NJ ZIP: 08816
ATTENTION: QA Officer
PHONE: (908) 789-8900 FAX: (908) 789-8922

PROJECT NAME: Weekly Sample Blanks
PROJECT #: LOCATION: NJ
PROJECT MANAGER:
E-MAIL:
PHONE: FAX:

BILL TO: Same
ADDRESS:
CITY: STATE: ZIP:
ATTENTION:
PHONE:

DATA TURNAROUND INFORMATION

DATA DELIVERABLE INFORMATION

ANALYSIS

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): _____ DAYS*
EDD: _____ DAYS*
TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC + Raw Data) ☐ NYS ASP A ☐ NYS ASP B
☐ EDD FORMAT ☐ Other

1. VOC - Blank
2. SVOC - Full + 25
3. Pesticides - Full
4. PCB
5. PCB
6. PCB
7. PCB
8. PCB
9. PCB

CHEMTECH
SAMPLE
ID

PROJECT
SAMPLE IDENTIFICATION

SAMPLE
MATRIX

SAMPLE
TYPE

SAMPLE
COLLECTION

DATE

TIME

of Bottles

PRESERVATIVES

COMMENTS

<- Specify Preservatives
A-HCl D-NaOH
B-HNO3 E-ICE
C-H2SO4 F-OTHER

- Storage-Blank-SOTL-REF-6
- Storage-Blank-WATER-REF-5
- Storage-Blank-WATER-REF-4
- Storage-Blank-SAMPLE-MANAGEMENT
- SVOC-GPC-BLANK
- PEST-GPC-BLANK
- PEST-GPC-BLANK-SPIKE
- PCB-GPC-BLANK
- PCB-GPC-BLANK-SPIKE
- SVOC-GPC2-BLANK

AQ
AQ
AQ
AQ
SO
SO
SO
SO
SO
SO

X
X
X
X
X
X
X
X
X
X

2
2
2
2
1
1
1
1
1
1

X
X
X
X
X
X
X
X
X
X

1
2
3
4
5
6
7
8
9
9

X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X

X
X
X
X
X
X
X
X
X
X

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER
1. *[Signature]* DATE/TIME
RELINQUISHED BY
2. DATE/TIME
RELINQUISHED BY
3. DATE/TIME

RECEIVED BY
1. *[Signature]*
RECEIVED BY
2. *[Signature]*
RECEIVED FOR LAB BY
3. *[Signature]*

Conditions of bottles or casks at receipt: COMPLAINT ☒ NON COMPLAINT ☐ COOLER TEMP 6.0

Comments:

Page 1 of 2

CLIENT: ☐ Hand Delivered ☐ Other: ☐
CHEMTECH: ☐ Picked Up

Shipment Complete
YES ☒ NO ☐

WHITE - CHEMTECH COPY FOR RETURN TO CLIENT

YELLOW - CHEMTECH COPY

PINK - SAMPLER COPY

46 of 47

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488