

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Aramark Uniforms **SDG No.:** P5074
Contract: ARAM01 **Lab Code:** CHEM **Case No.:** P5074 **SAS No.:** P5074
Initial Calibration Source: EPA
Continuing Calibration Source: PLASMA-PURE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
ICV11	Mercury	3.84	4.0	96	90 - 110	CV	12/06/2024	11:38	LB133780

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Aramark Uniforms **SDG No.:** P5074
Contract: ARAM01 **Lab Code:** CHEM **Case No.:** P5074 **SAS No.:** P5074
Initial Calibration Source: EPA
Continuing Calibration Source: PLASMA-PURE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV95	Mercury	5.00	5.0	100	90 - 110	CV	12/06/2024	11:42	LB133780
CCV96	Mercury	5.40	5.0	108	90 - 110	CV	12/06/2024	12:36	LB133780
CCV97	Mercury	4.54	5.0	91	90 - 110	CV	12/06/2024	12:59	LB133780

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Aramark Uniforms **SDG No.:** P5074
Contract: ARAM01 **Lab Code:** CHEM **Case No.:** P5074 **SAS No.:** P5074
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
ICV01	Cadmium	520	510	102	90 - 110	P	12/10/2024	11:04	LB133866
	Copper	546	510	107	90 - 110	P	12/10/2024	11:04	LB133866
	Lead	1030	1000	103	90 - 110	P	12/10/2024	11:04	LB133866
	Nickel	531	530	100	90 - 110	P	12/10/2024	11:04	LB133866
	Zinc	1090	1000	108	90 - 110	P	12/10/2024	11:04	LB133866

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Aramark Uniforms **SDG No.:** P5074
Contract: ARAM01 **Lab Code:** CHEM **Case No.:** P5074 **SAS No.:** P5074
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
LLICV01	Cadmium	5.98	6.0	100	80 - 120	P	12/10/2024	11:08	LB133866
	Copper	22.8	20.0	114	80 - 120	P	12/10/2024	11:08	LB133866
	Lead	12.4	12.0	103	80 - 120	P	12/10/2024	11:08	LB133866
	Nickel	39.8	40.0	99	80 - 120	P	12/10/2024	11:08	LB133866
	Zinc	45.5	40.0	114	80 - 120	P	12/10/2024	11:08	LB133866

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Aramark Uniforms **SDG No.:** P5074
Contract: ARAM01 **Lab Code:** CHEM **Case No.:** P5074 **SAS No.:** P5074
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV01	Cadmium	2430	2500	97	90 - 110	P	12/10/2024	11:44	LB133866
	Copper	1240	1250	100	90 - 110	P	12/10/2024	11:44	LB133866
	Lead	4880	5000	98	90 - 110	P	12/10/2024	11:44	LB133866
	Nickel	2430	2500	97	90 - 110	P	12/10/2024	11:44	LB133866
	Zinc	2520	2500	101	90 - 110	P	12/10/2024	11:44	LB133866
CCV02	Cadmium	2360	2500	95	90 - 110	P	12/10/2024	12:35	LB133866
	Copper	1230	1250	98	90 - 110	P	12/10/2024	12:35	LB133866
	Lead	4760	5000	95	90 - 110	P	12/10/2024	12:35	LB133866
	Nickel	2370	2500	95	90 - 110	P	12/10/2024	12:35	LB133866
	Zinc	2480	2500	99	90 - 110	P	12/10/2024	12:35	LB133866
CCV03	Cadmium	2410	2500	96	90 - 110	P	12/10/2024	13:26	LB133866
	Copper	1250	1250	100	90 - 110	P	12/10/2024	13:26	LB133866
	Lead	4850	5000	97	90 - 110	P	12/10/2024	13:26	LB133866
	Nickel	2420	2500	97	90 - 110	P	12/10/2024	13:26	LB133866
	Zinc	2520	2500	101	90 - 110	P	12/10/2024	13:26	LB133866
CCV04	Cadmium	2410	2500	96	90 - 110	P	12/10/2024	14:19	LB133866
	Copper	1250	1250	100	90 - 110	P	12/10/2024	14:19	LB133866
	Lead	4850	5000	97	90 - 110	P	12/10/2024	14:19	LB133866
	Nickel	2420	2500	97	90 - 110	P	12/10/2024	14:19	LB133866
	Zinc	2510	2500	100	90 - 110	P	12/10/2024	14:19	LB133866