

ANALYTICAL RESULTS SUMMARY

GENERAL CHEMISTRY METALS

PROJECT NAME: FT MEADE TIPTON AIRFIELD PARCEL RI - PO 0111169

WESTON SOLUTIONS

1400 Weston Way

PO Box 2653

West Chester, PA - 19380

Phone No: 610-701-7400

ORDER ID: P5076

ATTENTION: Nathan Fretz







Table Of Contents for P5076

| 1) Signature Page | 3 |
|--------------------------------|----|
| 2) Case Narrative | 4 |
| 2.1) Metals-MS- Case Narrative | 4 |
| 2.2) Genchem- Case Narrative | 6 |
| 3) Qualifier Page | 7 |
| 4) QA Checklist | 8 |
| 5) Metals-MS Data | 9 |
| 6) Genchem Data | 13 |
| 7) Shipping Document | 16 |
| 7.1) CHAIN OF CUSTODY | 17 |
| 7.2) Lab Certificate | 18 |

P5076 2 of 18



Fax: 908 789 8922

Cover Page

Order ID: P5076

Project ID: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Client: Weston Solutions

Lab Sample Number

Client Sample Number

P5076-01 TAPIAL2-SB02I-7.5-120224-00-T1

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Sohil Jodhani, QA/QC Director at 10:48 am, Dec 23, 2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

12/20/2024

Date:

P5076 3 of 18



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # P5076

Test Name: Metals ICP-TAL, Mercury

A. Number of Samples and Date of Receipt:

1 Solid sample was received on 12/04/2024.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Anions Group1, Mercury, Metals ICP-TAL, METALS-TAL, pH and TOC. This data package contains results for Metals ICP-TAL, Mercury.

C. Analytical Techniques:

The analysis of Metals ICP-TAL was based on method 6020B, digestion based on method 3050 (soils). The analysis and digestion of Mercury was based on method 7471B.

D. OA/ OC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike (TAPIAL3-SB04I-10-120324-00-T1MS) analysis met criteria for all samples except for Antimony, Arsenic, Beryllium, Cadmium, Chromium, Cobalt, Nickel, Selenium, Silver, Thallium and Vanadium due to Chemical Interference during Digestion Process.

The Matrix Spike Duplicate (TAPIAL3-SB04I-10-120324-00-T1MSD) analysis met criteria for all samples except for Antimony, Arsenic, Beryllium, Cadmium, Chromium, Cobalt, Nickel, Selenium, Silver, Thallium and Vanadium due to Chemical Interference during Digestion Process.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met criteria for all samples.

E. Additional Comments:

P5076-01 sample analyzed Straight X5 dilution because of high interferent samples.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

P5076 4 of 18



Calculation for ICP-MS Soil Sample:

Conversion of Results from µg /L or ppb to mg/kg:

Concentration (mg/kg) =
$$\begin{array}{cc} C & x \underline{Vf} & x & DF / 1000 \\ \hline W & x & S \end{array}$$

Where,

C = Instrument value in ppb (The average of all replicate integrations)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Calculation for Hg Soil Sample:

Conversion of Results from ug /L or ppb to mg/kg:

Concentration (mg/kg) =
$$C \times Vf \times DF / 1000$$

W x S

Where,

C = Instrument response in μ g/L from the calibration curve.

Vf = Final prepared (absorbing solution) volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature

By Sohil Jodhani, QA/QC Director at 10:48 am, Dec 23, 2024

P5076 5 of 18



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # P5076

Test Name: pH,TOC

A. Number of Samples and Date of Receipt:

1 Solid sample was received on 12/04/2024.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Anions Group1, Mercury, Metals ICP-TAL, METALS-TAL, pH and TOC. This data package contains results for pH,TOC.

C. Analytical Techniques:

The analysis of pH was based on method 9045D and The analysis of TOC was based on method 9060A.

D. QA/ QC Samples:

The Holding Times were met for all samples except for TAPIAL2-SB02I-7.5-120224-00-

T1 of pH as sample receive out of holding time.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature

APPROVED

By Sohil Jodhani, QA/QC Director at 10:48 am, Dec 23, 2024

P5076 6 of 18



DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following "Results Qualifiers" are used:

- J Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
- U Indicates the analyte was analyzed for, but not detected.
- ND Indicates the analyte was analyzed for, but not detected
- E Indicates the reported value is estimated because of the presence of interference
- M Indicates Duplicate injection precision not met.
- N Indicates the spiked sample recovery is not within control limits.
- S Indicates the reported value was determined by the Method of Standard Addition (MSA).
- * Indicates that the duplicate analysis is not within control limits.
- + Indicates the correlation coefficient for the MSA is less than 0.995.
- D Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
- M Method qualifiers
 - **"P"** for ICP instrument
 - "PM" for ICP when Microwave Digestion is used
 - "CV" for Manual Cold Vapor AA
 - "AV" for automated Cold Vapor AA
 - "CA" for MIDI-Distillation Spectrophotometric "AS" for Semi –Automated Spectrophotometric
 - "C" for Manual Spectrophotometric
 - **"T"** for Titrimetric
 - "NR" for analyte not required to be analyzed
- OR Indicates the analyte's concentration exceeds the calibrated range of the
 - instrument for that specific analysis.
- Q Indicates the LCS did not meet the control limits requirements
- H Sample Analysis Out Of Hold Time

Aliance

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: P5076

| | Completed |
|--|--|
| For thorough review, the report must have the following: | |
| GENERAL: | |
| Are all original paperwork present (chain of custody, record of communication, airbill, sample management lab chronicle, login page) | <u> </u> |
| Check chain-of-custody for proper relinquish/return of samples | <u> </u> |
| Is the chain of custody signed and complete | ✓ |
| Check internal chain-of-custody for proper relinquish/return of samples /sample extracts | √ √ √ |
| Collect information for each project id from server. Were all requirements followed | <u> </u> |
| COVER PAGE: | |
| Do numbers of samples correspond to the number of samples in the Chain of Custody on login page | <u> </u> |
| Do lab numbers and client Ids on cover page agree with the Chain of Custody | <u> </u> |
| CHAIN OF CUSTODY: | |
| Do requested analyses on Chain of Custody agree with form I results | <u> </u> |
| Do requested analyses on Chain of Custody agree with the log-in page | <u> </u> |
| Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody | ' ' ' ' ' |
| Were the samples received within hold time | <u> </u> |
| Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle | <u> </u> |
| ANALYTICAL: | |
| Was method requirement followed? | <u> </u> |
| Was client requirement followed? | <u> </u> |
| Does the case narrative summarize all QC failure? | <u> </u> |
| All runlogs and manual integration are reviewed for requirements | <u> </u> |
| All manual calculations and /or hand notations verified | <u> </u> |

QA Review Signature: SOHIL JODHANI Date: 12/20/2024

P5076 8 of 18



P5076

SDG No.:

P5076-01

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Hit Summary Sheet SW-846

Order ID: P5076

7.03

D

0.51

0.58

1.94 mg/Kg

| Client: | Weston Solutions | | | Project ID |) : | Ft Meade Ti | pton Airfield | Parcel RI - | PO 01 |
|------------|---------------------------|------------|-----------|---------------|------------|-------------|---------------|-------------|-------|
| Sample ID | Client ID | Matrix | Parameter | Concentration | C | MDL | LOD | RDL | Units |
| Client ID: | TAPIAL2-SB02I-7.5-120224- | -00-T1 | | | | | | | |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Aluminum | 2460 | D | 2.18 | 3.89 | 7.77 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Arsenic | 1.48 | D | 0.035 | 0.097 | 0.39 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Barium | 16.2 | D | 0.14 | 0.49 | 3.89 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Beryllium | 0.16 | JD | 0.097 | 0.29 | 0.39 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Calcium | 125 | JD | 26.2 | 73.8 | 194 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Chromium | 5.83 | D | 0.093 | 0.19 | 0.78 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Cobalt | 2.20 | D | 0.031 | 0.097 | 0.39 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Copper | 3.00 | D | 0.22 | 0.39 | 0.78 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Iron | 5710 | D | 4.31 | 4.86 | 19.4 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Lead | 3.01 | D | 0.058 | 0.29 | 0.39 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Magnesium | 294 | D | 10.5 | 73.8 | 194 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Manganese | 55.9 | D | 0.13 | 0.19 | 0.39 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Nickel | 2.36 | D | 0.062 | 0.097 | 0.39 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Mercury | 0.013 | | 0.0060 | 0.010 | 0.013 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Potassium | 224 | D | 15.5 | 73.8 | 194 | mg/Kg |
| P5076-01 | TAPIAL2-SB02I-7.5-12022 | 4-00- SOIL | Vanadium | 9.78 | D | 0.031 | 0.097 | 1.94 | mg/Kg |
| | | | | | | | | | |

Zinc

P5076 9 of 18

TAPIAL2-SB02I-7.5-120224-00- SOIL



SAMPLE DATA

5







P5076 **10 of 18**



Fax: 908 789 8922

Report of Analysis

Client: Weston Solutions Date Collected: 12/02/24 Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/04/24 Client Sample ID: TAPIAL2-SB02I-7.5-120224-00-T1 SDG No.: P5076 Lab Sample ID: P5076-01 Matrix: **SOIL** 93.9 Level (low/med): % Solid: low

| Cas | Parameter | Conc. | Qua. DF | MDL | LOD | LOQ / CRQL | Units(Dry | Weigh P)rep Date | Date Ana. | Ana Met. | Prep Met. |
|-----------|-----------|-------|---------|--------|-------|------------|-----------|--------------------------|----------------|----------|-----------|
| 7429-90-5 | Aluminum | 2460 | D 5 | 2.18 | 3.89 | 7.77 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-36-0 | Antimony | 0.29 | UDN5 | 0.039 | 0.29 | 0.78 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-38-2 | Arsenic | 1.48 | DN 5 | 0.035 | 0.097 | 0.39 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-39-3 | Barium | 16.2 | D 5 | 0.14 | 0.49 | 3.89 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-41-7 | Beryllium | 0.16 | JDN 5 | 0.097 | 0.29 | 0.39 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-43-9 | Cadmium | 0.29 | UDN5 | 0.11 | 0.29 | 0.39 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-70-2 | Calcium | 125 | JD 5 | 26.2 | 73.8 | 194 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-47-3 | Chromium | 5.83 | DN 5 | 0.093 | 0.19 | 0.78 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-48-4 | Cobalt | 2.20 | DN 5 | 0.031 | 0.097 | 0.39 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-50-8 | Copper | 3.00 | D 5 | 0.22 | 0.39 | 0.78 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7439-89-6 | Iron | 5710 | D 5 | 4.31 | 4.86 | 19.4 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7439-92-1 | Lead | 3.01 | D 5 | 0.058 | 0.29 | 0.39 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7439-95-4 | Magnesium | 294 | D 5 | 10.5 | 73.8 | 194 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7439-96-5 | Manganese | 55.9 | D 5 | 0.13 | 0.19 | 0.39 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7439-97-6 | Mercury | 0.013 | 1 | 0.0060 | 0.010 | 0.013 | mg/Kg | 12/06/24 10:15 | 12/06/24 17:26 | SW7471B | 1 |
| 7440-02-0 | Nickel | 2.36 | DN 5 | 0.062 | 0.097 | 0.39 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-09-7 | Potassium | 224 | D 5 | 15.5 | 73.8 | 194 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7782-49-2 | Selenium | 1.75 | UDN5 | 0.47 | 1.75 | 1.94 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-22-4 | Silver | 0.19 | UDN5 | 0.10 | 0.19 | 0.39 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-23-5 | Sodium | 97.2 | UD 5 | 23.7 | 97.2 | 194 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-28-0 | Thallium | 0.19 | UDN5 | 0.039 | 0.19 | 0.39 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-62-2 | Vanadium | 9.78 | DN 5 | 0.031 | 0.097 | 1.94 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |
| 7440-66-6 | Zinc | 7.03 | D 5 | 0.51 | 0.58 | 1.94 | mg/Kg | 12/18/24 10:40 | 12/19/24 17:14 | SW6020 | SW3050 |

Color Before: Brown Clarity Before: Texture: Medium

Color After: Yellow Clarity After: Artifacts:

Comments: METALS-TAL

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

P5076



LAB CHRONICLE

P5076 OrderID:

Weston Solutions

Client: Nathan Fretz Contact:

12/4/2024 11:11:00 AM OrderDate:

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Location: L61

| LabID | ClientID | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|------------------------------------|--------|----------------|--------|-------------|-----------|-----------|----------|
| P5076-01 | TAPIAL2-SB02I-7.5-1 20224-00-T1 | SOIL | | | 12/02/24 | | | 12/04/24 |
| | 20224-00-11 | | Mercury | 7471B | | 12/06/24 | 12/06/24 | |
| | | | Metals ICP-TAL | 6020B | | 12/18/24 | 12/19/24 | |

P5076 12 of 18





P5076 13 of 18



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Report of Analysis

Client: Weston Solutions Date Collected: 12/02/24 15:00

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/04/24

Client Sample ID: TAPIAL2-SB02I-7.5-120224-00-T1 SDG No.: P5076

Lab Sample ID: P5076-01 Matrix: SOIL

% Solid: 93.9

| Parameter | Conc. | Qua. | DF | MDL | LOD | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. |
|-----------|-------|------|----|------|------|------------|-------|-----------|----------------|----------|
| pН | 5.27 | Н | 1 | 0 | 0 | 0 | рН | | 12/05/24 10:10 | 9045D |
| TOC | 1140 | | 1 | 19.8 | 50.0 | 250 | mg/Kg | | 12/06/24 15:17 | 9060A |

Comments: pH result reported at temperature 20.6 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

P5076



LAB CHRONICLE

P5076 OrderID:

Weston Solutions

Client: Contact: Nathan Fretz

12/4/2024 11:11:00 AM OrderDate:

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Location: L61

| LabID | ClientID | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|---------------------|--------|------|--------|-------------|-----------|-------------------|----------|
| P5076-01 | TAPIAL2-SB02I-7.5-1 | SOIL | | | 12/02/24 | | | 12/04/24 |
| | 20224-00-T1 | | mll | 00450 | 15:00 | | 12/05/24 | |
| | | | рН | 9045D | | | 12/05/24 | |
| | | | TOC | 9060A | | | 10:10 12/06/24 | |
| | | | 100 | 9000A | | | 15:17 | |

P5076 15 of 18



SHIPPING DOCUMENTS

P5076 16 of 18

Weston COC ID
Weston_20241202_1547

Chain of Custody Record/Lab Work Request

Page 1 of 1



| Clien | : Weston | Solutions, Inc | G. |
|----------------|-------------------|----------------|--------------|
| Project Manage | : David | d Sembrot | |
| Street Address | : 1400 Weston Way | City: | West Chester |
| Phone | : 610-314-5456 | ST, ZIP: | PA, 19038 |
| e-mai | david.sembrot@ | westonsol | utions.com |
| Sampled By | Cheyenr | ne Harringtor | 1 |

| Lab Use Only | | |
|---|---|---|
| Temperature of cooler when received (°C) | | |
| COC Tape was present and unbroken on outer package? | Y | N |
| Samples received in good condition? | Y | N |
| Labels indicate properly preserved? | Y | N |
| Received within holding times? | Y | N |
| Discrepancies between sample labels and COC record? | Y | N |

| Project Name: | Fort A | /leade f | 31 | | Project P | OC: | Na | than Fretz | · A | Matrix Codes |
|---------------|-----------------|-----------------|--------------------------------|---------------|----------------|-----------|-----------|------------------|------|---------------|
| PO Number | 01 | 11169 | | | Phone | 6: | 484 | -524-5665 | SB- | Soil |
| W.O. #: | | | | | POC e-mail: | nathan. | fretz@wes | tonsolutions.com | SE - | Sediment |
| Lab: | CHE | MTECH | | | Lab PO | C: | Jord | lan Hedvat | so- | Solid |
| TAT (days): | | 21 | | | Lab Pho | ne: | 908 | -728-3144 | SL- | Sludge |
| Lab Address: | | 28 | 4 Sheffi | eld Stre | et Mountainsid | łe, NJ 07 | 092 | | GW | - Groundwater |
| | | | | | | | | | W- | Water |
| | | £5D | B B | <u> </u> | | | | | 0- | Oil |
| Azahrasa I | Requested: | pH by EPA 9045D | L Metals by EPA 6020B/7471B | TOC by 9060A | | | | | Α- | Air |
| Allalyses | zednesten: | Ş. | Meta 20B/ | ρ Ω | | | | | DS - | Drum Solids |
| | | 품 | ₹% | 2 | | 1 1 | | | DL - | Drum Liquids |
| | | | | | | | | | L- | EP/TCLP Leac |
| | Container Type: | Glass | Glass | Glass | | | | | WI - | Wipe |
| | Container Size: | 8 oz | 8 oz | 8 oz | | | | | Х- | Other |
| | Preservative: | ice to 0-6 | Ice to 0-6 | loe to 0-6 | | | | | F- | Fish |
| | | | | | | | | | | |

| | | | | | | | | 0-6 | 10-0 | 0-6 | | | 1 | 1 (10) | |
|----|--------------------------------|-----|--------|--------|--------|----------------|----------------|-----|------|-----|--|--|---|--------------------------|--------|
| # | Sample ID | G/C | Matrix | # Cont | MS/MSD | Date Collected | Time Collected | | | | | | | Special instructions/Cor | nments |
| 1 | TAPIAL2-SB02I-7.5-120224-00-T1 | g | SB | a | no | 12/2/2024 | 15:00 | х | × | × | | | | | |
| 2 | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | |

| | Shipping Airbill Number(s): | 7704 | 1914 840 | 1 | | | Cooler Number: | 1 of 1 |
|-----|-----------------------------|----------|----------|-------------|---------|-------|--|---|
| | Relinquished By | Date | Time | Received By | Date | Time | Addition | al Comments |
| 1.) | Sick for free | 12/2/2-1 | 1800 | CR- | 12-4-24 | 10:20 | QSM 6.0 Compliant | |
| 2.) | | | , | | | | Deliverable Requirements: DoD Level IV re EDD | port, EnviroData EDD, and ERIS-compatible |
| 3.) | | | | | | | | |



Laboratory Certification

| Certified By | License No. |
|----------------------|------------------|
| | |
| CAS EPA CLP Contract | 68HERH20D0011 |
| | FILESOS |
| Connecticut | PH-0830 |
| DOD ELAP (ANAB) | L2219 |
| Maine | 2024021 |
| | |
| Maryland | 296 |
| New Hampshire | 255424 Rev 1 |
| New Jersey | 20012 |
| New York | 11376 |
| | |
| Pennsylvania | 68-00548 |
| Soil Permit | 525-24-234-08441 |
| Texas | T104704488 |

QA Control Code: A2070148