

SDG COVER PAGE

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51879 MA No.: _____ SDG No.: MBHLP0
 SOW No. : SFAM01.1

EPA Sample No.	Lab Sample Id	ICP-AES	Analysis Method		
			ICP-MS	Mercury	Cyanide
MBHLP0	P5092-01	X			
MBHLP1	P5092-02	X			
MBHLP2	P5092-03	X			
MBHLP3	P5092-04	X			
MBHLP3D	P5092-05	X			
MBHLP3S	P5092-06	X			
MBHLP4	P5092-07	X			
MBHLP5	P5092-08	X			
MBHLP6	P5092-09	X			
MBHLR1	P5092-10	X			
MBHLR2	P5092-11	X			
MBHLR3	P5092-12	X			
MBHLT4	P5092-13	X			
MBHLT5	P5092-14	X			
MBHLT6	P5092-15	X			
MBHLT7	P5092-16	X			
MBHLT8	P5092-17	X			
MBHM38	P5092-18	X			
MBHM39	P5092-19	X			
MBHM40	P5092-20	X			

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the SDG Narrative. All edits and manual integrations have been peer-reviewed. Release of the data contained in this hardcopy Complete SDG File and in the electronic data submitted has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: _____ Name: _____
 Date: _____ Title: _____

USEPA CLP COC (LAB COPY)

CHAIN OF CUSTODY RECORD

No: 2-120324-145636-0045

Date Shipped: 12/3/2024

Lab: Alliance Technical Group LLC

Carrier Name: FedEx

Case #: 51879

Lab Contact: Mohammad Ahmed

Airbill No: 7704 5937 8508

Cooler #: 6

Lab Phone: 908-789-8900

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
P178-SB-04-Z00-02	MBHLP0	Soil		ICP-AES(35)	5068 (Wet ice < 6 C) (1)	P178-SB-04	11/21/2024 13:31	
P178-SB-04-Z02-06	MBHLP1	Soil		ICP-AES(35)	5069 (Wet ice < 6 C) (1)	P178-SB-04	11/21/2024 13:31	
P178-SB-04-Z06-12	MBHLP2	Soil		ICP-AES(35)	5070 (Wet ice < 6 C) (1)	P178-SB-04	11/21/2024 13:31	
P178-SB-04-Z12-18	MBHLP3	Soil		ICP-AES(35)	5071 (Wet ice < 6 C) (1)	P178-SB-04	11/21/2024 13:31	✓
P178-SB-04-Z18-24	MBHLP4	Soil		ICP-AES(35)	5072 (Wet ice < 6 C) (1)	P178-SB-04	11/21/2024 13:31	
P178-SB-04-Z24-30	MBHLP5	Soil		ICP-AES(35)	5073 (Wet ice < 6 C) (1)	P178-SB-04	11/21/2024 13:31	
P178-SB-04-Z30-36	MBHLP6	Soil		ICP-AES(35)	5074 (Wet ice < 6 C) (1)	P178-SB-04	11/21/2024 13:31	
P176-SB-09-Z00-02	MBHLR1	Soil		ICP-AES(35)	4921 (Wet ice < 6 C) (1)	P176-SB-09	11/21/2024 10:15	
P176-SB-09-Z02-06	MBHLR2	Soil		ICP-AES(35)	4922 (Wet ice < 6 C) (1)	P176-SB-09	11/21/2024 10:15	
P176-SB-09-Z06-12	MBHLR3	Soil		ICP-AES(35)	4923 (Wet ice < 6 C) (1)	P176-SB-09	11/21/2024 10:15	

Sample(s) to be used for Lab QC: P178-SB-04-Z12-18 Tag 5071 - Special Instructions: Samples MBHLS0 and MBHLP3 are MS/MSDs. Samples MBHLT3, MBHLT4, MBHLT5, MBHLT6, MBHLT7 and MBHLT8 have limited sample mass.

Shipment for Case Complete? N

Samples Transferred From Chain of Custody #

Analysis Key: ICP-AES=CLP Routine - SFAM01.1/LSASD SOP C-109 Metals

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
1 Cooler	<i>[Signature]</i> ZSSP	12/03/24 1630	<i>[Signature]</i>	12/03/24 1020	IR-Cooler #1 2.4
			<i>[Signature]</i>		Custody Seal Intact
					Temp Blank present

CHAIN OF CUSTODY RECORD

No: 2-120324-145636-0045




Case #: 51879

Cooler #: 6

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
P176-SB-12-Z06-12	MBHLT4	Soil/		ICP-AES(35)	4944 (Wet ice < 6 C) (1)	P176-SB-12	11/21/2024 10:30	
P176-SB-12-Z12-18	MBHLT5	Soil/		ICP-AES(35)	4945 (Wet ice < 6 C) (1)	P176-SB-12	11/21/2024 10:30	
P176-SB-12-Z18-24	MBHLT6	Soil/		ICP-AES(35)	4946 (Wet ice < 6 C) (1)	P176-SB-12	11/21/2024 10:30	
P176-SB-12-Z24-30	MBHLT7	Soil/		ICP-AES(35)	4947 (Wet ice < 6 C) (1)	P176-SB-12	11/21/2024 10:30	
P176-SB-12-Z30-36	MBHLT8	Soil/		ICP-AES(35)	4948 (Wet ice < 6 C) (1)	P176-SB-12	11/21/2024 10:30	
P176-SB-09-Z06-12-FD	MBHM38	Soil/		ICP-AES(35)	5537 (Wet ice < 6 C) (1)	P176-SB-09	11/21/2024 10:15	
P176-SB-06-Z00-02-FD	MBHM39	Soil/		ICP-AES(35)	5538 (Wet ice < 6 C) (1)	P176-SB-06	11/21/2024 10:10	
RB13-12032024	MBHM40	Water/		ICP-AES(35)	5539 (HNO3 pH < 2) (1)	RB13-12032024	12/03/2024 15:40	PH 1.0
<div>444 12/03/24</div>								
<div>5538 5539</div>								

Shipment for Case Complete? N	Samples Transferred From Chain of Custody #

Analysis Key: ICP-AES=CLP Routine - SFAM01.1/LSASD SOP C-109 Metals

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
2 Cooler	 WSP	12/03/24 1630		1020 12-9-24	IR-Bent 2-4
		NA			Custody Seal Intact
		12/05/24			Temp Blank passed

FORM DC-1
SAMPLE LOG-IN SHEET

Lab Name : Alliance Technical Group, LLC	Page <u>1</u> of <u>1</u>
Received By (Print Name) <u>Cassanova</u>	Log-in Date 12/4/2024
Received By (Signature) <u>[Signature]</u>	
Case Number 51879	SDG No. MBHLP0 MA No. N/A

Remarks:	
1. Custody Seal (s)	Present, Intact
2. Custody Seal Nos.	<u>n/a</u>
3. Traffic Reports/Chain Of Custody Records	Present
4. Airbill	Present
5. Airbill No. and Shipping Container ID No.	<u>770459378508</u> <u>1</u>
6. Shipping Container Temperature Indicator Bottle	Present
7. Shipping Container Temperature	<u>2.4</u> Degree C
8. Sample Condition	Intact
9. Sample Tags Sample Tag Numbers	Absent Listed on Traffic Report
10. Does information on Traffic Reports/Chain of Custody Records and Sample Tags agree ?	Yes
11. Date Received at Lab	<u>12/04/2024</u>
12. Time Received	<u>10:20</u>

	EPA Sample #	Aqueous/ Water Sample pH	Corresponding		Remarks: Condition of Sample Shipment, etc.
			Sample Tag #	Assigned Lab #	
1	MBHLP0	N/A	5068	P5092-01	Intact
2	MBHLP1	N/A	5069	P5092-02	Intact
3	MBHLP2	N/A	5070	P5092-03	Intact
4	MBHLP3	N/A	5071	P5092-04	Intact
5	MBHLP3D	N/A	5071	P5092-05	Intact
6	MBHLP3S	N/A	5071	P5092-06	Intact
7	MBHLP4	N/A	5072	P5092-07	Intact
8	MBHLP5	N/A	5073	P5092-08	Intact
9	MBHLP6	N/A	5074	P5092-09	Intact
10	MBHLR1	N/A	4921	P5092-10	Intact
11	MBHLR2	N/A	4922	P5092-11	Intact
12	MBHLR3	N/A	4923	P5092-12	Intact
13	MBHLT4	N/A	4944	P5092-13	Intact
14	MBHLT5	N/A	4945	P5092-14	Intact
15	MBHLT6	N/A	4946	P5092-15	Intact
16	MBHLT7	N/A	4947	P5092-16	Intact
17	MBHLT8	N/A	4948	P5092-17	Intact
18	MBHM38	N/A	5537	P5092-18	Intact
19	MBHM39	N/A	5538	P5092-19	Intact
20	MBHM40	1.0	5539	P5092-20	Intact
21	N/A	N/A	N/A	N/A	N/A
22	N/A	N/A	N/A	N/A	N/A
23	N/A	N/A	N/A	N/A	N/A

* Contact SMO and attach record of resolution

Reviewed By <u>[Signature]</u>	Logbook No. N/A
Date <u>12/7/24</u>	Logbook Page No. N/A

FORM DC-2
COMPLETE SDG FILE (CSF) INVENTORY SHEET

LAB NAME	Alliance Technical Group, LLC		
LAB CODE	ACE		
CONTRACT NO.	68HERH20D0011		
CASE NO.	51879	SDG NO.	MBHLP0
MA NO.		SOW NO.	SFAM01.1

All documents delivered in the Complete SDG File must be original documents where possible.
(Reference - Exhibit B Section 2.4)

	PAGE NOS:		CHECK	
	FROM	TO	LAB	REGION
1. SDG Cover Page	1	1	✓	
2. Traffic Report/Chain of Custody Record(s)	2	3	✓	
3. Sample Log-In Sheet (DC-1)	4	4	✓	
4. CSF Inventory Sheet (DC-2)	5	7	✓	
5. SDG Narrative	8	10	✓	
6. Communication Logs	NA	NA	✓	
7. Percent Solids Log	11	12	✓	

Analysis Forms and Data (ICP-AES)

8. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable	13	30	✓	
9. Instrument raw data by instrument in analysis order	31	1525	✓	

Other Data

10. Standard and Reagent Preparation Logs	1526	1664	✓	
11. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	1665	1668	✓	
12. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	1669	1714	✓	
13. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	
14. Extraction Logs for TCLP and SPLP	NA	NA	✓	
15. Raw GPC Data	NA	NA	✓	
16. Raw Florisil Data	NA	NA	✓	

Analysis Forms and Data (ICP-MS)

17. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable	NA	NA	✓	
18. Instrument raw data by instrument in analysis order	NA	NA	✓	

Other Data

19. Standard and Reagent Preparation Logs	NA	NA	✓	
20. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	NA	NA	✓	
21. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	NA	NA	✓	
22. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	

- 23 . Extraction Logs for TCLP and SPLP
- 24 . Raw GPC Data
- 25 . Raw Florisil Data

PAGE NOS:		CHECK	
FROM	TO	LAB	REGION
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	

Analysis Forms and Data (Mercury)

- 26 . Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable
- 27 . Instrument raw data by instrument in analysis order

NA	NA	✓	
NA	NA	✓	

Other Data

- 28 . Standard and Reagent Preparation Logs
- 29 . Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks
- 30 . Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks
- 31 . Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions
- 32 . Extraction Logs for TCLP and SPLP
- 33 . Raw GPC Data
- 34 . Raw Florisil Data

NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	

Analysis Forms and Data (Cyanide)

- 35 . Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable
- 36 . Instrument raw data by instrument in analysis order

NA	NA	✓	
NA	NA	✓	

Other Data

- 37 . Standard and Reagent Preparation Logs
- 38 . Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks
- 39 . Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks
- 40 . Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions
- 41 . Extraction Logs for TCLP and SPLP
- 42 . Raw GPC Data
- 43 . Raw Florisil Data

NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	
NA	NA	✓	

Additional

44. EPA Shipping/Receiving Documents

Airbill (No. of Shipments 1)

Sample Tags

Sample Log-In Sheet (Lab)

45. Misc. Shipping/Receiving Records (list all individual records)

46. Internal Lab Sample Transfer Records and Tracking Sheets
(describe or list)47. Other Records and related Communication Logs
(describe or list)

48. Comments:

Completed by:
(CLP Lab)Audited by:
(EPA)

Nimisha Pandya, Document Control Officer

PAGE NOs:		CHECK	
FROM	TO	LAB	REGION
1715	1715	✓	
NA	NA	✓	
1716	1717	✓	
NA	NA	✓	
1718	1719	✓	
NA	NA	✓	



**284 Sheffield Street
Mountainside, NJ 07092**

SDG NARRATIVE

USEPA

SDG # MBHLP0

CASE # 51879

CONTRACT # 68HERH20D0011

SOW# SFAM01.1

LAB NAME: Alliance Technical Group, LLC

LAB CODE: ACE

LAB ORDER ID # P5092

A. Number of Samples and Date of Receipt

17 Soil & 01 Water sample were delivered to the laboratory intact on 12/04/2024.

B. Parameters

Test requested for Metals CLP FULL = Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc.

C. Cooler Temp

Indicator Bottle: Presence/Absence

Cooler: 2.4°C

D. Detail Documentation (related to Sample Handling Shipping, Analytical Problem, Temp of Cooler etc):

Issue: A "P" or "M" prefix was listed at the beginning of a CLP sample ID.

E. Corrective Action taken for above:

Resolution: To maintain COC integrity, ASB requests no changes to the Sample IDs. The laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

F. Analytical Techniques:

All analyses were based on CLP Methodology by method SFAM01.1.

Inter Element correction factors (IECs) are determined annually and correction factor are applied during ICP-AES analysis.



**284 Sheffield Street
Mountainside, NJ 07092**

G. Calculation:

Calculation for ICP-AES Soil Sample:

Conversion of Results from mg/L or ppm to mg/kg (Dry Weight Basis):

$$\text{Concentration (mg/kg)} = C \times \frac{V_f}{W \times S} \times DF$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

V_f = Final digestion volume (mL)

W = Initial aliquot amount (g) (Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Example Calculation For Sample MBHLP0 For Arsenic:

If C = 0.1487312 ppm

V_f = 100 ml

W = 1.38 g

S = 0.795(79.5/100)

DF = 1

$$\text{Concentration (mg/kg)} = 0.14871312 \times \frac{100}{1.38 \times 0.795} \times 1$$

$$= 13.55511 \text{ mg/kg}$$

$$= 14 \text{ mg/kg (Reported Result with Signification)}$$

Calculation for ICP-AES Water Sample:

$$\text{Concentration or Result (}\mu\text{g/L)} = C \times \frac{V_f}{V_i} \times DF \times 1000$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

V_f = Final digestion volume (mL)

V_i = Initial aliquot amount (mL) (Sample amount taken in prep)

DF = Dilution Factor



**284 Sheffield Street
Mountainside, NJ 07092**

Example Calculation For Sample MBHM40 For Aluminum:

If C = 0.0313244 ppm

Vf = 50 ml

Vi = 50 ml

DF = 1

$$\text{Concentration or Result } (\mu\text{g/L}) = \frac{0.0313244 \times 50}{50} \times 1 \times 1000$$

$$= 31.3244 \mu\text{g/L}$$

$$= 31 \mu\text{g/L (Reported Result with Signification)}$$

H. QA/ QC

Calibrations met requirements. Interference check met requirements. Blank analyses did not indicate any presence of contamination. Laboratory Control sample was within control limits. Spike sample did meet requirements except for Antimony, Selenium, Silver, Thallium, Zinc. Duplicate sample did meet requirements. Serial Dilution did meet requirements except for Cobalt, Zinc.

Chemical or physical interference effect was suspected and the data for all affected analytes in the sample received and associated with this serial dilution were flagged.

I certify that the data package is in compliance with the terms and conditions of the contract both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature.

Signature_____

Name: Nimisha Pandya

Date _____

Title: Document Control Officer



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/9/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:35
In Date: 12/06/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:41
Out Date: 12/07/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133784

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P5092-01	MBHLP0	1	1.17	8.50	9.67	7.93	79.5	
P5092-02	MBHLP1	2	1.15	8.76	9.91	8.03	78.5	
P5092-03	MBHLP2	3	1.16	8.81	9.97	8.17	79.6	
P5092-04	MBHLP3	4	1.16	8.45	9.61	8.12	82.4	
P5092-05	MBHLP3D	5	1.16	8.45	9.61	8.12	82.4	
P5092-06	MBHLP3S	6	1.16	8.45	9.61	8.12	82.4	
P5092-07	MBHLP4	7	1.15	8.68	9.83	8.23	81.6	
P5092-08	MBHLP5	8	1.16	8.40	9.56	8.21	83.9	
P5092-09	MBHLP6	9	1.18	8.63	9.81	8.58	85.7	
P5092-10	MBHLR1	10	1.16	8.64	9.8	7.67	75.3	
P5092-11	MBHLR2	11	1.16	8.56	9.72	8.13	81.4	
P5092-12	MBHLR3	12	1.19	8.52	9.71	8.54	86.3	
P5092-13	MBHLT4	13	1.16	8.39	9.55	8.29	85.0	
P5092-14	MBHLT5	14	1.17	8.60	9.77	8.8	88.7	
P5092-15	MBHLT6	15	1.17	8.57	9.74	9.27	94.5	
P5092-16	MBHLT7	16	1.17	8.57	9.74	9.03	91.7	
P5092-17	MBHLT8	17	1.17	8.55	9.72	9.09	92.6	
P5092-18	MBHM38	18	1.17	8.63	9.8	8.67	86.9	
P5092-19	MBHM39	19	1.16	8.51	9.67	7.28	71.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

133784

WorkList Name : %1-P5092

WorkList ID : 186069

Department : Wet-Chemistry

Date : 12-06-2024 11:33:59

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5092-01	MBHLP0	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-02	MBHLP1	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-03	MBHLP2	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-04	MBHLP3	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-05	MBHLP3D	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-06	MBHLP3S	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-07	MBHLP4	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-08	MBHLP5	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-09	MBHLP6	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-10	MBHLR1	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-11	MBHLR2	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-12	MBHLR3	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-13	MBHLT4	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-14	MBHLT5	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-15	MBHLT6	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-16	MBHLT7	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-17	MBHLT8	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-18	MBHM38	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO
P5092-19	MBHM39	Solid	Percent Solids	Cool 4 deg C	USEP01	C43	11/21/2024	Chemtech -SO

Date/Time 12/06/24 13:10

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

Date/Time 12/06/24 13:40

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]