



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: P5093
Client: R3M Engineering, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	LL-001							
P5093-01	LL-001	Water	unknown1.593	* 8.10	J	0	0	ug/L
			Total Tics :	8.10				
			Total Concentration:	8.10				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24	
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24	
Client Sample ID:	LL-001		SDG No.:	P5093	
Lab Sample ID:	P5093-01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044131.D	1		12/04/24 20:44	VX120424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	1.00	ug/L
67-64-1	Acetone	1.40	U	1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	1.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	1.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	1.00	ug/L
71-43-2	Benzene	0.16	U	0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	1.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	1.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	5.00	ug/L
108-88-3	Toluene	0.18	U	0.18	1.00	ug/L

Report of Analysis

Client:	R3M Engineering, Inc.	Date Collected:	12/04/24
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick	Date Received:	12/04/24
Client Sample ID:	LL-001	SDG No.:	P5093
Lab Sample ID:	P5093-01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044131.D	1		12/04/24 20:44	VX120424

[illegible]

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24	
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24	
Client Sample ID:	LL-001		SDG No.:	P5093	
Lab Sample ID:	P5093-01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044131.D	1		12/04/24 20:44	VX120424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
	unknown1.593	8.10	J		1.59	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24	
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24	
Client Sample ID:	LL-001-FB-12-4-24		SDG No.:	P5093	
Lab Sample ID:	P5093-02		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044132.D	1		12/04/24 21:07	VX120424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	1.00	ug/L
67-64-1	Acetone	1.40	U	1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	1.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	1.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	1.00	ug/L
71-43-2	Benzene	0.16	U	0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	1.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	1.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	5.00	ug/L
108-88-3	Toluene	0.18	U	0.18	1.00	ug/L

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24	
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24	
Client Sample ID:	LL-001-FB-12-4-24		SDG No.:	P5093	
Lab Sample ID:	P5093-02		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044132.D	1		12/04/24 21:07	VX120424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	1.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	1.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	1.00	ug/L
100-41-4	Ethyl Benzene	0.16	U	0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	0.31	U	0.31	2.00	ug/L
95-47-6	o-Xylene	0.14	U	0.14	1.00	ug/L
100-42-5	Styrene	0.16	U	0.16	1.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	1.00	ug/L
98-82-8	Isopropylbenzene	0.13	U	0.13	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	53.4		70 (74) - 130 (125)	107%	SPK: 50
1868-53-7	Dibromofluoromethane	45.7		70 (75) - 130 (124)	91%	SPK: 50
2037-26-5	Toluene-d8	48.7		70 (86) - 130 (113)	97%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.4		70 (77) - 130 (121)	99%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	111000	5.543			
540-36-3	1,4-Difluorobenzene	219000	6.763			
3114-55-4	Chlorobenzene-d5	189000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	79800	12.018			

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24
Client Sample ID:	LL-001-FB-12-4-24		SDG No.:	P5093
Lab Sample ID:	P5093-02		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044132.D	1		12/04/24 21:07	VX120424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24	
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24	
Client Sample ID:	TB-12-4-24		SDG No.:	P5093	
Lab Sample ID:	P5093-03		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044133.D	1		12/04/24 21:30	VX120424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	1.00	ug/L
67-64-1	Acetone	1.40	U	1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	1.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	1.30	U	1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	1.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	1.00	ug/L
71-43-2	Benzene	0.16	U	0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	1.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	1.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.75	U	0.75	5.00	ug/L
108-88-3	Toluene	0.18	U	0.18	1.00	ug/L

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24	
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24	
Client Sample ID:	TB-12-4-24		SDG No.:	P5093	
Lab Sample ID:	P5093-03		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044133.D	1		12/04/24 21:30	VX120424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.21	U	0.21	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.18	U	0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	1.10	U	1.10	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	1.00	ug/L
127-18-4	Tetrachloroethene	0.25	U	0.25	1.00	ug/L
108-90-7	Chlorobenzene	0.13	U	0.13	1.00	ug/L
100-41-4	Ethyl Benzene	0.16	U	0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	0.31	U	0.31	2.00	ug/L
95-47-6	o-Xylene	0.14	U	0.14	1.00	ug/L
100-42-5	Styrene	0.16	U	0.16	1.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	1.00	ug/L
98-82-8	Isopropylbenzene	0.13	U	0.13	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.24	U	0.24	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	53.0		70 (74) - 130 (125)	106%	SPK: 50
1868-53-7	Dibromofluoromethane	45.3		70 (75) - 130 (124)	91%	SPK: 50
2037-26-5	Toluene-d8	48.9		70 (86) - 130 (113)	98%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.3		70 (77) - 130 (121)	99%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	110000	5.544			
540-36-3	1,4-Difluorobenzene	215000	6.757			
3114-55-4	Chlorobenzene-d5	185000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	78600	12.024			

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24	
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24	
Client Sample ID:	TB-12-4-24		SDG No.:	P5093	
Lab Sample ID:	P5093-03		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044133.D	1		12/04/24 21:30	VX120424

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	P5093	OrderDate:	12/4/2024 12:24:38 PM
Client:	R3M Engineering, Inc.	Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick
Contact:	Stacey L. Felts-Bock	Location:	L41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5093-01	LL-001	Water	VOC-TCLVOA-10	8260-Low	12/04/24		12/04/24	12/04/24
P5093-02	LL-001-FB-12-4-24	Water	VOC-TCLVOA-10	8260-Low	12/04/24		12/04/24	12/04/24
P5093-03	TB-12-4-24	Water	VOC-TCLVOA-10	8260-Low	12/04/24		12/04/24	12/04/24

Hit Summary Sheet SW-846

SDG No.: P5093
Client: R3M Engineering, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	RDL	Units
Client ID : LL-001								
P5093-01	LL-001	WATER	2-Pentanone, 4-hydroxy-4-methyl *	3.600	AB	0	0	ug/L
P5093-01	LL-001	WATER	Benzophenone *	2.900	J	0	0	ug/L
P5093-01	LL-001	WATER	Butane, 2-methoxy-2-methyl- *	170.000	JB	0	0	ug/L
P5093-01	LL-001	WATER	Supraene *	2.200	J	0	0	ug/L
Total Tics :				178.70				
Total Concentration:				178.70				
Client ID : LL-001-FB-12-4-24								
P5093-02	LL-001-FB-12-4-24	WATER	1-Propanol, 2-(2-hydroxypropoxy) *	2.200	J	0	0	ug/L
P5093-02	LL-001-FB-12-4-24	WATER	2-Pentanone, 4-hydroxy-4-methyl *	4.000	AB	0	0	ug/L
P5093-02	LL-001-FB-12-4-24	WATER	Butane, 2-methoxy-2-methyl- *	170.000	JB	0	0	ug/L
Total Tics :				176.20				
Total Concentration:				176.20				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	R3M Engineering, Inc.	Date Collected:	12/04/24
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick	Date Received:	12/04/24
Client Sample ID:	LL-001	SDG No.:	P5093
Lab Sample ID:	P5093-01	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140765.D	1	12/06/24 09:33	12/06/24 14:40	PB165432

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	4.00	U	4.00	10.0	ug/L
108-95-2	Phenol	0.93	U	0.93	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	1.20	U	1.20	5.00	ug/L
95-57-8	2-Chlorophenol	0.71	U	0.71	5.00	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.40	U	1.40	5.00	ug/L
98-86-2	Acetophenone	1.10	U	1.10	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.20	U	1.20	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.50	U	1.50	2.50	ug/L
67-72-1	Hexachloroethane	1.00	U	1.00	5.00	ug/L
98-95-3	Nitrobenzene	1.30	U	1.30	5.00	ug/L
78-59-1	Isophorone	1.10	U	1.10	5.00	ug/L
88-75-5	2-Nitrophenol	2.00	U	2.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	1.50	U	1.50	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	1.00	U	1.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.88	U	0.88	5.00	ug/L
91-20-3	Naphthalene	1.00	U	1.00	5.00	ug/L
106-47-8	4-Chloroaniline	1.30	UQ	1.30	5.00	ug/L
87-68-3	Hexachlorobutadiene	1.30	U	1.30	5.00	ug/L
105-60-2	Caprolactam	1.70	U	1.70	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.84	U	0.84	5.00	ug/L
91-57-6	2-Methylnaphthalene	1.10	U	1.10	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	5.00	U	5.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.89	U	0.89	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	1.00	U	1.00	5.00	ug/L
92-52-4	1,1-Biphenyl	0.91	U	0.91	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.97	U	0.97	5.00	ug/L
88-74-4	2-Nitroaniline	1.40	U	1.40	5.00	ug/L
131-11-3	Dimethylphthalate	0.93	U	0.93	5.00	ug/L

Report of Analysis

Client:	R3M Engineering, Inc.	Date Collected:	12/04/24
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick	Date Received:	12/04/24
Client Sample ID:	LL-001	SDG No.:	P5093
Lab Sample ID:	P5093-01	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140765.D	1	12/06/24 09:33	12/06/24 14:40	PB165432

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	1.00	U	1.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
99-09-2	3-Nitroaniline	1.40	UQ	1.40	5.00	ug/L
83-32-9	Acenaphthene	0.81	U	0.81	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.40	U	6.40	10.0	ug/L
100-02-7	4-Nitrophenol	2.00	U	2.00	10.0	ug/L
132-64-9	Dibenzofuran	0.93	U	0.93	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.50	U	1.50	5.00	ug/L
84-66-2	Diethylphthalate	1.00	U	1.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.98	U	0.98	5.00	ug/L
86-73-7	Fluorene	0.96	U	0.96	5.00	ug/L
100-01-6	4-Nitroaniline	2.00	U	2.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	3.10	U	3.10	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.89	U	0.89	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.95	U	0.95	5.00	ug/L
118-74-1	Hexachlorobenzene	1.10	U	1.10	5.00	ug/L
1912-24-9	Atrazine	1.30	U	1.30	5.00	ug/L
87-86-5	Pentachlorophenol	1.90	U	1.90	10.0	ug/L
85-01-8	Phenanthrene	0.89	U	0.89	5.00	ug/L
120-12-7	Anthracene	1.10	U	1.10	5.00	ug/L
86-74-8	Carbazole	1.20	U	1.20	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.50	U	1.50	5.00	ug/L
206-44-0	Fluoranthene	1.30	U	1.30	5.00	ug/L
129-00-0	Pyrene	1.10	U	1.10	5.00	ug/L
85-68-7	Butylbenzylphthalate	2.10	U	2.10	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	1.30	UQ	1.30	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.94	U	0.94	5.00	ug/L
218-01-9	Chrysene	0.86	U	0.86	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.90	U	1.90	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.50	U	2.50	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	1.10	U	1.10	5.00	ug/L

Report of Analysis

Client:	R3M Engineering, Inc.	Date Collected:	12/04/24
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick	Date Received:	12/04/24
Client Sample ID:	LL-001	SDG No.:	P5093
Lab Sample ID:	P5093-01	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140765.D	1	12/06/24 09:33	12/06/24 14:40	PB165432

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	1.20	U	1.20	5.00	ug/L
50-32-8	Benzo(a)pyrene	1.70	U	1.70	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	1.00	U	1.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	1.20	U	1.20	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	1.20	U	1.20	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	1.10	U	1.10	5.00	ug/L
123-91-1	1,4-Dioxane	1.30	U	1.30	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.79	U	0.79	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	89.8		15 (10) - 110 (139)	60%	SPK: 150
13127-88-3	Phenol-d6	60.9		15 (10) - 110 (134)	41%	SPK: 150
4165-60-0	Nitrobenzene-d5	95.0		30 (49) - 130 (133)	95%	SPK: 100
321-60-8	2-Fluorobiphenyl	97.5		30 (52) - 130 (132)	98%	SPK: 100
118-79-6	2,4,6-Tribromophenol	130		15 (44) - 110 (137)	87%	SPK: 150
1718-51-0	Terphenyl-d14	75.7		30 (48) - 130 (125)	76%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	65000	6.869			
1146-65-2	Naphthalene-d8	245000	8.151			
15067-26-2	Acenaphthene-d10	135000	9.904			
1517-22-2	Phenanthrene-d10	233000	11.398			
1719-03-5	Chrysene-d12	138000	14.051			
1520-96-3	Perylene-d12	150000	15.563			
TENTATIVE IDENTIFIED COMPOUNDS						
000994-05-8	Butane, 2-methoxy-2-methyl-	170	JB		2.13	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	3.60	AB		5.09	ug/L
000119-61-9	Benzophenone	2.90	J		10.6	ug/L
007683-64-9	Supraene	2.20	J		14.9	ug/L

Report of Analysis

Client:	R3M Engineering, Inc.	Date Collected:	12/04/24
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick	Date Received:	12/04/24
Client Sample ID:	LL-001	SDG No.:	P5093
Lab Sample ID:	P5093-01	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140765.D	1	12/06/24 09:33	12/06/24 14:40	PB165432

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	R3M Engineering, Inc.	Date Collected:	12/04/24
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick	Date Received:	12/04/24
Client Sample ID:	LL-001-FB-12-4-24	SDG No.:	P5093
Lab Sample ID:	P5093-02	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140766.D	1	12/06/24 09:33	12/06/24 15:06	PB165432

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	4.00	U	4.00	10.0	ug/L
108-95-2	Phenol	0.93	U	0.93	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	1.20	U	1.20	5.00	ug/L
95-57-8	2-Chlorophenol	0.71	U	0.71	5.00	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.40	U	1.40	5.00	ug/L
98-86-2	Acetophenone	1.10	U	1.10	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.20	U	1.20	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.50	U	1.50	2.50	ug/L
67-72-1	Hexachloroethane	1.00	U	1.00	5.00	ug/L
98-95-3	Nitrobenzene	1.30	U	1.30	5.00	ug/L
78-59-1	Isophorone	1.10	U	1.10	5.00	ug/L
88-75-5	2-Nitrophenol	2.00	U	2.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	1.50	U	1.50	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	1.00	U	1.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.88	U	0.88	5.00	ug/L
91-20-3	Naphthalene	1.00	U	1.00	5.00	ug/L
106-47-8	4-Chloroaniline	1.30	UQ	1.30	5.00	ug/L
87-68-3	Hexachlorobutadiene	1.30	U	1.30	5.00	ug/L
105-60-2	Caprolactam	1.70	U	1.70	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.84	U	0.84	5.00	ug/L
91-57-6	2-Methylnaphthalene	1.10	U	1.10	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	5.00	U	5.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.89	U	0.89	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	1.00	U	1.00	5.00	ug/L
92-52-4	1,1-Biphenyl	0.91	U	0.91	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.97	U	0.97	5.00	ug/L
88-74-4	2-Nitroaniline	1.40	U	1.40	5.00	ug/L
131-11-3	Dimethylphthalate	0.93	U	0.93	5.00	ug/L

Report of Analysis

Client:	R3M Engineering, Inc.	Date Collected:	12/04/24
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick	Date Received:	12/04/24
Client Sample ID:	LL-001-FB-12-4-24	SDG No.:	P5093
Lab Sample ID:	P5093-02	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140766.D	1	12/06/24 09:33	12/06/24 15:06	PB165432

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	1.00	U	1.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
99-09-2	3-Nitroaniline	1.40	UQ	1.40	5.00	ug/L
83-32-9	Acenaphthene	0.81	U	0.81	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.40	U	6.40	10.0	ug/L
100-02-7	4-Nitrophenol	2.00	U	2.00	10.0	ug/L
132-64-9	Dibenzofuran	0.93	U	0.93	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.50	U	1.50	5.00	ug/L
84-66-2	Diethylphthalate	1.00	U	1.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.98	U	0.98	5.00	ug/L
86-73-7	Fluorene	0.96	U	0.96	5.00	ug/L
100-01-6	4-Nitroaniline	2.00	U	2.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	3.10	U	3.10	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.89	U	0.89	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.95	U	0.95	5.00	ug/L
118-74-1	Hexachlorobenzene	1.10	U	1.10	5.00	ug/L
1912-24-9	Atrazine	1.30	U	1.30	5.00	ug/L
87-86-5	Pentachlorophenol	1.90	U	1.90	10.0	ug/L
85-01-8	Phenanthrene	0.89	U	0.89	5.00	ug/L
120-12-7	Anthracene	1.10	U	1.10	5.00	ug/L
86-74-8	Carbazole	1.20	U	1.20	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.50	U	1.50	5.00	ug/L
206-44-0	Fluoranthene	1.30	U	1.30	5.00	ug/L
129-00-0	Pyrene	1.10	U	1.10	5.00	ug/L
85-68-7	Butylbenzylphthalate	2.10	U	2.10	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	1.30	UQ	1.30	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.94	U	0.94	5.00	ug/L
218-01-9	Chrysene	0.86	U	0.86	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.90	U	1.90	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.50	U	2.50	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	1.10	U	1.10	5.00	ug/L

Report of Analysis

Client:	R3M Engineering, Inc.	Date Collected:	12/04/24
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick	Date Received:	12/04/24
Client Sample ID:	LL-001-FB-12-4-24	SDG No.:	P5093
Lab Sample ID:	P5093-02	Matrix:	Water
Analytical Method:	SW8270	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140766.D	1	12/06/24 09:33	12/06/24 15:06	PB165432

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	1.20	U	1.20	5.00	ug/L
50-32-8	Benzo(a)pyrene	1.70	U	1.70	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	1.00	U	1.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	1.20	U	1.20	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	1.20	U	1.20	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	1.10	U	1.10	5.00	ug/L
123-91-1	1,4-Dioxane	1.30	U	1.30	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.79	U	0.79	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	101		15 (10) - 110 (139)	68%	SPK: 150
13127-88-3	Phenol-d6	65.0		15 (10) - 110 (134)	43%	SPK: 150
4165-60-0	Nitrobenzene-d5	105		30 (49) - 130 (133)	105%	SPK: 100
321-60-8	2-Fluorobiphenyl	109		30 (52) - 130 (132)	109%	SPK: 100
118-79-6	2,4,6-Tribromophenol	142		15 (44) - 110 (137)	95%	SPK: 150
1718-51-0	Terphenyl-d14	103		30 (48) - 130 (125)	103%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	71300	6.869			
1146-65-2	Naphthalene-d8	277000	8.151			
15067-26-2	Acenaphthene-d10	168000	9.904			
1517-22-2	Phenanthrene-d10	294000	11.398			
1719-03-5	Chrysene-d12	155000	14.051			
1520-96-3	Perylene-d12	187000	15.563			
TENTATIVE IDENTIFIED COMPOUNDS						
000994-05-8	Butane, 2-methoxy-2-methyl-	170	JB		2.13	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	4.00	AB		5.09	ug/L
000106-62-7	1-Propanol, 2-(2-hydroxypropoxy)-	2.20	J		8.39	ug/L

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24
Client Sample ID:	LL-001-FB-12-4-24		SDG No.:	P5093
Lab Sample ID:	P5093-02		Matrix:	Water
Analytical Method:	SW8270		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOC-TCL BNA -20
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3510C			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140766.D	1	12/06/24 09:33	12/06/24 15:06	PB165432

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	P5093	OrderDate:	12/4/2024 12:24:38 PM
Client:	R3M Engineering, Inc.	Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick
Contact:	Stacey L. Felts-Bock	Location:	L41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5093-01	LL-001	Water	SVOC-TCL BNA -20	8270E	12/04/24	12/06/24	12/06/24	12/04/24
P5093-02	LL-001-FB-12-4-24	Water	SVOC-TCL BNA -20	8270E	12/04/24	12/06/24	12/06/24	12/04/24



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: P5093

Order ID: P5093

Client: R3M Engineering, Inc.

Project ID: MC054.36 23-8-1 LM - Landing Lane

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24	
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24	
Client Sample ID:	LL-001		SDG No.:	P5093	
Lab Sample ID:	P5093-01		Matrix:	WATER	
Analytical Method:	SW8081		% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Pesticide-TCL	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PD087061.D	1	12/06/24 08:32	12/06/24 15:52	PB165431

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
319-84-6	alpha-BHC	0.0061	U	0.0061	0.050	ug/L
319-85-7	beta-BHC	0.014	U	0.014	0.050	ug/L
319-86-8	delta-BHC	0.015	U	0.015	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.0049	U	0.0049	0.050	ug/L
76-44-8	Heptachlor	0.0054	U	0.0054	0.050	ug/L
309-00-2	Aldrin	0.0044	U	0.0044	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0090	U	0.0090	0.050	ug/L
959-98-8	Endosulfan I	0.0050	U	0.0050	0.050	ug/L
60-57-1	Dieldrin	0.0047	U	0.0047	0.050	ug/L
72-55-9	4,4-DDE	0.0045	U	0.0045	0.050	ug/L
72-20-8	Endrin	0.0043	U	0.0043	0.050	ug/L
33213-65-9	Endosulfan II	0.0075	U	0.0075	0.050	ug/L
72-54-8	4,4-DDD	0.0092	U	0.0092	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.0035	U	0.0035	0.050	ug/L
50-29-3	4,4-DDT	0.0044	U	0.0044	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
53494-70-5	Endrin ketone	0.0097	U	0.0097	0.050	ug/L
7421-93-4	Endrin aldehyde	0.0099	U	0.0099	0.050	ug/L
5103-71-9	alpha-Chlordane	0.0060	U	0.0060	0.050	ug/L
5103-74-2	gamma-Chlordane	0.0060	U	0.0060	0.050	ug/L
8001-35-2	Toxaphene	0.15	U	0.15	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	10.6		30 (43) - 150 (140)	53%	SPK: 20
877-09-8	Tetrachloro-m-xylene	20.0		30 (77) - 150 (126)	100%	SPK: 20

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24	
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24	
Client Sample ID:	LL-001		SDG No.:	P5093	
Lab Sample ID:	P5093-01		Matrix:	WATER	
Analytical Method:	SW8081		% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Pesticide-TCL	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PD087061.D	1	12/06/24 08:32	12/06/24 15:52	PB165431

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24	
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24	
Client Sample ID:	LL-001-FB-12-4-24		SDG No.:	P5093	
Lab Sample ID:	P5093-02		Matrix:	WATER	
Analytical Method:	SW8081		% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Pesticide-TCL	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PD087062.D	1	12/06/24 08:32	12/06/24 16:06	PB165431

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
319-84-6	alpha-BHC	0.0061	U	0.0061	0.050	ug/L
319-85-7	beta-BHC	0.014	U	0.014	0.050	ug/L
319-86-8	delta-BHC	0.015	U	0.015	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.0049	U	0.0049	0.050	ug/L
76-44-8	Heptachlor	0.0054	U	0.0054	0.050	ug/L
309-00-2	Aldrin	0.0044	U	0.0044	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0090	U	0.0090	0.050	ug/L
959-98-8	Endosulfan I	0.0050	U	0.0050	0.050	ug/L
60-57-1	Dieldrin	0.0047	U	0.0047	0.050	ug/L
72-55-9	4,4-DDE	0.0045	U	0.0045	0.050	ug/L
72-20-8	Endrin	0.0043	U	0.0043	0.050	ug/L
33213-65-9	Endosulfan II	0.0075	U	0.0075	0.050	ug/L
72-54-8	4,4-DDD	0.0092	U	0.0092	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.0035	U	0.0035	0.050	ug/L
50-29-3	4,4-DDT	0.0044	U	0.0044	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
53494-70-5	Endrin ketone	0.0097	U	0.0097	0.050	ug/L
7421-93-4	Endrin aldehyde	0.0099	U	0.0099	0.050	ug/L
5103-71-9	alpha-Chlordane	0.0060	U	0.0060	0.050	ug/L
5103-74-2	gamma-Chlordane	0.0060	U	0.0060	0.050	ug/L
8001-35-2	Toxaphene	0.15	U	0.15	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	16.2		30 (43) - 150 (140)	81%	SPK: 20
877-09-8	Tetrachloro-m-xylene	21.0		30 (77) - 150 (126)	105%	SPK: 20

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24	
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24	
Client Sample ID:	LL-001-FB-12-4-24		SDG No.:	P5093	
Lab Sample ID:	P5093-02		Matrix:	WATER	
Analytical Method:	SW8081		% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Pesticide-TCL	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PD087062.D	1	12/06/24 08:32	12/06/24 16:06	PB165431

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	P5093	OrderDate:	12/4/2024 12:24:38 PM
Client:	R3M Engineering, Inc.	Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick
Contact:	Stacey L. Felts-Bock	Location:	L41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5093-01	LL-001	WATER			12/04/24			12/04/24
			PCB	8082A		12/06/24	12/06/24	
			Pesticide-TCL	8081B		12/06/24	12/06/24	
P5093-02	LL-001-FB-12-4-24	WATER			12/04/24			12/04/24
			PCB	8082A		12/06/24	12/06/24	
			Pesticide-TCL	8081B		12/06/24	12/06/24	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: P5093

Order ID: P5093

Client: R3M Engineering, Inc.

Project ID: MC054.36 23-8-1 LM - Landing Lane

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24	
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24	
Client Sample ID:	LL-001		SDG No.:	P5093	
Lab Sample ID:	P5093-01		Matrix:	WATER	
Analytical Method:	SW8082A		% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP068862.D	1	12/06/24 08:30	12/06/24 19:23	PB165429

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.15	U	0.15	0.50	ug/L
11104-28-2	Aroclor-1221	0.23	U	0.23	0.50	ug/L
11141-16-5	Aroclor-1232	0.37	U	0.37	0.50	ug/L
53469-21-9	Aroclor-1242	0.16	U	0.16	0.50	ug/L
12672-29-6	Aroclor-1248	0.12	U	0.12	0.50	ug/L
11097-69-1	Aroclor-1254	0.11	U	0.11	0.50	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.50	ug/L
11100-14-4	Aroclor-1268	0.12	U	0.12	0.50	ug/L
11096-82-5	Aroclor-1260	0.15	U	0.15	0.50	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	20.9		30 (10) - 150 (157)	104%	SPK: 20
2051-24-3	Decachlorobiphenyl	11.0		30 (10) - 150 (173)	55%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	R3M Engineering, Inc.		Date Collected:	12/04/24	
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick		Date Received:	12/04/24	
Client Sample ID:	LL-001-FB-12-4-24		SDG No.:	P5093	
Lab Sample ID:	P5093-02		Matrix:	WATER	
Analytical Method:	SW8082A		% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP068863.D	1	12/06/24 08:30	12/06/24 19:39	PB165429

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.15	U	0.15	0.50	ug/L
11104-28-2	Aroclor-1221	0.23	U	0.23	0.50	ug/L
11141-16-5	Aroclor-1232	0.37	U	0.37	0.50	ug/L
53469-21-9	Aroclor-1242	0.16	U	0.16	0.50	ug/L
12672-29-6	Aroclor-1248	0.12	U	0.12	0.50	ug/L
11097-69-1	Aroclor-1254	0.11	U	0.11	0.50	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.50	ug/L
11100-14-4	Aroclor-1268	0.12	U	0.12	0.50	ug/L
11096-82-5	Aroclor-1260	0.15	U	0.15	0.50	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.8		30 (10) - 150 (157)	109%	SPK: 20
2051-24-3	Decachlorobiphenyl	15.0		30 (10) - 150 (173)	75%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	P5093	OrderDate:	12/4/2024 12:24:38 PM
Client:	R3M Engineering, Inc.	Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick
Contact:	Stacey L. Felts-Bock	Location:	L41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5093-01	LL-001	WATER	PCB	8082A	12/04/24	12/06/24	12/06/24	12/04/24
P5093-02	LL-001-FB-12-4-24	WATER	PCB	8082A	12/04/24	12/06/24	12/06/24	12/04/24

Hit Summary Sheet
SW-846

SDG No.:	P5093	Order ID:	P5093
Client:	R3M Engineering, Inc.	Project ID:	MC054.36 23-8-1 LM - Landing Lane New

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : LL-001								
P5093-01	LL-001	Water	Aluminum	4760		28.3	50.0	ug/L
P5093-01	LL-001	Water	Barium	198		6.28	50.0	ug/L
P5093-01	LL-001	Water	Beryllium	0.22	J	0.13	3.00	ug/L
P5093-01	LL-001	Water	Cadmium	0.26	J	0.094	3.00	ug/L
P5093-01	LL-001	Water	Calcium	24100		33.0	1000	ug/L
P5093-01	LL-001	Water	Chromium	5.63		0.66	5.00	ug/L
P5093-01	LL-001	Water	Cobalt	1.84	J	0.50	15.0	ug/L
P5093-01	LL-001	Water	Copper	8.11	J	7.07	10.0	ug/L
P5093-01	LL-001	Water	Iron	3300		18.5	50.0	ug/L
P5093-01	LL-001	Water	Lead	9.28		3.51	6.00	ug/L
P5093-01	LL-001	Water	Magnesium	8590		39.4	1000	ug/L
P5093-01	LL-001	Water	Manganese	204		1.46	10.0	ug/L
P5093-01	LL-001	Water	Nickel	5.63	J	0.85	20.0	ug/L
P5093-01	LL-001	Water	Potassium	4060		685	1000	ug/L
P5093-01	LL-001	Water	Sodium	19500		237	1000	ug/L
P5093-01	LL-001	Water	Vanadium	8.40	J	3.06	20.0	ug/L
P5093-01	LL-001	Water	Zinc	22.7		1.75	20.0	ug/L
Client ID : LL-001-FB-12-4-24								
P5093-02	LL-001-FB-12-4-24	Water	Manganese	1.80	J	1.46	10.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	R3M Engineering, Inc.	Date Collected:	12/04/24
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick	Date Received:	12/04/24
Client Sample ID:	LL-001	SDG No.:	P5093
Lab Sample ID:	P5093-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	4760		1	28.3	50.0	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-39-3	Barium	198		1	6.28	50.0	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-41-7	Beryllium	0.22	J	1	0.13	3.00	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-43-9	Cadmium	0.26	J	1	0.094	3.00	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-70-2	Calcium	24100		1	33.0	1000	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-47-3	Chromium	5.63		1	0.66	5.00	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-48-4	Cobalt	1.84	J	1	0.50	15.0	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-50-8	Copper	8.11	J	1	7.07	10.0	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7439-89-6	Iron	3300		1	18.5	50.0	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7439-92-1	Lead	9.28		1	3.51	6.00	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7439-95-4	Magnesium	8590		1	39.4	1000	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7439-96-5	Manganese	204		1	1.46	10.0	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7439-97-6	Mercury	0.081	UN	1	0.081	0.20	ug/L	12/06/24 09:25	12/06/24 12:47	SW7470A	
7440-02-0	Nickel	5.63	J	1	0.85	20.0	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-09-7	Potassium	4060		1	685	1000	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-23-5	Sodium	19500		1	237	1000	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-62-2	Vanadium	8.40	J	1	3.06	20.0	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010
7440-66-6	Zinc	22.7		1	1.75	20.0	ug/L	12/09/24 09:10	12/10/24 12:18	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCL+30/TAL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	R3M Engineering, Inc.	Date Collected:	12/04/24
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick	Date Received:	12/04/24
Client Sample ID:	LL-001-FB-12-4-24	SDG No.:	P5093
Lab Sample ID:	P5093-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	28.3	U	1	28.3	50.0	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-39-3	Barium	6.28	U	1	6.28	50.0	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-70-2	Calcium	33.0	U	1	33.0	1000	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-48-4	Cobalt	0.50	U	1	0.50	15.0	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-50-8	Copper	7.07	U	1	7.07	10.0	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7439-89-6	Iron	18.5	U	1	18.5	50.0	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7439-95-4	Magnesium	39.4	U	1	39.4	1000	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7439-96-5	Manganese	1.80	J	1	1.46	10.0	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7439-97-6	Mercury	0.081	UN	1	0.081	0.20	ug/L	12/06/24 09:25	12/06/24 12:50	SW7470A	
7440-02-0	Nickel	0.85	U	1	0.85	20.0	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-09-7	Potassium	685	U	1	685	1000	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-23-5	Sodium	237	U	1	237	1000	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-62-2	Vanadium	3.06	U	1	3.06	20.0	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010
7440-66-6	Zinc	1.75	U	1	1.75	20.0	ug/L	12/09/24 09:10	12/10/24 12:22	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCL+30/TAL			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P5093	OrderDate:	12/4/2024 12:24:38 PM
Client:	R3M Engineering, Inc.	Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick
Contact:	Stacey L. Felts-Bock	Location:	L41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5093-01	LL-001	Water			12/04/24			12/04/24
			Mercury	7470A		12/06/24	12/06/24	
			Metals ICP-TAL	6010D		12/09/24	12/10/24	
P5093-02	LL-001-FB-12-4-24	Water			12/04/24			12/04/24
			Mercury	7470A		12/06/24	12/06/24	
			Metals ICP-TAL	6010D		12/09/24	12/10/24	



A

B

C

SAMPLE DATA

Report of Analysis

Client:	R3M Engineering, Inc.	Date Collected:	12/04/24 11:05
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick	Date Received:	12/04/24
Client Sample ID:	LL-001	SDG No.:	P5093
Lab Sample ID:	P5093-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.0010	J	1	0.00099	0.0050	mg/L	12/07/24 10:00	12/09/24 12:47	9012B
TOC	1.90		1	0.19	1.00	mg/L		12/05/24 13:09	9060A

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	R3M Engineering, Inc.	Date Collected:	12/04/24 11:00
Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick	Date Received:	12/04/24
Client Sample ID:	LL-001-FB-12-4-24	SDG No.:	P5093
Lab Sample ID:	P5093-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.00099	U	1	0.00099	0.0050	mg/L	12/07/24 10:00	12/09/24 12:47	9012B
TOC	0.82	J	1	0.19	1.00	mg/L		12/05/24 14:29	9060A

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P5093	OrderDate:	12/4/2024 12:24:38 PM
Client:	R3M Engineering, Inc.	Project:	MC054.36 23-8-1 LM - Landing Lane New Brunswick
Contact:	Stacey L. Felts-Bock	Location:	L41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5093-01	LL-001	WATER			12/04/24 11:05	12/07/24		12/04/24
			Cyanide	9012B			12/09/24 12:47	
			TOC	9060A			12/05/24 13:09	
P5093-02	LL-001-FB-12-4-24	WATER			12/04/24 11:00	12/07/24		12/04/24
			Cyanide	9012B			12/09/24 12:47	
			TOC	9060A			12/05/24 14:29	