

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

LAB CHRONICLE

OrderID:	P5112	OrderDate:	12/5/2024 10:43:00 AM
Client:	Tully Construction Co., Inc.	Project:	10th Street & 2nd Avenue
Contact:	Dean Devoe	Location:	L51,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5112-02	10TH-ST-SOIL	SOIL			12/05/24 08:22			12/05/24
			Corrosivity	9045D			12/06/24 09:55	
			Ignitability	1030			12/07/24 08:15	
			Reactive Sulfide	9034		12/06/24	12/06/24 12:45	
			Reactive Cyanide	9012B		12/05/24	12/05/24 14:36	



SAMPLE DATA

Report of Analysis

Client:	Tully Construction Co., Inc.	Date Collected:	12/05/24 08:22
Project:	10th Street & 2nd Avenue	Date Received:	12/05/24
Client Sample ID:	10TH-ST-SOIL	SDG No.:	P5112
Lab Sample ID:	P5112-02	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	6.41	H	1	0	0	pH		12/06/24 09:55	9045D
Ignitability	NO		1	0	0	oC		12/07/24 08:15	1030
Reactive Cyanide	0.0087	U	1	0.0087	0.050	mg/Kg	12/05/24 11:00	12/05/24 14:36	9012B
Reactive Sulfide	6.31	J	1	0.19	10.0	mg/Kg	12/06/24 08:50	12/06/24 12:45	9034

Comments: pH result reported at temperature 20.1 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



QC RESULT SUMMARY



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Initial and Continuing Calibration Verification

Client: Tully Construction Co., Inc.

SDG No.: P5112

Project: 10th Street & 2nd Avenue

RunNo.: LB133773

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV1 Reactive Cyanide	mg/L	0.097	0.099	98	85-115	12/05/2024
Sample ID: CCV1 Reactive Cyanide	mg/L	0.24	0.25	96	90-110	12/05/2024
Sample ID: CCV2 Reactive Cyanide	mg/L	0.23	0.25	92	90-110	12/05/2024
Sample ID: CCV3 Reactive Cyanide	mg/L	0.24	0.25	96	90-110	12/05/2024

Initial and Continuing Calibration Verification

Client: Tully Construction Co., Inc.

SDG No.: P5112

Project: 10th Street & 2nd Avenue

RunNo.: LB133777

Analyte		Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID:	ICV						
Corrosivity		pH	7.00	7	100	90-110	12/06/2024
Sample ID:	CCV1						
Corrosivity		pH	2.01	2.00	101	90-110	12/06/2024
Sample ID:	CCV2						
Corrosivity		pH	12.02	12.00	100	90-110	12/06/2024



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Initial and Continuing Calibration Blank Summary

Client: Tully Construction Co., Inc.

SDG No.: P5112

Project: 10th Street & 2nd Avenue

RunNo.: LB133773

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB1 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00099	0.005	12/05/2024
Sample ID: CCB1 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00099	0.005	12/05/2024
Sample ID: CCB2 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00099	0.005	12/05/2024
Sample ID: CCB3 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00099	0.005	12/05/2024

Preparation Blank Summary

Client: Tully Construction Co., Inc.

SDG No.: P5112

Project: 10th Street & 2nd Avenue

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: PB165379BL							
Reactive Sulfide	mg/Kg	< 5.0000	5.0000	U	0.186	10	12/06/2024
Sample ID: PB165406BL							
Reactive Cyanide	mg/Kg	< 0.0250	0.0250	U	0.0088	0.05	12/05/2024

Matrix Spike Summary

Client: Tully Construction Co., Inc.

SDG No.: P5112

Project:

Sample ID:

Client ID:

Percent Solids for Spike Sample:

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
---------	-------	------------------------	------------------	--------------------	------------------	--------------------	----------------	--------------------	----------	------	------------------

Duplicate Sample Summary

Client:	Tully Construction Co., Inc.	SDG No.:	P5112
Project:	10th Street & 2nd Avenue	Sample ID:	P5095-04
Client ID:	MH-764DUP	Percent Solids for Spike Sample:	100

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Reactive Cyanide	mg/Kg	+/-20	0.0087	U	0.0087	U	1	0		12/05/2024

Duplicate Sample Summary

Client: Tully Construction Co., Inc.	SDG No.: P5112
Project: 10th Street & 2nd Avenue	Sample ID: P5100-04
Client ID: 3167DUP	Percent Solids for Spike Sample: 100

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Reactive Sulfide	mg/Kg	+/-20	1.59	J	1.59	J	1	0		12/06/2024

Duplicate Sample Summary

Client: Tully Construction Co., Inc. Project: 10th Street & 2nd Avenue Client ID: 10TH-ST-SOILDUP	SDG No.: P5112 Sample ID: P5112-02 Percent Solids for Spike Sample: 100
--	--

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Corrosivity	pH	+/-20	6.41		6.42		1	0.16		12/06/2024
Ignitability	oC	+/-20	NO		NO		1	0		12/07/2024



Client: Tully Construction Co., Inc.

SDG No.: P5112

Project:

Run No.:

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID								



RAW DATA

Test results

Aquakem 7.2AQ1

Page:

CHEMTECH CONSULTING GROUP INC
284 Sheffield Street, Mountainside, NJ 07092

12/5/2024 14:49

Reviewed by : NE Instrument ID : Konelab

Test: Total CN

Sample Id	Result	Dil. 1 +	Response	Errors
ICV1	96.579	0.0	0.072	
ICB1	0.030	0.0	0.002	
CCV1	241.189	0.0	0.176	
CCB1	-0.461	0.0	0.002	
PB165406BL	-0.572	0.0	0.002	
P5095-04	-0.775	0.0	0.002	
P5095-04DUP	-0.710	0.0	0.002	
P5096-04	-0.770	0.0	0.002	
P5096-08	-0.727	0.0	0.002	
P5100-04	-0.231	0.0	0.002	
P5103-02	-0.644	0.0	0.002	
P5110-01	-0.640	0.0	0.002	
P5110-02	-0.634	0.0	0.002	
P5112-02	-1.146	0.0	0.001	
CCV2	234.814	0.0	0.171	
CCB2	-0.812	0.0	0.002	
P5120-01	-0.588	0.0	0.002	
PB165407BL	-0.735	0.0	0.002	
P5100-03	-0.922	0.0	0.002	
P5103-03DUP	-1.131	0.0	0.001	
P5103-01	-0.592	0.0	0.002	
CCV3	239.695	0.0	0.175	
CCB3	-0.412	0.0	0.002	

N 23
Mean 34.774
SD 83.1997
CV% 239.26

Aquakem v. 7.2AQ1

Results from time period:

Thu Dec 05 14:29:19 2024

Thu Dec 05 14:44:07 2024

Sample Id	Sam/Ctr/cA	Test short r	Test type	Result	Result unit	Result date and time	Stat
0.0PPBCN	A	Total CN	P	-0.6135	µg/l	12/5/2024 12:39:42	
5.0PPBCN	A	Total CN	P	4.524	µg/l	12/5/2024 12:39:43	
10PPBCN	A	Total CN	P	9.5977	µg/l	12/5/2024 12:39:44	
50PPBCN	A	Total CN	P	50.9497	µg/l	12/5/2024 12:39:45	
100PPBCN	A	Total CN	P	100.7873	µg/l	12/5/2024 12:39:46	
250PPBCN	A	Total CN	P	249.9889	µg/l	12/5/2024 12:39:47	
500PPBCN	A	Total CN	P	499.766	µg/l	12/5/2024 12:39:48	
ICV1	S	Total CN	P	96.5794	µg/l	12/5/2024 14:29:20	
ICB1	S	Total CN	P	0.0295	µg/l	12/5/2024 14:29:21	
CCV1	S	Total CN	P	241.1891	µg/l	12/5/2024 14:29:23	
CCB1	S	Total CN	P	-0.4615	µg/l	12/5/2024 14:29:25	
PB165406BL	S	Total CN	P	-0.5725	µg/l	12/5/2024 14:29:28	
P5095-04	S	Total CN	P	-0.7749	µg/l	12/5/2024 14:29:29	
P5095-04DUP	S	Total CN	P	-0.7097	µg/l	12/5/2024 14:36:51	
P5096-04	S	Total CN	P	-0.7698	µg/l	12/5/2024 14:36:52	
P5096-08	S	Total CN	P	-0.727	µg/l	12/5/2024 14:36:53	
P5100-04	S	Total CN	P	-0.2306	µg/l	12/5/2024 14:36:54	
P5103-02	S	Total CN	P	-0.6438	µg/l	12/5/2024 14:36:55	
P5110-01	S	Total CN	P	-0.6402	µg/l	12/5/2024 14:36:56	
P5110-02	S	Total CN	P	-0.6338	µg/l	12/5/2024 14:36:57	
P5112-02	S	Total CN	P	-1.1456	µg/l	12/5/2024 14:36:58	
CCV2	S	Total CN	P	234.8139	µg/l	12/5/2024 14:37:01	
CCB2	S	Total CN	P	-0.8117	µg/l	12/5/2024 14:43:58	
P5120-01	S	Total CN	P	-0.5884	µg/l	12/5/2024 14:43:59	
PB165407BL	S	Total CN	P	-0.7354	µg/l	12/5/2024 14:44:00	
P5100-03	S	Total CN	P	-0.9222	µg/l	12/5/2024 14:44:01	
P5103-03DUP	S	Total CN	P	-1.1306	µg/l	12/5/2024 14:44:02	
P5103-01	S	Total CN	P	-0.5915	µg/l	12/5/2024 14:44:03	
CCV3	S	Total CN	P	239.6954	µg/l	12/5/2024 14:44:06	
CCB3	S	Total CN	P	-0.4123	µg/l	12/5/2024 14:44:07	

Calibration results

Aquakem 7.2AQ1

Page: 1

CHEMTECH CONSULTING GROUP INC
284 Sheffield Street, Mountainside, NJ 07092

12/5/2024 12:40

Reviewed by : NF Instrument ID : Konelab


Test Total CN

Accepted 12/5/2024 12:40

Factor 1388
Bias 0.002

Coeff. of det. 0.999989

Errors



	Calibrator	Response	Calc. con.	Conc.	Re Errors
1	0.0PPBCN	0.002	-0.6135	0.0000	
2	5.0PPBCN	0.005	4.5240	5.0000	
3	10PPBCN	0.009	9.5977	10.0000	-9.5
4	50PPBCN	0.039	50.9497	50.0000	-9.0
5	100PPBCN	0.075	100.7873	100.0000	1.9
6	250PPBCN	0.182	249.9889	250.0000	0.0
7	500PPBCN	0.362	499.7660	500.0000	0.0

NF
12.05.2024

Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: Corrosivity

Supervisor Review By : Iwona

Run Number: LB133777

Slope : 98.6

BalanceID: WC SC-7

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3107
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER, COLOR CD 475ML	W3094
buffer solution pH 7 yellow	W3071
Buffer Solution, PH2 (500ml)	W3005
Buffer Solution, PH12 (500ml)	W3072

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12.00 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.2	4.01	12/06/2024	08:55
2	CAL2	1	Water	NA	NA	20.2	7.00	12/06/2024	08:56
3	CAL3	1	Water	NA	NA	20.3	10.02	12/06/2024	08:58
4	ICV	1	Water	NA	NA	20.3	7.00	12/06/2024	09:00
5	CCV1	1	Water	NA	NA	20.1	2.01	12/06/2024	09:47
6	P5112-02	1	Solid	20.02	20	20.1	6.41	12/06/2024	09:55
7	P5112-02DUP	1	Solid	20.03	20	20.2	6.42	12/06/2024	09:56
8	P5133-02	1	Solid	20.03	20	20.4	6.07	12/06/2024	10:00
9	P5136-02	1	Solid	20.04	20	20.1	6.29	12/06/2024	10:05
10	CCV2	1	Water	NA	NA	20.3	12.02	12/06/2024	10:10

WORKLIST(Hardcopy Internal Chain)

VB 133777

WorkList Name : corrosivity p5133

WorkList ID : 186057

Department : Wet-Chemistry

Date : 12-06-2024 08:46:24

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5112-02	10TH-ST-SOIL	Solid	Corrosivity	Cool 4 deg C	TULL02	L51	12/05/2024	9045D
P5133-02	MOO-24-00374	Solid	Corrosivity	Cool 4 deg C	PSEG03	L61	12/05/2024	9045D
P5136-02	COMP-1	Solid	Corrosivity	Cool 4 deg C	PSEG03	L61	12/05/2024	9045D

Date/Time 12/06/24 08:55

Raw Sample Received by: rd wllc

Raw Sample Relinquished by: rd wllc

Date/Time 12/06/24 14:00

Raw Sample Received by: rd wllc

Raw Sample Relinquished by: rd wllc

Analysis Method: 9034

ANALYST: rubina

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: Iwona

Run Number: LB133786

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W3105
IODINE SOLUTION .025N 1L	W3114
Starch Solution, 4L	W3149

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB165379BL		1	5.00	50	2.00	0.00	1.94	1.94	0.06	0.00	0.00	12/06/2024	12:30
2	P5100-04		1	5.02	50	2.00	0.00	1.92	1.92	0.08	0.02	1.59	12/06/2024	12:33
3	P5100-04DUP		1	5.02	50	2.00	0.00	1.92	1.92	0.08	0.02	1.59	12/06/2024	12:36
4	P5103-02		1	5.07	50	2.00	0.00	1.88	1.88	0.12	0.06	4.73	12/06/2024	12:38
5	P5110-01		1	5.03	50	2.00	0.00	1.90	1.90	0.10	0.04	3.18	12/06/2024	12:40
6	P5110-02		1	5.03	50	2.00	0.00	1.92	1.92	0.08	0.02	1.59	12/06/2024	12:42
7	P5112-02		1	5.07	50	2.00	0.00	1.86	1.86	0.14	0.08	6.31	12/06/2024	12:45
8	P5120-01		1	5.01	50	2.00	0.00	1.90	1.90	0.10	0.04	3.19	12/06/2024	12:48
9	P5133-02		1	5.07	50	2.00	0.00	1.86	1.86	0.14	0.08	6.31	12/06/2024	12:50
10	P5136-02		1	5.05	50	2.00	0.00	1.88	1.88	0.12	0.06	4.75	12/06/2024	12:53

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume

Analytical Summary Report

Analysis Method: 1030
Parameter: Ignitability
Run Number: LB133820

Reviewed By: rubina

Supervisor Review By: Iwona

Seq	LabID	ClientID	DF	matrix	Result Status	Burning Rate	Anal Date	Anal Time
1	P5112-02	10TH-ST-SOIL	1	Solid	NO	0.00	12/07/2024	08:15
2	P5112-02DUP	10TH-ST-SOILDUP	1	Solid	NO	0.00	12/07/2024	08:22
3	P5117-02	TAPIAL2-IDW-SOIL-120	1	Solid	NO	0.00	12/07/2024	08:30
4	P5133-01	MOO-24-00374	1	Solid	NO	0.00	12/07/2024	08:37
5	P5133-02	MOO-24-00374	1	Solid	NO	0.00	12/07/2024	09:45
6	P5136-01	COMP-1	1	Solid	NO	0.00	12/07/2024	08:52
7	P5136-02	COMP-1	1	Solid	NO	0.00	12/07/2024	09:00
8	P5159-01	COMP-A-B	1	Solid	NO	0.00	12/07/2024	09:08
9	P5174-01	ROLL-OFF-COMP	1	Solid	NO	0.00	12/07/2024	09:15
10	P5174-02	ROLL-OFF-COMP	1	Solid	NO	0.00	12/07/2024	09:22
11	P5196-01	MH-761	1	Solid	NO	0.00	12/07/2024	09:30
12	P5196-04	MH-761	1	Solid	NO	0.00	12/07/2024	09:37

$$\text{Burning Rate} = \frac{\text{Length (mm)}}{\text{Total Time (sec)}}$$

WORKLIST(Hardcopy Internal Chain)

6133820

WorkList Name : ign12-06 WorkList ID : 186035 Department : Wet-Chemistry Date : 12-06-2024 08:15:57

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5112-02	10TH-ST-SOIL	Solid	Ignitability	Cool 4 deg C	TULL02	L51	12/05/2024	1030
P5117-02	TAPIAL2-IDW-SOIL-120424-00.	Solid	Ignitability	Cool 4 deg C	WEST04	L41	12/05/2024	1030
P5133-01	MOO-24-00374	Solid	Ignitability	Cool 4 deg C	PSEG03	L61	12/05/2024	1030
P5133-02	MOO-24-00374	Solid	Ignitability	Cool 4 deg C	PSEG03	L61	12/05/2024	1030
P5136-01	COMP-1	Solid	Ignitability	Cool 4 deg C	PSEG03	L61	12/05/2024	1030
P5136-02	COMP-1	Solid	Ignitability	Cool 4 deg C	PSEG03	L61	12/05/2024	1030
P5159-01	COMP-A-B	Solid	Ignitability	Cool 4 deg C	PSEG03	L61	12/05/2024	1030
P5174-01	ROLL-OFF-COMP	Solid	Ignitability	Cool 4 deg C	PSEG03	L61	12/06/2024	1030
P5174-02	ROLL-OFF-COMP	Solid	Ignitability	Cool 4 deg C	PSEG03	L51	12/06/2024	1030
P5196-01	MH-761	Solid	Ignitability	Cool 4 deg C	PSEG03	L51	12/06/2024	1030
P5196-04	MH-761	Solid	Ignitability	Cool 4 deg C	PSEG03	L51	12/06/2024	1030

Date/Time 12/07/2024 08:00
Raw Sample Received by: RMCWJ
Raw Sample Relinquished by: J. Wet

Date/Time 12/07/2024 09:00
Raw Sample Received by: J. Wet
Raw Sample Relinquished by: RMCWJ

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 12/05/2024 Time : 11:00 Temp : N/A

Matrix : SOIL

End Digest Date: 12/05/2024 Time : 12:30 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1, MC-2

Filter paper ID : N/A

Prep Technician Signature: NF

Weigh By : NF

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	N/A	WP108640
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
12-05-2024, 12:40	NF(WC)	NF(WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
P5095-04	MH-764	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P5095-04DUP	MH-764DUP	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P5096-04	MH-B	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P5096-08	MH-A	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P5100-04	3167	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P5103-02	423	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P5110-01	ELIZ-COMP-1	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P5110-02	ELIZ-COMP-2	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P5112-02	10TH-ST-SOIL	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P5120-01	TAPIAL2-IDW-SOIL-120424-00-T2	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
PB165406BL	PBS406	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A

WORKLIST(Hardcopy Internal Chain)

WorkList Name : RCN S-12052024

WorkList ID : 186008

Department : Distillation

Date : 12-05-2024 10:37:50

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5095-04	MH-764	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	L11	12/04/2024	9012B
P5096-04	MH-B	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	L51	12/04/2024	9012B
P5096-08	MH-A	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	L51	12/04/2024	9012B
P5100-04	3167	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	L61	12/04/2024	9012B
P5103-02	423	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	L51	12/04/2024	9012B
P5110-01	ELIZ-COMP-1	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	L41	12/04/2024	9012B
P5110-02	ELIZ-COMP-2	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	L41	12/04/2024	9012B
P5112-02	10TH-ST-SOIL	Solid	Reactive Cyanide	Cool 4 deg C	TULL02	L51	12/05/2024	9012B
P5120-01	TAPIAL2-IDW-SOIL-120424-00	Solid	Reactive Cyanide	Cool 4 deg C	WEST04	L51	11/27/2024	9012B

Date/Time 12.05.2024, 10:40
 Raw Sample Received by: NFCWC
 Raw Sample Relinquished by: NFWC

Date/Time 12.05.2024, 12:00
 Raw Sample Received by: NFWC
 Raw Sample Relinquished by: NFWC

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB133773

Review By	Niha	Review On	12/6/2024 4:53:14 PM
Supervise By	Iwona	Supervise On	12/6/2024 4:54:06 PM
SubDirectory	LB133773	Test	Reactive Cyanide
STD. NAME	STD REF.#		
ICAL Standard	WP110951,WP110952,WP110953,WP110954,WP110955,WP110956,WP110957		
ICV Standard	WP110964		
CCV Standard	WP110952		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP109068,WP110103,WP110958		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	0.0PPBCN	0.0PPBCN	CAL1	12/05/24 12:39		Niha	OK
2	5.0PPBCN	5.0PPBCN	CAL2	12/05/24 12:39		Niha	OK
3	10PPBCN	10PPBCN	CAL3	12/05/24 12:39		Niha	OK
4	50PPBCN	50PPBCN	CAL4	12/05/24 12:39		Niha	OK
5	100PPBCN	100PPBCN	CAL5	12/05/24 12:39		Niha	OK
6	250PPBCN	250PPBCN	CAL6	12/05/24 12:39		Niha	OK
7	500PPBCN	500PPBCN	CAL7	12/05/24 12:39		Niha	OK
8	ICV1	ICV1	ICV	12/05/24 14:29		Niha	OK
9	ICB1	ICB1	ICB	12/05/24 14:29		Niha	OK
10	CCV1	CCV1	CCV	12/05/24 14:29		Niha	OK
11	CCB1	CCB1	CCB	12/05/24 14:29		Niha	OK
12	PB165406BL	PB165406BL	MB	12/05/24 14:29		Niha	OK
13	P5095-04	MH-764	SAM	12/05/24 14:29		Niha	OK
14	P5095-04DUP	MH-764DUP	DUP	12/05/24 14:36		Niha	OK
15	P5096-04	MH-B	SAM	12/05/24 14:36		Niha	OK
16	P5096-08	MH-A	SAM	12/05/24 14:36		Niha	OK
17	P5100-04	3167	SAM	12/05/24 14:36		Niha	OK
18	P5103-02	423	SAM	12/05/24 14:36		Niha	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB133773

Review By	Niha	Review On	12/6/2024 4:53:14 PM
Supervise By	Iwona	Supervise On	12/6/2024 4:54:06 PM
SubDirectory	LB133773	Test	Reactive Cyanide
STD. NAME	STD REF.#		
ICAL Standard	WP110951,WP110952,WP110953,WP110954,WP110955,WP110956,WP110957		
ICV Standard	WP110964		
CCV Standard	WP110952		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP109068,WP110103,WP110958		

19	P5110-01	ELIZ-COMP-1	SAM	12/05/24 14:36		Niha	OK
20	P5110-02	ELIZ-COMP-2	SAM	12/05/24 14:36		Niha	OK
21	P5112-02	10TH-ST-SOIL	SAM	12/05/24 14:36		Niha	OK
22	CCV2	CCV2	CCV	12/05/24 14:37		Niha	OK
23	CCB2	CCB2	CCB	12/05/24 14:43		Niha	OK
24	P5120-01	TAPIAL2-IDW-SOIL-1	SAM	12/05/24 14:43		Niha	OK
25	PB165407BL	PB165407BL	MB	12/05/24 14:44		Niha	OK
26	P5100-03	3154	SAM	12/05/24 14:44		Niha	OK
27	P5100-03DUP	3154DUP	DUP	12/05/24 14:44		Niha	OK
28	P5103-01	422	SAM	12/05/24 14:44		Niha	OK
29	CCV3	CCV3	CCV	12/05/24 14:44		Niha	OK
30	CCB3	CCB3	CCB	12/05/24 14:44		Niha	OK

Instrument ID: WC PH METER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB133777

Review By	jignesh	Review On	12/6/2024 9:08:05 AM
Supervise By	Iwona	Supervise On	12/6/2024 10:43:35 AM
SubDirectory	LB133777	Test	Corrosivity
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3107,W3093,W3094,W3071,W3005,W3072		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	12/06/24 08:55		Jignesh	OK
2	CAL2	CAL2	CAL	12/06/24 08:56		Jignesh	OK
3	CAL3	CAL3	CAL	12/06/24 08:58		Jignesh	OK
4	ICV	ICV	ICV	12/06/24 09:00		Jignesh	OK
5	CCV1	CCV1	CCV	12/06/24 09:47		Jignesh	OK
6	P5112-02	10TH-ST-SOIL	SAM	12/06/24 09:55		Jignesh	OK
7	P5112-02DUP	10TH-ST-SOILDUP	DUP	12/06/24 09:56		Jignesh	OK
8	P5133-02	MOO-24-00374	SAM	12/06/24 10:00		Jignesh	OK
9	P5136-02	COMP-1	SAM	12/06/24 10:05		Jignesh	OK
10	CCV2	CCV2	CCV	12/06/24 10:10		Jignesh	OK

Instrument ID: TITRAMETRIC

Daily Analysis Runlog For Sequence/QC Batch ID # LB133786

Review By	rubina	Review On	12/6/2024 2:57:34 PM
Supervise By	Iwona	Supervise On	12/6/2024 4:12:10 PM
SubDirectory	LB133786	Test	Reactive Sulfide
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3105,W3114,W3149		

Sr#	SampleID	ClientID	QcType	Date	Comment	Operator	Status
1	PB165379BL	PB165379BL	MB	12/06/24 12:30		rubina	OK
2	P5100-04	3167	SAM	12/06/24 12:33		rubina	OK
3	P5100-04DUP	3167DUP	DUP	12/06/24 12:36		rubina	OK
4	P5103-02	423	SAM	12/06/24 12:38		rubina	OK
5	P5110-01	ELIZ-COMP-1	SAM	12/06/24 12:40		rubina	OK
6	P5110-02	ELIZ-COMP-2	SAM	12/06/24 12:42		rubina	OK
7	P5112-02	10TH-ST-SOIL	SAM	12/06/24 12:45		rubina	OK
8	P5120-01	TAPIAL2-IDW-SOIL-1	SAM	12/06/24 12:48		rubina	OK
9	P5133-02	MOO-24-00374	SAM	12/06/24 12:50		rubina	OK
10	P5136-02	COMP-1	SAM	12/06/24 12:53		rubina	OK

Instrument ID: FLAME

Daily Analysis Runlog For Sequence/QC Batch ID # LB133820

Review By	rubina	Review On	12/9/2024 9:36:17 AM
Supervise By	Iwona	Supervise On	12/9/2024 10:15:50 AM
SubDirectory	LB133820	Test	Ignitability
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	P5112-02	10TH-ST-SOIL	SAM	12/07/24 08:15		rubina	OK
2	P5112-02DUP	10TH-ST-SOILDUP	DUP	12/07/24 08:22		rubina	OK
3	P5117-02	TAPIAL2-IDW-SOIL-1	SAM	12/07/24 08:30		rubina	OK
4	P5133-01	MOO-24-00374	SAM	12/07/24 08:37		rubina	OK
5	P5136-01	COMP-1	SAM	12/07/24 08:52		rubina	OK
6	P5136-02	COMP-1	SAM	12/07/24 09:00		rubina	OK
7	P5159-01	COMP-A-B	SAM	12/07/24 09:08		rubina	OK
8	P5174-01	ROLL-OFF-COMP	SAM	12/07/24 09:15		rubina	OK
9	P5174-02	ROLL-OFF-COMP	SAM	12/07/24 09:22		rubina	OK
10	P5196-01	MH-761	SAM	12/07/24 09:30		rubina	OK
11	P5196-04	MH-761	SAM	12/07/24 09:37		rubina	OK
12	P5133-02	MOO-24-00374	SAM	12/07/24 09:45		rubina	OK

Prep Standard - Chemical Standard Summary

Order ID : P5112

Test : Corrosivity,Ignitability,Percent Solids,Reactive Cyanide,Reactive Sulfide

Prepbatch ID : PB165379,PB165406,

Sequence ID/Qc Batch ID: LB133773,LB133777,LB133786,LB133820,

Standard ID :

WP108640,WP108780,WP109068,WP109549,WP110103,WP110950,WP110951,WP110952,WP110953,WP110954,W
P110955,WP110956,WP110957,WP110958,WP110964,

Chemical ID :

E3657,M5929,W2668,W2725,W2882,W2926,W3005,W3019,W3071,W3072,W3093,W3094,W3105,W3107,W 3112,W31
14,W3138,W3139,W3149,W3154,



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
11	Sodium hydroxide absorbing solution 0.25 N	WP108640	07/05/2024	01/05/2025	Rubina Mughal	WETCHEM_SCALE_4 (WC SC-4)	None	Iwona Zarych 07/08/2024
<u>FROM</u> 21.00000L of W3112 + 210.00000gram of E3657 = Final Quantity: 21.000 L								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
160	0.5M ZINC ACETATE	WP108780	07/22/2024	12/08/2024	Rubina Mughal	WETCHEM_SCALE_5 (WC-5)	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 07/23/2024
<u>FROM</u> 0.88900L of W3112 + 1.00000ml of M5929 + 110.00000gram of W2926 = Final Quantity: 1000.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
607	PYRIDINE-BARBITURIC ACID	WP109068	08/06/2024	12/08/2024	Niha Farheen Shaik	WETCHEM_S CALE_5 (WC SC-5)	None	Iwona Zarych 08/07/2024
<u>FROM</u> 145.00000ml of W3112 + 15.00000gram of W2882 + 15.00000ml of M5929 + 75.00000ml of W3019 = Final Quantity: 250.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3371	Cyanide LCS Spike Solution, 5PPM	WP109549	09/06/2024	01/05/2025	Niha Farheen Shaik	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 09/06/2024
<u>FROM</u>	1.00000ml of W3138 + 199.00000ml of WP108640 = Final Quantity: 200.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
539	CN BUFFER	WP110103	10/08/2024	04/08/2025	Rubina Mughal	WETCHEM_SCALE_5 (WCS-5)	None	Iwona Zarych 10/08/2024
<u>FROM</u> 138.00000gram of W2668 + 862.00000ml of W3112 = Final Quantity: 1000.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3456	Cyanide Intermediate Working Std, 5PPM	WP110950	12/05/2024	12/06/2024	Niha Farheen Shaik	None	WETCHEM_PIPETTE_3	Iwona Zarych
<p>(WC)</p> <p>FROM 0.25000ml of W3154 + 49.75000ml of WP108640 = Final Quantity: 50.000 ml</p>								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4	Calibration standard 500 ppb	WP110951	12/05/2024	12/06/2024	Niha Farheen Shaik	None	None	Iwona Zarych
								12/06/2024

FROM 45.00000ml of WP108640 + 5.00000ml of WP110950 = Final Quantity: 50.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3761	Calibration-CCV CN Standard 250 ppb	WP110952	12/05/2024	12/06/2024	Niha Farheen Shaik	None	WETCHEM_FIPETTE_3	Iwona Zarych
							(WC)	12/06/2024

FROM 2.50000ml of WP110950 + 47.50000ml of WP108640 = Final Quantity: 50.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
6	Calibration Standard 100 ppb	WP110953	12/05/2024	12/06/2024	Niha Farheen Shaik	None	WETCHEM_FIPETTE_3 (WC)	Iwona Zarych 12/06/2024
<u>FROM</u>	1.00000ml of WP110950 + 49.00000ml of WP108640 = Final Quantity: 50.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
7	Calibration Standard 50 ppb	WP110954	12/05/2024	12/06/2024	Niha Farheen Shaik	None	WETCHEM_FIPETTE_3 (WC)	Iwona Zarych 12/06/2024
<u>FROM</u> 0.50000ml of WP110950 + 49.50000ml of WP108640 = Final Quantity: 50.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
8	Calibration Standard 10 ppb	WP110955	12/05/2024	12/06/2024	Niha Farheen Shaik	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 12/06/2024
<u>FROM</u>	1.00000ml of WP110951 + 49.00000ml of WP108640 = Final Quantity: 50.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
9	Calibration Standard 5 ppb	WP110956	12/05/2024	12/06/2024	Niha Farheen Shaik	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 12/06/2024
<u>FROM</u> 0.50000ml of WP110951 + 49.50000ml of WP108640 = Final Quantity: 50.000 ml								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
167	0 ppb CN calibration std	WP110957	12/05/2024	12/06/2024	Niha Farheen Shaik	None	None	Iwona Zarych
								12/06/2024

FROM 50.00000ml of WP108640 = Final Quantity: 50.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1582	Chloramine T solution, 0.014M	WP110958	12/05/2024	12/06/2024	Niha Farheen Shaik	WETCHEM_S CALE_5 (WC SC-5)	None	Iwona Zarych
								12/06/2024

FROM 0.08000gram of W3139 + 20.00000ml of W3112 = Final Quantity: 20.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2168	RCN ICV STD, 100 PPB	WP110964	12/05/2024	12/06/2024	Niha Farheen Shaik	None	None	Iwona Zarych 12/06/2024
<u>FROM</u> 1.00000ml of WP109549 + 49.00000ml of WP108640 = Final Quantity: 50.000 ml								

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-5 / Sodium Hydroxide Pellets 2.5 Kg, Pk of 4	23B1556310	12/31/2025	12/04/2023 / Rajesh	12/01/2023 / Rajesh	E3657

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	12/08/2024	06/24/2024 / Al-Terek	06/07/2024 / Al-Terek	M5929

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3818-5 / SODIUM PHOSPHATE, MONOBAS/HYD, CRYST, ACS, 2.5 KG	0000225799	12/03/2025	04/05/2021 / Alexander	02/10/2020 / apatel	W2668

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EMD-FX0410-5 / FORMALDEHYDE SOLUTION 450ML	60045	06/22/2025	08/19/2024 / Iwona	06/22/2020 / apatel	W2725

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EM-BX0035-3 / Barbituric Acid, 100 gms	1.00132.0100	04/30/2025	12/07/2021 /	11/30/2021 / apatel	W2882

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J4296-1 / ZINC ACETATE, DIHYD, CRYST, ACS, 500G	383058	07/05/2027	07/05/2022 / ketankumar	07/05/2022 / ketankumar	W2926

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL13850-1 / Buffer Solution, PH2 (500ml)	4212E45	12/31/2024	01/31/2023 / Iwona	01/31/2023 / Iwona	W3005

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
SIGMA ALDRICH	270970-1L / Pyridine 1L	SHBQ2113	04/03/2028	04/03/2023 / Iwona	04/03/2023 / Iwona	W3019

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14455-3 / buffer solution pH 7 yellow	4308H30	07/31/2025	01/02/2024 / JIGNESH	12/06/2023 / Iwona	W3071

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14940-1 / Buffer Solution, PH12 (500ml)	2310P21	04/30/2025	01/02/2024 / JIGNESH	12/07/2023 / Iwona	W3072

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	566002 / BUFFER PH 7.00 GREEN 1PINT PK6	44001f99	12/31/2025	04/03/2024 / jignesh	04/02/2024 / jignesh	W3093

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	1601-1 / PH 10.01 BUFFER,COLOR CD 475ML	4310g83	03/31/2025	04/03/2024 / jignesh	04/02/2024 / jignesh	W3094

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL69870-8 / SODIUM THIOSULFATE,0.025N,4LIT RE	4403S13	09/30/2025	04/22/2024 / lwona	04/22/2024 / lwona	W3105

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14055-3 / PH 4 BUFFER SOLUTION	AL14055-3	02/27/2026	09/05/2024 / jignesh	05/13/2024 / jignesh	W3107

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / lwona	07/03/2024 / lwona	W3112

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL35830-4 / IODINE SOLUTION .025N 1L	2405D89	05/31/2025	07/10/2024 / lwona	07/10/2024 / lwona	W3114

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	LC135457 / Cyanide Standard, 1000 PPM, Second Source	44080060	01/30/2025	09/06/2024 / lwona	08/28/2024 / lwona	W3138

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	JTE494-6 / CHLORAMINE-T BAKER 250GM	10239484	09/09/2029	09/09/2024 / lwona	09/09/2024 / lwona	W3139

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL70850-8 / Starch Solution, 4L	4408P62	08/31/2026	10/16/2024 / Iwona	10/16/2024 / Iwona	W3149

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	RC2543-4 / CYANIDE STD 1000PPM 4OZ	LOT	06/30/2025	12/02/2024 / Iwona	12/02/2024 / Iwona	W3154

W3071
Rec 12/6/23

Certificate of Analysis 12

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Lot Number: 4308H30

Product Number: 1551

Manufacture Date: AUG 09, 2023

Expiration Date: JUL 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	0	5	10	15	20	25	30	35	40	45	50
pH	7.12	7.09	7.06	7.04	7.02	7.00	6.99	6.98	6.98	6.97	6.97

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Phosphate Dibasic	7558-79-4	ACS
Potassium Dihydrogen Phosphate	7778-77-0	ACS
Preservative	Proprietary	
Yellow Dye	Proprietary	
Sodium Hydroxide	1310-73-2	Reagent

Test	Specification	Result
Appearance	Yellow liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	7.002	0.02	186-I-g, 186-II-g, 191d

Specification	Reference
Commercial Buffer Solutions	ASTM (D 1293 B)
Buffer A	ASTM (D 5464)
Buffer A	ASTM (D 5128)

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-2.5	10 L Cubitainer®	24 months
1551-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (08/09/2023)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

W3019
rec 4/3/23

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.comEmail USA: techserv@sial.comOutside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:

Pyridine - anhydrous, 99.8%

Product Number:

270970

Batch Number:

SHBQ2113

Brand:

SIAL

CAS Number:

110-86-1

MDL Number:

MFCD00011732

Formula:


C₅H₅N

Formula Weight:

79.10 g/mol

Quality Release Date:

15 DEC 2022



Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Purity (GC)	≥ 99.75 %	99.99 %
Water (by Karl Fischer)	≤ 0.003 %	0.002 %
Residue on Evaporation	≤ 0.0005 %	< 0.0001 %


Larry Coers, Director
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.





RICCA CHEMICAL COMPANY®

1841 Broad Street
Pocomoke City, MD 21851
<http://www.riccachemical.com>
1-888-GO-RICCA
customerservice@riccachemical.com

W 3072
REC. 12/01/23
12

Certificate of Analysis

Buffer, Reference Standard, pH 12.00 ± 0.01 at 25°C

Lot Number: 2310P21

Product Number: 1615

Manufacture Date: OCT 24, 2023

Expiration Date: APR 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

°C	15	20	25	30	35	40
pH	12.35	12.17	11.99	11.78	11.62	11.46

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Chloride	7447-40-7	ACS
Sodium Hydroxide	1310-73-2	Reagent

Test	Specification	Result
Appearance	Colorless liquid	Passed


*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	12.005	0.02	186-I-g, 186-II-g, 191d

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1615-1	4 L natural poly	18 months
1615-16	500 mL clear PET-G	18 months
1615-32	1 L natural poly	18 months
1615-5	20 L Cubitainer®	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Sharon Travers (10/24/2023)

Operations Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Certificate of Analysis

Date of Release: 2/26/2020

Name: Formaldehyde Solution
GR ACS
Meets ACS Specifications

Item No: FX0410 all size codes

Lot / Batch No: 60045

Country of Origin: USA

Characteristic	Requirement		Results	Units
	Min.	Max.		
Assay	36.5	38.0	36.71	%
Chloride (Cl)		5	<5	ppm
Color (APHA)		10	<10	
Form			Passes test	
Heavy metals (as Pb)		5	<5	ppm
Iron (Fe)		5	0.6	ppm
Residue after ignition		0.005	<0.0050	%
Sulfate (SO ₄)		0.002	<0.0020	%
Titration acid		0.006	<0.0060	meq/g

Heather Sinn,

Quality Control Manager

This document has been produced electronically and is valid without a signature.

EMD Millipore Corporation, an affiliate of Merck KGaA, Darmstadt, Germany
290 Concord Road
Billerica, MA 01821
U.S.A

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.



Certificate of Analysis

Sodium Hydroxide (Pellets)

Material: 0583
Grade: ACS GRADE
Batch Number: 23B1556310

Chemical Formula: NaOH
Molecular Weight: 40
CAS #: 1310-73-2
Appearance:

Manufacture Date: 12/14/2022
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	$\leq 0.005 \%$	$< 0.005 \%$	PASS
Chloride	$\leq 0.005 \%$	0.002 %	PASS
Heavy Metals	$\leq 0.002 \%$	$< 0.002 \%$	PASS
Iron	$\leq 0.001 \%$	$< 0.001 \%$	PASS
Magnesium	$\leq 0.002 \%$	$< 0.002 \%$	PASS
Mercury	$\leq 0.1 \text{ ppm}$	$< 0.1 \text{ ppm}$	PASS
Nickel	$\leq 0.001 \%$	$< 0.001 \%$	PASS
Nitrogen Compounds	$\leq 0.001 \%$	$< 0.001 \%$	PASS
Phosphate	$\leq 0.001 \%$	$< 0.001 \%$	PASS
Potassium	$\leq 0.02 \%$	$< 0.02 \%$	PASS
Purity	$\geq 97.0 \%$	99.2 %	PASS
Sodium Carbonate	$\leq 1.0 \%$	0.5 %	PASS
Sulfate	$\leq 0.003 \%$	$< 0.003 \%$	PASS

Internal ID #: 710

Signature

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon
VWR Chemicals, LLC.
28600 Fountain Parkway, Solon OH 44139 USA

Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.





Certificate of Analysis

1.00132.0000 Barbituric acid for analysis EMSURE®
Batch N020065932

	Spec. Values		Batch Values	
Assay (acidimetric)	≥ 99	%	99.6	%
Identity (IR-spectrum)	passes test		passes test	
Chloride (Cl)	≤ 40	ppm	≤ 40	ppm
Heavy metals (as Pb)	≤ 50	ppm	≤ 50	ppm
Fe (Iron)	≤ 10	ppm	≤ 10	ppm
Sulfated ash	≤ 0.1	%	≤ 0.1	%
Loss on Drying (105 °C)	≤ 0.1	%	≤ 0.1	%
Suitability as reagent (for cyanide determination)	passes test		passes test	

Date of release (DD.MM.YYYY) 17.04.2020
Minimum shelf life (DD.MM.YYYY) 30.04.2025

Ioannis Chartomatsidis
Responsible laboratory manager quality control

This document has been produced electronically and is valid without a signature.

Sodium Phosphate, Monobasic, Monohydrate,
Crystal
BAKER ANALYZED® A.C.S. Reagent

(sodium dihydrogen phosphate, monohydrate)



Material No.: 3818-05
Batch No.: 0000225799
Manufactured Date: 2018/12/05
Retest Date: 2025/12/03
Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay ($\text{NaH}_2\text{PO}_4 \cdot \text{H}_2\text{O}$)	98.0 – 102.0 %	99.5
pH of 5% Solution at 25°C	4.1 – 4.5	4.3
Insoluble Matter	≤ 0.01 %	< 0.01
Chloride (Cl)	≤ 5 ppm	< 5
ACS – Sulfate (SO_4)	≤ 0.003 %	< 0.003
Calcium (Ca)	≤ 0.005 %	< 0.005
Potassium (K)	≤ 0.01 %	< 0.01
Heavy Metals (as Pb)	≤ 0.001 %	< 0.001
Trace Impurities – Iron (Fe)	≤ 0.001 %	< 0.001

For Laboratory, Research or Manufacturing Use
Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: IN
Packaging Site: Paris Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality


For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700
Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

Certificate of Analysis

Product Name:


Zinc acetate dihydrate - ACS reagent, $\geq 98\%$

Product Number: 383058
Batch Number: MKCQ9159
Brand: SIGALD
CAS Number: 5970-45-6
MDL Number: MFCD00066961
Formula: $C_4H_6O_4Zn \cdot 2H_2O$
Formula Weight: 219.51 g/mol
Quality Release Date: 06 JAN 2022



W2926
open 7/5/22
received
on 7/5/22

Test	Specification	Result
Appearance (Color)	White	White
Appearance (Form)	Powder or Crystal or Chunk(s)	Powder
Infrared Spectrum	Conforms to Structure	Conforms
Insoluble Matter	$\leq 0.005\%$	0.003 %
Calcium (Ca)	$\leq 0.005\%$	0.003 %
Chloride (Cl)	≤ 5 ppm	< 5 ppm
Iron (Fe)	≤ 5 ppm	< 5 ppm
Potassium (K)	$\leq 0.01\%$	0.00 %
Magnesium (Mg)	$\leq 0.005\%$	0.003 %
Sodium (Na)	$\leq 0.05\%$	0.03 %
Lead (Pb)	$\leq 0.002\%$	$< 0.001\%$
pH	6.0 - 7.0	6.1
Sulfate (SO ₄)	$\leq 0.005\%$	$< 0.005\%$
Complexometric EDTA	98.0 - 101.0 %	100.3 %
Meets ACS Requirements	Meets Requirements	Meets Requirements


Larry Coers, Director
Quality Control
Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



**RICCA CHEMICAL COMPANY®**

W 3005

REC- 1/31/23

12

1490 Lammers Pike

Batesville, IN 47006

<http://www.riccachemical.com>

1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis

Buffer, Reference Standard, pH 2.00 ± 0.01 at 25°C**Lot Number: 4212E45****Product Number: 1493****Manufacture Date: DEC 20, 2022****Expiration Date: DEC 2024**

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	10	15	20	25	30	35	40	45	50
pH	1.93	1.98	1.98	2.00	2.01	2.03	2.03	2.04	2.04

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Chloride	7447-40-7	ACS
Hydrochloric Acid	7647-01-0	ACS

Test	Specification	Result
Appearance	Colorless liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	2.000	0.02	185i, 186-I-g, 186-II-g

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1493-1	4 L natural poly	24 months
1493-16	500 mL natural poly	24 months
1493-32	1 L natural poly	24 months
1493-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (12/20/2022)

Production Manager

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

**RICCA CHEMICAL COMPANY®**

1490 Lammers Pike

Batesville, IN 47006

<http://www.riccachemical.com>

1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis

W3093
094121
04/03/2024
16

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)**Lot Number:** 4401F99**Product Number:** 1551**Manufacture Date:** JAN 08, 2024**Expiration Date:** DEC 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	0	5	10	15	20	25	30	35	40	45	50
pH	7.12	7.09	7.06	7.04	7.02	7.00	6.99	6.98	6.98	6.97	6.97

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Phosphate Dibasic	7558-79-4	ACS
Potassium Dihydrogen Phosphate	7778-77-0	ACS
Preservative	Proprietary	
Yellow Dye	Proprietary	
Sodium Hydroxide	1310-73-2	

Test	Specification	Result
Appearance	Yellow liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	7.004	0.02	186-I-g, 186-II-g, 191d

Specification	Reference
Commercial Buffer Solutions	ASTM (D 1293 B)
Buffer A	ASTM (D 5464)
Buffer A	ASTM (D 5128)

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-1	4 L natural poly	24 months
1551-1CT	4 L Cubitainer®	24 months
1551-2.5	10 L Cubitainer®	24 months
1551-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (01/08/2024)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Certificate of Analysis

Buffer, Reference Standard, pH 10.00 ± 0.01 at 25°C (Color Coded Blue)

Lot Number: 4310G83

Product Number: 1601

Manufacture Date: OCT 09, 2023

Expiration Date: MAR 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	0	5	10	15	20	25	30	35	40	50
pH	10.31	10.23	10.17	10.11	10.05	10.00	9.95	9.91	9.87	9.81

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Carbonate	497-19-8	ACS
Sodium Bicarbonate	144-55-8	ACS
Sodium Hydroxide	1310-73-2	Reagent
Preservative	Proprietary	
Blue Dye	Proprietary	

Test	Specification	Result
Appearance	Blue liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	10.003	0.02	186-I-g, 186-II-g, 191d

Specification	Reference
Commercial Buffer Solutions	ASTM (D 1293 B)
Buffer C	ASTM (D 5464)
Buffer C	ASTM (D 5128)

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1601-16	500 mL natural poly	18 months
1601-5	20 L Cubitainer®	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (10/09/2023)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Certificate of Analysis

Sodium Thiosulfate, 0.0250 Normal (N/40)

Lot Number: 4403S13

Product Number: 7900

Manufacture Date: MAR 29, 2024

Expiration Date: SEP 2025

This product is specially formulated to increase its stability. A preservative is added to prevent bacterial contamination. However, all Sodium Thiosulfate solutions are subject to slow chemical deterioration and should be restandardized periodically.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Thiosulfate Pentahydrate	10102-17-7	ACS
Organic Preservative	Proprietary	
Sodium Carbonate	497-19-8	ACS

Test	Specification	Result	NIST SRM#
Appearance	Colorless liquid	Passed	
Assay (vs. Potassium Iodate/Starch)	0.02499-0.02501 N at 20°C	0.02501 N at 20°C	136

Specification	Reference
Standard Sodium Thiosulfate Solution, 0.0250 N	APHA (4500-S2- F)
Standard Sodium Thiosulfate Titrant	APHA (4500-O D)
Standard Sodium Thiosulfate Titrant	APHA (4500-O E)
Standard Sodium Thiosulfate Titrant	APHA (4500-O F)
Standard Sodium Thiosulfate Titrant, 0.025 N	APHA (4500-CI B)
Standard Sodium Thiosulfate Titrant	APHA (4500-O C)
Standard Sodium Thiosulfate Titrant, 0.025 M	APHA (5530 C)
Standard Sodium Thiosulfate Solution (0.025 N)	EPA (SW-846) (9031)
Standard Sodium Thiosulfate solution (0.025 N)	EPA (SW-846) (9034)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
7900-1	4 L natural poly	18 months
7900-16	500 mL natural poly	18 months
7900-1CT	4 L Cubitainer®	18 months
7900-32	1 L natural poly	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (03/29/2024)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Certificate of Analysis

Buffer, Reference Standard, pH 4.00 ± 0.01 at 25°C (Color Coded Red)

Lot Number: 4403F90

Product Number: 1501

Manufacture Date: MAR 09, 2024

Expiration Date: FEB 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST Traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	0	5	10	15	20	25	30	35	40	45	50
pH	4.00	4.00	4.00	4.00	4.00	4.00	4.01	4.02	4.03	4.04	4.06

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Acid Phthalate	877-24-7	Buffer
Preservative	Proprietary	Commercial
Red Dye	Proprietary	Purified

Test	Specification	Result
Appearance	Red liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	4.000	0.02	185i, 186-I-g, 186-II-g

Specification	Reference
Commercial Buffer Solutions	ASTM (D 1293 B)
Buffer B	ASTM (D 5464)
Buffer B	ASTM (D 5128)

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1501-2.5	10 L Cubitainer®	24 months
1501-32	1 L natural poly	24 months
1501-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (03/09/2024)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Certificate of Analysis

Iodine (Iodine-Iodide), 0.0250 Normal (N/40), 1 mL = 0.4008 mg S²⁻

Lot Number: 2405D89

Product Number: 3975

Manufacture Date: MAY 10, 2024

Expiration Date: MAY 2025

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Iodide	7681-11-0	ACS
Iodine	7553-56-2	ACS

Test	Specification	Result	NIST SRM#
Appearance	Dark brown liquid	Passed	
Assay (vs. Sodium Thiosulfate/Starch)	0.02498-0.02502 N at 20°C	0.02502 N at 20°C	136

Specification	Reference
Standard Iodine Solution, 0.0250 N	APHA (4500-S2- F)
Iodine Solution (approximately 0.025 N)	EPA (SW-846) (9031)
Standard Iodine Solution, 0.0250 N	EPA (376.1)
Iodine Solution (approximately 0.025 N)	EPA (SW-846) (9034)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
3975-1	4 L amber glass	12 months
3975-16	500 mL amber glass	12 months
3975-32	1 L amber glass	12 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Jose Pena (05/10/2024)
Operations Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Part of TCP Analytical Group

Jackson's Pointe Commerce Park- Building 1000
1010 Jackson's Pointe Court, Zelienople, PA 16063

Certificate of Analysis

Cyanide Standard 1000 ppm (1ml = 1mg CN)

Product Code: **LC13545**

Manufacture Date: August 01, 2024

Lot Number: **44080060**

Expiration Date: January 30, 2025

Test	Specification	Result
Appearance (clarity)	clear solution	clear solution
Appearance (color)	colorless	colorless
Concentration (CN)	0.990 - 1.010mg/mL	1.008mg/mL
Concentration (CN)	990 - 1,010ppm	1,008ppm
Traceable to NIST SRM	Report	999b

Intended Use - Product is intended for use in manufacturing procedures and laboratory procedures and protocols.

Storage Information - Unless noted on the product label, store the product under normal lab conditions in its tightly closed, original container. Do not pipet directly from the container or return unused portions to the container.

Instructions for Handling and Use - Please refer to the associated product label and Safety Data Sheet (SDS) for information regarding safety and handling of this product.

Preparation - All products are manufactured and tested according to established, documented procedures and methodology. Production documentation records manufacturing data, raw material traceability and testing history on a per lot basis. Balances, thermometers, and glassware are calibrated before first use and on a regular schedule with references traceable to NIST standards.

The suffix of the product code may differ from what is on your product label. The suffix will designate the size and be associated with a numeric digit(s). Visit LabChem.com for more information

Suffix	1	2	3/3S/36/36S	4/4C	5	6	7	8	9	20	44	200	246	486
Size	500mL or g	1L or 1kg	2.5L/2.5L Coated/6x2.5L/6x2.5L Coated	4L	20L	10L	125mL	25g	100g	20x20mL	4x4L	200L	24x6mL	48x6mL

Michael Monteleone

Michael Monteleone
Chemistry Supervisor - Quality Control

ISO9001:2015 Registration #0306-01

2024080113:32:16bsturges-0-0

W3139 Received on 9/9/24 by IZ

Product No.: A12044
Product: Chloramine-T trihydrate, 98%
Lot No.: 10239484

Appearance:	White powder
Melting Point:	166°C(dec)
Assay (Iodometric titration):	100.5%
Identification (FTIR):	Conforms

Order our products online thermofisher.com/chemicals

This document has been electronically generated and does not require a signature.

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.



Certificate of Analysis

Starch Indicator, 0.5% (w/v), Mercury Free, for Iodometric Titrations

Lot Number: 4408P62

Product Number: 8000

Manufacture Date: AUG 28, 2024

Expiration Date: AUG 2026

This product is Mercury-free.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Starch, soluble	9005-84-9	ACS
Salicylic Acid	69-72-7	ACS

Test	Specification	Result
Appearance	White translucent liquid	Passed
Suitability for Use	Colorless (Iodine absent) - Blue (Iodine present)	Passed

Specification	Reference
Starch Solution	APHA (4500-S2- F)
Starch Indicator Solution	APHA (4500-CI B)
Starch Indicator	APHA (4500-SO32- B)
Starch indicator solution	APHA (2350 B)
Starch indicator solution	APHA (2350 E)
Starch Solution	APHA (510 B)
Starch Solution	APHA (5530 C)
Starch Indicator	APHA (4500-CI C)
Starch Indicator	EPA (345.1)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
8000-1	4 L natural poly	24 months
8000-16	500 mL natural poly	24 months
8000-32	1 L natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

A handwritten signature in blue ink that reads "Paul Brandon". The signature is fluid and cursive, with the first name "Paul" and last name "Brandon" clearly distinguishable.

Paul Brandon (08/28/2024)
Production Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/6/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 12/05/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 12/06/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133767

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P5112-01	10TH-ST-SOIL	1	1.15	8.38	9.53	8.81	91.4	
P5113-01	FES-SB406-4345	2	1.15	8.81	9.96	8.94	88.4	
P5113-02	FES-SB406-7375	3	1.15	8.61	9.76	7.93	78.7	
P5117-01	TAPIAL3-SB04I-10-12032 4-00-T1	4	1.15	8.59	9.74	9.37	95.7	
P5117-02	TAPIAL2-IDW-SOIL-12042 4-00-T2	5	1.15	8.38	9.53	7.84	79.8	
P5120-01	TAPIAL2-IDW-SOIL-12042 4-00-T2	6	1.15	8.38	9.53	7.84	79.8	
P5133-01	MOO-24-00374	9	1.15	8.35	9.5	9.14	95.7	
P5134-01	MOO-24-00373	10	1.00	1.00	2.00	2.00	100.0	debris
P5135-01	LAW-23-00193	11	1.16	8.44	9.6	9.05	93.5	
P5136-01	COMP-1	12	1.16	8.49	9.65	7.26	71.8	
P5137-01	LAW-OILY-STONES	13	1.00	1.00	2.00	2.00	100.0	oily stone
P5137-02	LAW-OILY-STONES-E2	14	1.00	1.00	2.00	2.00	100.0	oily stone
P5144-01	60400	15	1.00	1.00	2.00	2.00	100.0	wipe sample
P5147-01	EX-8-TPH-1	7	1.15	8.82	9.97	8.29	81.0	
P5147-02	EX-8-TPH-2	8	1.15	8.76	9.91	8.1	79.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

133767

WorkList Name : %1-120524

WorkList ID : 185988

Department : Wet-Chemistry

Date : 12-05-2024 08:21:57

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5112-01	10TH-ST-SOIL	Solid	Percent Solids	Cool 4 deg C	TULL02	L51	12/05/2024	Chemtech -SO
P5113-01	FES-SB406-4345	Solid	Percent Solids	Cool 4 deg C	TETRO6	L31	12/04/2024	Chemtech -SO
P5113-02	FES-SB406-7375	Solid	Percent Solids	Cool 4 deg C	TETRO6	L31	12/04/2024	Chemtech -SO
P5117-01	TAPIAL3-SB04I-10-120324-00-	Solid	Percent Solids	Cool 4 deg C	WEST04	L41	12/05/2024	Chemtech -SO
P5117-02	TAPIAL2-IDW-SOIL-120424-00-	Solid	Percent Solids	Cool 4 deg C	WEST04	L41	12/05/2024	Chemtech -SO
P5120-01	TAPIAL2-IDW-SOIL-120424-00-	Solid	Percent Solids	Cool 4 deg C	WEST04	L51	11/27/2024	Chemtech -SO
P5133-01	MOO-24-00374	Solid	Percent Solids	Cool 4 deg C	PSEG03	L61	12/05/2024	Chemtech -SO
P5134-01	MOO-24-00373	Solid	Percent Solids	Cool 4 deg C	PSEG03	L61	12/05/2024	Chemtech -SO
P5135-01	LAW-23-00193	Solid	Percent Solids	Cool 4 deg C	PSEG03	L51	12/05/2024	Chemtech -SO
P5136-01	COMP-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	L61	12/05/2024	Chemtech -SO
P5137-01	LAW-OILY-STONES	Solid	Percent Solids	Cool 4 deg C	PSEG03	L61	12/05/2024	Chemtech -SO
P5137-02	LAW-OILY-STONES-E2	Solid	Percent Solids	Cool 4 deg C	PSEG03	L61	12/05/2024	Chemtech -SO
P5147-01	EX-8-TPH-1	Solid	Percent Solids	Cool 4 deg C	ENTA05	L41	12/05/2024	Chemtech -SO
P5147-02	EX-8-TPH-2	Solid	Percent Solids	Cool 4 deg C	ENTA05	L41	12/05/2024	Chemtech -SO

Date/Time 12/05/24 15:40
 Raw Sample Received by: JD wdc
 Raw Sample Relinquished by: RJ cxt-(ab)

Date/Time 12/05/24 18:10
 Raw Sample Received by: RJ cxt-(ab)
 Raw Sample Relinquished by: JD wdc




SHIPPING DOCUMENTS

CHEMTECH
CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

CHEMTECH PROJECT NO.
QUOTE NO. P5112
COC Number 2040992

CLIENT INFORMATION				CLIENT PROJECT INFORMATION				CLIENT BILLING INFORMATION									
REPORT TO BE SENT TO: COMPANY: Tully Construction ADDRESS: 10th St. & 2nd Ave CITY: Brooklyn STATE: NY ZIP: ATTENTION: FRANCO/DEAN DEVOE PHONE: (917) 391-8200 FAX:				PROJECT NAME: Covey Island Yacht Long Term Flood Mitigation 2024 PROJECT NO.: LOCATION: PROJECT MANAGER: e-mail: PHONE: FAX:				BILL TO: PO#: ADDRESS: CITY STATE: ZIP: ATTENTION: PHONE: ANALYSIS									
DATA TURNAROUND INFORMATION				DATA DELIVERABLE INFORMATION													
FAX (RUSH) DAYS* HARDCOPY (DATA PACKAGE): DAYS* EDD: DAYS* *TO BE APPROVED BY CHEMTECH STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS				<input type="checkbox"/> Level 1 (Results Only) <input type="checkbox"/> Level 4 (QC + Full Raw Data) <input type="checkbox"/> Level 2 (Results + QC) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> US EPA CLP <input type="checkbox"/> Level 3 (Results + QC) <input type="checkbox"/> NYS ASP A <input type="checkbox"/> NYS ASP B + Raw Data <input type="checkbox"/> Other <input type="checkbox"/> EDD FORMAT				1 2 3 4 5 6 7 8 9 VOCs, SVOC, PCB, TCLP Extraction, Community, Ignitability, Res. Sp. Res. Sol. Mercury, Volatile, Inorg. Sol.									
CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS ← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	10th St. - Soil	S.	X		12/5	0822	13	X	X	X	X	X	X				APU-0-0
2.																	
3.																	
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY																	
RELINQUISHED BY SAMPLER: 1. [Signature]		DATE/TIME: 0855 12/5/24		RECEIVED BY: 1. [Signature]		Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP 3.5 °C Comments:											
RELINQUISHED BY SAMPLER: 2. [Signature]		DATE/TIME:		RECEIVED BY: 2. [Signature]													
RELINQUISHED BY SAMPLER: 3. [Signature]		DATE/TIME: 1020 12/5/24		RECEIVED BY: 3. [Signature]		Page 1 of 1 CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other CHEMTECH: <input type="checkbox"/> Picked Up <input type="checkbox"/> Field Sampling Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO											



SITE PAVEMENT PLAN
SCALE: 1"=1'-0"



IT IS A VIOLATION OF THE PROFESSIONAL LICENSE LAW FOR ANY PERSON TO ALTER THIS DRAWING IN ANY WAY, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED PROFESSIONAL ENGINEER / REGISTERED ARCHITECT. THE ALTERING ENGINEER ARCHITECT SHALL BE NOTED BY A REVISION NUMBER, DATE AND THE SIGNATURE OF THE ENGINEER ARCHITECT. THE DATE OF SIGNATURE SHALL BE THE DATE OF SIGNATURE AND A SPECIFIC DESCRIPTION OF THE ALTERATION.

REVISION	DESCRIPTION	DATE	APPROVED



CONTRACT P-36343
FLOOD MITIGATION AT TWENTY-SIX (26) STATIONS
IN THE BOROUGH OF BROOKLYN, MANHATTAN AND QUEENS
**10TH STREET SUBSTATION
SITE PAVEMENT PLAN**



DRAWN BY	B. HOSAMATH	DATE	12/08/2023
DRAWN BY	L. KARDOS, PE	DISCIPLINE	CIVIL
CHECKED BY	M. NAYAMATULLAH, PE	PROJECT NO.	P36343-10T-CG-101
APPROVED BY	S. KHONDKER, PE	REVISION	

Project Name: Covey Island Yard
Service Order #: Long Term Flood Mitigation 2024
Work Order #: _____
Labor WBS #: _____
Facility/Site: _____
Site Address: 10th St & 2nd Ave
Brooklyn NY


Chemtech Order ID: _____
Sampler Name: Collins Nelson
Client Project Coordinator & Phone: DEAN DEVOE (973) 391-8200
Page #: 1 of 1
Date: 12-5-24
Arrive Time: 0730
Depart Time: 0855

Waste Stream (circle one): drum / roll-off / soil pile / in-situ / linear construction / frac-tank
Sample Matrices (circle all that apply): Water ☒ Solid ☒ NAPL / Concrete / Wipe

Collection Depths: _____ Dimensions/CY: _____
Temp (range): _____ °C PID Readings (range): 0-0 PPM Odor: Y / ☒ N Color: Y / ☒ N
Sample Description: Brown, Dark Brown Soil
Field Observations: (5) Total Soil Bags inside station

Grid/Area Composite Map:

QA Control # A3041134



Sampler Signature: _____
Client Signature: _____

Supervisor Review/Date: _____
Date/Time Arrived at Lab: _____



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : P5112 TULL02

Order Date : 12/5/2024 10:43:00 AM

Project Mgr :

Client Name : Tully Construction Co., Inc.

Project Name : 10th Street & 2nd Avenue

Report Type : Level 1

Client Contact : Dean Devoe

Receive DateTime : 12/5/2024 12:00:00 AM
10:20

EDD Type : Excel NY 375

Invoice Name : Tully Construction Co., Inc.

Purchase Order :

Hard Copy Date :

Invoice Contact : Dean Devoe

Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
P5112-01	10TH-ST-SOIL	Solid	12/05/2024	00:00 8:22	VOC-TCLVOA-10		8260D		5 Bus. Days

Relinquished By :

Date / Time : 12/5/24 1140

Received By :

Date / Time : 12/5/24 11:40

Storage Area : VOA Refridgerator Room