

## Report of Analysis

Client:	Tully Construction Co., Inc.	Date Collected:	12/05/24
Project:	10th Street & 2nd Avenue	Date Received:	12/05/24
Client Sample ID:	10TH-ST-SOIL	SDG No.:	P5112
Lab Sample ID:	P5112-02	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	34.8	U	1	34.8	100	ug/L	12/06/24 11:10	12/09/24 14:10	SW6010	SW3050
7440-39-3	Barium	1300	N	1	62.8	500	ug/L	12/06/24 11:10	12/09/24 14:10	SW6010	SW3050
7440-43-9	Cadmium	2.19	J	1	0.94	30.0	ug/L	12/06/24 11:10	12/09/24 14:10	SW6010	SW3050
7440-47-3	Chromium	6.60	U	1	6.60	50.0	ug/L	12/06/24 11:10	12/09/24 14:10	SW6010	SW3050
7439-92-1	Lead	74.6		1	35.1	60.0	ug/L	12/06/24 11:10	12/09/24 14:10	SW6010	SW3050
7439-97-6	Mercury	1.11	J	1	0.81	2.00	ug/L	12/09/24 08:55	12/09/24 12:35	SW7470A	
7782-49-2	Selenium	58.8	U	1	58.8	100	ug/L	12/06/24 11:10	12/09/24 14:10	SW6010	SW3050
7440-22-4	Silver	5.80	U	1	5.80	50.0	ug/L	12/06/24 11:10	12/09/24 14:10	SW6010	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP METALS			

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits