

## Report of Analysis

|                    |                              |                    |          |
|--------------------|------------------------------|--------------------|----------|
| Client:            | Tully Construction Co., Inc. | Date Collected:    | 12/09/24 |
| Project:           | 10th Street & 2nd Avenue     | Date Received:     | 12/09/24 |
| Client Sample ID:  | PIBLK-FG014939.D             | SDG No.:           | P5112    |
| Lab Sample ID:     | I.BLK-FG014939.D             | Matrix:            | Water    |
| Analytical Method: | 8015D TPH                    | % Solid:           | 0        |
| Sample Wt/Vol:     | 1000 Units: mL               | Decanted:          |          |
| Soil Aliquot Vol:  | uL                           | Final Vol:         | 1 mL     |
| Extraction Type:   |                              | Test:              | TPH GC   |
| GPC Factor :       | PH :                         | Injection Volume : |          |
| Prep Method :      | SW3510                       |                    |          |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| FG014939.D        | 1         |           | 12/09/24      | FG120924      |

| CAS Number        | Parameter              | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|------------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                        |        |           |          |            |         |
| PHC               | Petroleum Hydrocarbons | 0.0090 | U         | 0.0090   | 0.085      | mg/L    |
| <b>SURROGATES</b> |                        |        |           |          |            |         |
| 16416-32-3        | TETRACOSANE-d50        | 16.9   |           | 29 - 130 | 85%        | SPK: 20 |

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit