

ANALYTICAL RESULTS SUMMARY

VOLATILE ORGANICS
GENERAL CHEMISTRY
METALS
GC SEMI-VOLATILES
SEMI-VOLATILE ORGANICS

PROJECT NAME: FT MEADE TIPTON AIRFIELD PARCEL RI - PO 0111169

WESTON SOLUTIONS

1400 Weston Way

PO Box 2653

West Chester, PA - 19380

Phone No: 610-701-7400

ORDER ID: P5117

ATTENTION: Nathan Fretz







Table Of Contents for P5117

1) Si	ignature Page	3
2) C	ase Narrative	4
	2.1) TCLP VOA- Case Narrative	4
	2.2) TCLP BNA- Case Narrative	6
	2.3) TCLP Pesticide- Case Narrative	8
	2.4) PCB- Case Narrative	10
	2.5) TCLP Herbicide- Case Narrative	12
	2.6) Metals-TCLP- Case Narrative	14
	2.7) Metals-MS- Case Narrative	16
	2.8) Genchem- Case Narrative	18
3) Q	ualifier Page	19
4) Q	A Checklist	21
5) T(CLP VOA Data	22
6) T(CLP BNA Data	26
7) T(CLP Pesticide Data	33
8) P	CB Data	38
9) T(CLP Herbicide Data	42
10) I	Metals-TCLP Data	47
11) I	Metals-MS Data	51
12) (Genchem Data	55
13) \$	Shipping Document	59
	13.1) CHAIN OF CUSTODY	60
	13.2) Lab Certificate	61

P5117 **2 of 61**



Cover Page

Order ID: P5117

Project ID: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Client: Weston Solutions

Lab Sample Number

Client Sample Number

P5117-01 TAPIAL3-SB04I-10-120324-00-T1 P5117-02 TAPIAL2-IDW-SOIL-120424-00-T2

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Sohil Jodhani, QA/QC Director at 10:45 am, Dec 23, 2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

12/20/2024

Date:

P5117 3 of 61



CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # P5117 Test Name: TCLP VOA

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 12/05/2024.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Anions Group1, Cyanide, Ignitability, Mercury, Metals ICP-TAL, METALS-TAL, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA, TCLP ZHE Extraction, TOC and TS. This data package contains results for TCLP VOA.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_N were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868.The analysis of TCLP VOA was based on method 8260D and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

E. Additional Comments:

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

The not QT review data is reported in the Miscellaneous.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial

Calibration curve and use %D calculated based on Amount added and Calculated amount

P5117 4 of 61

284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922



for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

E. Calculation:

Water Calculation in ug/L

(A x)(I s) (Df) (Ais) (RRF)(V0)

Where.

Ax = Area for the compound to be measured

Ais = Area for the specific internal standard

Is = Amount of internal standard added in nanograms (ng)

RRF = Relative response factor of the initial calibration curve standard.

Vo = Volume of water purged in milliliters (mL)

Df = Dilution factor.

G.. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature APPROVED

By Sohil Jodhani, QA/QC Director at 10:46 am, Dec 23, 2024

P5117 5 of 61



CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # P5117 Test Name: TCLP BNA

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 12/05/2024.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Anions Group1, Cyanide, Ignitability, Mercury, Metals ICP-TAL, METALS-TAL, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA, TCLP ZHE Extraction, TOC and TS. This data package contains results for TCLP BNA.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um dfThe analysis of TCLP BNA was based on method 8270E and extraction was done based on method 3510 and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the acceptable requirements.

The RPD for {P5095-04MSD} with File ID: BF140792.D met criteria except for Nitrobenzene[22%] due to difference in results of MS and MSD.

The Blank Spike met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

E. Additional Comments:

The Form 6 is not included in the data package because the Initial Calibration was performed using 8 points.

P5117 6 of 61



The not QT review data is reported in the Miscellaneous.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <15% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 15% for the Initial Calibration curve for SW-846 analysis.

F. Concentration of Water Sample:

Concentration ug/L = (Ax) (Is) (Vt) (DF) (GPC) (Ais) (RRF) (Vo) (Vi)

Where,

Ax = Area of the characteristic ion for the compound to be measured.

Ais = Area of the characteristic ion for the internal standard.

Is = Amount of internal standard injected in ng.

Vo = Volume of water extracted in mL.

Vi = Volume of extract injected in uL.

Vt = Volume of the concentrated extract in uL

RRF = Mean Relative Response Factor determined from the initial calibration standard.

 $GPC = \underline{Vin} = GPC \text{ factor (If no GPC is performed, GPC=1)}$ Vout

G. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature

APPROVED

By Sohil Jodhani, QA/QC Director at 10:46 am, Dec 23, 2024

P5117 **7 of 61**



CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # P5117 Test Name: TCLP Pesticide

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 12/05/2024.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Anions Group1, Cyanide, Ignitability, Mercury, Metals ICP-TAL, METALS-TAL, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA, TCLP ZHE Extraction, TOC and TS. This data package contains results for TCLP Pesticide.

C. Analytical Techniques:

The analysis was performed on instrument ECD_D. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0. 5 um df,: Catalog # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 7HMG017- 11. The analysis of TCLP Pesticides was based on method 8081B and extraction was done based on method 3510 and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the acceptable requirements.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

E. Additional Comments:

The not QT review data is reported in the Miscellaneous.

F: Calculation for water sample

Concentration ug/L =
$$(Ax) (Vt) (DF) (GPC)$$

(CF) (Vo) (Vi)

P5117 8 of 61



Where,

Ax = Response (peak area or height) of the compound to be measured.

CF = Mean Calibration Factor from the initial calibration (area/ng).

Vo = Volume of water extracted in mL

Vt = Volume of the concentrated extract in uL

Vi = Volume of extract injected (uL).

 $GPC = \underline{Vin} = GPC \text{ factor (If no GPC is performed, GPC=1)}$

Vout

Vin = Volume of extract loaded onto GPC column.

Vout = Volume of extract collected after GPC cleanup

G. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature

APPROVED

By Sohil Jodhani, QA/QC Director at 10:46 am, Dec 23, 2024

P5117 9 of 61



CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # P5117

Test Name: PCB

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 12/05/2024.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Anions Group1, Cyanide, Ignitability, Mercury, Metals ICP-TAL, METALS-TAL, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA, TCLP ZHE Extraction, TOC and TS. This data package contains results for PCB.

C. Analytical Techniques:

The analyses were performed on instrument GCECD_P. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 μ m; Catalogue # 7HM-G017-11. The analysis of PCBs was based on method 8082A and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the acceptable requirements.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

E. Additional Comments:

The not QT review data is reported in the Miscellaneous.

The soil samples results are based on a dry weight basis.

P5117 **10 of 61**



F. Calculation for Concentration in Soil samples:

Concentration ug/Kg (Dry weight basis) = (Ax) (Vt) (DF) (GPC)(CF) (Vi) (Ws) (D)

Where,

Ax = Response (peak area or height) of the compound to be measured.

CF = Mean Calibration Factor from the initial calibration (area/ng).

Vt = Volume of the concentrated extract in uL

Vi = Volume of extract injected (uL). (If a single injection is made onto two columns, use ½ the volume in the syringe as the volume injected onto each column).

Ws = Weight of sample extracted (g).

D = % dry weight or 100 - % Moisture

100

 $GPC = \frac{Vin}{Vout} = GPC \text{ factor (If no GPC is performed, GPC=1)}$

DF = Dilution Factor

G. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature APPROVED

By Sohil Jodhani, QA/QC Director at 10:46 am, Dec 23, 2024

P5117 **11 of 61**



CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # P5117 Test Name: TCLP Herbicide

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 12/05/2024.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Anions Group1, Cyanide, Ignitability, Mercury, Metals ICP-TAL, METALS-TAL, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA, TCLP ZHE Extraction, TOC and TS. This data package contains results for TCLP Herbicide.

C. Analytical Techniques:

The analysis was performed on instrument ECD_S. The front column is RTX-CLPesticides which is 30 meters, 0.32 mm ID, 0. 5 um df,: Catalog # 11139. The rear column is RTX-CLPesticides2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 11324The analysis of TCLP Herbicides was based on method 8151A and extraction was done based on method 3510 and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS {P5117-02MS} with File ID: PS028721.D recoveries met the requirements for all compounds except for 2,4,5-TP(Silvex)[170%] due to matrix interference. The MSD {P5117-02MSD} with File ID: PS028722.D recoveries met the acceptable requirements except for 2,4,5-TP(Silvex)[170%] due to matrix interference.

The sample # TAPIAL2-IDW-SOIL-120424-00-T2MS and TAPIAL2-IDW-SOIL-120424-00-T2MSD are failing for 2,4,5-TP(Silvex) and the original sample(TAPIAL2-IDW-SOIL-120424-00-T2) is reported with M flag for this compound.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements .

P5117 **12 of 61**



E. Additional Comments:

The not QT review data is reported in the Miscellaneous.

F: Calculation for water sample

$$ug/l = \underbrace{(Ax) (Vt) (MW)}_{(ICF) (Vi) (Vs)} X DF$$

Where:

Ax = Area for the parameter to be measured.

ICF = average calibration factor for the calibration standards.

Vt = Volume of total extract in uL (Take into account dilutions)

Is = Amount of standard injected in nanograms (ng)

Vi = Volume of extract injected.

Vs = Volume of Aqueous extracted (mL).

MW = molecular weight of the compound

G. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.



P5117 **13 of 61**



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # P5117

Test Name: TCLP Mercury, TCLP ICP Metals

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 12/05/2024.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Anions Group1, Cyanide, Ignitability, Mercury, Metals ICP-TAL, METALS-TAL, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA, TCLP ZHE Extraction, TOC and TS. This data package contains results for TCLP Mercury, TCLP ICP Metals.

C. Analytical Techniques:

The analysis of TCLP ICP Metals was based on method 6010D, digestion based on method 3010 (waters). The analysis and digestion of TCLP Mercury was based on method 7470A and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike (COMP-1MS) analysis met criteria for all samples except for Barium due to matrix interference.

The Matrix Spike Duplicate (COMP-1MSD) analysis met criteria for all samples except for Barium due to matrix interference.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Calculations:

Calculation for TCLP Metals:

Concentration or Result (
$$\mu$$
g/L) = C x $\frac{Vf}{Vi}$ x DF x 1000

Where,

C = Instrument value in ppm (The average of all replicate exposures)

Vf = Final digestion volume (mL)

Vi = Initial aliquot amount (mL) (Sample amount taken in prep)

DF = Dilution Factor

P5117 **14 of 61**



Calculation for TCLP Hg:

Concentration or Result (μ g/L) = C x DF Where,

C = Instrument response in μ g/L from the calibration curve.

DF = Dilution Factor

F. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature

APPROVED

By Sohil Jodhani, QA/QC Director at 10:46 am, Dec 23, 2024

P5117 **15 of 61**



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # P5117

Test Name: Metals ICP-TAL, Mercury

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 12/05/2024.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Anions Group1, Cyanide, Ignitability, Mercury, Metals ICP-TAL, METALS-TAL, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA, TCLP ZHE Extraction, TOC and TS. This data package contains results for Metals ICP-TAL, Mercury.

C. Analytical Techniques:

The analysis of Metals ICP-TAL was based on method 6020B, digestion based on method 3050 (soils). The analysis and digestion of Mercury was based on method 7471B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike (TAPIAL3-SB04I-10-120324-00-T1MS) analysis met criteria for all samples except for Antimony, Arsenic, Beryllium, Cadmium, Chromium, Cobalt, Nickel, Selenium, Silver, Thallium and Vanadium due to Chemical Interference during Digestion Process.

The Matrix Spike Duplicate (TAPIAL3-SB04I-10-120324-00-T1MSD) analysis met criteria for all samples except for Antimony, Arsenic, Beryllium, Cadmium, Chromium, Cobalt, Nickel, Selenium, Silver, Thallium and Vanadium due to Chemical Interference during Digestion Process.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met criteria for all samples.

E. Additional Comments:

P5117-01 sample analyzed Straight X5 dilution because of high interferent samples.

P5117 **16 of 61**



Calculation for ICP-MS Soil Sample:

Conversion of Results from µg /L or ppb to mg/kg:

Concentration (mg/kg) =
$$C \times Vf \times DF / 1000$$

W x S

Where,

C = Instrument value in ppb (The average of all replicate integrations)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Calculation for Hg Soil Sample:

Conversion of Results from ug /L or ppb to mg/kg:

Concentration (mg/kg) =
$$C \times \frac{Vf}{W \times S} \times DF / 1000$$

Where,

C = Instrument response in μ g/L from the calibration curve.

Vf = Final prepared (absorbing solution) volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature

APPROVED

By Sohil Jodhani, QA/QC Director at 10:46 am, Dec 23, 2024

P5117 **17 of 61**





284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # P5117

Test Name: pH,Cyanide,TOC,Sulfide,Ignitability

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 12/05/2024.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Anions Group1, Cyanide, Ignitability, Mercury, Metals ICP-TAL, METALS-TAL, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA, TCLP ZHE Extraction, TOC and TS. This data package contains results for pH, Cyanide, TOC, Sulfide, Ignitability.

C. Analytical Techniques:

The analysis of Ignitability was based on method 1030, The analysis of Cyanide was based on method 9012B, The analysis of Sulfide was based on method 9034, The analysis of pH was based on method 9045D and The analysis of TOC was based on method 9060A.

D. QA/ QC Samples:

The Holding Times were met for all samples except for TAPIAL2-IDW-SOIL-120424-00-T2 of pH, for TAPIAL3-SB04I-10-120324-00-T1 of pH as sample receive out of holding time.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_ By Sohil Jodhani, QA/QC Director at 10:46 am, Dec 23, 2024

P5117 18 of 61



DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following "Results Qualifiers" are used:

- J Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
- U Indicates the analyte was analyzed for, but not detected.
- ND Indicates the analyte was analyzed for, but not detected
- E Indicates the reported value is estimated because of the presence of interference
- M Indicates Duplicate injection precision not met.
- N Indicates the spiked sample recovery is not within control limits.
- S Indicates the reported value was determined by the Method of Standard Addition (MSA).
- * Indicates that the duplicate analysis is not within control limits.
- + Indicates the correlation coefficient for the MSA is less than 0.995.
- D Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
- M Method qualifiers
 - **"P"** for ICP instrument
 - "PM" for ICP when Microwave Digestion is used
 - "CV" for Manual Cold Vapor AA
 - "AV" for automated Cold Vapor AA
 - "CA" for MIDI-Distillation Spectrophotometric "AS" for Semi –Automated Spectrophotometric
 - "C" for Manual Spectrophotometric
 - **"T"** for Titrimetric
 - "NR" for analyte not required to be analyzed
- OR Indicates the analyte's concentration exceeds the calibrated range of the
 - instrument for that specific analysis.
- Q Indicates the LCS did not meet the control limits requirements
- H Sample Analysis Out Of Hold Time



DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. " $10\mathrm{U}$ ". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	 Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This is flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
В	Indicates the analyte was found in the blank as well as the sample report as "12 B".
E	Indicates the analyte's concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

Aliance

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: P5117

	Completed
For thorough review, the report must have the following:	
GENERAL:	
Are all original paperwork present (chain of custody, record of communication, airbill, sample management lab chronicle, login page)	<u> </u>
Check chain-of-custody for proper relinquish/return of samples	✓
Is the chain of custody signed and complete	✓
Check internal chain-of-custody for proper relinquish/return of samples /sample extracts	' ' <u>*</u>
Collect information for each project id from server. Were all requirements followed	✓
COVER PAGE:	
Do numbers of samples correspond to the number of samples in the Chain of Custody on login page	✓
Do lab numbers and client Ids on cover page agree with the Chain of Custody	<u>✓</u>
CHAIN OF CUSTODY:	_
Do requested analyses on Chain of Custody agree with form I results	✓
Do requested analyses on Chain of Custody agree with the log-in page	✓
Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody	<u> </u>
Were the samples received within hold time	✓
Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle	<u> </u>
ANALYTICAL:	
Was method requirement followed?	✓
Was client requirement followed?	<u></u>
Does the case narrative summarize all QC failure?	' ' ' ' ' ' '
All runlogs and manual integration are reviewed for requirements	<u></u>
All manual calculations and /or hand notations verified	<u></u>

QA Review Signature: SOHIL JODHANI Date: 12/20/2024

P5117 **21 of 61**




284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900, Fax: 908 789 8922

Hit Summary Sheet

SDG No.: P5117

Client: Weston Solutions





Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID:	TAPIAL2-IDW-S	OIL-120424-	00-T2						
P5117-02	TAPIAL2-IDW-S	Ol TCLP	2-Butanone	5.10	J	1.30	2.50	25.0	ug/L
	Total Voc:		5.10						
			Total Concentration:	5.10					

P5117 22 of 61



SAMPLE DATA

5







P5117 **23 of 61**



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Report of Analysis

Client: Weston Solutions Date Collected: 12/04/24 Date Received: Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 12/05/24 TAPIAL2-IDW-SOIL-120424-00-T2 SDG No.: Client Sample ID: P5117 Lab Sample ID: P5117-02 Matrix: **TCLP** Analytical Method: SW8260 % Solid: Final Vol: Sample Wt/Vol: 5 Units: mL5000 uL Soil Aliquot Vol: Test: TCLP VOA uL

GC Column: RXI-624 ID: 0.25 Level: LOW

Prep Method: SW5035

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID VN085151.D 1 12/09/24 14:35 VN120924

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.75	U	0.34	0.75	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.26	0.75	5.00	ug/L
78-93-3	2-Butanone	5.10	J	1.30	2.50	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	5.00	ug/L
67-66-3	Chloroform	0.50	U	0.26	0.50	5.00	ug/L
71-43-2	Benzene	0.50	U	0.16	0.50	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.75	U	0.24	0.75	5.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.32	0.75	5.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.25	0.50	5.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.13	0.50	5.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	53.4		81 - 118		107%	SPK: 50
1868-53-7	Dibromofluoromethane	48.9		80 - 119		98%	SPK: 50
2037-26-5	Toluene-d8	50.4		89 - 112		101%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.8		85 - 114		90%	SPK: 50
INTERNAL STA	ANDARDS						
363-72-4	Pentafluorobenzene	133000	8.224				
540-36-3	1,4-Difluorobenzene	246000	9.1				
3114-55-4	Chlorobenzene-d5	222000	11.865				
3855-82-1	1,4-Dichlorobenzene-d4	85700	13.794				

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

P5117 **24 of 61**



LAB CHRONICLE

OrderID: P5117

Client: Weston Solutions

Contact: Nathan Fretz

OrderDate: 12/5/2024 10:55:00 AM

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Location: L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5117-02	TAPIAL2-IDW-SOIL-1	TCLP			12/04/24			12/05/24
	20424-00-T2		TCLP VOA	8260D			12/09/24	

P5117 **25 of 61**



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900, Fax: 908 789 8922

Hit Summary Sheet SW-846

P5117 SDG No.:

Client: Weston Solutions

Sample ID C MDL LOD RDL **Client ID** Matrix **Parameter** Concentration Units

Client ID:

0.000

Total Svoc: 0.00 0.00 **Total Concentration:**

P5117 26 of 61











6

Α

C

SAMPLE DATA

P5117 **27 of 61**

Test:

uL

TCLP BNA



Report of Analysis

Client: Weston Solutions Date Collected: 12/05/24 Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/05/24 Client Sample ID: TAPIAL2-IDW-SOIL-120424-00-T2 SDG No.: P5117 Lab Sample ID: P5117-02 Matrix: **TCLP** SW8270 % Solid: Analytical Method: 0 Sample Wt/Vol: 100 Units: mL Final Vol: 1000

Extraction Type: Decanted: N Level: LOW

uL

Injection Volume : GPC Factor : 1.0 GPC Cleanup : N PH :

Prep Method: SW3541

Soil Aliquot Vol:

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 BF140790.D
 1
 12/06/24 10:45
 12/09/24 15:29
 PB165435

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
110-86-1	Pyridine	40.0	U	15.5	40.0	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	40.0	U	8.40	40.0	50.0	ug/L
95-48-7	2-Methylphenol	40.0	U	11.3	40.0	50.0	ug/L
65794-96-9	3+4-Methylphenols	80.0	U	11.5	80.0	100	ug/L
67-72-1	Hexachloroethane	40.0	U	10.1	40.0	50.0	ug/L
98-95-3	Nitrobenzene	40.0	U	12.7	40.0	50.0	ug/L
87-68-3	Hexachlorobutadiene	40.0	U	12.7	40.0	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	40.0	U	8.90	40.0	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	40.0	U	10.1	40.0	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	40.0	U	15.2	40.0	50.0	ug/L
118-74-1	Hexachlorobenzene	40.0	U	11.4	40.0	50.0	ug/L
87-86-5	Pentachlorophenol	80.0	U	18.5	80.0	100	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	127		19 - 119		85%	SPK: 150
13127-88-3	Phenol-d6	117		10 - 130		78%	SPK: 150
4165-60-0	Nitrobenzene-d5	89.3		44 - 120		89%	SPK: 100
321-60-8	2-Fluorobiphenyl	93.9		44 - 119		94%	SPK: 100
118-79-6	2,4,6-Tribromophenol	138		43 - 140		92%	SPK: 150
1718-51-0	Terphenyl-d14	93.1		50 - 134		93%	SPK: 100
INTERNAL STA	NDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	73900	6.863				
1146-65-2	Naphthalene-d8	273000	8.145				
15067-26-2	Acenaphthene-d10	146000	9.898				
1517-22-2	Phenanthrene-d10	269000	11.392				
1719-03-5	Chrysene-d12	150000	14.045				
1520-96-3	Perylene-d12	153000	15.551				

P5117 **28 of 61**



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Report of Analysis

Client: Weston Solutions Date Collected: 12/05/24

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/05/24

Client Sample ID: TAPIAL2-IDW-SOIL-120424-00-T2 SDG No.: P5117

Lab Sample ID: P5117-02 Matrix: TCLP

Analytical Method: SW8270 % Solid: 0

Sample Wt/Vol: 100 Units: mL Final Vol: 1000 uL

Soil Aliquot Vol: uL Test: TCLP BNA

Extraction Type: Decanted: N Level: LOW

Injection Volume: GPC Factor: 1.0 GPC Cleanup: N PH:

Prep Method: SW3541

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID

BF140790.D 1 12/06/24 10:45 12/09/24 15:29 PB165435

CAS Number Parameter Conc. Qualifier MDL LOQ / CRQL Units

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

GPC Cleanup:

Ν

PH:





Report of Analysis

Client: Weston Solutions Date Collected: 12/06/24 Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/06/24 Client Sample ID: PB165390TB SDG No.: P5117 PB165390TB Lab Sample ID: Matrix: **TCLP** Analytical Method: % Solid: 0 SW8270 Sample Wt/Vol: 100 Units: mL Final Vol: 1000 uL Soil Aliquot Vol: uL Test: TCLP BNA Extraction Type: Decanted: Level: LOW Ν

Prep Method: SW3541

Injection Volume:

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 BF140789.D
 1
 12/06/24 10:45
 12/09/24 14:58
 PB165435

GPC Factor: 1.0

DF 140/89.D	1	12/00/24 10	IJ	12/09/24 1	7.50	PD103433	
CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
110-86-1	Pyridine	40.0	U	15.5	40.0	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	40.0	U	8.40	40.0	50.0	ug/L
95-48-7	2-Methylphenol	40.0	U	11.3	40.0	50.0	ug/L
65794-96-9	3+4-Methylphenols	80.0	U	11.5	80.0	100	ug/L
67-72-1	Hexachloroethane	40.0	U	10.1	40.0	50.0	ug/L
98-95-3	Nitrobenzene	40.0	U	12.7	40.0	50.0	ug/L
87-68-3	Hexachlorobutadiene	40.0	U	12.7	40.0	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	40.0	U	8.90	40.0	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	40.0	U	10.1	40.0	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	40.0	U	15.2	40.0	50.0	ug/L
118-74-1	Hexachlorobenzene	40.0	U	11.4	40.0	50.0	ug/L
87-86-5	Pentachlorophenol	80.0	U	18.5	80.0	100	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	149		19 - 119		100%	SPK: 150
13127-88-3	Phenol-d6	147		10 - 130		98%	SPK: 150
4165-60-0	Nitrobenzene-d5	98.3		44 - 120		98%	SPK: 100
321-60-8	2-Fluorobiphenyl	101		44 - 119		101%	SPK: 100
118-79-6	2,4,6-Tribromophenol	153		43 - 140		102%	SPK: 150
1718-51-0	Terphenyl-d14	90.7		50 - 134		91%	SPK: 100
INTERNAL STA	NDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	81900	6.863				
1146-65-2	Naphthalene-d8	312000	8.145				
15067-26-2	Acenaphthene-d10	173000	9.898				
1517-22-2	Phenanthrene-d10	343000	11.392				
1719-03-5	Chrysene-d12	239000	14.045				
1520-96-3	Perylene-d12	186000	15.545				

P5117 **30 of 61**

12/06/24

TCLP BNA



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Test:

Report of Analysis

Client: Weston Solutions Date Collected:

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/06/24

Client Sample ID: PB165390TB SDG No.: P5117

Lab Sample ID: PB165390TB Matrix: TCLP

Analytical Method: SW8270 % Solid: 0

иL

Sample Wt/Vol: 100 Units: mL Final Vol: 1000 uL

Extraction Type: Decanted: N Level: LOW

Injection Volume: GPC Factor: 1.0 GPC Cleanup: N PH:

Prep Method: SW3541

Soil Aliquot Vol:

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID

BF140789.D 1 12/06/24 10:45 12/09/24 14:58 PB165435

CAS Number Parameter Conc. Qualifier MDL LOD LOQ / CRQL Units

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



LAB CHRONICLE

OrderID: P5117 OrderDate: 12/5/2024 10:55:00 AM

Client: Weston Solutions Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Contact: Nathan Fretz Location: L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5117-02	TAPIAL2-IDW-SOIL-1	TCLP			12/05/24			12/05/24
	20424-00-T2		TCLP BNA	8270E		12/06/24	12/09/24	

P5117 **32 of 61**



P5117

 $284 \; Sheffield \; Street, \; Mountainside, \; New \; Jersey \; 07092, \; Phone: \; 908 \; 789 \; 8900, \\$

Fax: 908 789 8922

Hit Summary Sheet SW-846

Order ID: P5117

Client: Weston Solutions Project ID: Ft Meade Tipton Airfield Parcel RI - P

Sample ID Client ID Matrix Parameter Concentration C MDL LOD RDL Units

Client ID:

SDG No.:

Total Concentration: 0.000

P5117 **33 of 61**



SAMPLE DATA

7

A

C

D

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900, Fax: 908 789 8922



Report of Analysis

Client: Weston Solutions

Date Collected: 12/05/24

Date Received:

SDG No.:

Matrix:

12/05/24

P5117

TCLP

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169

TAPIAL2-IDW-SOIL-120424-00-T2 Client Sample ID:

P5117-02 Lab Sample ID:

SW8081 % Solid: Decanted: Analytical Method:

Sample Wt/Vol: 100 Units: Final Vol: 10000 иL mL

Soil Aliquot Vol: uL Test: TCLP Pesticide

Extraction Type: Injection Volume:

PH: GPC Factor: 1.0

Prep Method: SW3541B

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID PD087067.D 12/06/24 10:50 12/06/24 17:15 PB165454

CAS Number	Parameter	Conc. Qualifier MDL		MDL	LOD LOQ/		Units
TARGETS							
58-89-9	gamma-BHC (Lindane)	0.25	U	0.049	0.25	0.50	ug/L
76-44-8	Heptachlor	0.25	U	0.054	0.25	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.25	U	0.090	0.25	0.50	ug/L
72-20-8	Endrin	0.10	U	0.043	0.10	0.50	ug/L
72-43-5	Methoxychlor	0.25	U	0.11	0.25	0.50	ug/L
8001-35-2	Toxaphene	5.00	U	1.50	5.00	10.0	ug/L
57-74-9	Chlordane	2.50	U	0.82	2.50	5.00	ug/L
SURROGATES							
2051-24-3	Decachlorobiphenyl	19.3		30 - 135		97%	SPK: 20
877-09-8	Tetrachloro-m-xylene	19.8		44 - 124		99%	SPK: 20

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- N = Presumptive Evidence of a Compound
- * = Values outside of QC limits
- D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

35 of 61





Analytical Method:

Report of Analysis

% Solid:

Client: Weston Solutions Date Collected:

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/06/24

Client Sample ID: PB165390TB SDG No.: P5117

Lab Sample ID: PB165390TB Matrix: TCLP

Sample Wt/Vol: 100 Units: mL Final Vol: 10000 uL

Soil Aliquot Vol: uL Test: TCLP Pesticide

Extraction Type: Injection Volume :

GPC Factor: 1.0 PH:

SW8081

Prep Method: SW3541B

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 PD087066.D
 1
 12/06/24 10:50
 12/06/24 17:02
 PB165454

CAS Number	AS Number Parameter		Parameter Conc. Qualifier MDL		LOD LO	Units	
TARGETS							
58-89-9	gamma-BHC (Lindane)	0.25	U	0.049	0.25	0.50	ug/L
76-44-8	Heptachlor	0.25	U	0.054	0.25	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.25	U	0.090	0.25	0.50	ug/L
72-20-8	Endrin	0.10	U	0.043	0.10	0.50	ug/L
72-43-5	Methoxychlor	0.25	U	0.11	0.25	0.50	ug/L
8001-35-2	Toxaphene	5.00	U	1.50	5.00	10.0	ug/L
57-74-9	Chlordane	2.50	U	0.82	2.50	5.00	ug/L
SURROGATES							
2051-24-3	Decachlorobiphenyl	18.5		30 - 135		92%	SPK: 20
877-09-8	Tetrachloro-m-xylene	19.8		44 - 124		99%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

P5117 **36 of 61**





Decanted:



P5117 OrderID:

12/5/2024 10:55:00 AM OrderDate:

Weston Solutions Client: Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Nathan Fretz Contact:

Location: L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5117-02	TAPIAL2-IDW-SOIL-1 20424-00-T2	SOIL			12/05/24			12/05/24
	20424-00-12		PCB	8082A		12/06/24	12/06/24	
			TCLP Herbicide	8151A		12/06/24	12/06/24	
			TCLP Pesticide	8081B		12/06/24	12/06/24	

P5117 37 of 61



P5117

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Hit Summary Sheet SW-846

Order ID: P5117

Client: Weston Solutions Project ID: Ft Meade Tipton Airfield Parcel RI - P

Sample ID Client ID Matrix Parameter Concentration C MDL LOD RDL Units

Client ID:

SDG No.:

Total Concentration: 0.000

P5117 **38 of 61**



SAMPLE DATA

8

A



1

P5117 **39 of 61**

Date Collected:

12/05/24



Client:

Report of Analysis

Weston Solutions

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/05/24

Client Sample ID: TAPIAL2-IDW-SOIL-120424-00-T2 SDG No.: P5117

Lab Sample ID: P5117-02 Matrix: SOIL

Analytical Method: SW8082A % Solid: 79.8 Decanted:

Sample Wt/Vol: 30.09 Units: g Final Vol: 10000 uL

Soil Aliquot Vol: uL Test: PCB

Extraction Type: Injection Volume:

GPC Factor: 1.0 PH:

Prep Method: SW3541B

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 PP068844.D
 1
 12/06/24 08:25
 12/06/24 13:58
 PB165421

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD LOC) / CRQL	Units(Dry Weight)
TARGETS							_
12674-11-2	Aroclor-1016	10.4	U	4.20	10.4	21.2	ug/kg
11104-28-2	Aroclor-1221	16.2	U	8.00	16.2	21.2	ug/kg
11141-16-5	Aroclor-1232	16.2	U	4.20	16.2	21.2	ug/kg
53469-21-9	Aroclor-1242	10.4	U	4.20	10.4	21.2	ug/kg
12672-29-6	Aroclor-1248	16.2	U	9.90	16.2	21.2	ug/kg
11097-69-1	Aroclor-1254	16.2	U	3.40	16.2	21.2	ug/kg
37324-23-5	Aroclor-1262	10.4	U	5.70	10.4	21.2	ug/kg
11100-14-4	Aroclor-1268	16.2	U	4.30	16.2	21.2	ug/kg
11096-82-5	Aroclor-1260	10.4	U	3.60	10.4	21.2	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	22.0		44 - 130		110%	SPK: 20
2051-24-3	Decachlorobiphenyl	19.6		60 - 125		98%	SPK: 20

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- N = Presumptive Evidence of a Compound
- * = Values outside of QC limits
- D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

P5117 **40 of 61**



OrderID: P5117

Client: Weston Solutions

Contact: Nathan Fretz

OrderDate: 12/5/2024 10:55:00 AM

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Location: L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5117-02	TAPIAL2-IDW-SOIL-1	SOIL			12/05/24			12/05/24
	20424-00-T2		PCB	8082A		12/06/24	12/06/24	

P5117 **41 of 61**



P5117

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Hit Summary Sheet SW-846

Order ID: P5117

Client: Weston Solutions Project ID: Ft Meade Tipton Airfield Parcel RI - P

Sample ID Client ID Matrix Parameter Concentration C MDL LOD RDL Units

Client ID:

SDG No.:

Total Concentration: 0.000

P5117 **42 of 61**



Α



D

SAMPLE DATA

P5117 **43 of 61**



Report of Analysis

Client: Weston Solutions Date Collected: 12/05/24

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/05/24

Client Sample ID: TAPIAL2-IDW-SOIL-120424-00-T2 SDG No.: P5117

Lab Sample ID: P5117-02 Matrix: TCLP

Analytical Method: SW8151A % Solid: 0 Decanted:

Sample Wt/Vol: 100 Units: mL Final Vol: 10000 uL

Soil Aliquot Vol: uL Test: TCLP Herbicide

Extraction Type: Injection Volume :

GPC Factor: 1.0 PH:

8151A

Prep Method:

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 PS028720.D
 1
 12/06/24 10:45
 12/06/24 16:32
 PB165455

CAS Number	Parameter	Conc.	Qualifi	er MDL	LOD LO	Q / CRQL	Units
TARGETS							
94-75-7	2,4-D	15.0	U	4.90	15.0	20.0	ug/L
93-72-1	2,4,5-TP (Silvex)	15.0	UM	4.50	15.0	20.0	ug/L
SURROGATES							
19719-28-9	2,4-DCAA	350		32 - 138		70%	SPK: 500

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

P5117 **44 of 61**





Report of Analysis

Client: Weston Solutions Date Collected:

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/06/24

Client Sample ID: PB165390TB SDG No.: P5117

Lab Sample ID: PB165390TB Matrix: TCLP

Analytical Method: SW8151A % Solid: 0 Decanted:

Sample Wt/Vol: 100 Units: mL Final Vol: 10000 uL

Soil Aliquot Vol: uL Test: TCLP Herbicide

Extraction Type: Injection Volume:

GPC Factor: 1.0 PH:

Prep Method: 8151A

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 PS028725.D
 1
 12/06/24 10:45
 12/06/24 18:32
 PB165455

CAS Number	Parameter	Conc.	Qualif	iier MDL	LOD LO	Q / CRQL	Units
TARGETS		15.0	**	4.00	15.0	20.0	<i>(</i> **
94-75-7	2,4-D	15.0	U	4.90	15.0	20.0	ug/L
93-72-1	2,4,5-TP (Silvex)	15.0	U	4.50	15.0	20.0	ug/L
SURROGATES							
19719-28-9	2,4-DCAA	264		32 - 138		53%	SPK: 500

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

P5117 **45 of 61**



OrderID: P5117 OrderDate: 12/5/2024 10:55:00 AM

Client: Weston Solutions Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Contact: Nathan Fretz Location: L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5117-02	TAPIAL2-IDW-SOIL-1 20424-00-T2	SOIL			12/05/24			12/05/24
			РСВ	8082A		12/06/24	12/06/24	
			TCLP Herbicide	8151A		12/06/24	12/06/24	

P5117 **46 of 61**

Α

В

_






P5117

SDG No.:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Order ID:

P5117



Client: Weston Solutions Project ID: Ft Meade Tipton Airfield Parcel RI - PO 01

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL U	nits
Client ID:	TAPIAL2-IDW-SOIL-	-120424-00-T2							
P5117-02	TAPIAL2-IDW-SOIL	-120424-00 TCLP	Barium	841		62.8	125	500 u	ıg/L
P5117-02	TAPIAL2-IDW-SOIL	-120424-00 TCLP	Chromium	23.2	J	6.60	25.0	50.0 u	ıg/L

P5117 **47 of 61**















SAMPLE DATA

P5117 **48 of 61**



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: Weston Solutions Date Collected: 12/04/24 Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/05/24 Client Sample ID: TAPIAL2-IDW-SOIL-120424-00-T2 SDG No.: P5117 Lab Sample ID: P5117-02 Matrix: **TCLP** Level (low/med): % Solid: 0 low

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	80.0	U	1	34.8	80.0	100	ug/L	12/06/24 11:10	12/09/24 14:14	SW6010	SW3050
7440-39-3	Barium	841	N	1	62.8	125	500	ug/L	12/06/24 11:10	12/09/24 14:14	SW6010	SW3050
7440-43-9	Cadmium	7.50	U	1	0.94	7.50	30.0	ug/L	12/06/24 11:10	12/09/24 14:14	SW6010	SW3050
7440-47-3	Chromium	23.2	J	1	6.60	25.0	50.0	ug/L	12/06/24 11:10	12/09/24 14:14	SW6010	SW3050
7439-92-1	Lead	48.0	U	1	35.1	48.0	60.0	ug/L	12/06/24 11:10	12/09/24 14:14	SW6010	SW3050
7439-97-6	Mercury	1.60	U	1	0.81	1.60	2.00	ug/L	12/09/24 08:55	12/09/24 12:37	SW7470A	L
7782-49-2	Selenium	80.0	U	1	58.8	80.0	100	ug/L	12/06/24 11:10	12/09/24 14:14	SW6010	SW3050
7440-22-4	Silver	25.0	U	1	5.80	25.0	50.0	ug/L	12/06/24 11:10	12/09/24 14:14	SW6010	SW3050

Color Before: Colorless Clarity Before: Clear Texture:

Color After: Colorless Clarity After: Clear Artifacts:

Comments: TCLP METALS

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence

of interference. OR = Over Range

N =Spiked sample recovery not within control limits

P5117



OrderID: P5117

Client: Weston Solutions

Contact: Nathan Fretz

OrderDate: 12/5/2024 10:55:00 AM

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Location: L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5117-01	TAPIAL3-SB04I-10-12 0324-00-T1	SOIL			12/03/24			12/05/24
			Mercury	7471B		12/06/24	12/06/24	
			Metals ICP-TAL	6020B		12/18/24	12/19/24	
P5117-02	TAPIAL2-IDW-SOIL-1 20424-00-T2	TCLP			12/04/24			12/05/24
			TCLP ICP Metals TCLP Mercury	6010D 7470A		12/06/24 12/09/24	12/09/24 12/09/24	

P5117 **50 of 61**



P5117

SDG No.:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Hit Summary Sheet SW-846

Order ID: P5117

Client: Weston Solutions Project ID: Ft Meade Tipton Airfield Parcel RI - PO 01

Client:	Weston Solutions			Project ID):	Ft Meade II	ipton Airfield	Parcel RI	- PO 01
Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID:	TAPIAL3-SB04I-10-120324-	00-T1							
P5117-01	TAPIAL3-SB04I-10-120324	1-00-1 SOIL	Aluminum	37.6	D	2.08	3.71	7.41	mg/Kg
P5117-01	TAPIAL3-SB04I-10-120324	1-00-1 SOIL	Antimony	0.037	JD	0.037	0.28	0.74	mg/Kg
P5117-01	TAPIAL3-SB04I-10-120324	1-00-1 SOIL	Arsenic	0.033	JD	0.033	0.093	0.37	mg/Kg
P5117-01	TAPIAL3-SB04I-10-120324	1-00-1 SOIL	Barium	1.46	JD	0.14	0.46	3.71	mg/Kg
P5117-01	TAPIAL3-SB04I-10-120324	1-00-1 SOIL	Chromium	0.28	JD	0.089	0.19	0.74	mg/Kg
P5117-01	TAPIAL3-SB04I-10-120324	1-00-1 SOIL	Cobalt	0.030	JD	0.030	0.093	0.37	mg/Kg
P5117-01	TAPIAL3-SB04I-10-120324	1-00-1 SOIL	Iron	71.1	D	4.11	4.63	18.5	mg/Kg
P5117-01	TAPIAL3-SB04I-10-120324	1-00-1 SOIL	Lead	0.19	JD	0.056	0.28	0.37	mg/Kg
P5117-01	TAPIAL3-SB04I-10-120324	1-00-1 SOIL	Manganese	0.60	D	0.13	0.19	0.37	mg/Kg
P5117-01	TAPIAL3-SB04I-10-120324	1-00-1 SOIL	Vanadium	0.30	JD	0.030	0.093	1.85	mg/Kg





A



SAMPLE DATA

P5117 **52 of 61**



Report of Analysis

Client: Weston Solutions Date Collected: 12/03/24 Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/05/24 Client Sample ID: TAPIAL3-SB04I-10-120324-00-T1 SDG No.: P5117 Lab Sample ID: P5117-01 Matrix: SOIL 95.7 Level (low/med): % Solid: low

Cas	Parameter	Conc.	Qua. DF	MDL	LOD	LOQ / CRQL	Units(Dry	Weigh P) rep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	37.6	D 5	2.08	3.71	7.41	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-36-0	Antimony	0.037	JDN 5	0.037	0.28	0.74	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-38-2	Arsenic	0.033	JDN 5	0.033	0.093	0.37	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-39-3	Barium	1.46	JD 5	0.14	0.46	3.71	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-41-7	Beryllium	0.28	UDN5	0.093	0.28	0.37	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-43-9	Cadmium	0.28	UDN5	0.10	0.28	0.37	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-70-2	Calcium	70.4	UD 5	25.0	70.4	185	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-47-3	Chromium	0.28	JDN 5	0.089	0.19	0.74	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-48-4	Cobalt	0.030	JDN 5	0.030	0.093	0.37	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-50-8	Copper	0.37	UD 5	0.21	0.37	0.74	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7439-89-6	Iron	71.1	D 5	4.11	4.63	18.5	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7439-92-1	Lead	0.19	JD 5	0.056	0.28	0.37	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7439-95-4	Magnesium	70.4	UD 5	10.0	70.4	185	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7439-96-5	Manganese	0.60	D 5	0.13	0.19	0.37	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7439-97-6	Mercury	0.010	U 1	0.0060	0.010	0.013	mg/Kg	12/06/24 10:15	12/06/24 18:03	SW7471B	
7440-02-0	Nickel	0.093	UDN5	0.059	0.093	0.37	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-09-7	Potassium	70.4	UD 5	14.7	70.4	185	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7782-49-2	Selenium	1.67	UDN5	0.45	1.67	1.85	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-22-4	Silver	0.19	UDN5	0.096	0.19	0.37	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-23-5	Sodium	92.6	UD 5	22.6	92.6	185	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-28-0	Thallium	0.19	UDN5	0.037	0.19	0.37	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-62-2	Vanadium	0.30	JDN 5	0.030	0.093	1.85	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050
7440-66-6	Zinc	0.56	UD 5	0.48	0.56	1.85	mg/Kg	12/18/24 10:40	12/19/24 16:39	SW6020	SW3050

Color Before: light Brown Clarity Before: Texture: Medium

Color After: Yellow Clarity After: Artifacts:

Comments: METALS-TAL

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

P5117



OrderID: P5117 OrderDate: 12/5/2024 10:55:00 AM

Client: Weston Solutions Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Contact: Nathan Fretz Location: L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5117-01	TAPIAL3-SB04I-10-12 0324-00-T1	SOIL			12/03/24			12/05/24
	002.00.12		Mercury Metals ICP-TAL	7471B 6020B		12/06/24 12/18/24	12/06/24 12/19/24	

P5117 **54 of 61**



12







P5117 **55 of 61**



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900, Fax: 908 789 8922

% Solid:

95.7

Report of Analysis

Client: Weston Solutions Date Collected: 12/03/24 14:00

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/05/24

Client Sample ID: TAPIAL3-SB04I-10-120324-00-T1 SDG No.: P5117

Lab Sample ID: P5117-01 Matrix: **SOIL**

Units Parameter DF MDL LOD LOQ / CRQL **Prep Date** Conc. Qua. Date Ana. Ana Met. 7.21 рΗ рΗ 12/06/24 09:30 9045D TOC 401 1 19.8 50.0 250 mg/Kg 12/06/24 15:34 9060A

Comments: pH result reported at temperature 20.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

P5117

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

56 of 61









284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Report of Analysis

Client: Weston Solutions Date Collected: 12/04/24 13:00

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 12/05/24

Client Sample ID: TAPIAL2-IDW-SOIL-120424-00-T2 SDG No.: P5117

Lab Sample ID: P5117-02 Matrix: SOIL

% Solid: 79.8

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weig	ht) Prep Date	Date Ana.	Ana Met.
Cyanide	0.25	U	1	0.055	0.25	0.31	mg/Kg	12/07/24 10:00	12/09/24 12:54	9012B
Ignitability	NO		1	0	0	0	oC		12/07/24 08:30	1030
pН	6.41	Н	1	0	0	0	pН		12/06/24 09:35	9045D
Sulfide	4.00	J	1	2.33	6.25	12.5	mg/Kg	12/11/24 10:10	12/11/24 14:41	9034

Comments: pH result reported at temperature 20.1 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

57 of 61



OrderID: P5117

Weston Solutions

Client: Contact: Nathan Fretz

12/5/2024 10:55:00 AM OrderDate:

Ft Meade Tipton Airfield Parcel RI - PO 0111169 Project:

Location: L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5117-01	TAPIAL3-SB04I-10-12 0324-00-T1	SOIL			12/03/24 14:00			12/05/24
			рН	9045D			12/06/24 09:30	
			TOC	9060A			12/06/24 15:34	
P5117-02	TAPIAL2-IDW-SOIL-1 20424-00-T2	SOIL			12/04/24 13:00			12/05/24
			Sulfide	9034		12/11/24	12/11/24 14:41	
			Cyanide	9012B		12/07/24	12/09/24 12:54	
			Ignitability	1030			12/07/24 08:30	
			рН	9045D			12/06/24 09:35	

P5117 58 of 61



SHIPPING DOCUMENTS

P5117 **59 of 61**

Weston COC ID Weston_20241204

Chain of Custody Record/Lab Work Request

Page 1 of 1



Matrix Codes

SB- Soil SE - Sediment SO - Solid SL - Słudge GW - Groundwater W - Water O - Oil A - Air DS - Drum Solids DL - Drum Liquids L - EP/TCLP Leachate

WI - Wipe X - Other F - Fish

	Client;	Weston S	iolutions, Inc	
Project M	anager:	David	Sembrot	
Street A	ddress:	1400 Weston Way	City:	West Chester
	Phone:	610-314-5456	ST, ZIP:	PA, 19038
	e-mail:	david.sembrot@w	vestonsolu	utions.com
Samp	oled By:	Cheyenn	e Harrington	

Lab Use Only		
Temperature of cooler when received (°C)		
COC Tape was present and unbroken on outer package?	Y	N
Samples received in good condition?	Υ	N
Labels indicate properly preserved?	Y	N
Received within holding times?	Y	N
Discrepancies between sample labels and COC record?	Y	N

Project Name:	Fort M	leade F	RI		Pro	ject P	oc:			Natha	n Fretz	:	
PO Number	011	11169				Phone:				484-5	24-5665	5	
W.O. #:					POC e	-mail:		natha	n.fretz@	westo	nsolutio	ns.com	
Lab:	CHE	MTECH			L	ab PO	:	Ī		Jordan	n Hedva	ıt	
TAT (days):		21		Lab Phone:						908-7	28-3144	‡	
Lab Address;			284 Sheffield Street Mountainside, NJ 07092										
Analyses	Requested:	pH by EPA 9045D	TAL Metals by EPA 60208/74718	TOC by 9060A	TCLP VQCs by EPA 8260D (1311)	TCLP SVOCs by EPA 8270E (1311)	TCLP Metals by EPA 6010D/7470A	TCLP Pestiddes by EPA 8081B	TCLP Herbicides by EPA 8151A	Total Sulfide by EPA 9034	Total Cyanide by EPA 9012E	PCB by EPA 8082A	Ignitability by EPA 1030
	Container Type:	Glass	Glass	Glass	Encore	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass
	Container Size:	8 oz	8 oz	8 oz	25g	8 oz	8 oz	8 oz	8 oz	8 oz	8 oz	8 oz	8 oz
	Preservative:	Ice to 0-6	ice to 0-6	Ice to 0-6	ice to 0-	Ice to 0-6	Ice to 0-6	Ice to 0-6	Ice to 0-6	Ice to 0-6	Ice to 0-6	Ice to 0-6	Ice to 0-6

#	Sample ID	G/C	Matrix	# Cont	MS/MSD	Date Collected	Time Collected							100						Special Instructions/Comments
1	TAPIAL3-SB04I-10-120324-00-T1	g	SB	1/2	no	12/3/2024	14:00	х	Х	х										
2	TAPIAL2-IDW-Soil-120424-00-T2	g	DS	7	no	12/4/2024	13:00	х			х	х	Х	х	Х	х	х	х	х	Make expedited 7 day TAT
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

	Shipping Airblii Number(s):	7704 94	57 4944	7724 9457 4955	7		2.30	Cooler Number:	1 of 2
	Relinquished By	Date	Time	Received By	Date	Time		Additional Con	nments
1.)	Sie Alpha I we	12/4/24	1600	BAD	12.5.24	1010	QSM 6.0 Compliant		
2.)	· ·		+	PSP			Deliverable Requiremen	ts: DoD Level IV report, EnviroDa	ata EDD, and ERIS-compatible EDD
3.)									





Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
,	
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
30.1. Simile	323 21 231 3311
Texas	T104704488

QA Control Code: A2070148