

284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

GC ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY

METHOD: 8151A/3510/1311

Comments:

1.	Chromatograms Labeled/Compounds Identified.	NA	NO	YES ✓
2.	Standard Summary Submitted.			✓
3.	Calibration - Initial Calibration performed within 30 days before sample analysis and continuing calibration performed within 24 hours of sample analysis, 12 HOURS IF 8000 SERIES METHOD.			✓
	The Initial Calibration met the requirements . The Continuous Calibration met the requirements .			
4.	Blank Contamination - If yes, list compounds and concentrations in each blank:		✓	
5.	Surrogate Recoveries Meet Criteria			✓
	If not met, list those compounds and their recoveries which fall outside the acceptable ranges.			
6.	Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria		✓	
	If not met, list those compounds and their recoveries which fall outside the acceptable range.			
	The MS {P5117-02MS} with File ID: PS028721.D recoveries met the requirements for all compounds except for 2,4,5-TP(Silvex)[170%] due to matrix interference.			
	The MSD {P5117-02MSD} with File ID: PS028722.D recoveries met the acceptable requirements except for 2,4,5-TP(Silvex)[170%] due to matrix interference.			
	The sample # TAPIAL2-IDW-SOIL-120424-00-T2MS and TAPIAL2-IDW-SOIL-120424-00-T2MSD are failing for 2,4,5-TP(Silvex) and the original sample(TAPIAL2-IDW-SOIL-120424-00-T2) is reported with M flag for this compound.			
	The Blank Spike met requirements for all samples . The RPD met criteria .			
7.	Retention Time Shift Meet Criteria (if applicable)			✓



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

GC ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY (CONTINUED)

NA NO YES

8.	Extraction Holding Time Met		✓
	If not met, list number of days exceeded for each sample:		
9.	Analysis Holding Time Met		✓
	If not met, list those compounds and their recoveries which fall outside range.	the acceptable	
ADDITI	ONAL COMMENTS:		
The not	QT review data is reported in the Miscellaneous.		
QA REV	/IEW	Date	