

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD112724\
 Data File : PD086949.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Nov 2024 11:56
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 27 12:20:18 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD112724.M
 Quant Title : GC Extractables
 QLast Update : Wed Nov 27 12:19:59 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.557	2.884	102.5E6	577.9E6	50.000	50.000
28)	SA Decachlor...	9.089	8.087	161.3E6	696.0E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	4.007	3.398	214.4E6	903.5E6	50.000	50.000
3)	MA gamma-BHC...	4.338	3.735	211.1E6	856.9E6	50.000	50.000
4)	MA Heptachlor	4.938	4.090	205.7E6	823.9E6	50.000	50.000
5)	MB Aldrin	5.280	4.377	214.2E6	851.3E6	50.000	50.000
6)	B beta-BHC	4.521	4.030	80293628	361.1E6	50.000	50.000
7)	B delta-BHC	4.770	4.268	216.4E6	869.4E6	50.000	50.000
8)	B Heptachlo...	5.700	4.881	188.1E6	766.2E6	50.000	50.000
9)	A Endosulfan I	6.084	5.257	174.3E6	718.7E6	50.000	50.000
10)	B gamma-Chl...	5.955	5.135	184.9E6	788.8E6	50.000	50.000
11)	B alpha-Chl...	6.036	5.200	185.9E6	772.7E6	50.000	50.000
12)	B 4,4'-DDE	6.205	5.385	171.4E6	771.4E6	50.000	50.000
13)	MA Dieldrin	6.357	5.522	189.5E6	793.4E6	50.000	50.000
14)	MA Endrin	6.584	5.799	158.5E6	710.7E6	50.000	50.000
15)	B Endosulfa...	6.795	6.090	156.3E6	693.0E6	50.000	50.000
16)	A 4,4'-DDD	6.714	5.940	136.0E6	639.7E6	50.000	50.000
17)	MA 4,4'-DDT	7.031	6.194	149.3E6	683.0E6	50.000	50.000
18)	B Endrin al...	6.924	6.269	126.3E6	558.9E6	50.000	50.000
19)	B Endosulfa...	7.158	6.493	150.8E6	682.1E6	50.000	50.000
20)	A Methoxychlor	7.503	6.767	82471871	363.6E6	50.000	50.000
21)	B Endrin ke...	7.640	7.002	169.1E6	760.9E6	50.000	50.000
22)	Mirex	8.125	7.198	126.9E6	615.0E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD112724\
Data File : PD086949.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Nov 2024 11:56
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 27 12:20:18 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD112724.M
Quant Title : GC Extractables
QLast Update : Wed Nov 27 12:19:59 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.557 min
Delta R.T.: 0.000 min
Response: 102518772
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 2.884 min
Delta R.T.: 0.000 min
Response: 577887459
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 4.007 min
Delta R.T.: 0.000 min
Response: 214393582
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.398 min
Delta R.T.: 0.000 min
Response: 903533188
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 211148317
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 3.735 min
Delta R.T.: 0.000 min
Response: 856928576
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.938 min
Delta R.T.: 0.000 min
Response: 205715098
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 4.090 min
Delta R.T.: 0.000 min
Response: 823928120
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.280 min
Delta R.T.: 0.000 min
Response: 214191916
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 4.377 min
Delta R.T.: 0.000 min
Response: 851290577
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.521 min
Delta R.T.: 0.000 min
Response: 80293628
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.030 min
Delta R.T.: 0.000 min
Response: 361139462
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.770 min
Delta R.T.: 0.000 min
Response: 216363649
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 4.268 min
Delta R.T.: 0.000 min
Response: 869413092
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.700 min
Delta R.T.: 0.000 min
Response: 188069302
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.881 min
Delta R.T.: 0.000 min
Response: 766232439
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 6.084 min
Delta R.T.: 0.000 min
Response: 174257406
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 5.257 min
Delta R.T.: 0.000 min
Response: 718665438
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.955 min
Delta R.T.: 0.000 min
Response: 184894848
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 5.135 min
Delta R.T.: 0.000 min
Response: 788803947
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.036 min
Delta R.T.: 0.000 min
Response: 185883388
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 5.200 min
Delta R.T.: 0.000 min
Response: 772670299
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 171420110
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.385 min
Delta R.T.: 0.000 min
Response: 771373645
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.357 min
Delta R.T.: 0.000 min
Response: 189524756
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 5.522 min
Delta R.T.: 0.000 min
Response: 793419621
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.584 min
Delta R.T.: 0.000 min
Response: 158537229
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.799 min
Delta R.T.: 0.000 min
Response: 710694717
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.795 min
Delta R.T.: 0.000 min
Response: 156268178
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 6.090 min
Delta R.T.: 0.000 min
Response: 693035941
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.714 min
Delta R.T.: 0.000 min
Response: 136024809
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.940 min
Delta R.T.: 0.000 min
Response: 639696518
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 7.031 min
Delta R.T.: 0.000 min
Response: 149309078
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 6.194 min
Delta R.T.: 0.000 min
Response: 683031744
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.924 min
Delta R.T.: 0.000 min
Response: 126323937
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.269 min
Delta R.T.: 0.000 min
Response: 558875708
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.158 min
Delta R.T.: 0.000 min
Response: 150762521
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 6.493 min
Delta R.T.: 0.000 min
Response: 682129127
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.503 min
Delta R.T.: 0.000 min
Response: 82471871
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.767 min
Delta R.T.: 0.000 min
Response: 363589932
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.640 min
Delta R.T.: 0.000 min
Response: 169072264
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 7.002 min
Delta R.T.: 0.000 min
Response: 760885709
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.125 min
Delta R.T.: 0.000 min
Response: 126928664
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 7.198 min
Delta R.T.: 0.000 min
Response: 614953871
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.089 min
Delta R.T.: 0.000 min
Response: 161260634
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050



#28 Decachlorobiphenyl

R.T.: 8.087 min
Delta R.T.: 0.000 min
Response: 695995018
Conc: 50.00 ng/ml