

## Report of Analysis

Client:	PSEG	Date Collected:	12/05/24 08:40
Project:	Moorestown	Date Received:	12/05/24
Client Sample ID:	MOO-24-00374	SDG No.:	P5133
Lab Sample ID:	P5133-02	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	6.07	H	1	0	0	pH		12/06/24 10:00	9045D
Ignitability	NO		1	0	0	oC		12/07/24 09:45	1030
Reactive Cyanide	0.050	U	1	0.0087	0.050	mg/Kg	12/09/24 09:00	12/09/24 11:40	9012B
Reactive Sulfide	6.31	J	1	0.19	10.0	mg/Kg	12/06/24 08:50	12/06/24 12:50	9034

Comments: pH result reported at temperature 20.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits