

LAB CHRONICLE

OrderID:	P5146	OrderDate:	12/5/2024 2:40:00 PM
Client:	Holland Manufacturing Co.	Project:	Pre Treatment Plant
Contact:	Todd Holland	Location:	M11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5146-01	EFFLUENT	WATER			12/05/24 10:45			12/05/24
			Ammonia	SM4500-NH3		12/09/24	12/09/24 14:27	
			BOD5	SM5210 B			12/05/24 17:40	
			Oil and Grease	1664A			12/06/24 10:30	
			Phosphorus-Ortho	SM4500-P E			12/06/24 15:48	
			Phosphorus-Total	365.3		12/06/24	12/06/24 16:06	
			TSS	SM2540 D			12/09/24 11:00	
P5146-01DL	EFFLUENTDL	WATER			12/05/24 10:45			12/05/24
			Ammonia	SM4500-NH3		12/09/24	12/09/24 14:54	
P5146-04	AERATION TK 1	WATER			12/05/24 10:45			12/05/24
			TSS	SM2540 D			12/09/24 11:00	
P5146-05	INFLUENT	WATER			12/05/24 10:45			12/05/24
			Ammonia	SM4500-NH3		12/09/24	12/09/24 14:27	
			BOD5	SM5210 B			12/05/24 17:40	

LAB CHRONICLE

P5146-05DL

INFLUENTDL

WATER

12/05/24
10:45

12/05/24

Ammonia

SM4500-NH3

12/09/24

12/09/24
14:54