

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB120924\
Data File : FB031277.D
Signal(s) : FID2B.CH
Acq On : 9 Dec 2024 11:43
Sample : BSF1209S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB112124.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.718	4.582	4.873	BV	12147	869864	77.76%	13.282%
2	7.418	7.195	7.629	PV	12496	1078704	96.42%	16.471%
3	7.751	7.629	7.819	VV	5842	329205	29.43%	5.027%
4	7.890	7.819	8.108	VV	7256	399625	35.72%	6.102%
5	8.789	8.609	9.052	BV	9570	555024	49.61%	8.475%
6	10.617	10.502	10.972	VV	21706	1118711	100.00%	17.082%
7	13.053	12.901	13.113	BV	6986	325400	29.09%	4.969%
8	13.186	13.113	13.427	VV	13796	696309	62.24%	10.632%
9	13.914	13.650	14.053	BV	13069	648761	57.99%	9.906%
10	16.191	16.063	16.327	PV	11954	527443	47.15%	8.054%

Sum of corrected areas: 6549045

FB112124.M Tue Dec 10 01:10:36 2024