

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB120924\
Data File : FB031283.D
Signal(s) : FID2B.CH
Acq On : 9 Dec 2024 15:03
Sample : BSF1209S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB112124.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.723	4.582	4.900	BBA	12049	904592	78.48%	13.467%
2	7.428	7.195	7.644	BV	12045	1084134	94.05%	16.140%
3	7.756	7.644	7.825	VV	6041	343053	29.76%	5.107%
4	7.895	7.825	8.130	VV	7533	416131	36.10%	6.195%
5	8.795	8.598	8.971	PV	9735	561420	48.71%	8.358%
6	10.623	10.499	10.975	VV	22020	1152685	100.00%	17.161%
7	13.059	12.901	13.120	BV	7087	332696	28.86%	4.953%
8	13.192	13.120	13.372	VV	13986	714476	61.98%	10.637%
9	13.920	13.797	14.062	BV	13395	675484	58.60%	10.056%
10	16.196	16.077	16.327	BV	12078	532263	46.18%	7.924%

Sum of corrected areas: 6716935

FB112124.M Tue Dec 10 01:11:41 2024