

DATA PACKAGE

VOLATILE ORGANICS

PROJECT NAME : 262 TAAFFE PL, BROOKLYN NY

GFE LLC

58 Nokomis Ave

Lake Hiawatha, NJ - 07034

Phone No: 646-542-3465

ORDER ID : P5150

ATTENTION : Frank Galdun



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) VOCMS Group2- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) VOCMS Group2 Data	8
6) Shipping Document	23
6.1) CHAIN OF CUSTODY	24
6.2) Lab Certificate	36
6.3) Internal COC	37

Cover Page

Order ID : P5150

Project ID : 262 Taaffe PL, Brooklyn NY

Client : GFE LLC

Lab Sample Number

P5150-01
P5150-02
P5150-03
P5150-04
P5150-05
P5150-06

Client Sample Number

SV1
IA1
SV3
IA3
SV4
IA4

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 12/19/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

GFE LLC

Project Name: 262 Taaffe PL, Brooklyn NY

Project # N/A

Chemtech Project # P5150

Test Name: VOCMS Group2

A. Number of Samples and Date of Receipt:

6 Air samples were received on 12/05/2024.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: VOCMS Group2. This data package contains results for VOCMS Group2.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_L were done using GC column RTX-1, which is 60 meters, 0.32 mm id, 1.0 um df, Restek Cat. #10157. The Trap was supplied by Entech, glass bead and Tenax , Entech 7100A Preconcentrator. The analysis of VOCMS Group2 was based on method TO-15.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

The Tuning criteria met requirements.

Due to potential high concentration of target analytes, Samples SV1, SV3 and SV4 were initially diluted.

Samples SV1, SV3 and IA3 were diluted due to high concentrations.

E. Additional Comments:

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: P5150

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 12/19/2024

Hit Summary Sheet SW-846

SDG No.: P5150
Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SV1							
P5150-01	SV1	Air	Vinyl Chloride	0.82		0.15	0.31	ug/m3
P5150-01	SV1	Air	Heptane	9.02		1.80	8.20	ug/m3
P5150-01	SV1	Air	cis-1,2-Dichloroethene	1430	E	1.43	7.93	ug/m3
P5150-01	SV1	Air	1,1,1-Trichloroethane	3.93		0.22	0.65	ug/m3
P5150-01	SV1	Air	Benzene	4.79	J	1.12	6.39	ug/m3
P5150-01	SV1	Air	Trichloroethene	163		0.38	0.64	ug/m3
P5150-01	SV1	Air	Toluene	14.7		1.66	7.54	ug/m3
P5150-01	SV1	Air	Tetrachloroethene	1970	E	0.41	0.81	ug/m3
P5150-01	SV1	Air	m/p-Xylene	5.65	J	3.65	17.4	ug/m3
P5150-01	SV1	Air	o-Xylene	2.78	J	2.08	8.69	ug/m3
P5150-01	SV1	Air	1,2,4-Trimethylbenzene	4.72	J	1.52	9.83	ug/m3
P5150-01	SV1	Air	Hexane	40.9		1.55	7.05	ug/m3
Total Voc :				3640				
Total Concentration:				3640				
Client ID:	SV1DL							
P5150-01DL	SV1DL	Air	cis-1,2-Dichloroethene	1980	D	14.3	79.3	ug/m3
P5150-01DL	SV1DL	Air	Trichloroethene	174	D	3.65	6.45	ug/m3
P5150-01DL	SV1DL	Air	Toluene	16.6	JD	16.6	75.4	ug/m3
P5150-01DL	SV1DL	Air	Tetrachloroethene	2370	D	4.07	8.14	ug/m3
P5150-01DL	SV1DL	Air	Hexane	45.1	JD	15.5	70.5	ug/m3
Total Voc :				4590				
Total Concentration:				4590				
Client ID:	IA1							
P5150-02	IA1	Air	Heptane	0.98	J	0.45	2.05	ug/m3
P5150-02	IA1	Air	2,2,4-Trimethylpentane	0.51	J	0.47	2.34	ug/m3
P5150-02	IA1	Air	Benzene	0.93	J	0.29	1.60	ug/m3
P5150-02	IA1	Air	Toluene	1.88		0.41	1.88	ug/m3
P5150-02	IA1	Air	Tetrachloroethene	0.41		0.14	0.20	ug/m3
P5150-02	IA1	Air	m/p-Xylene	1.26	J	0.91	4.34	ug/m3
P5150-02	IA1	Air	o-Xylene	0.52	J	0.52	2.17	ug/m3
P5150-02	IA1	Air	1,2,4-Trimethylbenzene	0.74	J	0.39	2.46	ug/m3
P5150-02	IA1	Air	Hexane	2.78		0.39	1.76	ug/m3
Total Voc :				10.0				
Total Concentration:				10.0				
Client ID:	SV3							
P5150-03	SV3	Air	Heptane	75.8		1.80	8.20	ug/m3
P5150-03	SV3	Air	Cyclohexane	35.5		3.03	6.88	ug/m3

Hit Summary Sheet SW-846

SDG No.: P5150
Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5150-03	SV3	Air	cis-1,2-Dichloroethene	54.3		1.43	7.93	ug/m3
P5150-03	SV3	Air	Benzene	10.2		1.12	6.39	ug/m3
P5150-03	SV3	Air	Trichloroethene	38.7		0.38	0.64	ug/m3
P5150-03	SV3	Air	Toluene	64.8		1.66	7.54	ug/m3
P5150-03	SV3	Air	Tetrachloroethene	882	E	0.41	0.81	ug/m3
P5150-03	SV3	Air	Ethyl Benzene	30.4		2.08	8.69	ug/m3
P5150-03	SV3	Air	m/p-Xylene	67.3		3.65	17.4	ug/m3
P5150-03	SV3	Air	o-Xylene	30.4		2.08	8.69	ug/m3
P5150-03	SV3	Air	1,3,5-Trimethylbenzene	21.6		2.16	9.83	ug/m3
P5150-03	SV3	Air	1,2,4-Trimethylbenzene	36.4		1.52	9.83	ug/m3
P5150-03	SV3	Air	Hexane	102		1.55	7.05	ug/m3
Total Voc :				1450				
Total Concentration:				1450				
Client ID:	SV3DL							
P5150-03DL	SV3DL	Air	Heptane	73.8	D	9.02	41.0	ug/m3
P5150-03DL	SV3DL	Air	Cyclohexane	33.7	JD	15.2	34.4	ug/m3
P5150-03DL	SV3DL	Air	cis-1,2-Dichloroethene	53.9	D	7.14	39.6	ug/m3
P5150-03DL	SV3DL	Air	Benzene	10.9	JD	5.43	31.9	ug/m3
P5150-03DL	SV3DL	Air	Trichloroethene	38.7	D	1.83	3.22	ug/m3
P5150-03DL	SV3DL	Air	Toluene	62.6	D	8.29	37.7	ug/m3
P5150-03DL	SV3DL	Air	Tetrachloroethene	882	D	2.03	4.07	ug/m3
P5150-03DL	SV3DL	Air	Ethyl Benzene	29.5	JD	10.4	43.4	ug/m3
P5150-03DL	SV3DL	Air	m/p-Xylene	66.0	JD	18.2	86.9	ug/m3
P5150-03DL	SV3DL	Air	o-Xylene	30.4	JD	10.4	43.4	ug/m3
P5150-03DL	SV3DL	Air	1,3,5-Trimethylbenzene	20.6	JD	10.8	49.2	ug/m3
P5150-03DL	SV3DL	Air	1,2,4-Trimethylbenzene	34.4	JD	7.87	49.2	ug/m3
P5150-03DL	SV3DL	Air	Hexane	102	D	7.75	35.2	ug/m3
Total Voc :				1440				
Total Concentration:				1440				
Client ID:	IA3							
P5150-04	IA3	Air	Heptane	94.7	E	0.45	2.05	ug/m3
P5150-04	IA3	Air	Cyclohexane	53.7	E	0.76	1.72	ug/m3
P5150-04	IA3	Air	Benzene	21.7		0.29	1.60	ug/m3
P5150-04	IA3	Air	Toluene	116	E	0.41	1.88	ug/m3
P5150-04	IA3	Air	Tetrachloroethene	0.81		0.14	0.20	ug/m3
P5150-04	IA3	Air	Ethyl Benzene	52.1		0.52	2.17	ug/m3
P5150-04	IA3	Air	m/p-Xylene	141	E	0.91	4.34	ug/m3

Hit Summary Sheet
SW-846

SDG No.: P5150

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5150-04	IA3	Air	o-Xylene	58.2		0.52	2.17	ug/m3
P5150-04	IA3	Air	1,3,5-Trimethylbenzene	23.6		0.54	2.46	ug/m3
P5150-04	IA3	Air	1,2,4-Trimethylbenzene	67.8		0.39	2.46	ug/m3
P5150-04	IA3	Air	Naphthalene	3.25		0.42	0.52	ug/m3
P5150-04	IA3	Air	Hexane	37.0		0.39	1.76	ug/m3
Total Voc :				669				
Total Concentration:				669				
Client ID:	IA3DL							
P5150-04DL	IA3DL	Air	Heptane	95.5	D	1.80	8.20	ug/m3
P5150-04DL	IA3DL	Air	Cyclohexane	53.0	D	3.03	6.88	ug/m3
P5150-04DL	IA3DL	Air	Benzene	22.4	D	1.12	6.39	ug/m3
P5150-04DL	IA3DL	Air	Toluene	120	D	1.66	7.54	ug/m3
P5150-04DL	IA3DL	Air	Tetrachloroethene	0.81	D	0.41	0.81	ug/m3
P5150-04DL	IA3DL	Air	Ethyl Benzene	53.4	D	2.08	8.69	ug/m3
P5150-04DL	IA3DL	Air	m/p-Xylene	150	D	3.65	17.4	ug/m3
P5150-04DL	IA3DL	Air	o-Xylene	60.4	D	2.08	8.69	ug/m3
P5150-04DL	IA3DL	Air	1,3,5-Trimethylbenzene	23.6	D	2.16	9.83	ug/m3
P5150-04DL	IA3DL	Air	1,2,4-Trimethylbenzene	68.3	D	1.52	9.83	ug/m3
P5150-04DL	IA3DL	Air	Hexane	37.7	D	1.55	7.05	ug/m3
Total Voc :				685				
Total Concentration:				685				
Client ID:	SV4							
P5150-05	SV4	Air	Trichloroethene	16.7		0.38	0.64	ug/m3
P5150-05	SV4	Air	Toluene	2.26	J	1.66	7.54	ug/m3
P5150-05	SV4	Air	Tetrachloroethene	57.6		0.41	0.81	ug/m3
P5150-05	SV4	Air	Hexane	7.75		1.55	7.05	ug/m3
Total Voc :				84.3				
Total Concentration:				84.3				
Client ID:	IA4							
P5150-06	IA4	Air	Heptane	4.51		0.45	2.05	ug/m3
P5150-06	IA4	Air	Cyclohexane	2.48		0.76	1.72	ug/m3
P5150-06	IA4	Air	2,2,4-Trimethylpentane	0.75	J	0.47	2.34	ug/m3
P5150-06	IA4	Air	Benzene	1.73		0.29	1.60	ug/m3
P5150-06	IA4	Air	Trichloroethene	0.64		0.11	0.16	ug/m3
P5150-06	IA4	Air	Toluene	6.78		0.41	1.88	ug/m3
P5150-06	IA4	Air	Tetrachloroethene	1.42		0.14	0.20	ug/m3
P5150-06	IA4	Air	Ethyl Benzene	2.43		0.52	2.17	ug/m3
P5150-06	IA4	Air	m/p-Xylene	6.95		0.91	4.34	ug/m3

Hit Summary Sheet
SW-846

SDG No.: P5150

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
P5150-06	IA4	Air	o-Xylene	2.82		0.52	2.17	ug/m3
P5150-06	IA4	Air	1,3,5-Trimethylbenzene	1.13	J	0.54	2.46	ug/m3
P5150-06	IA4	Air	1,2,4-Trimethylbenzene	3.54		0.39	2.46	ug/m3
P5150-06	IA4	Air	Hexane	10.9		0.39	1.76	ug/m3
Total Voc :				46.1				
Total Concentration:				46.1				

A

B

C

D



SAMPLE DATA

Report of Analysis

Client:	GFE LLC	Date Collected:	12/05/24
Project:	262 Taaffe PL, Brooklyn NY	Date Received:	12/05/24
Client Sample ID:	SV1	SDG No.:	P5150
Lab Sample ID:	P5150-01	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041741.D	4		12/12/24 09:30	VL121124

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.32	0.82		0.15	0.31	ug/m3
142-82-5	Heptane	2.20	9.02		1.80	8.20	ug/m3
75-35-4	1,1-Dichloroethene	0.56	2.22	U	2.22	7.93	ug/m3
110-82-7	Cyclohexane	0.88	3.03	U	3.03	6.88	ug/m3
156-59-2	cis-1,2-Dichloroethene	360	1430	E	1.43	7.93	ug/m3
71-55-6	1,1,1-Trichloroethane	0.72	3.93		0.22	0.65	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.40	1.87	U	1.87	9.34	ug/m3
71-43-2	Benzene	1.50	4.79	J	1.12	6.39	ug/m3
107-06-2	1,2-Dichloroethane	0.36	1.46	U	1.46	8.09	ug/m3
79-01-6	Trichloroethene	30.3	163		0.38	0.64	ug/m3
108-88-3	Toluene	3.90	14.7		1.66	7.54	ug/m3
127-18-4	Tetrachloroethene	290	1970	E	0.41	0.81	ug/m3
100-41-4	Ethyl Benzene	0.48	2.08	U	2.08	8.69	ug/m3
179601-23-1	m/p-Xylene	1.30	5.65	J	3.65	17.4	ug/m3
95-47-6	o-Xylene	0.64	2.78	J	2.08	8.69	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.44	2.16	U	2.16	9.83	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.96	4.72	J	1.52	9.83	ug/m3
91-20-3	Naphthalene	0.30	1.57	U	1.57	2.10	ug/m3
110-54-3	Hexane	11.6	40.9		1.55	7.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135	101%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	249000			2.774		
540-36-3	1,4-Difluorobenzene	1170000			3.939		
3114-55-4	Chlorobenzene-d5	1040000			8.869		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	12/05/24
Project:	262 Taaffe PL, Brooklyn NY	Date Received:	12/05/24
Client Sample ID:	SV1DL	SDG No.:	P5150
Lab Sample ID:	P5150-01DL	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041746.D	40		12/12/24 12:06	VL121124

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.56	1.43	UD	1.43	3.07	ug/m3
142-82-5	Heptane	4.40	18.0	UD	18.0	82.0	ug/m3
75-35-4	1,1-Dichloroethene	5.60	22.2	UD	22.2	79.3	ug/m3
110-82-7	Cyclohexane	8.80	30.3	UD	30.3	68.8	ug/m3
156-59-2	cis-1,2-Dichloroethene	500	1980	D	14.3	79.3	ug/m3
71-55-6	1,1,1-Trichloroethane	0.38	2.07	UD	2.07	6.55	ug/m3
540-84-1	2,2,4-Trimethylpentane	4.00	18.7	UD	18.7	93.4	ug/m3
71-43-2	Benzene	3.50	11.2	UD	11.2	63.9	ug/m3
107-06-2	1,2-Dichloroethane	3.60	14.6	UD	14.6	81.0	ug/m3
79-01-6	Trichloroethene	32.4	174	D	3.65	6.45	ug/m3
108-88-3	Toluene	4.40	16.6	JD	16.6	75.4	ug/m3
127-18-4	Tetrachloroethene	350	2370	D	4.07	8.14	ug/m3
100-41-4	Ethyl Benzene	4.80	20.9	UD	20.9	86.9	ug/m3
179601-23-1	m/p-Xylene	8.40	36.5	UD	36.5	174	ug/m3
95-47-6	o-Xylene	4.80	20.9	UD	20.9	86.9	ug/m3
108-67-8	1,3,5-Trimethylbenzene	4.40	21.6	UD	21.6	98.3	ug/m3
95-63-6	1,2,4-Trimethylbenzene	3.10	15.2	UD	15.2	98.3	ug/m3
91-20-3	Naphthalene	3.00	15.7	UD	15.7	21.0	ug/m3
110-54-3	Hexane	12.8	45.1	JD	15.5	70.5	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135	101%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	240000		2.774			
540-36-3	1,4-Difluorobenzene	1120000		3.939			
3114-55-4	Chlorobenzene-d5	972000		8.865			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	12/05/24
Project:	262 Taaffe PL, Brooklyn NY	Date Received:	12/05/24
Client Sample ID:	IA1	SDG No.:	P5150
Lab Sample ID:	P5150-02	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041738.D	1		12/12/24 07:52	VL121124

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
142-82-5	Heptane	0.24	0.98	J	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.11	0.51	J	0.47	2.34	ug/m3
71-43-2	Benzene	0.29	0.93	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
108-88-3	Toluene	0.50	1.88		0.41	1.88	ug/m3
127-18-4	Tetrachloroethene	0.060	0.41		0.14	0.20	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.29	1.26	J	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	J	0.52	2.17	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.15	0.74	J	0.39	2.46	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
110-54-3	Hexane	0.79	2.78		0.39	1.76	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.90			65 - 135	99%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	247000		2.777			
540-36-3	1,4-Difluorobenzene	1200000		3.942			
3114-55-4	Chlorobenzene-d5	1070000		8.869			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	12/05/24
Project:	262 Taaffe PL, Brooklyn NY	Date Received:	12/05/24
Client Sample ID:	SV3	SDG No.:	P5150
Lab Sample ID:	P5150-03	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041742.D	4		12/12/24 10:01	VL121124

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.060	0.15	U	0.15	0.31	ug/m3
142-82-5	Heptane	18.5	75.8		1.80	8.20	ug/m3
75-35-4	1,1-Dichloroethene	0.56	2.22	U	2.22	7.93	ug/m3
110-82-7	Cyclohexane	10.3	35.5		3.03	6.88	ug/m3
156-59-2	cis-1,2-Dichloroethene	13.7	54.3		1.43	7.93	ug/m3
71-55-6	1,1,1-Trichloroethane	0.040	0.22	U	0.22	0.65	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.40	1.87	U	1.87	9.34	ug/m3
71-43-2	Benzene	3.20	10.2		1.12	6.39	ug/m3
107-06-2	1,2-Dichloroethane	0.36	1.46	U	1.46	8.09	ug/m3
79-01-6	Trichloroethene	7.20	38.7		0.38	0.64	ug/m3
108-88-3	Toluene	17.2	64.8		1.66	7.54	ug/m3
127-18-4	Tetrachloroethene	130	882	E	0.41	0.81	ug/m3
100-41-4	Ethyl Benzene	7.00	30.4		2.08	8.69	ug/m3
179601-23-1	m/p-Xylene	15.5	67.3		3.65	17.4	ug/m3
95-47-6	o-Xylene	7.00	30.4		2.08	8.69	ug/m3
108-67-8	1,3,5-Trimethylbenzene	4.40	21.6		2.16	9.83	ug/m3
95-63-6	1,2,4-Trimethylbenzene	7.40	36.4		1.52	9.83	ug/m3
91-20-3	Naphthalene	0.30	1.57	U	1.57	2.10	ug/m3
110-54-3	Hexane	29.0	102		1.55	7.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.4			65 - 135	104%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	241000			2.771		
540-36-3	1,4-Difluorobenzene	1160000			3.936		
3114-55-4	Chlorobenzene-d5	1050000			8.862		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	12/05/24
Project:	262 Taaffe PL, Brooklyn NY	Date Received:	12/05/24
Client Sample ID:	SV3DL	SDG No.:	P5150
Lab Sample ID:	P5150-03DL	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041747.D	20		12/12/24 12:37	VL121124

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.28	0.72	UD	0.72	1.53	ug/m3
142-82-5	Heptane	18.0	73.8	D	9.02	41.0	ug/m3
75-35-4	1,1-Dichloroethene	2.80	11.1	UD	11.1	39.6	ug/m3
110-82-7	Cyclohexane	9.80	33.7	JD	15.2	34.4	ug/m3
156-59-2	cis-1,2-Dichloroethene	13.6	53.9	D	7.14	39.6	ug/m3
71-55-6	1,1,1-Trichloroethane	0.19	1.04	UD	1.04	3.27	ug/m3
540-84-1	2,2,4-Trimethylpentane	2.00	9.34	UD	9.34	46.7	ug/m3
71-43-2	Benzene	3.40	10.9	JD	5.43	31.9	ug/m3
107-06-2	1,2-Dichloroethane	1.80	7.29	UD	7.29	40.5	ug/m3
79-01-6	Trichloroethene	7.20	38.7	D	1.83	3.22	ug/m3
108-88-3	Toluene	16.6	62.6	D	8.29	37.7	ug/m3
127-18-4	Tetrachloroethene	130	882	D	2.03	4.07	ug/m3
100-41-4	Ethyl Benzene	6.80	29.5	JD	10.4	43.4	ug/m3
179601-23-1	m/p-Xylene	15.2	66.0	JD	18.2	86.9	ug/m3
95-47-6	o-Xylene	7.00	30.4	JD	10.4	43.4	ug/m3
108-67-8	1,3,5-Trimethylbenzene	4.20	20.6	JD	10.8	49.2	ug/m3
95-63-6	1,2,4-Trimethylbenzene	7.00	34.4	JD	7.87	49.2	ug/m3
91-20-3	Naphthalene	1.50	7.86	UD	7.86	10.5	ug/m3
110-54-3	Hexane	29.0	102	D	7.75	35.2	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.3			65 - 135	103%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	235000		2.771			
540-36-3	1,4-Difluorobenzene	1100000		3.933			
3114-55-4	Chlorobenzene-d5	969000		8.862			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	12/05/24
Project:	262 Taaffe PL, Brooklyn NY	Date Received:	12/05/24
Client Sample ID:	IA3	SDG No.:	P5150
Lab Sample ID:	P5150-04	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041739.D	1		12/12/24 08:26	VL121124

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
142-82-5	Heptane	23.1	94.7	E	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
110-82-7	Cyclohexane	15.6	53.7	E	0.76	1.72	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	6.80	21.7		0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
108-88-3	Toluene	30.7	116	E	0.41	1.88	ug/m3
127-18-4	Tetrachloroethene	0.12	0.81		0.14	0.20	ug/m3
100-41-4	Ethyl Benzene	12.0	52.1		0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	32.4	141	E	0.91	4.34	ug/m3
95-47-6	o-Xylene	13.4	58.2		0.52	2.17	ug/m3
108-67-8	1,3,5-Trimethylbenzene	4.80	23.6		0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	13.8	67.8		0.39	2.46	ug/m3
91-20-3	Naphthalene	0.62	3.25		0.42	0.52	ug/m3
110-54-3	Hexane	10.5	37.0		0.39	1.76	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.2			65 - 135	102%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	249000		2.777			
540-36-3	1,4-Difluorobenzene	1200000		3.942			
3114-55-4	Chlorobenzene-d5	1110000		8.869			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	12/05/24
Project:	262 Taaffe PL, Brooklyn NY	Date Received:	12/05/24
Client Sample ID:	IA3DL	SDG No.:	P5150
Lab Sample ID:	P5150-04DL	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041745.D	4		12/12/24 11:36	VL121124

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.060	0.15	UD	0.15	0.31	ug/m3
142-82-5	Heptane	23.3	95.5	D	1.80	8.20	ug/m3
75-35-4	1,1-Dichloroethene	0.56	2.22	UD	2.22	7.93	ug/m3
110-82-7	Cyclohexane	15.4	53.0	D	3.03	6.88	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.36	1.43	UD	1.43	7.93	ug/m3
71-55-6	1,1,1-Trichloroethane	0.040	0.22	UD	0.22	0.65	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.40	1.87	UD	1.87	9.34	ug/m3
71-43-2	Benzene	7.00	22.4	D	1.12	6.39	ug/m3
107-06-2	1,2-Dichloroethane	0.36	1.46	UD	1.46	8.09	ug/m3
79-01-6	Trichloroethene	0.070	0.38	UD	0.38	0.64	ug/m3
108-88-3	Toluene	31.8	120	D	1.66	7.54	ug/m3
127-18-4	Tetrachloroethene	0.12	0.81	D	0.41	0.81	ug/m3
100-41-4	Ethyl Benzene	12.3	53.4	D	2.08	8.69	ug/m3
179601-23-1	m/p-Xylene	34.5	150	D	3.65	17.4	ug/m3
95-47-6	o-Xylene	13.9	60.4	D	2.08	8.69	ug/m3
108-67-8	1,3,5-Trimethylbenzene	4.80	23.6	D	2.16	9.83	ug/m3
95-63-6	1,2,4-Trimethylbenzene	13.9	68.3	D	1.52	9.83	ug/m3
91-20-3	Naphthalene	0.30	1.57	UD	1.57	2.10	ug/m3
110-54-3	Hexane	10.7	37.7	D	1.55	7.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.3			65 - 135	103%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	238000		2.777			
540-36-3	1,4-Difluorobenzene	1140000		3.942			
3114-55-4	Chlorobenzene-d5	1010000		8.869			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	12/05/24
Project:	262 Taaffe PL, Brooklyn NY	Date Received:	12/05/24
Client Sample ID:	SV4	SDG No.:	P5150
Lab Sample ID:	P5150-05	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041743.D	4		12/12/24 10:32	VL121124

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.060	0.15	U	0.15	0.31	ug/m3
142-82-5	Heptane	0.44	1.80	U	1.80	8.20	ug/m3
75-35-4	1,1-Dichloroethene	0.56	2.22	U	2.22	7.93	ug/m3
110-82-7	Cyclohexane	0.88	3.03	U	3.03	6.88	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.36	1.43	U	1.43	7.93	ug/m3
71-55-6	1,1,1-Trichloroethane	0.040	0.22	U	0.22	0.65	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.40	1.87	U	1.87	9.34	ug/m3
71-43-2	Benzene	0.35	1.12	U	1.12	6.39	ug/m3
107-06-2	1,2-Dichloroethane	0.36	1.46	U	1.46	8.09	ug/m3
79-01-6	Trichloroethene	3.10	16.7		0.38	0.64	ug/m3
108-88-3	Toluene	0.60	2.26	J	1.66	7.54	ug/m3
127-18-4	Tetrachloroethene	8.50	57.6		0.41	0.81	ug/m3
100-41-4	Ethyl Benzene	0.48	2.08	U	2.08	8.69	ug/m3
179601-23-1	m/p-Xylene	0.84	3.65	U	3.65	17.4	ug/m3
95-47-6	o-Xylene	0.48	2.08	U	2.08	8.69	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.44	2.16	U	2.16	9.83	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.31	1.52	U	1.52	9.83	ug/m3
91-20-3	Naphthalene	0.30	1.57	U	1.57	2.10	ug/m3
110-54-3	Hexane	2.20	7.75		1.55	7.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135	101%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	250000		2.771			
540-36-3	1,4-Difluorobenzene	1200000		3.936			
3114-55-4	Chlorobenzene-d5	1040000		8.862			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	12/05/24
Project:	262 Taaffe PL, Brooklyn NY	Date Received:	12/05/24
Client Sample ID:	IA4	SDG No.:	P5150
Lab Sample ID:	P5150-06	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL041740.D	1		12/12/24 08:59	VL121124

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
142-82-5	Heptane	1.10	4.51		0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
110-82-7	Cyclohexane	0.72	2.48		0.76	1.72	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.16	0.75	J	0.47	2.34	ug/m3
71-43-2	Benzene	0.54	1.73		0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.12	0.64		0.11	0.16	ug/m3
108-88-3	Toluene	1.80	6.78		0.41	1.88	ug/m3
127-18-4	Tetrachloroethene	0.21	1.42		0.14	0.20	ug/m3
100-41-4	Ethyl Benzene	0.56	2.43		0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	1.60	6.95		0.91	4.34	ug/m3
95-47-6	o-Xylene	0.65	2.82		0.52	2.17	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.23	1.13	J	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.72	3.54		0.39	2.46	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
110-54-3	Hexane	3.10	10.9		0.39	1.76	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.2			65 - 135	102%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	252000			2.774		
540-36-3	1,4-Difluorobenzene	1220000			3.939		
3114-55-4	Chlorobenzene-d5	1070000			8.869		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements


LAB CHRONICLE

OrderID:	P5150	OrderDate:	12/6/2024 10:28:00 AM
Client:	GFE LLC	Project:	262 Taaffe PL, Brooklyn NY
Contact:	Frank Galdun	Location:	Air Lab, VOA Lab


LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5150-01	SV1	Air	VOCMS Group2	TO-15	12/05/24		12/12/24	12/05/24
P5150-01DL	SV1DL	Air	VOCMS Group2	TO-15	12/05/24		12/12/24	12/05/24
P5150-02	IA1	Air	VOCMS Group2	TO-15	12/05/24		12/12/24	12/05/24
P5150-03	SV3	Air	VOCMS Group2	TO-15	12/05/24		12/12/24	12/05/24
P5150-03DL	SV3DL	Air	VOCMS Group2	TO-15	12/05/24		12/12/24	12/05/24
P5150-04	IA3	Air	VOCMS Group2	TO-15	12/05/24		12/12/24	12/05/24
P5150-04DL	IA3DL	Air	VOCMS Group2	TO-15	12/05/24		12/12/24	12/05/24
P5150-05	SV4	Air	VOCMS Group2	TO-15	12/05/24		12/12/24	12/05/24
P5150-06	IA4	Air	VOCMS Group2	TO-15	12/05/24		12/12/24	12/05/24




SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2411043				Courier : FGALDUN				1 of 1 COCs										
Client ID : GFEL01				Project ID : Price List 2024 - TO-15				Sampler Name(s) : FRANK GALDUN				Analysis										
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified														
				Phone Number : 646-542-3465																		
				Fax Number : 973-334-1692																		
				Site Details: 262 TARRFE PL. BROOKLYN, NY																		
				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY				Indoor/Ambient Air Soil Gas										
				Standard : 10 business days OR				EDD Type : PDF														
				Rush (Specify): 5 Days																		
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15							
SV1	12/5/24	8:26	10:26	OVER 30	66	70	70	-30	-5.5	10528	10443	6 L	50	VL041544.D	1							
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 												
		Ambient		Maximum		Minimum																
Start																						
Stop																						
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON ATTACHED LIST Please follow the instructions on the back of this COC.												
		Ambient		Maximum		Minimum																
Start																						
Stop																						
Special Instructions/QC Requirements & Comments :																						
Suspected Contamination: High Medium Low PID Readings: 01																						
Sampling site (State):																						
Quick Connector required : K10																						
Canisters Shipped by: 				Date/Time: 12/5/24				Canisters Received by: 				Date/Time: 12-5-24 1210				B2411043 - 4						
Samples Relinquished by: 				Date/Time: 12/5/24				Received by:				Date/Time:										
Relinquished by:				Date/Time:				Received by:				Date/Time:										

Client Contact Information				Bottle Order ID : B2411043				Courier : F GALDUN				<u>2</u> of <u>6</u> COCs																	
Client ID : GFEL01				Project ID : Price List 2024 - TO-15				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix															
Customer GFE LLC Name : Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 262 TAFFEE PL. BROOKLYN, NY																									
Analysis Turnaround Time 5 DAY				Standard : 10-business-days OR				Data Package Type : RESULTS ONLY																					
Rush (Specify): 5 Days				EDD Type : PDF																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas												
IA1	12/5/24	8:27	10:27	OVER 30	5	70	70	-30	-5.9	10616	10605	6 L	50	VL041544.D	1														
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) Sut							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: 0.0																													
Sampling site (State):																													
Quick Connector required : N/D																													
Canisters Shipped by: Sut				Date/Time: 12/5/24				Canisters Received by: Sut				Date/Time: 12-5-24 1210				B2411043 - 7													
Samples Relinquished by: Sut				Date/Time: 12/5/24				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2411043				Courier : F Galdun				3A 6A COCs																
Client ID : GFEL01				Project ID : Price List 2024 - TO-15				Sampler Name(s) : FRANK Galdun				Analysis		Matrix														
Customer GFE LLC Name : Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																				
				Phone Number : 646-542-3465																								
				Fax Number : 973-334-1692																								
				Site Details: 262 TAAFFE PL, BROOKLYN, NY																								
				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY				Indoor/Ambient Air		Soil Gas														
				Standard : 10 business days OR				EDD Type : PDF																				
Country :				Rush (Specify): 5 Days																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15													
SV3	12/5/24	8:47	10:47	30	65	65	-30	-5.9	10613	10060	6 L	50	VL041544.D															
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON ATTACHED LIST. Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments :																												
Suspected Contamination: High Medium <u>Low</u> PID Readings: 0.1																												
Sampling site (State):																												
Quick Connector required : No																												
Canisters Shipped by: Sam				Date/Time: 12/05/24				Canisters Received by: 				Date/Time: 12-5-24 1210																
Samples Relinquished by: 				Date/Time: 12/5/24				Received by:				Date/Time:																
Relinquished by:				Date/Time:				Received by:				Date/Time:																

B2411043 - 1

Client Contact Information				Bottle Order ID : B2411043				Courier : F Galdun				4 of 6 COCs																
Client ID : GFEL01				Project ID : Price List 2024 - TO-15				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix														
Customer GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																				
				Phone Number : 646-542-3465																								
				Fax Number : 973-334-1692																								
				Site Details: 262 TAAFFE PL. BROOKLYN, NY																								
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY				Indoor Ambient Air		Soil Gas														
State : NJ				Standard : 10-business days OR				EDD Type : PDF																				
Zip Code : 07034				Rush (Specify): 5 Days																								
Country :																												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15													
IAB3	12/5/24	8:48	10:48	30	0	65	65	-30	-7.5	10185	10445	6 L	50	VL041543.D	1													
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments :																												
Suspected Contamination: High Medium Low PID Readings: 0.0 Sampling site (State):																												
Quick Connector required : NO																												
Canisters Shipped by: Sam				Date/Time: 12/5/24				Canisters Received by: da				Date/Time: 12-5-24 120																
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:																
Relinquished by:				Date/Time:				Received by:				Date/Time:																
																B2411043 - 5												

Client Contact Information				Bottle Order ID : B2411043				Courier : FGALDUN				45 of 68 COCs																
Client ID : GFEL01				Project ID : Price List 2024 - TO-15				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix														
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																				
				Phone Number : 646-542-3465																								
				Fax Number : 973-334-1692																								
				Site Details: 262 TAFFEE PL BROOKLYN, NY																								
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY																				
State : NJ				Standard : 10-business days OR																								
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF																				
Country :																												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
SV4	12/5/24	8:30	10:50	30	5.5	70	70	-30	-6.7	10226	10609	6 L	50	VL041543.D														
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON ATTACHED LIST Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments :																												
Suspected Contamination: High Medium <u>Low</u> PID Readings: 0.0																												
Sampling site (State):																												
Quick Connector required : NO																												
Canisters Shipped by: Sam				Date/Time: 12/5/24				Canisters Received by: Sam				Date/Time: 12-5-24 120																
Samples Relinquished by: Sam				Date/Time:				Received by:				Date/Time:																
Relinquished by:				Date/Time:				Received by:				Date/Time:																

B2411043 - 8

Client Contact Information				Bottle Order ID : B2411043				Courier : <u>F Galdun</u>				<u>608</u> of <u>608</u> COCs							
Client ID : GFEL01 Project ID : Price List 2024 - TO-15				Project Manager : Frank galdun				Sampler Name(s) : <u>FRANK Galdun</u>				Analysis		Matrix					
Customer Name : GFE LLC Address : 58 Nokomis Ave				Phone Number : 646-542-3465				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Fax Number : 973-334-1692															
				Site Details: <u>262TAFFLE PL</u> <u>BROOKLYN, NY</u>															
City : Lake Hiawatha																			
State : NJ				Analysis Turnaround Time <u>5 DAY</u>															
Zip Code : 07034				Standard : 10-business days OR				Data Package Type : <u>Results Only</u>											
Country :				Rush (Specify): <u>5</u> Days				EDD Type : <u>PDX</u>											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID					
<u>IAH</u>	<u>12/5/24</u>	<u>8:51</u>	<u>10:51</u>	<u>28.5</u>	<u>0</u>	<u>70</u>	<u>70</u>	<u>-30</u>	<u>-3.9</u>	<u>10503</u>	<u>10597</u>	<u>6 L</u>	<u>50</u>	<u>VL041543.D</u>	<u>1</u>				
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <u>Sut</u>									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																			
Sampling site (State):																			
Quick Connector required : <u>NO</u>																			
Canisters Shipped by: <u>Sut</u>				Date/Time: <u>12/5/24</u>				Canisters Received by: <u>Sut</u>				Date/Time: <u>12-5-24 1240</u>				B2411043 - 6			
Samples Relinquished by: <u>PI</u>				Date/Time: <u>12/5/24</u>				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

New Jersey Department of Environmental Protection

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample	
Laboratory: <u>Chemtech</u>	Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>
QA68 : Field Sample Seal No.: <u>P5150</u>	Title: <u>Sample Custodian</u>
Case No.: <u>450 Castle Hill Ave Bronx</u>	Date Broken: <u>12/5/2024</u>
	Military Time Seal Broken: <u>12:10:00</u>
	Analytical Parameter/Fraction/KO/CMS Group2

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
P5150-01	SV1		
P5150-02	IA1		
P5150-03	SV3		
P5150-04	IA3		
P5150-05	SV4		
P5150-06	IA4		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
12-6-24	1230	Signature  Printed Name <u>Custodian</u>	Signature  Printed Name <u>Pedro Sanchez</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy