



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2411043				Courier : FGALDUN				1 of 1 COCs																	
Client ID : GFEL01				Project ID : Price List 2024 - TO-15				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix															
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 262 TATFEE PL. BROOKLYN, NY																									
Analysis Turnaround Time 5 DAY				Standard : 10-business days OR				Data Package Type : RESULTS ONLY																					
Rush (Specify): 5 Days				EDD Type : PDF																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
SV1	12/5/24	8:26	10:26	OVER 30	55	70	70	-30	-5.5	10528	10443	6 L	50	VL041544.D	1		1												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15)											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop											
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: 01 Sampling site (State):																													
Quick Connector required : 110																													
Canisters Shipped by: SA				Date/Time: 12/5/24				Canisters Received by: SA				Date/Time: 12-5-24 12:10				B2411043 - 4													
Samples Relinquished by: SA				Date/Time: 12/3/24				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2411043				Courier : F GALDUN				<u>2</u> of <u>686</u> COCs																	
Client ID : GFEL01				Project ID : Price List 2024 - TO-15				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix															
Customer GFE LLC Name : Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 262 TAFFEE PL. BROOKLYN, NY																									
Analysis Turnaround Time 5 DAY				Standard : 10-business-days OR				Data Package Type : RESULTS ONLY																					
Rush (Specify): 5 Days				EDD Type : PDF																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas												
IAI	12/5/24	8:27	10:27	OVER 30	5	70	70	-30	-5.9	10616	10605	6 L	50	VL041544.D	1														
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) Sut							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: 8.0																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: SCM				Date/Time: 12/5/24				Canisters Received by: SCM				Date/Time: 12-5-24 1210				B2411043 - 7													
Samples Relinquished by: SCM				Date/Time: 12/5/24				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2411043				Courier : <u>FGALDUN</u>				3A 6A COCs			
Client ID : GFEL01				Project ID : Price List 2024 - TO-15				Sampler Name(s) : <u>FRANK GALDUN</u>				Analysis		Matrix	
Customer GFE LLC Name : Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: <u>262 TAFFEE PL, BROOKLYN, NY</u>											
				Analysis Turnaround Time <u>5 DAY</u>				Data Package Type : <u>RESULTS ONLY</u>							
				Standard : 10 business days OR				EDD Type : <u>PDF</u>							
Country :				Rush (Specify): <u>5</u> Days											

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<u>SV3</u>	<u>12/5/24</u>	<u>8:47</u>	<u>10:47</u>	<u>30</u>	<u>65</u>	<u>65</u>	<u>-30</u>	<u>-5.9</u>	<u>10613</u>	<u>10060</u>	<u>6 L</u>	<u>50</u>	<u>VL041544.D</u>	<u>1</u>			

Temperature (Fahrenheit)			
	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (Inches of Hg)			
	Ambient	Maximum	Minimum
Start			
Stop			

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY THOSE COMPOUNDS ON ATTACHED LIST.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.1

Sampling site (State):

Quick Connector required : <u>No</u>			
Canisters Shipped by: <u>Sam</u>	Date/Time: <u>12/05/24</u>	Canisters Received by: <u>[Signature]</u>	Date/Time: <u>12-5-24 1210</u>
Samples Relinquished by: <u>[Signature]</u>	Date/Time: <u>12/5/24</u>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2411043 - 1

Client Contact Information				Bottle Order ID : B2411043				Courier : F GALDUN				4 of 6 COCs			
Client ID : GFEL01				Project ID : Price List 2024 - TO-15				Sampler Name(s) : FRANK GALDUN				Analysis			
Customer GFE LLC Name : Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 262 TAAFFE PL. BROOKLYN, NY											
Analysis Turnaround Time 5 DAY				Standard : 10-business days OR				Data Package Type : RESULTS ONLY				Indoor Ambient Air Soil Gas			
Rush (Specify): 5 Days				EDD Type : PDF											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	
IAB	12/5/24	8:48	10:48	30	0	65	65	-30	-7.5	10185	10445	6 L	50	VL041543.D	1
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 					
		Ambient	Maximum	Minimum											
Start															
Stop															
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.					
		Ambient	Maximum	Minimum											
Start															
Stop															
Special Instructions/QC Requirements & Comments :															
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>															
Sampling site (State):															
Quick Connector required : <u>NO</u>															
Canisters Shipped by: <u>Sam</u>				Date/Time: <u>12/5/24</u>				Canisters Received by: <u>da</u>				Date/Time: <u>12-5-24 120</u>			
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:			
Relinquished by:				Date/Time:				Received by:				Date/Time:			
B2411043 - 5															

Client Contact Information				Bottle Order ID : B2411043				Courier : FGALDUN				45 of 608 COCs																	
Client ID : GFEL01				Project ID : Price List 2024 - TO-15				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix															
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 262 TAFFEE PL BROOKLYN, NY																									
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY																					
State : NJ				Standard : 10-business days OR																									
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF																					
Country :																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
SV4	12/5/24	8:30	10:50	30	5.5	70	70	-30	-6.7	10226	10609	6 L	50	VL041543.D	1		1												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) Suet							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE COMPOUNDS ON ATTACHED LIST Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: 0.0																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: Sam				Date/Time: 12/5/24				Canisters Received by: Sam				Date/Time: 12-5-24 120				B2411043 - 8													
Samples Relinquished by: Sam				Date/Time:				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2411043				Courier : <u>F Galdun</u>				<u>608</u> of <u>608</u> COCs					
Client ID : GFEL01				Project ID : Price List 2024 - TO-15				Sampler Name(s) : <u>FRANK Galdun</u>				Analysis		Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: <u>262TAFFLE PL</u> <u>BROOKLYN, NY</u>													
Analysis Turnaround Time <u>5 DAY</u>				Standard : 10-business days OR				Data Package Type : <u>Results Only</u>									
Rush (Specify): <u>5</u> Days				EDD Type : <u>PDX</u>													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	<u>TO-15</u>	<u>Indoor/Ambient Air</u>	<u>Soil Gas</u>
<u>IAH</u>	<u>12/5/24</u>	<u>8:51</u>	<u>10:51</u>	<u>28.5</u>	<u>0</u>	<u>70</u>	<u>70</u>	<u>-30</u>	<u>-3-9</u>	<u>10503</u>	<u>10597</u>	<u>6 L</u>	<u>50</u>	<u>VL041543.D</u>	<u>1</u>	<u>1</u>	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <u>Sut</u>							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																	
Sampling site (State):																	
Quick Connector required : <u>NO</u>																	
Canisters Shipped by: <u>Sut</u>				Date/Time: <u>12/5/24</u>				Canisters Received by: <u>Sut</u>				Date/Time: <u>12-5-24 1240</u>				B2411043 - 6	
Samples Relinquished by: <u>PI</u>				Date/Time: <u>12/5/24</u>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,2-DCE

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane

Hexane

REQUESTED ANALYTE LIST:

PCE

TCE

cis-1,2-DCE

1,1,1-TCA

1,2-DCE

1,1-DCE

Vinyl chloride

Benzene

Toluene

Ethylbenzene

Naphthalene

Cyclohexane

2,2,4-Trimethylpentane

1,2,4-Trimethylbenzene

1,3,5-Trimethylbenzene

o-xylene

m,p-xylene

Heptane

Hexane

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane

REQUESTED ANALYTE LIST:

PCE
TCE
cis-1,2-DCE
1,1,1-TCA
1,2-DCE
1,1-DCE
Vinyl chloride
Benzene
Toluene
Ethylbenzene
Naphthalene
Cyclohexane
2,2,4-Trimethylpentane
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
o-xylene
m,p-xylene
Heptane
Hexane



284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

New Jersey Department of Environmental Protection

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: <u>Chemtech</u>	Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>		
QA/QC :	Title: <u>Sample Custodian</u>		
Field Sample Seal No.: <u>P5150</u>	Date Broken: <u>12/5/2024</u>	Military Time Seal Broken: <u>12:10:00</u>	
Case No.: <u>450 Castle Hill Ave Bronx, N</u>	Analytical Parameter/Fraction/KO/CMS Group2		

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
P5150-01	SV1		
P5150-02	IA1		
P5150-03	SV3		
P5150-04	IA3		
P5150-05	SV4		
P5150-06	IA4		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
<u>12-6-24</u>	<u>1230</u>	Signature 	Signature 	
		Printed Name <u>Custodian Line</u>	Printed Name <u>Pedro Sanchez</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy