

Report of Analysis

Client:	AECOM Technical Services, Inc.		Date Collected:	12/06/24	
Project:	NAVFAC NWIRP Bethpage, NY Site 1 OU-2 - 32258		Date Received:	12/06/24	
Client Sample ID:	RE105D2-20241206		SDG No.:	P5164	
Lab Sample ID:	P5164-04		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044193.D	20		12/09/24 17:14	VX120924

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	10.0	U	4.20	10.0	20.0	ug/L
74-87-3	Chloromethane	10.0	U	7.00	10.0	20.0	ug/L
75-01-4	Vinyl Chloride	15.0	U	6.80	15.0	20.0	ug/L
74-83-9	Bromomethane	75.0	U	27.2	75.0	100	ug/L
75-00-3	Chloroethane	15.0	U	11.2	15.0	20.0	ug/L
75-69-4	Trichlorofluoromethane	10.0	U	6.80	10.0	20.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	18.8	J	5.00	10.0	20.0	ug/L
75-35-4	1,1-Dichloroethene	15.0	U	5.20	15.0	20.0	ug/L
67-64-1	Acetone	75.0	U	27.8	75.0	100	ug/L
75-15-0	Carbon Disulfide	15.0	U	6.40	15.0	20.0	ug/L
1634-04-4	Methyl tert-butyl Ether	10.0	U	3.20	10.0	20.0	ug/L
79-20-9	Methyl Acetate	15.0	U	12.0	15.0	20.0	ug/L
75-09-2	Methylene Chloride	10.0	U	6.40	10.0	20.0	ug/L
156-60-5	trans-1,2-Dichloroethene	10.0	U	5.00	10.0	20.0	ug/L
75-34-3	1,1-Dichloroethane	10.0	U	4.60	10.0	20.0	ug/L
110-82-7	Cyclohexane	50.0	U	32.4	50.0	100	ug/L
78-93-3	2-Butanone	50.0	U	26.0	50.0	100	ug/L
56-23-5	Carbon Tetrachloride	10.0	U	5.00	10.0	20.0	ug/L
156-59-2	cis-1,2-Dichloroethene	15.0	U	5.00	15.0	20.0	ug/L
74-97-5	Bromochloromethane	10.0	U	3.60	10.0	20.0	ug/L
67-66-3	Chloroform	10.0	U	5.20	10.0	20.0	ug/L
71-55-6	1,1,1-Trichloroethane	10.0	U	3.80	10.0	20.0	ug/L
108-87-2	Methylcyclohexane	10.0	U	3.80	10.0	20.0	ug/L
71-43-2	Benzene	10.0	U	3.20	10.0	20.0	ug/L
107-06-2	1,2-Dichloroethane	10.0	U	4.80	10.0	20.0	ug/L
79-01-6	Trichloroethene	1600		6.40	15.0	20.0	ug/L
78-87-5	1,2-Dichloropropane	10.0	U	3.80	10.0	20.0	ug/L
75-27-4	Bromodichloromethane	10.0	U	4.80	10.0	20.0	ug/L
108-10-1	4-Methyl-2-Pentanone	50.0	U	15.0	50.0	100	ug/L
108-88-3	Toluene	10.0	U	3.60	10.0	20.0	ug/L

Report of Analysis

Client:	AECOM Technical Services, Inc.	Date Collected:	12/06/24
Project:	NAVFAC NWIRP Bethpage, NY Site 1 OU-2 - 32258	Date Received:	12/06/24
Client Sample ID:	RE105D2-20241206	SDG No.:	P5164
Lab Sample ID:	P5164-04	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044193.D	20		12/09/24 17:14	VX120924

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	10.0	U	4.20	10.0	20.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	10.0	U	3.60	10.0	20.0	ug/L
79-00-5	1,1,2-Trichloroethane	10.0	U	4.20	10.0	20.0	ug/L
591-78-6	2-Hexanone	50.0	U	22.6	50.0	100	ug/L
124-48-1	Dibromochloromethane	10.0	U	3.60	10.0	20.0	ug/L
106-93-4	1,2-Dibromoethane	10.0	U	3.20	10.0	20.0	ug/L
127-18-4	Tetrachloroethene	10.0	U	5.00	10.0	20.0	ug/L
108-90-7	Chlorobenzene	10.0	U	2.60	10.0	20.0	ug/L
100-41-4	Ethyl Benzene	10.0	U	3.20	10.0	20.0	ug/L
179601-23-1	m/p-Xylenes	20.0	U	6.20	20.0	40.0	ug/L
95-47-6	o-Xylene	10.0	U	2.80	10.0	20.0	ug/L
100-42-5	Styrene	10.0	U	3.20	10.0	20.0	ug/L
75-25-2	Bromoform	10.0	U	4.20	10.0	20.0	ug/L
98-82-8	Isopropylbenzene	10.0	U	2.60	10.0	20.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	10.0	U	5.40	10.0	20.0	ug/L
541-73-1	1,3-Dichlorobenzene	10.0	U	4.80	10.0	20.0	ug/L
106-46-7	1,4-Dichlorobenzene	10.0	U	5.40	10.0	20.0	ug/L
95-50-1	1,2-Dichlorobenzene	10.0	U	3.80	10.0	20.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	15.0	U	9.20	15.0	20.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	10.0	U	8.40	10.0	20.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	15.0	U	10.2	15.0	20.0	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	50.5		81 - 118		101%	SPK: 50
1868-53-7	Dibromofluoromethane	46.1		80 - 119		92%	SPK: 50
2037-26-5	Toluene-d8	49.5		89 - 112		99%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.5		85 - 114		103%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	109000	5.55				
540-36-3	1,4-Difluorobenzene	208000	6.757				
3114-55-4	Chlorobenzene-d5	183000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	82400	12.024				

Report of Analysis

Client:	AECOM Technical Services, Inc.		Date Collected:	12/06/24	
Project:	NAVFAC NWIRP Bethpage, NY Site 1 OU-2 - 32258		Date Received:	12/06/24	
Client Sample ID:	RE105D2-20241206		SDG No.:	P5164	
Lab Sample ID:	P5164-04		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044193.D	20		12/09/24 17:14	VX120924

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products