

FORM 12-IN
ANALYSIS LOG

Lab Name: Alliance Technical Group, LLC	Contract: 68HERH20D0011
Lab Code: ACE	Case No.: 51779
MA No.:	SDG No.: MYCYW9
Instrument ID: P7	Analytical Method: ICP-MS
Start Date: 12/18/2024	End Date: 12/19/2024
Run Batch: LB134003	

EPA Sample No.	D/F	Time	Analytes																											
			A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N I	K	S E	A G	N A	T L	V	Z N	C N				
TUNE002	1.0	1050					X				X			X	X															
S0	1.0	1330		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
S02	1.0	1336		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
S03	1.0	1340		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
S04	1.0	1343		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
S05	1.0	1359		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
S06	1.0	1402		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
S07	1.0	1405		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
S08	1.0	1407																												
ICV002	1.0	1428		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
ICB002	1.0	1431		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
ICSA002	1.0	1448	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X					
ICSAB002	1.0	1458	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X					
CCV011	1.0	1501		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
CCB011	1.0	1504		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
PBS601	1.0	1507		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
LCS601	1.0	1510		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
LCSD601	1.0	1514		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
ZZZZZZ	1.0	1517																												
ZZZZZZ	1.0	1520																												
ZZZZZZ	1.0	1523																												
ZZZZZZ	1.0	1527																												
ZZZZZZ	1.0	1530																												
ZZZZZZ	1.0	1533																												
ZZZZZZ	1.0	1536																												
ZZZZZZ	1.0	1540																												
ZZZZZZ	1.0	1543																												
ZZZZZZ	1.0	1546																												
ZZZZZZ	1.0	1550																												
ZZZZZZ	1.0	1553																												
ZZZZZZ	1.0	1556																												
ZZZZZZ	1.0	1559																												
ZZZZZZ	5.0	1602																												
ZZZZZZ	1.0	1605																												
ZZZZZZ	1.0	1608																												
ZZZZZZ	1.0	1611																												
ZZZZZZ	1.0	1614																												
ZZZZZZ	5.0	1617																												
ZZZZZZ	1.0	1620																												
ZZZZZZ	1.0	1623																												
ZZZZZZ	1.0	1626																												

FORM 12-IN
ANALYSIS LOG

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
Lab Code: ACE Case No.: 51779 MA No.: _____ SDG No.: MYCYW9
Instrument ID: P7 Analytical Method: ICP-MS
Start Date: 12/18/2024 End Date: 12/19/2024
Run Batch: LB134003

EPA Sample No.	D/F	Time	Analytes																									
			A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N I	K	S E	A G	N A	T L	V	Z N	C N		
ZZZZZZ	1.0	1630																										
ZZZZZZ	5.0	1633																										
ZZZZZZ	1.0	1636																										
ZZZZZZ	1.0	1639																										
CCV012	1.0	1642		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X			
CCB012	1.0	1644		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X			
ZZZZZZ	1.0	1648																										
ZZZZZZ	1.0	1651																										
ZZZZZZ	5.0	1654																										
ZZZZZZ	1.0	1657																										
ZZZZZZ	1.0	1700																										
ZZZZZZ	1.0	1703																										
ZZZZZZ	1.0	1706																										
ZZZZZZ	5.0	1709																										
ZZZZZZ	1.0	1712																										
ZZZZZZ	1.0	1715																										
ZZZZZZ	4.0	1718																										
ZZZZZZ	4.0	1721																										
ZZZZZZ	20.0	1724																										
ZZZZZZ	4.0	1728																										
ZZZZZZ	4.0	1731																										
ZZZZZZ	4.0	1734																										
ZZZZZZ	4.0	1737																										
ZZZZZZ	20.0	1740																										
ZZZZZZ	4.0	1743																										
ZZZZZZ	4.0	1746																										
CCV013	1.0	1754		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X			
CCB013	1.0	1757		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X			
ZZZZZZ	4.0	1804																										
ZZZZZZ	4.0	1807																										
ZZZZZZ	20.0	1810																										
ZZZZZZ	4.0	1813																										
ZZZZZZ	4.0	1817																										
ZZZZZZ	4.0	1820																										
ZZZZZZ	4.0	1823																										
ZZZZZZ	20.0	1826																										
ZZZZZZ	4.0	1829																										
ZZZZZZ	4.0	1832																										
ZZZZZZ	4.0	1835																										
ZZZZZZ	4.0	1838																										
ZZZZZZ	20.0	1842																										

FORM 12-IN
ANALYSIS LOG

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51779 MA No.: _____ SDG No.: MYCYW9
 Instrument ID: P7 Analytical Method: ICP-MS
 Start Date: 12/18/2024 End Date: 12/19/2024
 Run Batch: LB134003

EPA Sample No.	D/F	Time	Analytes																											
			A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N I	K	S E	A G	N A	T L	V	Z N	C N				
ZZZZZZ	4.0	1845																												
ZZZZZZ	4.0	1848																												
ZZZZZZ	1.0	1851																												
ZZZZZZ	1.0	1854																												
ZZZZZZ	1.0	1857																												
ZZZZZZ	1.0	1900																												
ZZZZZZ	1.0	1903																												
ZZZZZZ	1.0	1906																												
ZZZZZZ	1.0	1909																												
CCV014	1.0	1918		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
CCB014	1.0	1921		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
ZZZZZZ	1.0	1924																												
ZZZZZZ	1.0	1927																												
ZZZZZZ	1.0	1930																												
ZZZZZZ	1.0	1933																												
ZZZZZZ	1.0	1936																												
ZZZZZZ	1.0	1939																												
ZZZZZZ	1.0	1942																												
ZZZZZZ	1.0	1945																												
ZZZZZZ	1.0	1948																												
ZZZZZZ	1.0	1951																												
ZZZZZZ	1.0	1954																												
ZZZZZZ	1.0	1957																												
ZZZZZZ	1.0	2001																												
ZZZZZZ	1.0	2004																												
ZZZZZZ	5.0	2007																												
ZZZZZZ	1.0	2010																												
ZZZZZZ	1.0	2013																												
ZZZZZZ	1.0	2015																												
ZZZZZZ	1.0	2019																												
ZZZZZZ	1.0	2022																												
ZZZZZZ	1.0	2025																												
ZZZZZZ	1.0	2028																												
ZZZZZZ	1.0	2031																												
ZZZZZZ	1.0	2034																												
ZZZZZZ	1.0	2037																												
ZZZZZZ	1.0	2040																												
CCV015	1.0	2043		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
CCB015	1.0	2050		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
ZZZZZZ	1.0	2053																												
ZZZZZZ	1.0	2056																												

FORM 12-IN
ANALYSIS LOG

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51779 MA No.: _____ SDG No.: MYCYW9
 Instrument ID: P7 Analytical Method: ICP-MS
 Start Date: 12/18/2024 End Date: 12/19/2024
 Run Batch: LB134003

EPA Sample No.	D/F	Time	Analytes																											
			A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N I	K	S E	A G	N A	T L	V	Z N	C N				
ZZZZZZ	1.0	2059																												
ZZZZZZ	1.0	2102																												
ZZZZZZ	1.0	2105																												
ZZZZZZ	1.0	2108																												
ZZZZZZ	1.0	2111																												
ZZZZZZ	1.0	2114																												
ZZZZZZ	1.0	2118																												
ZZZZZZ	1.0	2121																												
ZZZZZZ	1.0	2124																												
ZZZZZZ	1.0	2127																												
ZZZZZZ	5.0	2130																												
ZZZZZZ	1.0	2133																												
ZZZZZZ	1.0	2136																												
MYCYW9	1.0	2139		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCYX0	1.0	2142		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCYX1	1.0	2145		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCYX2	1.0	2148		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCYX3	1.0	2151		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCYX4	1.0	2154		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCYX5	1.0	2157		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCYX6	1.0	2201		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCYX7	1.0	2204		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCYX8	1.0	2207		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
CCV016	1.0	2210		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
CCB016	1.0	2212		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCZA9	1.0	2216		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCZB0	1.0	2219		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCZB1	1.0	2222		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCZB2	1.0	2225		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCZB3	1.0	2228		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCZB4	1.0	2232		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCZB5	1.0	2235		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCZB6	1.0	2238		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCZB7	1.0	2241		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X					
MYCZB8	1.0	2244		X	X		X	X		X		X		X						X	X		X		X					
MYCZB8D	1.0	2247		X	X		X	X		X		X		X						X	X		X		X					
MYCZB8L	5.0	2250		X	X		X	X		X		X		X						X	X		X		X					
MYCZB8S	1.0	2254		X	X		X	X		X		X		X						X	X		X		X					
MYCZB8SRE	1.0	2257		X	X		X	X		X		X		X						X	X		X		X					
ZZZZZZ	4.0	2259																												
ZZZZZZ	4.0	2303																												

FORM 12-IN
ANALYSIS LOG

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51779 MA No.: _____ SDG No.: MYCYW9
 Instrument ID: P7 Analytical Method: ICP-MS
 Start Date: 12/18/2024 End Date: 12/19/2024
 Run Batch: LB134003

EPA Sample No.	D/F	Time	Analytes																							
			A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N I	K	S E	A G	N A	T L	V	Z N	C N
ZZZZZZ	20.0	2306																								
ZZZZZZ	4.0	2309																								
ZZZZZZ	4.0	2312																								
ZZZZZZ	4.0	2315																								
ZZZZZZ	4.0	2318																								
ZZZZZZ	20.0	2322																								
ZZZZZZ	4.0	2325																								
ZZZZZZ	4.0	2328																								
MYCZB8	4.0	2331				X					X							X						X		
MYCZB8D	4.0	2334				X					X							X						X		
CCV017	1.0	2337		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X	
CCB017	1.0	2340		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X	
MYCZB8L	20.0	2343				X					X							X						X		
MYCZB8S	4.0	2347				X					X							X						X		
MYCZB8SRE	4.0	2350				X					X							X						X		
MYCYW9	2.0	2353																								
MYCYX1	2.0	2356																								
MYCYX2	5.0	0000																								
MYCYX3	2.0	0003																								
MYCYX4	2.0	0006																								
MYCYX5	5.0	0009																								
MYCYX6	2.0	0012																								
MYCYX7	2.0	0015																								
MYCYX8	2.0	0018																								
ZZZZZZ	2.0	0022																								
ZZZZZZ	4.0	0025																								
MYCYX8	4.0	0049																								
CCV018	1.0	0054		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X	
CCB018	1.0	0056		X	X	X	X	X		X	X	X		X				X		X	X		X	X	X	