

Report of Analysis

Client:	JPCL Engineering	Date Collected:	12/05/24
Project:	1454 to 1460 Haddon Avenue, Camden, NJ	Date Received:	12/06/24
Client Sample ID:	UST-1	SDG No.:	P5194
Lab Sample ID:	P5194-01	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	88.1
Sample Wt/Vol:	30.06	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	1
GPC Factor :		PH :	
Prep Method :	SW3541	Decanted:	
		Test:	Diesel Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG014965.D	10	12/11/24 09:15	12/11/24 12:22	PB165556

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	125000		2090	18900	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.58	*	37 - 130	29%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit