

Hit Summary Sheet
SW-846

SDG No.: P5194
Client: JPCL Engineering

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: P5194-04	WP-2 WP-2	SOIL	Acetone	17.3	J	7.40	29.5	ug/Kg
			Total Voc :	17.3				
			Total Concentration:	17.3				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	JPCL Engineering	Date Collected:	12/05/24
Project:	1454 to 1460 Haddon Avenue, Camden, NJ	Date Received:	12/06/24
Client Sample ID:	WP-1	SDG No.:	P5194
Lab Sample ID:	P5194-03	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	97.4
Sample Wt/Vol:	4.67 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020575.D	1		12/10/24 17:43	VY121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.80	U	1.80	5.50	ug/Kg
74-87-3	Chloromethane	1.30	U	1.30	5.50	ug/Kg
75-01-4	Vinyl Chloride	0.85	U	0.85	5.50	ug/Kg
74-83-9	Bromomethane	1.10	U	1.10	5.50	ug/Kg
75-00-3	Chloroethane	1.10	U	1.10	5.50	ug/Kg
75-69-4	Trichlorofluoromethane	1.00	U	1.00	5.50	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.20	U	1.20	5.50	ug/Kg
75-35-4	1,1-Dichloroethene	0.86	U	0.86	5.50	ug/Kg
67-64-1	Acetone	6.90	U	6.90	27.5	ug/Kg
75-15-0	Carbon Disulfide	1.40	U	1.40	5.50	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.74	U	0.74	5.50	ug/Kg
79-20-9	Methyl Acetate	2.00	U	2.00	5.50	ug/Kg
75-09-2	Methylene Chloride	3.70	U	3.70	11.0	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.92	U	0.92	5.50	ug/Kg
75-34-3	1,1-Dichloroethane	0.69	U	0.69	5.50	ug/Kg
110-82-7	Cyclohexane	0.76	U	0.76	5.50	ug/Kg
78-93-3	2-Butanone	6.20	U	6.20	27.5	ug/Kg
56-23-5	Carbon Tetrachloride	0.96	U	0.96	5.50	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.67	U	0.67	5.50	ug/Kg
74-97-5	Bromochloromethane	2.70	U	2.70	5.50	ug/Kg
67-66-3	Chloroform	0.74	U	0.74	5.50	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.86	U	0.86	5.50	ug/Kg
108-87-2	Methylcyclohexane	0.96	U	0.96	5.50	ug/Kg
71-43-2	Benzene	0.79	U	0.79	5.50	ug/Kg
107-06-2	1,2-Dichloroethane	0.67	U	0.67	5.50	ug/Kg
79-01-6	Trichloroethene	0.82	U	0.82	5.50	ug/Kg
78-87-5	1,2-Dichloropropane	0.73	U	0.73	5.50	ug/Kg
75-27-4	Bromodichloromethane	0.62	U	0.62	5.50	ug/Kg
108-10-1	4-Methyl-2-Pentanone	4.80	U	4.80	27.5	ug/Kg
108-88-3	Toluene	0.74	U	0.74	5.50	ug/Kg

Report of Analysis

Client:	JPCL Engineering	Date Collected:	12/05/24
Project:	1454 to 1460 Haddon Avenue, Camden, NJ	Date Received:	12/06/24
Client Sample ID:	WP-1	SDG No.:	P5194
Lab Sample ID:	P5194-03	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	97.4
Sample Wt/Vol:	4.67 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020575.D	1		12/10/24 17:43	VY121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.66	U	0.66	5.50	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.63	U	0.63	5.50	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.92	U	0.92	5.50	ug/Kg
591-78-6	2-Hexanone	5.30	U	5.30	27.5	ug/Kg
124-48-1	Dibromochloromethane	0.71	U	0.71	5.50	ug/Kg
106-93-4	1,2-Dibromoethane	0.87	U	0.87	5.50	ug/Kg
127-18-4	Tetrachloroethene	0.98	U	0.98	5.50	ug/Kg
108-90-7	Chlorobenzene	0.81	U	0.81	5.50	ug/Kg
100-41-4	Ethyl Benzene	0.68	U	0.68	5.50	ug/Kg
179601-23-1	m/p-Xylenes	1.50	U	1.50	11.0	ug/Kg
95-47-6	o-Xylene	0.77	U	0.77	5.50	ug/Kg
100-42-5	Styrene	0.66	U	0.66	5.50	ug/Kg
75-25-2	Bromoform	0.89	U	0.89	5.50	ug/Kg
98-82-8	Isopropylbenzene	0.74	U	0.74	5.50	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.20	U	1.20	5.50	ug/Kg
541-73-1	1,3-Dichlorobenzene	0.81	U	0.81	5.50	ug/Kg
106-46-7	1,4-Dichlorobenzene	0.88	U	0.88	5.50	ug/Kg
95-50-1	1,2-Dichlorobenzene	0.65	U	0.65	5.50	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.70	U	1.70	5.50	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	0.87	U	0.87	5.50	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	0.86	U	0.86	5.50	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	63.3		50 - 163	127%	SPK: 50
1868-53-7	Dibromofluoromethane	52.8		54 - 147	106%	SPK: 50
2037-26-5	Toluene-d8	50.8		58 - 134	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.1		29 - 146	92%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	97200	7.707			
540-36-3	1,4-Difluorobenzene	167000	8.615			
3114-55-4	Chlorobenzene-d5	147000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	59500	13.346			

Report of Analysis

Client:	JPCL Engineering	Date Collected:	12/05/24
Project:	1454 to 1460 Haddon Avenue, Camden, NJ	Date Received:	12/06/24
Client Sample ID:	WP-1	SDG No.:	P5194
Lab Sample ID:	P5194-03	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	97.4
Sample Wt/Vol:	4.67 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020575.D	1		12/10/24 17:43	VY121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	JPCL Engineering	Date Collected:	12/05/24
Project:	1454 to 1460 Haddon Avenue, Camden, NJ	Date Received:	12/06/24
Client Sample ID:	WP-2	SDG No.:	P5194
Lab Sample ID:	P5194-04	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	94.3
Sample Wt/Vol:	4.5 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020576.D	1		12/10/24 18:06	VY121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.90	U	1.90	5.90	ug/Kg
74-87-3	Chloromethane	1.40	U	1.40	5.90	ug/Kg
75-01-4	Vinyl Chloride	0.91	U	0.91	5.90	ug/Kg
74-83-9	Bromomethane	1.20	U	1.20	5.90	ug/Kg
75-00-3	Chloroethane	1.20	U	1.20	5.90	ug/Kg
75-69-4	Trichlorofluoromethane	1.10	U	1.10	5.90	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.30	U	1.30	5.90	ug/Kg
75-35-4	1,1-Dichloroethene	0.92	U	0.92	5.90	ug/Kg
67-64-1	Acetone	17.3	J	7.40	29.5	ug/Kg
75-15-0	Carbon Disulfide	1.50	U	1.50	5.90	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.79	U	0.79	5.90	ug/Kg
79-20-9	Methyl Acetate	2.10	U	2.10	5.90	ug/Kg
75-09-2	Methylene Chloride	4.00	U	4.00	11.8	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.99	U	0.99	5.90	ug/Kg
75-34-3	1,1-Dichloroethane	0.74	U	0.74	5.90	ug/Kg
110-82-7	Cyclohexane	0.81	U	0.81	5.90	ug/Kg
78-93-3	2-Butanone	6.70	U	6.70	29.5	ug/Kg
56-23-5	Carbon Tetrachloride	1.00	U	1.00	5.90	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.72	U	0.72	5.90	ug/Kg
74-97-5	Bromochloromethane	2.90	U	2.90	5.90	ug/Kg
67-66-3	Chloroform	0.79	U	0.79	5.90	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.92	U	0.92	5.90	ug/Kg
108-87-2	Methylcyclohexane	1.00	U	1.00	5.90	ug/Kg
71-43-2	Benzene	0.85	U	0.85	5.90	ug/Kg
107-06-2	1,2-Dichloroethane	0.72	U	0.72	5.90	ug/Kg
79-01-6	Trichloroethene	0.88	U	0.88	5.90	ug/Kg
78-87-5	1,2-Dichloropropane	0.78	U	0.78	5.90	ug/Kg
75-27-4	Bromodichloromethane	0.66	U	0.66	5.90	ug/Kg
108-10-1	4-Methyl-2-Pentanone	5.10	U	5.10	29.5	ug/Kg
108-88-3	Toluene	0.79	U	0.79	5.90	ug/Kg

Report of Analysis

Client:	JPCL Engineering	Date Collected:	12/05/24
Project:	1454 to 1460 Haddon Avenue, Camden, NJ	Date Received:	12/06/24
Client Sample ID:	WP-2	SDG No.:	P5194
Lab Sample ID:	P5194-04	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	94.3
Sample Wt/Vol:	4.5 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020576.D	1		12/10/24 18:06	VY121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.71	U	0.71	5.90	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.67	U	0.67	5.90	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.99	U	0.99	5.90	ug/Kg
591-78-6	2-Hexanone	5.60	U	5.60	29.5	ug/Kg
124-48-1	Dibromochloromethane	0.77	U	0.77	5.90	ug/Kg
106-93-4	1,2-Dibromoethane	0.93	U	0.93	5.90	ug/Kg
127-18-4	Tetrachloroethene	1.00	U	1.00	5.90	ug/Kg
108-90-7	Chlorobenzene	0.87	U	0.87	5.90	ug/Kg
100-41-4	Ethyl Benzene	0.73	U	0.73	5.90	ug/Kg
179601-23-1	m/p-Xylenes	1.60	U	1.60	11.8	ug/Kg
95-47-6	o-Xylene	0.82	U	0.82	5.90	ug/Kg
100-42-5	Styrene	0.71	U	0.71	5.90	ug/Kg
75-25-2	Bromoform	0.95	U	0.95	5.90	ug/Kg
98-82-8	Isopropylbenzene	0.79	U	0.79	5.90	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.30	U	1.30	5.90	ug/Kg
541-73-1	1,3-Dichlorobenzene	0.87	U	0.87	5.90	ug/Kg
106-46-7	1,4-Dichlorobenzene	0.94	U	0.94	5.90	ug/Kg
95-50-1	1,2-Dichlorobenzene	0.70	U	0.70	5.90	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.80	U	1.80	5.90	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	0.93	U	0.93	5.90	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	0.92	U	0.92	5.90	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	57.3		50 - 163	115%	SPK: 50
1868-53-7	Dibromofluoromethane	50.7		54 - 147	101%	SPK: 50
2037-26-5	Toluene-d8	50.8		58 - 134	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.2		29 - 146	90%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	155000	7.707			
540-36-3	1,4-Difluorobenzene	268000	8.61			
3114-55-4	Chlorobenzene-d5	231000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	95000	13.347			

Report of Analysis

Client:	JPCL Engineering	Date Collected:	12/05/24
Project:	1454 to 1460 Haddon Avenue, Camden, NJ	Date Received:	12/06/24
Client Sample ID:	WP-2	SDG No.:	P5194
Lab Sample ID:	P5194-04	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	94.3
Sample Wt/Vol:	4.5 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020576.D	1		12/10/24 18:06	VY121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	JPCL Engineering	Date Collected:	12/05/24
Project:	1454 to 1460 Haddon Avenue, Camden, NJ	Date Received:	12/06/24
Client Sample ID:	WP-3	SDG No.:	P5194
Lab Sample ID:	P5194-05	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	89
Sample Wt/Vol:	5.05 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020577.D	1		12/10/24 18:30	VY121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.80	U	1.80	5.60	ug/Kg
74-87-3	Chloromethane	1.30	U	1.30	5.60	ug/Kg
75-01-4	Vinyl Chloride	0.86	U	0.86	5.60	ug/Kg
74-83-9	Bromomethane	1.10	U	1.10	5.60	ug/Kg
75-00-3	Chloroethane	1.10	U	1.10	5.60	ug/Kg
75-69-4	Trichlorofluoromethane	1.00	U	1.00	5.60	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.20	U	1.20	5.60	ug/Kg
75-35-4	1,1-Dichloroethene	0.87	U	0.87	5.60	ug/Kg
67-64-1	Acetone	6.90	U	6.90	27.8	ug/Kg
75-15-0	Carbon Disulfide	1.40	U	1.40	5.60	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.75	U	0.75	5.60	ug/Kg
79-20-9	Methyl Acetate	2.00	U	2.00	5.60	ug/Kg
75-09-2	Methylene Chloride	3.80	U	3.80	11.1	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.93	U	0.93	5.60	ug/Kg
75-34-3	1,1-Dichloroethane	0.70	U	0.70	5.60	ug/Kg
110-82-7	Cyclohexane	0.77	U	0.77	5.60	ug/Kg
78-93-3	2-Butanone	6.30	U	6.30	27.8	ug/Kg
56-23-5	Carbon Tetrachloride	0.97	U	0.97	5.60	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.68	U	0.68	5.60	ug/Kg
74-97-5	Bromochloromethane	2.70	U	2.70	5.60	ug/Kg
67-66-3	Chloroform	0.75	U	0.75	5.60	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.87	U	0.87	5.60	ug/Kg
108-87-2	Methylcyclohexane	0.97	U	0.97	5.60	ug/Kg
71-43-2	Benzene	0.80	U	0.80	5.60	ug/Kg
107-06-2	1,2-Dichloroethane	0.68	U	0.68	5.60	ug/Kg
79-01-6	Trichloroethene	0.83	U	0.83	5.60	ug/Kg
78-87-5	1,2-Dichloropropane	0.73	U	0.73	5.60	ug/Kg
75-27-4	Bromodichloromethane	0.62	U	0.62	5.60	ug/Kg
108-10-1	4-Methyl-2-Pentanone	4.80	U	4.80	27.8	ug/Kg
108-88-3	Toluene	0.75	U	0.75	5.60	ug/Kg

Report of Analysis

Client:	JPCL Engineering	Date Collected:	12/05/24
Project:	1454 to 1460 Haddon Avenue, Camden, NJ	Date Received:	12/06/24
Client Sample ID:	WP-3	SDG No.:	P5194
Lab Sample ID:	P5194-05	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	89
Sample Wt/Vol:	5.05 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020577.D	1		12/10/24 18:30	VY121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.67	U	0.67	5.60	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.63	U	0.63	5.60	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.93	U	0.93	5.60	ug/Kg
591-78-6	2-Hexanone	5.30	U	5.30	27.8	ug/Kg
124-48-1	Dibromochloromethane	0.72	U	0.72	5.60	ug/Kg
106-93-4	1,2-Dibromoethane	0.88	U	0.88	5.60	ug/Kg
127-18-4	Tetrachloroethene	0.99	U	0.99	5.60	ug/Kg
108-90-7	Chlorobenzene	0.82	U	0.82	5.60	ug/Kg
100-41-4	Ethyl Benzene	0.69	U	0.69	5.60	ug/Kg
179601-23-1	m/p-Xylenes	1.50	U	1.50	11.1	ug/Kg
95-47-6	o-Xylene	0.78	U	0.78	5.60	ug/Kg
100-42-5	Styrene	0.67	U	0.67	5.60	ug/Kg
75-25-2	Bromoform	0.90	U	0.90	5.60	ug/Kg
98-82-8	Isopropylbenzene	0.75	U	0.75	5.60	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.20	U	1.20	5.60	ug/Kg
541-73-1	1,3-Dichlorobenzene	0.82	U	0.82	5.60	ug/Kg
106-46-7	1,4-Dichlorobenzene	0.89	U	0.89	5.60	ug/Kg
95-50-1	1,2-Dichlorobenzene	0.66	U	0.66	5.60	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.70	U	1.70	5.60	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	0.88	U	0.88	5.60	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	0.87	U	0.87	5.60	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	59.5		50 - 163	119%	SPK: 50
1868-53-7	Dibromofluoromethane	51.5		54 - 147	103%	SPK: 50
2037-26-5	Toluene-d8	50.7		58 - 134	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.2		29 - 146	90%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	145000	7.707			
540-36-3	1,4-Difluorobenzene	255000	8.61			
3114-55-4	Chlorobenzene-d5	224000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	90600	13.347			

Report of Analysis

Client:	JPCL Engineering	Date Collected:	12/05/24
Project:	1454 to 1460 Haddon Avenue, Camden, NJ	Date Received:	12/06/24
Client Sample ID:	WP-3	SDG No.:	P5194
Lab Sample ID:	P5194-05	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	89
Sample Wt/Vol:	5.05 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020577.D	1		12/10/24 18:30	VY121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	JPCL Engineering	Date Collected:	12/05/24
Project:	1454 to 1460 Haddon Avenue, Camden, NJ	Date Received:	12/06/24
Client Sample ID:	WP-4	SDG No.:	P5194
Lab Sample ID:	P5194-06	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	97.4
Sample Wt/Vol:	4.51 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020574.D	1		12/10/24 17:20	VY121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.90	U	1.90	5.70	ug/Kg
74-87-3	Chloromethane	1.30	U	1.30	5.70	ug/Kg
75-01-4	Vinyl Chloride	0.88	U	0.88	5.70	ug/Kg
74-83-9	Bromomethane	1.20	U	1.20	5.70	ug/Kg
75-00-3	Chloroethane	1.10	U	1.10	5.70	ug/Kg
75-69-4	Trichlorofluoromethane	1.00	U	1.00	5.70	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.20	U	1.20	5.70	ug/Kg
75-35-4	1,1-Dichloroethene	0.89	U	0.89	5.70	ug/Kg
67-64-1	Acetone	7.10	U	7.10	28.5	ug/Kg
75-15-0	Carbon Disulfide	1.50	U	1.50	5.70	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.76	U	0.76	5.70	ug/Kg
79-20-9	Methyl Acetate	2.00	U	2.00	5.70	ug/Kg
75-09-2	Methylene Chloride	3.90	U	3.90	11.4	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.96	U	0.96	5.70	ug/Kg
75-34-3	1,1-Dichloroethane	0.72	U	0.72	5.70	ug/Kg
110-82-7	Cyclohexane	0.79	U	0.79	5.70	ug/Kg
78-93-3	2-Butanone	6.50	U	6.50	28.5	ug/Kg
56-23-5	Carbon Tetrachloride	0.99	U	0.99	5.70	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.69	U	0.69	5.70	ug/Kg
74-97-5	Bromochloromethane	2.80	U	2.80	5.70	ug/Kg
67-66-3	Chloroform	0.76	U	0.76	5.70	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.89	U	0.89	5.70	ug/Kg
108-87-2	Methylcyclohexane	0.99	U	0.99	5.70	ug/Kg
71-43-2	Benzene	0.82	U	0.82	5.70	ug/Kg
107-06-2	1,2-Dichloroethane	0.69	U	0.69	5.70	ug/Kg
79-01-6	Trichloroethene	0.85	U	0.85	5.70	ug/Kg
78-87-5	1,2-Dichloropropane	0.75	U	0.75	5.70	ug/Kg
75-27-4	Bromodichloromethane	0.64	U	0.64	5.70	ug/Kg
108-10-1	4-Methyl-2-Pentanone	5.00	U	5.00	28.5	ug/Kg
108-88-3	Toluene	0.76	U	0.76	5.70	ug/Kg

Report of Analysis

Client:	JPCL Engineering	Date Collected:	12/05/24
Project:	1454 to 1460 Haddon Avenue, Camden, NJ	Date Received:	12/06/24
Client Sample ID:	WP-4	SDG No.:	P5194
Lab Sample ID:	P5194-06	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	97.4
Sample Wt/Vol:	4.51 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020574.D	1		12/10/24 17:20	VY121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.68	U	0.68	5.70	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.65	U	0.65	5.70	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.96	U	0.96	5.70	ug/Kg
591-78-6	2-Hexanone	5.50	U	5.50	28.5	ug/Kg
124-48-1	Dibromochloromethane	0.74	U	0.74	5.70	ug/Kg
106-93-4	1,2-Dibromoethane	0.90	U	0.90	5.70	ug/Kg
127-18-4	Tetrachloroethene	1.00	U	1.00	5.70	ug/Kg
108-90-7	Chlorobenzene	0.84	U	0.84	5.70	ug/Kg
100-41-4	Ethyl Benzene	0.71	U	0.71	5.70	ug/Kg
179601-23-1	m/p-Xylenes	1.50	U	1.50	11.4	ug/Kg
95-47-6	o-Xylene	0.80	U	0.80	5.70	ug/Kg
100-42-5	Styrene	0.68	U	0.68	5.70	ug/Kg
75-25-2	Bromoform	0.92	U	0.92	5.70	ug/Kg
98-82-8	Isopropylbenzene	0.76	U	0.76	5.70	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.30	U	1.30	5.70	ug/Kg
541-73-1	1,3-Dichlorobenzene	0.84	U	0.84	5.70	ug/Kg
106-46-7	1,4-Dichlorobenzene	0.91	U	0.91	5.70	ug/Kg
95-50-1	1,2-Dichlorobenzene	0.67	U	0.67	5.70	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.80	U	1.80	5.70	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	0.90	U	0.90	5.70	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	0.89	U	0.89	5.70	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.8		50 - 163	112%	SPK: 50
1868-53-7	Dibromofluoromethane	50.8		54 - 147	102%	SPK: 50
2037-26-5	Toluene-d8	49.8		58 - 134	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.8		29 - 146	88%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	151000	7.707			
540-36-3	1,4-Difluorobenzene	263000	8.61			
3114-55-4	Chlorobenzene-d5	223000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	90400	13.347			

Report of Analysis

Client:	JPCL Engineering	Date Collected:	12/05/24
Project:	1454 to 1460 Haddon Avenue, Camden, NJ	Date Received:	12/06/24
Client Sample ID:	WP-4	SDG No.:	P5194
Lab Sample ID:	P5194-06	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	97.4
Sample Wt/Vol:	4.51 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020574.D	1		12/10/24 17:20	VY121024

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	P5194	OrderDate:	12/6/2024 3:08:24 PM
Client:	JPCL Engineering	Project:	1454 to 1460 Haddon Avenue, Camden, NJ
Contact:	Paul Rotondi	Location:	L41,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P5194-03	WP-1	SOIL	VOC-TCLVOA-10	8260D	12/05/24		12/10/24	12/06/24
P5194-04	WP-2	SOIL	VOC-TCLVOA-10	8260D	12/05/24		12/10/24	12/06/24
P5194-05	WP-3	SOIL	VOC-TCLVOA-10	8260D	12/05/24		12/10/24	12/06/24
P5194-06	WP-4	SOIL	VOC-TCLVOA-10	8260D	12/05/24		12/10/24	12/06/24